

HALL EFFECT SENDERS

HALL EFFECT 2,4,6,8,10 PULSE SENDER



Housing: Aluminum with Brass nut

Mechanical Connection:

7/8"x18UNF nut with M22x1.5mm tread

Mechanical Input: Slot drive

Mechanical Output: 5.2mm Japanese type hole

Voltages:

Red Wire: 5-32VDC (+)

Black Wire: Ground (-)

Pulse Output:

Blue Wire: 0~12v Square Wave ---- "OC "

Pull up resister: 4700R-10000R

Ambient temperature: -25 to 85 degrees Celsius


Storage temperature: -40 to 90 degrees Celsius

RPM: 0-4000rpm

Length of connection Cable: 10cm

Weight: 110 grams

Production: Made in China








HALL EFFECT TYPE 8 PULSE SENDER








Part No:	Description
AS6001	CSJQ-4 pulse per revolution hall effect sender ----7/8"x18UNF nut with slot drive , End view, M22x1.5mm thread with Japanese Type round-hole (4.8mmdiameter) to suit any Type of mechanical cable To suit most Japanese vehicle 4 pulse and Holden Jackaroo vehicle
AS6002	CSJQ-8 pulse per revolution hall effect sender ----7/8"x18UNF nut with slot drive , End view, M22x1.5mm thread with Japanese Type round-hole (4.8mmdiameter) to suit any Type of mechanical cable To suit VK Holden, minicokpit, speed alert, cruise control, road speed limiter, tachograph And fleet management systems
AS6003 A	To suit Nissan Pulsar, Pintara & Skyline
AS6005	CSJQ-2 pulse per revolution hall effect sender ----7/8"x18UNF nut with slot drive , End view, M22x1.5mm thread with Japanese Type round-hole (4.8mm diameter) to suit any Type of mechanical cable
AS6007	CSJQ-6 pulse per revolution hall effect sender ----7/8"x18UNF nut with slot drive , End view, M22x1.5mm thread with Japanese Type round-hole (4.8mm diameter) to suit any Type of mechanical cable
AS2093	AS6001-AS6007 Senders to suit 2.6mm square inner cable, please use AS2093
AS6008	CSJQ-8pulse Sender to suit Speedometer with 5/8"thread /2.6mm Square
Part No:	Description
AS6006	CSJQ-8 pulse per revolution hall effect sender ----7/8"x18UNF nut with 4.8mm Japanese Tip drive , End view, M22x1.5mm thread with Japanese Type round-hole (4.8mm diameter) to suit any Type of mechanical cable
AS6006 A	Same as AS6006, but M22x1.5mm nut
AS6006 B	Same as AS6006A, but drive Key 6mm longer

HALL EFFECT SENDERS

	Part No:		Description
   	AS6009		<p>3 Blade bayonet-8imp/rev with 7/8"x18UNF Female</p> <p>Ref: VDO K46002</p>
	AS6011		3 Blade bayonet-8imp/rev with M22x1.5mm thread Female
	AS6011A		3 Blade bayonet-8imp/rev with M22x1.5mm Left-handed thread Female
	AS6013		Toyota RAV4 4 pulse hall effect Sensor
	AS6017		<p>Toyota Corolla, Camry, Surf 4 pulse hall effect With 33T gear</p> <div data-bbox="1136 1690 1339 1816">  </div> <p>+ - P</p>

	Part No:		Description
   	AS6014 AS6014C		Face plug to you with mounting hole on the left Toyota Sensor with 19T gears Toyota Sensor
	AS6014B		Face plug to you with mounting hole on the right Toyota Sensor
	AS6014D AS6014E AS6014F		Shift with 19T Gear Shift with 20T Gear Shift with 21T Gear
	AS6015		Face plug to you with mounting hole on the right Toyota Sensor Connection different with AS6014 Power input with output opposite
	AS6018	8 pulse	Hyundai 4 pulse Hall effect sender Genuine P/N : 96420-4A600 - + P
	AS6018A	Ssangyong	
	AS6019	KIA	8-32v 16 pulse Hall effect Sensor Genuine P/N :8134005002
	AS6019A		8-30V 4 Pulse Hall effect sender G(-) Pulse -- -- -- IGN+

HALL EFFECT SENDERS

	Part No:		Description
	AS6020		<p>4 Blade bayonet-2x8imp/rev 180 degree out of phase with 7/8"x18UNF Female</p> 
	AS6016		<p>Honda civic and Accord 4 pulse hell effect sender</p>  <p>Y/White Y/Blue Black P + -</p>
	AS6021		<p>VW 6 pulse speedometer sender</p>  <p>+ P -</p>
	AS6022		<p>4 pulse hall effect sender Toyota Hilux, Isuzu Truck Hoden Jackroo, Rodeo ISUZU Part Number:8971188100</p>
	AS6022A		<p>8 Pulse hall effect sender</p>  <p>+ - P</p>

HALL EFFECT SENDERS

	Part No:		Description
	AS6111		<i>Mitsubishi Pajero 4 Pulse</i>
	AS6111A		<i>Hall effect sensor</i>
			<i>8 Pulse Hall Effect sensor</i>
	AS6112		<i>Coonection same as AS6142</i>
	AS6016A		<i>Daewoo 4 Pulse</i>
			<i>Hall Effect Sender</i>
	AS6113		<i>Honda 4 pulse hall effect sender</i>
			<i>Blue(P), Yellow(+),Black(-)</i>
			<i>Daewoo 10 Pulse</i>
			<i>Hall Effect Sender</i>

HALL EFFECT SENDERS

	Part No:		Description
	AS6114		Peugeot 406 8 Pulse hall effect Sender
	AS6115		Peugeot 405 8 Pulse hall effect Sender
	AS6116		Peugeot 205 8 Pulse hall effect Sender
	AS6117		Audi Proximity Speedometer Sensor

HALL EFFECT SENDERS

	Part No:		Description
	AS6141		<p><i>Honda Jazz Speedo Sensor with 20th Gear</i></p> <p><i>Genuine P/N :78410-SAA-003</i></p>
	AS6142		<p><i>KIA, Hyundai, Mitsubishi Magna Speedometer Sensor</i></p> <p>+ - P</p>  <p><i>Genuine P/N :46517 39500</i></p>
	AS6147		<p><i>Polo 4 pulse Hall Effect Speedometer Sensor</i></p>
	AS6144		<p><i>Peugeot Hall Effect sender M19x1.0 thread with 3mm Square drive key</i></p> <p><i>P/N: 7231 9800</i></p>

HALL EFFECT SENDERS

	Part No:		Description
	AS6027		12v Holden Jackaroo 4 pulse Hall Effect Sensor
	AS6027A		12v Isuzu & Hino 8 pulse Hall Effect Sensor
	AS6188		24v Mitusbishi 8P H/Effect Sensor
	AS6189		24v Isuzu 8P H/Effect Sensor
	AS6277		24v Hino 8P H/Effect Sensor
	AS6287		24v Toyota 8P H/Effect Sensor
	AS6028	Square Wave Output	24v 25 pulse hall effect sender for Isuzu, Hino, Mitsubishi\$
	AS6028A		12/24v 30pulse
	AS6028B		12/24v 16 pulse
	AS6028C		12/24v 10 pulse
	AS6028D		12/24v 8 pulse
	AS6028E		12/24v 4 pulse
	AS6028F		12/24v 2 pulse
	AS6156		Volvo Inductive sensor L=30mm (Deep) M18x1.5mm
	AS6167		12-24v 25 pulse hall effect sender for Isuzu, Hino, Mitsubishi

HALL EFFECT SENDERS

	Part No:		Description
	AS6178		8-24v 16 pulse Hall Effect Sensor with 5/8"x18unf / 7/8x18unf thread adapter /2.6mm Square drive
	AS6209A	Sine wave dual output	$\frac{3}{4}$ "x16UNF Thread Sine wave sensor, dual output Wire L=0.8meter
	AS6157 AS6183 AS6183A		VW Polo Proximity Speedometer sensor

HALL EFFECT SENDERS

	Part No:		Description
	AS6023		M22x1.5mm thread with 2.6mmx2.6mm Square drive key 4 pulse output sensor (switch on/off) JEEP
		20mm Deep	4 blade bayonet 2x180 phase
	AS6024	25mm Deep	4 blade bayonet 2x180 phase
	AS6024A	30mm Deep	4 blade bayonet 2x180 phase
	AS6024B	35mm Deep	4 blade bayonet 2x180 phase
	AS6024C		
	AS6024D		
	AS6024E		
	AS6025A	63mm Deep	4 blade bayonet 2x180 phase
	AS6025B	90mm Deep	4 blade bayonet 2x180 phase
	AS6025C	115mm Deep	4 blade bayonet 2x180 phase
	AS6025D	Sine Wave	M18x1.5 Thread Inductive Sensor L=30mm L=60mm L=90mm
	AS6025E		
	AS6025F		
	AS6163	Sine Wave	3/4" x 16 UNF Thread Inductive Sensor L=40mm L=60mm L=90mm
	AS6163A AS6163B AS6163C AS6163D AS6163E	Volvo type	Round 4 pin bayonet-2x8imp/rev 180 degree out of phase with late model Volvo Plug L=25mm (Deep) L=20mm L=35mm L=63mm L=90mm L=115mm

HALL EFFECT SENDERS







Pull down/up resistor from 1000R~10R


<i>Part No:</i>		<i>Description</i>
AS6026	<i>Proximity</i>	<i>M12x1mm sensor (PNP type) (L=35mm/wire1.8M)</i>
AS6026F	<i>Proximity</i>	<i>M12x1mm sensor (NPN type) (L=35mm/wire1.8M)</i>
AS6026A	<i>Maganetic Field</i>	<i>M12x1mm sensor (PNP type) (L=35mm/wire1.8M)</i>
AS6026E	<i>Maganetic Field</i>	<i>M12x1mm sensor (NPN type) (L=35mm/wire1.8M)</i>
AS6026B	<i>Proximity</i>	<i>M12x1mm sensor (PNP type) (L=50mm/wire1.8M)</i>
AS6026G	<i>Proximity</i>	<i>M8x1.0mm sensor (PNP type) (L=30mm/wire1.8M)</i>
AS6026H	<i>Proximity</i>	<i>M8x1.0mm sensor (NPN type) (L=30mm/wire1.8M)</i>
AS6026K	<i>Proximity</i>	<i>M14x1.0mm sensor (NPN type) (L=45mm/wire1.8M)</i>
AS6026L	<i>Proximity</i>	<i>M16x1.0mm sensor (NPN type) (L=40mm/wire1.8M)</i>
AS6026C	<i>Proximity</i>	<i>M18x1mm thread sensor (PNP type) (L=45mm/wire1.8M)</i>
AS6026I	<i>Proximity</i>	<i>M18x1mm/Dual output (PNP type) (L=45mm/wire1.8M)</i>
AS6026D	<i>Proximity</i>	<i>M18x1mm thread sensor (NPN type) (L=45mm/wire1.8M)</i>
AS6026J	<i>Proximity</i>	<i>M30x1mm thread sensor (NPN type) (L=45mm/wire1.8M)</i>
		<i>L=Thread Deep</i>
		<i>4 wire Dual Signal/ 180 degree out of phase with Universal Adjustable</i>
		<i>M18x1.5mm thread sensor to suit Volvo, Man, Scania, Mercedes, Iveco...</i>
AS6182	<i>Proximity</i>	<i>M18x1.5mm L=40mm (thread deep)</i>
AS6182A	<i>Proximity</i>	<i>M18x1.5mm L=70mm (thread deep)</i>
AS6182B	<i>Proximity</i>	<i>M18x1.5mm L=105mm(thread deep)</i>



INDUCTIVE/HALL EFFECT SENSOR

	Part No:		Description
	AS6118		17.5mm Diameter 24mm deep and 20mm off set mounting hole
	AS6119		18mm Diameter 24mm deep and 20mm off set mounting hole
	AS6120		17.5mm Diameter 23mm deep and 20mm off set mounting hole
	AS6129		18.0mm Diameter 23mm deep and 20mm off set mounting hole

INDUCTIVE/HALL EFFECT SENSOR

	Part No:		Description
	AS6003A		<i>10 Pulse Universal M22x1.5mm thread with Fixed Japanese Type round-hole (4.8mmdiameter) To suit Nissan N13 Pulsar, Pintara & Skyline</i>
	AS6164	<i>Picture on left</i>	<i>10 Pulse Hall Effect Sensor with M22x1.5mm thread to suit Nissan N13 Pulsar, Pintara & Skyline</i>
	AS6164A	<i>Picture on right</i>	<i>10 Pulse Hall Effect Sensor with 7/8"x18UNF thread to suit Holden VN, VP</i>
	AS6165	<i>Sine Wave</i>	<i>N15 Nissan Pulsar Sensor</i>
	AS6165A	<i>Sine Wave</i>	<i>N15 Nissan Pulsar Sensor(Auto)</i>
	AS6166	<i>Sine Wave 74P</i>	<i>Nissan Navara, Pathfinder Speedometer Sensor Gear box fitting hole: 24mm with 7mm diameter Sensor total length: 126.5mm diameter: Fit in Gear box part is 28mm Shift : off set Driven Gear: with 19T</i>

INDUCTIVE/HALL EFFECT SENSOR

	Part No:		Description
	AS6145	Inductive	20mm Diameter 26mm deep and 22mm off set mounting hole
	AS6146		18mm Diameter 24mm deep and 20mm off set mounting hole
	AS6148		Peugeot Inductive Sensor
	AS6143		Jeep Proximity Speedometer Sensor



INDUCTIVE/HALL EFFECT SENSOR

	Part No:		Description
	AS6154		Jeep Inductive Sensor
	AS6155		17.0mm Diameter 24mm deep and 20mm off set mounting hole
	AS6158	VDO type Sine Wave Output	AC generator sender(4 Pulse)
	AS6162		Daewoo 4 Hall Effect Sensor Pin Connection same as C6019

HALL EFFECT SENSOR

	Part No:		Description
	AS6185	<i>NINO</i>	<i>HINO 2003+ Speed sensor 24V 25Pulse Standard Drive Key: Single Blade Ref:83190-1511</i>
	AS6186	<i>ISUZU</i>	<i>ISUZU 2000+ Speed sensor 24V 25Pulse Drive Key with double Blade Ref:1-80240-029-0</i>
	AS6187 AS6187A	<i>MITUSBISHI HINO</i>	<i>MITUSBISHI FUSO 2004+ Dual Output Speed Sensor 24V 25 Pulse/Rev 24V 8 Pulse/Rev Ref: MK 387458 HINO: disconnect Plug</i>
	AS6188	<i>MITUSBISHI</i>	<i>MITUSBISHI FUSO 350 / 1997+ Speed Sensor 24V 8 Pulse Ref: MC 858133</i>

INDUCTIVE/HALL EFFECT SENSOR

	Part No:		Description
	AS6189	<i>ISUZU HINO</i>	<i>ISUZU 1995+ Speed sensor 24V 8Pulse Ref:1-83127-115-0</i>
	AS6288	<i>Hino</i>	<i>Round 4 pin bayonet-2x8imp/rev 180 degree out of phase with late model Hino Plug L=90mm(Deep)</i>
	AS6193	<i>Sine Wave Output</i>	<i>Smith M12x1mm with 3.00mm Square Drive, 8 pulse sine wave sensor</i>
	AS6200		<i>Nissan proximity sensor Face plug to you with mounting hole on the left Nissan Ref:31935-8E006</i>




INDUCTIVE/HALL EFFECT SENSOR

	Part No:		Description
	AS6201		<p><i>Nissan proximity sensor</i></p> <p>Face plug to you with mounting hole on the right</p> <p><i>Nissan Ref:31935-8E007</i></p>
	AS6202		<p><i>Nissan proximity sensor</i></p> <p>Face plug to you with mounting hole on the right</p> <p><i>Nissan Ref:31935-1XF00</i></p>
	AS6203		<p><i>Nissan inductive speedometer sensor</i></p> <p><i>Nissan Ref:32702-4E814</i></p>
	AS6204		<p><i>Honda CRV speedometer sensor</i></p> <p><i>Honda Ref:78410-S9A-003</i></p>

INDUCTIVE/HALL EFFECT SENSOR

	Part No:		Description
	AS6205		Mercedes speedometer sensor
	AS6206		HINO/ISUZU Speed sensor 24V 25Pulse Standard Drive Key: Single Blade HINO Ref:83190-1511 ISUZU Ref:1-80240-029-0
	AS6207		Early Honda Accord Sensor
	AS6208		8 pulse hall effect sensor Japenese type with M22 thread (Red+,Black-, green pluse(OC)) Wire L=4meters
	AS6208A		8 pulse hall effect sensor Slot in/spade out type/M22 thread (Red+, Black-, Yellow pluse(OC)) Wire L=4meters

INDUCTIVE/HALL EFFECT SENSOR

	Part No:		Description
	AS6209	Sine wave	Inductive sensor L=50mm
	AS6209A	Sine wave dual output	Inductive sensor L=70mm (Dual output)
	AS6003	10Pulse	Slot drive, 7/8"x18UNF thread with holden VP Standard plug
	AS6003B	10Pulse	Slot drive, M22x1.5mm thread with nissan pulsar Standard plug
	AS6003A	10Pulse	Japanses Drive key with M22 thread
	AS6002	8Pulse	Slot, 7/8" thread with nissan pulg
	AS6001	4Pulse	Slot, M22 thread with nissan pulg
	AS6005	2Pulse	Slot, 7/8" thread with holden pulg
	AS6006	8Pulse	Japanese key, M22 thread, nissan pulg.
	AS6007	6Pulse	Slot, 7/8" thread
	AS6008	8Pulse	2.6mm square with 5/8" thread

INDUCTIVE/HALL EFFECT SENSOR

	Part No:		Description
	AS6213	NISSAN	Nissan A33 inductive speedometer sensor
	AS6214	TOYOTA	Toyota Land cruiser/ Celica 4 pulse hall effect sensor Ref: 83181-20040
	AS6215	TOYOTA	Toyota Corolla, Camry, Surf 4 pulse hall effect Ref:83181-12020
	AS6216	TOYOTA	Toyota RAV4 4 pulse hall effect Sensor Ref:83181-12040

INDUCTIVE/HALL EFFECT SENSOR

	Part No:		Description
	AS6217	VOLVO	<i>Volvo FL10 L=24mm (Thread Deep) Round Socket</i>
	AS6218	VOLVO	<i>Volvo FH12/FM12/FMV2 L=24mm (Thread Deep) Round Socket</i>
	AS6219	SCANIA	<i>Scania 113/114 1996- L=35mm (Thread Deep)</i>
	AS6220	SCANIA	<i>Scania 114 L=34mm (Thread Deep) Round Socket</i>

INDUCTIVE/HALL EFFECT SENSOR

	Part No:		Description
	AS6221	VOLVO	<i>Volvo FL10 early model L=24mm (Thread Deep) Square Socket</i>
	AS6222		<i>Suzuki/Mitsubishi Gear box sensor</i>
	AS6223		<i>Suzuki/Mitsubishi Gear box sensor</i> <i>Connections are same as C6142</i>
	AS6224	IVECO	<i>Iveco Tachometer Inductive sensor M20x1mm thread</i>




INDUCTIVE/HALL EFFECT SENSOR

	Part No:		Description
	AS6226	<i>VDO type</i>	<i>4pin 25mm Longer for Allison Automatic gear box</i>
	AS6227	<i>Hino</i>	<i>24V 8 pulse hall effect sensor</i>
	AS6228	<i>Chrysler</i>	<i>Chrysler Caravan hall effect sensor</i>
	AS6229	<i>Chrysler</i>	<i>Chrysler Inductive sensor</i>

INDUCTIVE/HALL EFFECT SENSOR

	Part No:		Description
	AS6230	<i>Chrysler</i>	<i>Chrysler Inductive sensor</i>
	AS6231	<i>Mitsubishi</i>	<i>Lancer/Galand 4pulse hall effect sensor with 31T Gear(white)</i>
	AS6232	<i>Mitsubishi</i>	<i>Pajero 4 pulse hall effect sensor</i>
	AS6233	<i>Isuzu</i>	<i>Isuzu Hall effect sensor</i>

INDUCTIVE/HALL EFFECT SENSOR

   	Part No:		Description
	AS6293	Land Rover	Range Rover Classic92-94 sensor
	AS6294	Ford Mondeo	Ford Mondeo/Mercury sensor
	AS6295	Ford	Ford speedometer sensor
	AS6296	Ford/Mazda	Mazda 626M inductive sensor With 21T

INDUCTIVE/HALL EFFECT SENSOR

	Part No:		Description
	AS6297	<i>Ford/Mazda</i>	<i>Mazda 626A 1993-2003 inductive sensor with 21T</i>
	AS6298	<i>Isuzu/Rodeo</i>	<i>Isuzu 2003 speedometer sensor Brown Plug</i>
	AS6299	<i>Isuzu</i>	<i>Isuzu 2006+ speedometer sensor Black Plug</i>
	AS6300	<i>Kia</i>	<i>Kia Pride speedometer sensor</i>

INDUCTIVE/HALL EFFECT SENSOR

	Part No:		Description
	AS6301	<i>Mazda</i>	<i>Mazda inductive sensor with 19T</i>
	AS6302		<i>Renault hall effect speedo sensor</i>
	AS6303	<i>MERC</i>	<i>Merc Speedometer Sensor L=63mm</i>
	AS6304	<i>VOLVO</i>	<i>Volvo Speedometer Sensor</i>

INDUCTIVE/HALL EFFECT SENSOR

	Part No:		Description
	AS6234	Nissan	<p>Nissan inductive sensor Gear box fitting hole: 25mm with 7mm diameter Sensor total length: 98mm diameter: Fit in Gear box part is 28mm Shift Lenth:19mm/off set Driven Gear: without</p>
	AS6235	Nissan	<p>Nissan inductive sensor Gear box fitting hole: 23mm with 7mm diameter Sensor total length: 126mm diameter: Fit in Gear box part is 28mm Shift Lenth:47mm/off set Driven Gear: without</p>
	AS236	Nissan	<p>Nissan inductive sensor Gear box fitting hole: 25mm with 7mm diameter Sensor total length: 95mm diameter: Fit in Gear box part is 30mm Shift Lenth:18.5mm/centre Driven Gear: without</p>
	AS6237		<p>Nissan inductive sensor Gear box fitting hole: 28mm with 7mm diameter Sensor total length: 107mm diameter: Fit in Gear box part is 37mm Shift Lenth:21mm/off set Driven Gear: without Ref: 15</p>


INDUCTIVE/HALL EFFECT SENSOR

	Part No:		Description
	AS6269	Nissan	Nissan inductive sensor Gear box fitting hole: 27mm with 7mm diameter Sensor total length: 97mm diameter: Fit in Gear box part is 30mm Shift Lenth:19mm/off set Driven Gear: without Ref: 03
	AS6270	Nissan	Nissan inductive sensor Gear box fitting hole: 27mm with 7mm diameter Sensor total length: 107mm diameter: Fit in Gear box part is 37mm Shift Lenth:20mm/off set Driven Gear: without Ref:04
	AS6271	Nissan	Nissan inductive sensor Gear box fitting hole: 24mm with 7mm diameter Sensor total length: 127mm diameter: Fit in Gear box part is 28mm Shift Lenth:48mm/off set Driven Gear: without Ref:06
	AS6272	Nissan 75P02	Nissan inductive sensor Gear box fitting hole: 23mm with 7mm diameter Sensor total length: 160mm diameter: Fit in Gear box part is 30mm Shift Lenth:48mm/centre Driven Gear: without Ref:08

INDUCTIVE/HALL EFFECT SENSOR

	Part No:		Description
	AS6273	Nissan 75P03	Nissan inductive sensor Gear box fitting hole: 23mm with 7mm diameter Sensor total length: 160mm diameter: Fit in Gear box part is 30mm Shift Lenth:48mm/off set Driven Gear: without Ref:09
	AS6274	Nissan	Nissan inductive sensor Gear box fitting hole: 31mm with 7mm diameter Sensor total length: 107mm diameter: Fit in Gear box part is 37mm Shift Lenth:20mm/off set Driven Gear: without Ref:10
	AS6275	Nissan	Nissan inductive sensor Gear box fitting hole: 27mm with 7mm diameter Sensor total length: 126mm diameter: Fit in Gear box part is 37mm Shift Lenth:22.5mm/off set Driven Gear: without Ref:16
	AS6276	Nissan Between c6277 & c6276 different is push into gear box part,c6276 is not 100% off set	Nissan inductive sensor Gear box fitting hole: 28mm with 7mm diameter Sensor total length: 98mm diameter: Fit in Gear box part is 30mm Shift Lenth:19mm/off set Driven Gear: without Ref:18 Nissan 300ZX

INDUCTIVE/HALL EFFECT SENSOR

	Part No:		Description
	AS6277	Nissan Between c6277 & c6276 different is push into gear box part,c6277 is 100% off set	Nissan inductive sensor Gear box fitting hole: 28mm with 7mm diameter Sensor total length: 98mm diameter: Fit in Gear box part is 30mm Shift Lenth:19mm/off set Driven Gear: without Ref:19
	AS6238	Nissan	Nissan inductive sensor Gear box fitting hole: 27mm with 7mm diameter Sensor total length: 106.5mm diameter: Fit in Gear box part is 37mm Shift Lenth:21mm/off set Driven Gear: without Ref:17
	AS6239	Nissan	Nissan inductive sensor Gear box fitting hole: 28mm with 7mm diameter Sensor total length: 114mm diameter: Fit in Gear box part is 28mm Shift Lenth:22mm/off set Driven Gear: without
	AS6240	Nissan	Nissan inductive sensor Gear box fitting hole: 30mm with 7mm diameter Sensor total length: 119mm diameter: Fit in Gear box part is 37mm Shift: off set Driven Gear: Green 33T Ref:21

INDUCTIVE/HALL EFFECT SENSOR

	Part No:		Description
	AS6241	Nissan	<p>Nissan inductive sensor Gear box fitting hole: 28mm with 7mm diameter Sensor total length: 119mm diameter: Fit in Gear box part is 37mm Shift: off set Driven Gear: Red 30T Ref: 22</p>
	AS6242	Nissan	<p>Nissan inductive sensor Gear box fitting hole: 28mm with 7mm diameter Sensor total length: 116mm diameter: Fit in Gear box part is 37mm Shift: Centre Driven Gear: White 36T</p>
	AS6243	Nissan	<p>Nissan inductive sensor Gear box fitting hole: 28mm with 7mm diameter Sensor total length: 115mm diameter: Fit in Gear box part is 37mm Shift: Centre Driven Gear: Brown 35T Ref:24</p>
	AS6244		<p>Nissan inductive sensor Gear box fitting hole: 28mm with 7mm diameter Sensor total length: 119mm diameter: Fit in Gear box part is 37mm Shift: off set Driven Gear: Green 33T Ref: 25</p>

INDUCTIVE/HALL EFFECT SENSOR

	Part No:		Description
	AS6245	Nissan	Nissan inductive sensor Gear box fitting hole: 28mm with 7mm diameter Sensor total length: 119mm diameter: Fit in Gear box part is 37mm Shift: off set Driven Gear: Red 32T Ref:
	AS6246	Nissan	Nissan inductive sensor Gear box fitting hole: 28mm with 7mm diameter Sensor total length: 115mm diameter: Fit in Gear box part is 37mm Shift: Centre Driven Gear: Pink 34T
	AS6247	Nissan	Nissan inductive sensor Gear box fitting hole: 28mm with 7mm diameter Sensor total length: 115mm diameter: Fit in Gear box part is 37mm Shift: Centre Driven Gear: Brown 35T Ref:28
	AS6248	Nissan	Nissan inductive sensor Gear box fitting hole: 27mm with 7mm diameter Sensor total length: 140mm diameter: Fit in Gear box part is 37mm Shift: Off set Driven Gear: green 35T

INDUCTIVE/HALL EFFECT SENSOR

	Part No:		Description
	AS6249	Nissan	Nissan inductive sensor Gear box fitting hole: 28mm with 7mm diameter Sensor total length: 140mm diameter: Fit in Gear box part is 37mm Shift: Off set Driven Gear: Blue 36T
	AS6250	Nissan	Nissan inductive sensor Gear box fitting hole: 28mm with 7mm diameter Sensor total length: 119mm diameter: Fit in Gear box part is 37mm Shift: Off set Driven Gear: Purple 31T
	AS6292	Nissan 75P00	Nissan inductive sensor Gear box fitting hole: 24mm with 7mm diameter Sensor total length: 160mm diameter: Fit in Gear box part is 30mm Shift Lenth:50mm/off set Driven Gear: without Ref:07

HALL EFFECT SENSOR

	Part No:		Description
	AS6251	<i>Honda</i>	<i>Honda hall effect sensor Gear box fitting hole: 30mm with 8mm diameter Sensor total length: 150mm diameter: Fit in Gear box part is 27mm Shift: Centre Driven Gear: Metal 20T</i>
	AS6252	<i>Honda</i>	<i>Honda hall effect sensor Gear box fitting hole: 30mm with 8mm diameter Sensor total length: 143mm diameter: Fit in Gear box part is 26.5mm Shift: Centre Driven Gear: Metal 20T</i>
	AS6253	<i>Honda</i>	<i>Honda hall effect sensor Gear box fitting hole: 37mm with 8mm diameter Sensor total length: 150mm diameter: Fit in Gear box part is 27mm Shift: Centre Driven Gear: Metal 20T</i>
	AS6254	<i>Honda</i>	<i>Honda hall effect sensor Gear box fitting hole: 45mm with 8mm diameter Sensor total length: 158mm diameter: Fit in Gear box part is 27mm Shift: Centre Driven Gear: Metal 21T Ref:16</i>

HALL EFFECT SENSOR

	Part No:		Description
	AS6255	Honda	Honda hall effect sensor Gear box fitting hole: 28mm with 8.9mm diameter Sensor total length: 150mm diameter: Fit in Gear box part is 26.5mm Shift: Centre Driven Gear: Metal/Red 19T
	AS6256	Honda	Honda 4pulse hall effect sensor With extended plug
	AS6257	Honda	Honda hall effect sensor Gear box fitting hole: 30mm with 8mm diameter Sensor total length: 147mm diameter: Fit in Gear box part is 26.5mm Shift: Centre Driven Gear: Metal 22T
	AS6258	Honda	Honda hall effect sensor Gear box fitting hole: 36mm with 7mm diameter Sensor total length: 152mm diameter: Fit in Gear box part is 27mm Shift: Centre Driven Gear: Metal 20T




HALL EFFECT SENSOR

	Part No:		Description
	AS6259	<i>Honda</i>	<i>Honda hall effect sensor Gear box fitting hole: 30mm with 8.5mm diameter Sensor total length: 145mm diameter: Fit in Gear box part is 26.5mm Shift: Centre Driven Gear: Metal 21T</i>
	AS6260	<i>Honda</i>	<i>Honda 4 pulse hall effect sensor</i>
	AS6261	<i>Honda</i>	<i>Honda 4 pulse Hall effect sensor</i>
	AS6262	<i>Honda</i>	<i>Honda hall effect sensor Gear box fitting hole: 30mm with 8.5mm diameter Sensor total length: 113mm diameter: Fit in Gear box part is 26.5mm Shift: Centre Driven Gear: Metal/white 21T</i>





HALL EFFECT SENSOR

	Part No:		Description
	AS6263	Honda	Honda hall effect sensor Gear box fitting hole: 36mm with 8mm diameter Sensor total length: 113.5mm diameter: Fit in Gear box part is 26.5mm Shift: Centre Driven Gear: Blue 23T
	AS6264	Honda	Honda hall effect sensor Gear box fitting hole: 28mm with 8.8mm diameter Sensor total length: 113mm diameter: Fit in Gear box part is 26.5mm Shift: Centre Driven Gear: Metal/Blue 22T
	AS6265	Honda	Honda hall effect sensor Gear box fitting hole: 35mm with 8.8mm diameter Sensor total length: 113mm diameter: Fit in Gear box part is 26.5mm Shift: Centre Driven Gear: Yellow 19T
	AS6266	Honda	Honda hall effect sensor Gear box fitting hole: 35mm with 8mm diameter Sensor total length: 148mm diameter: Fit in Gear box part is 27mm Shift: Centre Driven Gear: Black 20T Ref:13





HALL EFFECT SENSOR

	Part No:		Description
	AS6267	Honda	Honda hall effect sensor Gear box fitting hole: 37mm with 8mm diameter Sensor total length: 160mm diameter: Fit in Gear box part is 26.5mm Shift: Centre Driven Gear: Metal 20T Ref:38 78410-S04 EWTR5N 0207
	AS6268	Honda	Honda hall effect sensor Gear box fitting hole: 35mm with 8.8mm diameter Sensor total length: 148mm diameter: Fit in Gear box part is 26.5mm Shift: Centre Driven Gear: Metal/Yellow 19T
	AS6287	Toyota	Toyota truck 8 pulse hall effect speedometer sensor
	AS6286	Toyota	Toyota hall effect sensor Gear box fitting hole: 29mm with 7mm diameter Sensor total length: 64mm diameter: Fit in Gear box part is 24mm Shift: Centre Driven Gear: without Ref:26

HALL EFFECT SENSOR

	Part No:		Description
 <p>A photograph of a Toyota hall effect sensor AS6278. The sensor is a cylindrical metal component with a black plastic connector at one end. It is placed next to a white card that has 'TOYOTA' written at the top, a diagram of a three-pin connector in the middle, and 'P - +' at the bottom.</p>	AS6278	Toyota	Toyota hall effect sensor Gear box fitting hole: 20mm with 7mm diameter Sensor total length: 109mm diameter: Fit in Gear box part is 22mm Shift: Centre Driven Gear: without Ref:22
 <p>A photograph of a Toyota hall effect sensor AS6279. The sensor is a cylindrical metal component with a black plastic connector at one end. It is placed next to a white card that has 'TOYOTA' written at the top, a diagram of a three-pin connector in the middle, and 'P - +' at the bottom.</p>	AS6279	Toyota	Toyota hall effect sensor Gear box fitting hole: 20mm with 7mm diameter Sensor total length: 91mm diameter: Fit in Gear box part is 22mm Shift: Centre Driven Gear: without Ref:23
 <p>A photograph of a Toyota hall effect sensor AS6280. The sensor is a cylindrical metal component with a black plastic connector at one end. It is placed next to a white card that has 'TOYOTA' written at the top, a diagram of a three-pin connector in the middle, and 'P - +' at the bottom.</p>	AS6280	Toyota	Toyota hall effect sensor Gear box fitting hole: 20mm with 7mm diameter Sensor total length: 83mm diameter: Fit in Gear box part is 22mm Shift: Centre Driven Gear: without Ref:24
 <p>A photograph of a Toyota hall effect sensor AS6281. The sensor is a cylindrical metal component with a black plastic connector at one end. It is placed next to a white card that has 'TOYOTA' written at the top, a diagram of a three-pin connector in the middle, and '+ - P' at the bottom.</p>	AS6281	Toyota RV4 2004Model	Toyota hall effect sensor Gear box fitting hole: 30mm with 7mm diameter off set Sensor total length: 117mm diameter: Fit in Gear box part is 34mm Shift: Centre Driven Gear: without Ref:25

HALL EFFECT SENSOR

	Part No:		Description
 <p>TOYOTA</p> <p>+</p> <p>-</p> <p>P</p>	AS6282	Toyota	<p>Toyota hall effect sensor</p> <p>Gear box fitting hole: 22 and 43mm with 7mm diameter</p> <p>Sensor total length: 64mm</p> <p>diameter: Fit in Gear box part is 24mm</p> <p>Shift: Centre</p> <p>Driven Gear: without</p> <p>Ref:27</p>
 <p>TOYOTA</p> <p>+</p> <p>-</p> <p>P</p>	AS6283	Toyota	<p>Toyota hall effect sensor</p> <p>Gear box fitting hole: 27mm with 7mm diameter</p> <p>Sensor total length: 76mm</p> <p>diameter: Fit in Gear box part is 34mm</p> <p>Shift: Centre</p> <p>Driven Gear: without</p> <p>Ref:28</p>
 <p>TOYOTA</p> <p>+</p> <p>-</p> <p>P</p>	AS6284	Toyota	<p>Toyota hall effect sensor</p> <p>Gear box fitting hole: 28mm with 7mm diameter</p> <p>Sensor total length: 82mm</p> <p>diameter: Fit in Gear box part is 24mm</p> <p>Shift: Centre</p> <p>Driven Gear: without</p> <p>Ref:29</p>
 <p>TOYOTA</p> <p>+</p> <p>-</p> <p>P</p>	AS6285	Toyota	<p>Toyota hall effect sensor</p> <p>Gear box fitting hole: 43mm with 7mm diameter</p> <p>Sensor total length: 64mm</p> <p>diameter: Fit in Gear box part is 24mm</p> <p>Shift: Centre</p> <p>Driven Gear: without</p> <p>Ref:30</p>

