



SAFETY HELMET

*Come with Fusion Headgear

Code	Model	Color	Packing
156583	9910	Yellow	40/Ctn
156582	9910	White	40/Ctn
156579	9910	Blue	40/Ctn
156580	9910	Orange	40/Ctn
156581	9910	Red	40/Ctn



RATCHET SAFETY HELMET

*Come with Ratchet Fusion Headgear

Code	Model	Color	Packing
	9912	Yellow	40/Ctn
	9912	White	40/Ctn
	9912	Blue	40/Ctn
	9912	Orange	40/Ctn
	9912	Red	40/Ctn

SPECTACLE 1



SPECTACLE

Code	Model	Description	Packing
161074	ET98	Clear	12/300
161067	ET98	Smoke	12/300



SPECTACLE

Code	Model	Description	Packing
161072	ET90	Clear	12/300
161068	ET90	Smoke	12/300



SPECTACLE - 5# Welding

Code	Model	Description	Packing
161078	ET98	GREEN	12/300



SPECTACLE - 10# Welding

Code	Model	Description	Packing
161079	ET90	Dark	12/300



SPECTACLE

Code	Model	Description	Packing
161062	J55	Clear	12/300
161069	J55	Smoke	12/300



SPECTACLE

Code	Model	Description	Packing
161064	J42	Clear	12/300
178167	J43	Smoke	12/300



ANTI-FOG SPECTACLE

Code	Model	Description	Packing
161063	ET81	Clear	200/300



ANSI CE



Wraparound design lens provide a tight fit preventing particle intrusion.



Soft nose bridge for comfort.



Scratch resistant polycarbonate lens.



High fashion temple arm with soft rubber sleeves for grip & comfort.



Light weight safety eyewear.



99.9% UV proof.

SPECTACLE 2



SPECTACLE - SILVER MIRROR

Code	Model	Description	Packing
161071	S278	Clear	12/300
161066	S278	Smoke	12/300



SPECTACLE - BLACK FRAME

Code	Model	Description	Packing
161051	S278	Clear	12/300
161053	S278	Smoke	12/300



SPECTACLE

Code	Model	Description	Packing
161070	ET81	Smoke	12/300



SPECTACLE - SILVER MIRROR

Code	Model	Description	Packing
161065	ET81	Clear	12/300



SPECTACLE - STARLITE

Code	Model	Description	Packing
161080	ET97	Clear	12/300
161076	ET97	Smoke	12/300



SPECTACLE - SILVER MIRROR

Code	Model	Description	Packing
161077	ET97	Clear	12/300



SPECTACLE

* Adjustable sidearms, excellence impact resistant, Multi colour frame, Polycarbonate lens(2.2mm) & frame.
* Frame Color : Yellow & Blue

Code	Model	Description	Packing
161073	ET46	Clear	12/300
161075	ET46	Smoke	12/300



VISITOR (ULTRA VISION)

Code	Model	Description	Packing
161083	ET30	Clear	12/300
161084	ET30	Smoke	12/300

SPECTACLE 3



LASER SAFETY



* Impact Resistant, Polycarbonate lens, Acetate frame, Sideshield with browguard.

Code	Model	Description	Packing
161055	ET52	DARK	12/300



SPECTACLE

* Impact Resistant, Polycarbonate lens and frame, hard coat

Code	Model	Description	Packing
161060	ST211	Clear	12/300
161061	ST211	Smoke	12/300



IMPACT GOGGLE - CLEAR

* Direct Ventilation, Lens 1mm, Wide Vision, 1pc mould PVC Frame Comfortable nose-piece, adjustable head band. For grinding, wood working, buffing, chiseling etc.

Code	Model	Description	Packing
161059	9331	Clear	12/300



WELDERS GOGGLE - FLIP

* Lift front lens holder, used for gas welding & chipping

Code	Model	Description	Packing
161058	9335	#5 Green	100



SAFETY SPECTACLE CORD

* String can be adjustable: Color : Black
* 10,000pcs per carton

Code	Model	Description	Packing
161048	ET81	60 cm	12/300



SPECTACLE

* Frame, Impact lens (2.2mm) & Frame. (blue & Yellow)

Code	Model	Description	Packing
161049	ST46	Clear	12/300
161050	ST46	Dark	12/300



ANTI-FOG CHEMICAL GOOGLE

Code	Model	Description	Packing
161056	9333	Clear	12/144



* Ultra lightweight wide vision goggle with exceptional wearer comfort.
* Dual inject soft frame with pressure free fit tight seal design.
* Comfortable nose-piece, adjustable head band.

ANTI-FOG FULL VISION GOOGLE

Code	Model	Description	Packing
188816	9339	Clear	40/120

EAR PLUG 1



EAR PLUG with CORD & CASE

Code	Model	Description	Packing
162537	9013	NRR24	200/1000



EAR MUFFLE

Code	Model	Description	Packing
161660	9001	NRR21	40



EAR PLUG with CORD & CASE

Code	Model	Description	Packing
161612	9017	NRR24	50



EAR MUFFLE

Code	Model	Description	Packing
161663	9007	NRR26	50



FOAM EAR PLUG with CORD

Code	Model	Description	Packing
161717	9015	NRR31	200/2000



EAR DEFENDER (SLOTTED)

Code	Model	Description	Packing
161662	9005	NRR26	50



DISPOSABLE NURSE 3PLY MASK

Code	Description	Packing
157828	Elastic	40



RESPIRATOR MASK

Code	Model	Description	Packing
157841	8610	12 Pcs/Box	20



DISPOSABLE NURSE MASK - EAR LOOP

Code	Description	Packing
157823	1 PLY	100
157824	2 PLY	100



RESPIRATOR MASK c/w VALVE

Code	Model	Description	Packing
157842	8612	12 Pcs/Box	20



VALVED RESPIRATOR MASK (ACTIVE CARBON)

Code	Model	Description	Packing
157829	8226	12 Pcs/Box	20



RESPIRATOR MASK

*Adjustable Strap

Code	Model	Description	Packing
157830	9610	12 Pcs/Box	20



VALVED RESPIRATOR MASK

Code	Model	Description	Packing
157831	9620	12 Pcs/Box	20



Zip



FIRE RETARDENT COVERALL (FRC) - 9351

*100% cotton Drill, 2 front, 1 handphone & 1 pen pocket, 2 side pocket, 1 sleeve pocket, 2 rank strap, ...

Code	Model	Size	Packing
162244	9351	S	24
161715	9351	M	24
161714	9351	L	24
161716	9351	XL	24
161712	9351	2XL	24
161713	9351	3XL	24
162604	9351	4XL	24



FIRE RETARDENT COVERALL (FRC) - 9351

*100% cotton Drill, 2 front, 1 handphone & 1 pen pocket, 2 side pocket, 1 sleeve pocket, 2 rank strap, ...

Code	Model	Color	Size	Packing
189167	9521	L Blue	S	24
161671	9521	L Blue	M	24
161670	9521	L Blue	L	24
196330	9521	L Blue	XL	24
161672	9521	L Blue	2XL	24
161673	9521	L Blue	3XL	24
161666	9521	N Blue	S	24
162246	9521	N Blue	M	24
162245	9521	N Blue	L	24
161667	9521	N Blue	XL	24
161668	9521	N Blue	2XL	24
161669	9521	N Blue	3XL	24
161678	9521	Orange	S	24
173112	9521	Orange	M	24
161665	9521	Orange	L	24
173113	9521	Orange	XL	24
161679	9521	Orange	2XL	24
183672	9521	Orange	3XL	24
161675	9521	Red	S	24
161674	9521	Red	M	24
183673	9521	Red	L	24
186688	9521	Red	XL	24
161676	9521	Red	2XL	24
161677	9521	Red	3XL	24



Button

H/DUTY RAINSUIT (REFLECTIVE)

* PVC / Polyester PVC

* Thickness: 0.35mm , Zip front & button

Attach Hood & Breathable Hole back

* High glow PVC Reflective on front & black

Code	Model	Size	Packing
161703	F4/7PR2	M	20
161702	F4/7PR2	L	20
161704	F4/7PR2	XL	20
161701	F4/7PR2	2XL	20



Button

H/DUTY RAINCOAT (LINING)

* PVC / Polyester PVC

* Thickness : 0.35mm , Zip front & button

Attach Hood & Breathable Hole back

Code	Model	Size	Packing
161696	F4/6	M	24
172998	F4/6	L	24
172999	F4/6	XL	24
161694	F4/6	2XL	24
161695	F4/6	3XL	24



Button

H/DUTY RAINSUIT (LINING)

* PVC / Polyester PVC

* Thickness : 0.35mm , Zip front & button

Attach Hood & Breathable Hole back

Code	Model	Size	Packing
161718	F4/7	M	24
161699	F4/7	L	24
161700	F4/7	XL	24
161697	F4/7	2XL	24
161698	F4/7	3XL	24



WELDING FASHION

* Natural Cow Grain Leather, able to breath.
Velcro Front, CE EN 340, by Picasaf

Code	Model	Description	Packing
157172	157172	EUROTECH	12



NON-WOVEN MOP/BOUFANT CAP-CLIP

* Packaging : 100pcs/pkt

Code	Description	Elastic	Packing
161641	21" White	Single Clip	20/Box
161615	21" White	Double Clip	20/Box



ARM SLEEVES SPLIT LEATHER

* Open Front, leather strip back

Code	Packing
161688	50



DISPOSABLE SHOE COVER

* Size: 15cm x 36cm 100pc/polybag

Code	Description	Packing
161691	CPE	50/Ctn



FIRE BLANKET

* Material : Fiberglass Density : 430gm/m²
Refractoriness : <500°C

Code	Description	Packing
161705	4' x 6'	20
161706	4' x 6'	20



DISPOSABLE SHOE COVER

* 100pc/polybag 40gm

Code	Description	Packing
161614	Non-Woven	20pkt/Ctn



Zip

PP COVERALL

- * Zip Front, elasticated cuffs and ankles, elastic hood, polyethylene coating for wet condition
- * Color : White

Code	Size	Packing
161723	M	50
161722	L	50
161724	XL	50
161725	2XL	50



Zip

MICRO-POROUS COVERALL

- * Zip Front, elasticated cuffs and ankles, elastic hood, Waterproof & breathable
- * Color : White

Code	Size	Packing
195072	M	50
161719	L	50
173081	XL	50
195073	2XL	50



PREMIUM WORKING GLOVE - YELLOW

* Open Front, leather strip back

Code	Size	Packing
156416	10.5"	10Dz



SOFT GRAIN ARGON GLOVE

Code	Size	Color	Packing
156388	M	Yellow	120 Pr
156389	L	Yellow	120 Pr



NITRILE COATED SMOOTH FLEXIFRIP NYLON GLOVE

Code	Size	Color	Packing
156368	8 / L	Black / Black	12/120
156378	8 / L	Grey / White	12/120



LATEX COATED KNITTED GLOVE

Code	Description	Elastic	Packing
156417	Super Grip	8 / M	12/120
156418	Super Grip	9 / L	12/120
162248	Super Grip	10 / XL	12/120



NYLON SPANDEX NITRILE GLOVE

Code	Description	Packing
156413	Sandy Black	12/120



POWDER FREE VINLY GLOVE

Code	Size	Packing
156414	M	100
	L	100



LACED SHOE

- Black Smooth Leather
- Oil / Water Resistant
- Steel Toe Cap
- Breathable Black Mesh
- Steel Midplate
- EN ISO 9001:2008

Code	Model	Size	Packing
160797	600	37 / 4	10
160792	600	38 / 5	10
160793	600	39 / 6	10
	600	40	10
160794	600	41 / 7	10
160795	600	42 / 8	10
160796	600	43 / 9	10
160790	600	44 / 10	10
160791	600	45 / 11	10



ANKLE BOOT

- Black Smooth Leather
- Oil / Water Resistant
- Steel Toe Cap
- Breathable Black Mesh
- Steel Midplate
- EN ISO 9001:2008

Code	Model	Size	Packing
160799	602	37 / 4	10
160800	602	38 / 5	10
160801	602	39 / 6	10
	602	40	10
160802	602	41 / 7	10
160803	602	42 / 8	10
160804	602	43 / 9	10
160798	602	44 / 10	10
162837	602	45 / 11	10



SLIP ON SHOE

- Black Smooth Leather
- Oil / Water Resistant
- Steel Toe Cap
- Breathable Black Mesh
- Steel Midplate
- EN ISO 9001:2008

Code	Model	Size	Packing
160808	607	38 / 5	10
160809	607	39 / 6	10
160810	607	41 / 7	10
160811	607	42 / 8	10
160812	607	43 / 9	10
160805	607	44 / 10	10
160806	607	45 / 11	10



Leather



Kelvar Fiber Sole



Steel Toe Cap
200 Joule



Heat Resistant
Sole Up To 150°



Style & Comfort



Steel Sole
1100 Newton



Anti Slip



Heel Energy
20 Joule



Ventilates
Moisture



Heel Energy
20 Joule



TEXAN BOOT

- Black Smooth Leather
- Oil / Water Resistant
- Steel Toe Cap
- Breathable Black Mesh
- Steel Midplate
- EN ISO 9001:2008

Code	Model	Size	Packing
160785	9105	338 / 5	10
160786	9105	39 / 6	10
	9105	40	10
160787	9105	41 / 7	10
160799	9105	42 / 8	10
160789	9105	43 / 9	10
160783	9105	44 / 10	10
160784	9105	45 / 11	10



WELDING BOOT

- Polyester Lining
- Oil / Water Resistant
- Steel Toe Cap
- Waterproof
- EN ISO 9001:2008

Code	Model	Size	Packing
	9152	38 / 5	10
160813	9152	39 / 6	10
160814	9152	41 / 7	10
160815	9152	42 / 8	10
160816	9152	43 / 9	10
160817	9152	44 / 10	10
160818	9152	45 / 11	10



Leather



Kelvar Fiber Sole



Steel Toe Cap
200 Joule



Heat Resistant
Sole Up To 150°



Style & Comfort



Steel Sole
1100 Newton



Anti Slip



Heel Energy
20 Joule



Ventilates
Moisture



Heel Energy
20 Joule

Safety harness 1



BS EN 361 : 2002
Cert No : PC002570



BS EN 361 : 2002
Cert No : PC002570



BS EN 354 : 2010
Cert No : PC002569



BODY HARNESS - 980213

- * 1 D-Ring on back, front buckle for strap adjustment
- * 1 Karabiner
- * Belt Material - 100% Polyester

Code	Model	Size	Packing
161680	980213	1831000-2	12
161681	980213	XXL	12

FULL BODY HARNESS (SET)

- * 1 D-Ring on back, front buckle for strap adjustment
- * Belt Material - 100% Polyester, Front 1pc carabiner
- * Come with karabiner, 1.8m lanyard & big steel hook

Code	Model	Size	Packing
161682	980213+9813	1831000-2	12



BS EN 361 : 2002
Cert No : PC002570



BS EN 354 : 2010
Cert No : PC002569



BS EN 361 : 2002
Cert No : PC002570



BS EN 354 : 2010
Cert No : PC002569



FULL BODY HARNESS (SET)

- * 1 D-Ring on back, front buckle for strap adjustment
- * Belt Material - 100% Polyester, Front 1pc carabiner
- * Come with karabiner, 1.8m lanyard & big steel hook

Code	Model	Size	Packing
162243	980313+9813	1831000-3	10

FULL BODY HARNESS (SET)

- * 1 D-Ring on back, front buckle for strap adjustment
- * Belt Material - 100% Polyester
- * Come with Karabiner, E.Absorber, 1.8m lanyard & big steel hook

Code	Model	Size	Packing
173562	980213+9814	1831000-2	10



BS EN 361 : 2002
Cert No : PC002570



BS EN 354 : 2010
Cert No : PC002569

CE CE 0321



FULL BODY HARNESS (SET)

- * 1 D-Ring on back, front buckle for strap adjustment
- * Belt Material - 100% Polyester
- * Karabiner, E.Absorber, 2 Lanyard & Big Steel Hook (1.8m)

Code	Model	Art	Packing
162242	980213+9815	1831000-2	8



POSITIONING BELT

- * 2 D-Ring intended for adjustable lanyard / rope adjuster
- * Belt Material - 100% Polyester

Code	Model	Size	Packing
161721	9801	1831000-1	10



CE CE 0321



FULL BODY HARNESS + POSITIONING BELT

- * 1 D-Ring on back, front buckle for strap adjustment
- * Belt Material - 100% Polyester
- * Come with karabiner

Code	Model	Size	Packing
	980213+9801		



BODY HARNESS (SET)

- * Karabiner, Webbing lanyard & snap hook (1.8m)

Code	Model	Description	Packing
	980216	Small Hook	10
161683	980217	XL Hook	10

FULL BODY HARNESS + POSITIONING BELT

- * 1 D-Ring on back, front buckle for strap adjustment
- * Belt Material - 100% Polyester, Front 1pc carabiner
- * Come with karabiner

Code	Model	Size	Packing
	980313+9801		

Safety harness 3



BS EN 355 : 2002
Cert No : PC002568

CE CE 0321



BS EN 354 : 2010
Cert No : PC002569

CE CE 0321



ENERGY ABSORBER

Code	Model	Art	Packing
161693	9810	1858007	25

1.8M LANYARD WITH BIG STEEL HOOK & ENERGY ABSORBER

Code	Model	Art	Packing
161685	9814		12

CE CE 0321



BS EN 354 : 2010
Cert No : PC002569

CE CE 0321



STEEL KARABINER

* Min. tensile strength 22.3KN (5000 libra)

Code	Model	Art	Packing
161728	9812	1859010	100

1.8M LANYARD WITH 2 BIG STEEL HOOK & ENERGY ABSORBER

Code	Model	Art	Packing
161686	9815	1858013	15



BS EN 354 : 2010
Cert No : PC002569

CE CE 0321

CE CE 0321



1.8M LANYARD WITH BIG STEEL HOOK

* System breaking strength > 22.3KN

Code	Model	Art	Packing
161684	9813	1858013	15

1.8M WEBBING LANYARD + HOOK

* Min. tensile strength 22.3KN (5000 libra)

Code	Model	Description	Packing
161730	9816	Small Hook	25
161729	9817	XL Hook	20



LARGE STEEL HOOK

Code	Model	Art	Packing
161687	9819	1859004	40



QUICK LINK

Code	Model	Size	Packing
160243	9820	10mm	200



STATIC POLYESTER ROPE - 3 STRAND

Code	Model	Size	Description	Packing
9821-12	12mm x 200m	3 Strand		
9821-14	14mm x 200m	3 Strand		
9822	12mm x 200m	Braided		

POLYMIDE ROPE - 3 STRAND

Code	Model	Size	Packing
9823	12mm x 200m		

CE EN 353-2



- * 40cm Sling Belt & Snap Hook 9825
- * Detachable Rope Grap 9824
- 1pc Karabiner 9812


MOBILE FALL ARRESTER PART

Code	Model	Packing
	9827	1

CE EN 353-2

Automatic Operation:
For work requiring vertical movement, the PICASAF Grap Devide follows the User by sliding freely on the rope. If the user falls, the PICASAF Grap locks immediately.

Manual Operation:
When working horizontally (platforms) or on sloping surface (roofs), the PICASAF Grap flow freely on one way & lock on reverse way, can only be released by hand to allow the device to slide.



- * 12mm braided rope with 1 loop 9826
- * 40cm Sling Belt & Snap Hook 9825
- * Detachable Rope Grap 9824; 2pc Karabiner 9812
- * 1pc large steel hook 9819

MOBILE FALL SYSTEM COMPLETE

Code	Model	Rope	Packing
	9828-1220	12mm x 20m	1
	9828-1230	12mm x 30m	1

CE EN 353-2



BRAIDED ROPE FOR MOBILE FALL ARRESTOR SYSTEM

- * 1pc Karabiner 9812
- * 12mm braided rope with 1 loop End
- * Rope load strength ≥ 2200 dan
- * For longer Length, consult us

Code	Model	Length	Packing
197355	9826-1220	20m	5
197356	9826-1230	30m	3




WLL 1t	1.000
WLL 2t	2.000
WLL 3t	3.000
WLL 4t	4.000
WLL 5t	5.000
WLL 6t	6.000
WLL 8t	8.000
WLL 10t	10.000

POLYESTER WEBBING SLING

* Straight sling with becketted (Folded) eye each and for vertical/ choker/ basket hitch

Code	WLL	Width	Length/m	Packing
160990	1 Ton	25 mm	1	100
160991	1 Ton	25 mm	2	80
160992	1 Ton	25 mm	3	50
160993	1 Ton	25 mm	4	40
160994	1 Ton	25 mm	5	30
160977	1 Ton	25 mm	6	20
160995	1 Ton	25 mm	8	15
160996	1 Ton	25 mm	10	10
160997	1 Ton	25 mm	12	10
160998	2 Ton	50 mm	1	50
160999	2 Ton	50 mm	2	40
161000	2 Ton	50 mm	3	25
161001	2 Ton	50 mm	4	20
161002	2 Ton	50 mm	5	20
161003	2 Ton	50 mm	6	15
160978	2 Ton	50 mm	8	10
160979	2 Ton	50 mm	10	8
161004	2 Ton	50 mm	12	6
160980	3 Ton	75 mm	1	30
161005	3 Ton	75 mm	2	25
161006	3 Ton	75 mm	3	20
161007	3 Ton	75 mm	4	15
161008	3 Ton	75 mm	5	10
161009	3 Ton	75 mm	6	10
161010	3 Ton	75 mm	8	6
161011	3 Ton	75 mm	10	5
161012	3 Ton	75 mm	12	5
160981	3 Ton	100 mm	2	15
161013	3 Ton	100 mm	3	10
161014	3 Ton	100 mm	4	10
161015	3 Ton	100 mm	5	10
161016	3 Ton	100 mm	6	8
160982	3 Ton	100 mm	8	6
161017	3 Ton	100 mm	10	4
161018	3 Ton	100 mm	12	4

Code	WLL	Width	Length/m	Packing
160983	5 Ton	125 mm	2	10
161019	5 Ton	125 mm	3	9
161020	5 Ton	125 mm	4	8
161021	5 Ton	125 mm	5	6
161022	5 Ton	125 mm	6	6
160984	5 Ton	125 mm	8	4
161023	5 Ton	125 mm	10	3
161024	5 Ton	125 mm	12	2
161025	6 Ton	150 mm	2	10
160985	6 Ton	150 mm	3	10
160986	6 Ton	150 mm	4	8
160987	6 Ton	150 mm	5	6
160988	6 Ton	150 mm	6	4
160989	6 Ton	150 mm	8	4
161026	6 Ton	150 mm	10	3
161027	6 Ton	150 mm	12	3
161028	8 Ton	200 mm	3	6
161029	8 Ton	200 mm	4	4
161030	8 Ton	200 mm	5	4
161031	8 Ton	200 mm	6	3
161032	8 Ton	200 mm	8	2
161033	8 Ton	200 mm	10	2
161034	8 Ton	200 mm	12	1
161035	10 Ton	250 mm	4	4
161036	10 Ton	250 mm	5	3
161037	10 Ton	250 mm	6	2
161038	10 Ton	250 mm	8	2
161039	10 Ton	250 mm	10	1
160940	10 Ton	250 mm	12	1
161041	12 Ton		6	1
161042	12 Ton		8	1
161043	12 Ton		10	1
161044	12 Ton		12	1



POLYESTER CARGO LASH (RATCHET TIE DOWN - M/DUTY)

* Breaking load: 10,000lbs

Code	WLL	Width	Packing
161720	Yellow	2"x8m	10

Safety Sign 1



BATON LIGHT

Code	Model	Battery	Packing
160404	YT966	2xD	20



WARNING SIGN

Code	Model	Description	Packing
160405	9227	Plastic Case	20



TORCH WITH BATON LIGHT

Code	Model	Battery	Packing
160400	9213	2xD	50



WARNING TRIANGLE SIGN

Code	Model	Description	Packing
160422	9221	Paper Box	100



SINGLE BATTERY SIGNAL LAMP - 9231

- * Day light cut-off sensor, Ultra Bright LED source
- * 185mm Large lens, 125-150 flash/minute, 4R25 Battery


Code	Model	Packing
162249	Yellow	12
	Red	



SIGNAL LAMP - 9230

- * Day light cut-off sensor, Ultra bright LED source
- * 185mm large lens, 125-150 flash/minute, 4R25 battery

Code	Model	Packing
160403	Yellow	12
160401	Red	12
160402	Blue	12



REFLECTOR SIGNAL

Code	Size	Color	Packing
	360°	Yellow	12



LAMP BATTERY - 9236

Code	Color	Packing
154447	6 Volt, 4R25	24

Safety Sign 2



SAFETY CONE

* Base: 15"x15" with Sand

Code	Model	Battery	Packing
160406	9302	30" R	225



SOFT PVC CONE

* 2 reflective, NW5lb

Code	Model	Size	Packing
160393	9305	28"	20



SAFETY CONE (BLACK BASE)

* Base: 15"x15" with Sand

Code	Model	Battery	Packing
160396	9303	30" BR	50



SOFT PVC CONE (BLACK BASE)


* 2 reflective, NW7lb

Code	Model	Size	Packing
160394	9306	28"	




REFLECTOR CONE

Code	Kg	Description	Packing
185069	4.4kg	Red Base	
185070	4.4kg	Black Base	




SAFETY CONE

Code	Model	Size	Packing
160420	9301	18" R	1



DOUBLE REFLECTOR CONE

Code	Kg	Description	Packing
185069	4.4kg	Red Base	
185070	4.4kg	Black Base	



* Orange waterproof material with reflective
 * Collapsed flat for easy storage in car boot
 * 2x3 AAA Battery (not included)

FOLD TYPE RETRACTABLE CONE wt LED

Code	Model	Size	Packing
160371	9308	60cm	20





CONVEX MIRROR

- * Mirror Lens Polycarbonate
- * UV Resistant Protective Ring / Shade (PP Material)
- * 3.0mm Hot Dipped MS Plate Bracket
- * Mirror Back ABS
- * Japan Export Quality

Code	Model	Battery	Packing
160365	Indoor	18"/45cm	5
160364	In/Outdoor	24"/60cm	5
160366	Outdoor	32"/80cm	5
160367	Outdoor	40"/100cm	5



FLEXI DELINEATOR POLE

- * Dia 8 x H 75cm TPU: Flexible, Durable
- NW1.45kg
- * Vehicle impact: bound up very fast. Long duty cycle.

Code	Description	Packing
160421	TPU	10



DOUBLE SIDE ALUMINIUM STUD REFLECTOR

- * Load bearing: 20 tons
- * Handle depth: 45mm
- Water Resistant
- Color: Yellow

Code	Size(mm)	Packing
160370	800(L)x100(W)x100(D)	



STICKER REFLECTIVE (LEFT/RIGHT)

Code	Model	Size	Packing
160375	Red/Yellow	120x480mm	100



PVC DELINEATOR REFLECTIVE

- * Color : Orange Red, Lemon Yellow

Code	Model	Size	Packing
160418	Yellow	50pc x 50m	10
160419	Red	50pc x 50m	10



PP BARRICADE TAPE

- * Color : Red / White 10/10cm

Code	Size	Packing
160383	2" x 70mm	100
160384	3" x 70mm	72



PP BARRICADE TAPE

- * Color : Red / White 10/10cm

Code	Size	Packing
160391	3" x 70mm	100

E-GLASS FIBRE CLOTH (ASBESTOS FREE)

* Refractoriness : 350°C - 500°C

Code	Thickness	Hight	Kg/Roll	Length/Roll
156170	1.0mm	1m	24	30m
156171	1.5mm	1m	32	30m
156172	3.0mm	1m	54	30m

E-GLASS FIBRE TAPE

Code	Width	Hight	Kg/Roll	Length/Roll
156157	2"	3.0m	2.5	20
156158	3"	3.0m	2.5	20

Asbestos Cloth (Dust Free)

* Refractoriness : 350°C - 500°C

* Density : 1m x 1m x 3mm = 1.8kg

Code	Thickness	Hight	KG/Roll
156153	1.5mm	1m	50
156154	2.0mm	1m	50
156155	3.0mm	1m	50

HT-800 FIBRE CLOTH (SATIN BROWN)

* Refractoriness : 50°C - 650°C

Code	Thickness	Height	Length/Roll
156169	1.0m	1m	50m

ASBESTOS CLOTH (DUST FREE)

Code	Width	Hight	Kg/Roll	Length/Roll
156157	2"	3.0m	2.5	20
156158	3"	3.0m	2.5	20

FIRE BLANKET

* Material : Fiberglass Density : 430gm/m²
 Refractoriness : <500°C

Code	Description	Packing
161705	4' x 6'	20
161706	4' x 6'	20

DISPOSABLE SHOE COVER

* 100pc/polybag 40gm

Code	Description	Packing
161614	Non-Woven	20pkt/Ctn