



**HII Technologies, Inc**  
— ENERGY SERVICES —

## **Oilfield Well Site Support Assets**

*Flowback Water Transfer Equipment  
Generated Power  
Construction Equipment*

The HII Technologies online auction currently scheduled to run from November 13 - 18, 2015 is adjourned pending further notice. The debtors reserve all rights including, but not limited to, relisting or rescheduling the auction.



**Online Bidding Opens: Friday, November 13<sup>th</sup>**  
**Online Bidding Closes: Wednesday, November 18<sup>th</sup>**  
**Multiple Locations in Oklahoma & Texas**



## ONLINE BIDDING OPENS

FRIDAY, NOVEMBER 13<sup>TH</sup>  
BEGINNING AT 10AM LOCAL TIME

## ONLINE BIDDING CLOSES

WEDNESDAY, NOVEMBER 18<sup>TH</sup>

CHECK [WWW.HILCOIND.COM](http://WWW.HILCOIND.COM) FOR CLOSING TIMES

## PREVIEW

BY APPOINTMENT ONLY

TO SCHEDULE AN EARLIER INSPECTION, PLEASE  
CONTACT JODY BACQUE AT +1 616-420-1218  
OR EMAIL [JBACQUE@HILCOGLOBAL.COM](mailto:JBACQUE@HILCOGLOBAL.COM)

## ASSET LOCATIONS

SE 79TH 1551 DAMRON ST.  
OKLAHOMA CITY, OK 73149 TULETA, TX 78162

3721 EAST HIGHWAY 158  
MIDLAND , TX 79706

10149 FM 1902  
CROWLEY, TX 76036

## FURTHER INFORMATION

- A 16% BUYER'S PREMIUM WILL BE CHARGED ON ALL ASSETS WHEN PAYMENT IS MADE BY MEANS OF CASH, CASHIER'S CHECK, COMPANY CHECK (WITH BANK LETTER OF GUARANTEE) OR WIRE TRANSFER WITHIN 48 HOURS OF SALE CLOSE. AN 18% BUYER'S PREMIUM WILL BE CHARGED ON ALL ASSETS WHEN PAYMENT IS MADE BY CREDIT CARD (ACCEPTED FOR INVOICES OF \$2000 OR LESS), OR WHEN PAYMENT IS RECEIVED AFTER 48 HOURS OF SALE CLOSE. AUCTION WILL BE CONDUCTED IN ENGLISH, ACCEPTING U.S. CURRENCY ONLY.
- REMOVAL DEADLINE WILL BE POSTED ON OUR WEBSITE. BUYERS WITH ITEMS LEFT ON SITE AFTER DEADLINE ARE SUBJECT TO FINES OF \$500 PER DAY.

### MACHINERY & EQUIPMENT

JODY BACQUE +1 616-420-1218 • [JBACQUE@HILCOGLOBAL.COM](mailto:JBACQUE@HILCOGLOBAL.COM)

### PAYMENT INFORMATION

LESIA JOSEPH 616-328-6892 • [LJOSEPH@HILCOGLOBAL.COM](mailto:LJOSEPH@HILCOGLOBAL.COM)  
HILCO ACCOUNTS RECEIVABLE AT [AR-GR@HILCOGLOBAL.COM](mailto:AR-GR@HILCOGLOBAL.COM)

### CUSTOMER SERVICE

+1 877-37-HILCO • +1 616-732-1800 • [INFO@HILCOIND.COM](mailto:INFO@HILCOIND.COM)

*Information contained herein deemed to be accurate at time of printing and subject to change.  
For updated information, please visit our website at [www.hilcoind.com](http://www.hilcoind.com) for any changes to  
date, sale process, terms and conditions and list of available assets.*

## HYDRAULIC EXCAVATORS

2007



## HYDRAULIC EXCAVATORS

- 1 - KOMATSU MODEL PC200LC-8 HYDRAULIC EXCAVATOR, S/N KMTPC180A87C60960 (2007), Standard Boom / Stick, Geith Mechanical Thumb, 31-1/2" TBG, EROPS w/ A/C, Hensley 46" Digging Bucket w/ Teeth, 3131 Hours, Location - Oklahoma City
- 1 - KOMATSU MODEL PC 78MR-6 MINI HYDRAULIC EXCAVATOR, S/N KMTPC029K01003233 (2007), 18" Rubber Tracks, Leveling Blade, EROPS w/ AC, Romco 23" Digging Bucket w/ Teeth, Mechanical Thumb, 1637 Hours, Location - Oklahoma City
- 1 - ESCO MODEL PC220/250/270-3/8 24" HYDRAULIC EXCAVATOR DIGGING BUCKET, S/N RH104008, Duty Class HDP, Cap. x Width 0.80y x 24 In., Tooth Equip. U35, Location - Oklahoma City

2007



**Register and Bid  
Online Only at  
[hilcoind.com/HilcoTechnologies](http://hilcoind.com/HilcoTechnologies)**



# MOTOR GRADER • SKID STEER LOADERS • ROUGH TERRAIN FORKLIFTS TRUCK TRACTOR • LOWBOY TRAILER

## MOTOR GRADER

1 – JOHN DEERE MODEL 670B MOTOR GRADER, S/N DW670BX555011, 14' Moldboard w/ Side Shift, Front Scarifier, EROPS, 14.00R24 Pneumatic Tires, 11,392 Hours, Location – Oklahoma City

## SKID STEER LOADERS

1 – CASE MODEL TV380 COMPACT TRACK LOADER, S/N JAFTV380CBM441072 (2011), 17-1/2" Rubber Tracks, Auxiliary Hydraulics, w/ 76" Bucket & Bradco Equipment QCT Pallet Fork Attachment w/ 48" Forks, 1397 Hours, Location – Oklahoma City

1 – CASE MODEL 440 SKID STEER LOADER, S/N N8M483168, 12-16.5 Pneumatic Tires, Auxiliary Hydraulics, w/ 72" Bucket & Bradco Pallet Fork Attachment w/ 48" Forks, 1547 Hours, Location – Oklahoma City

QUANTITY OF SKID STEER LOADER ATTACHMENTS, Including: Trencher Attachments, Pallet Fork Attachments

## ROUGH TERRAIN FORKLIFTS

1 – SKYTRAK MODEL 8042 TELESCOPIC BOOM ROUGH TERRAIN FORKLIFT TRUCK, S/N 0160028712 (2007), 8,000 Lb. Capacity, 42' Maximum Lift Height, 4WD, 4WS, Cummins QSB4.5 Diesel, Open ROPS Canopy, 13.00-24 Pneumatic Tires, 72" Wide Carriage w/ 48" Forks, 2,139 Hours, Location – Oklahoma City

1 – SKYTRAK MODEL 6036 TELESCOPIC BOOM ROUGH TERRAIN FORKLIFT TRUCK, S/N 144688 (1999), 6,000 Lb. Capacity, 36' Maximum Lift Height, 4WD, 4WS, Cummins B3.9C Diesel, Open ROPS Canopy, 13.00-24 Pneumatic Tires, 60" Wide Carriage w/ 48" Forks, 5,354 Hours, Location – Oklahoma City



2007



2011



2008



## TRUCK TRACTOR

1 – PETERBILT MODEL 388 TRI-AXLE DAY CAB SEMI TRACTOR, VIN 1XPWD4EXX8D762914 (2008), Cummins ISX 485-Hp, Eaton Fuller RTLO-18918A-A93 Auto Shift, 80,000 Lb. GVWR – 20F/23-23-23R, Double Frame, 266" Wheelbase, Air Ride, Air Lift Pusher Axle, Dual Hydraulic Power Steering, Engine Brake, Locking Differentials, Air Slide 5th Wheel, Tires – 425/65R22.5F – 11R22.5R, Aluminum Wheels, 108,359 Miles, Location – Oklahoma City

## LOWBOY TRAILER

1 – TRAIL KING MODEL TK110HDG-513 50 TON TRI-AXLE HYDRAULIC DETACHABLE GOOSENECK LOWBOY TRAILER, VIN 1TKJ051378M072241 (2008), 130,700 Lb. GVWR, 20,280 Lb. GAWR, Non-Ground Bearing Hydraulic Detachable Gooseneck, 53' OAL, 24' Load Well, 102" Wide, 100,000 Lb. in 16' Concentrated Load Rating, (2) Kingpin Settings, Gooseneck Support, Honda Gas Pony Motor, Air Ride, Bucket Well, Rear Mounting Hookups & Air Lines, 255/70R22.5 Tires, Location – Oklahoma City



2008





**2004**

## WATER TRUCK

1 – PETERBILT MODEL PB330 TANDEM AXLE WATER RIG TRUCK, VIN 2NPNLZ0X74M815280 (2004), Cummins ISC 315-Hp, Eaton Fuller RTO11908LL, Dana SPC DSP41 4.88 Rears, 60,000 Lb. GVWR – 20F/40R, 274" Wheelbase, Hendrickson Spring Suspension, Double Frame, Engine Brake, Locking Differentials, Fabricated 20' x 96" x 20" High Flat Bed Water Tank, Estimated 2,100 Gallon Cap., 4" Front Port, 2" Rear Ports, Underbody Toolboxes, Tires – 42565R22.5F / 11R24.5R, 044,546 Miles, Location – Oklahoma City

## FUEL TRUCK

1 – INTERNATIONAL MODEL 4900 SINGLE AXLE FUEL TRUCK, VIN 1HTSDAAN8SH651557 (1994), General 2,100 Gallon 3-Product Steel Fuel Tank Body, S/N 1-1189, PTO Pump, Single Hose Reel w/ Hi-Flow Dispensing Gun, Liquid Controls Dispensing Meter, DT466 Diesel, 5 Speed, Air Brakes, 33,000 Lb. GVWR, 446,738 Miles, Location – Oklahoma City

## EQUIPMENT TAG TRAILER

1 – OVERBILT TANDEM AXLE TILT DECK TAG TRAILER, VIN 1Z9HD4127C0058458 (2012), 50,000 Lb. GVWR, 35' Overall Length, 30' Tilt Section + 5' Neck, 102" Wide, Air Brakes, Dual 215/75R17.5 Tires, Pintle Eye Hitch, Location – Oklahoma City

## AIR COMPRESSOR

1 – SULLAIR MODEL 375H-CA3 DIESEL POWERED PORTABLE AIR COMPRESSOR, S/N 201109290115, 375 CFM, CAT C4.4 Diesel, 0443 Hours, Location – Oklahoma City

## LIGHT TOWERS

2 – WARREN MODEL WCW204MH POWER SYSTEMS PORTABLE LIGHT TOWERS, CAT Diesel, Stamford 4/7.5 Generator, 25KW/20 KVA, 60 Hz, 1800 RPM, 480V, 3Ph, Location – Oklahoma City

5 – WARREN MODEL WCN64MH POWER SYSTEMS PORTABLE LIGHT TOWERS, CAT 3-Cyl. Diesel, Low as 1,869 Hours, Location – Oklahoma City

2 – WARREN MODEL WCW84MH POWER SYSTEMS PORTABLE LIGHT TOWERS, 8 KW, CAT 3-Cylinder Diesel, Low as 3,514 Hours, Location – Oklahoma City



## GENERATORS

2 – MQ POWER CORP. MODEL WHISPERWATT DCA-45SS1U3 DIESEL POWERED 36 KW AC POWER GENERATORS, S/Ns 7204389, 7205051, Rated Output 45 KVA (36 KW) – 3 Phase / 26 KVA (26 KW) – Single Phase, Rated Voltage 240/480V – 3 Phase / 240/120V – Single Phase, 60 Hz, Isuzu BB-4JGIT Diesel, Mounted On 2010 Tex Mex 16' Tandem Axle Flatbed Trailer, Wood Deck, Single 16" Tires, Electric Brakes, Pintle Eye Hitch, w/ Estimated 300 Gallon Diesel Fuel Tank, Low as 15,058 Hours, Location – Oklahoma City

2 – MQ POWER CORP. MODEL WHISPERWATT DCA-45SS1U4 DIESEL POWERED 36 KW AC POWER GENERATORS, S/Ns 7204777, 7204797, Rated Output 45 KVA (36 KW) – 3 Phase / 26 KVA (26 KW) – Single Phase, Rated Voltage 240/480V – 3 Phase / 240/120V – Single Phase, 60 Hz, Isuzu 4JJIT Diesel, Mounted On Tandem Axle Trailer Chassis, Location – Oklahoma City

2 – MQ POWER CORP. MODEL WHISPERWATT DCA-25SS1U2 & DCA-25SS1U3 DIESEL POWERED 20 KW AC POWER GENERATORS, S/Ns 7109704, 7109994, Rated Output 25 KVA (20 KW) – 3 Phase / 14.4 KVA (14.4 KW) – Single Phase, Rated Voltage 240/480V – 3 Phase / 240/120V – Single Phase, 60 Hz, Isuzu Model AA-4LE2 Diesel, 31.5 HP, 1800 RPM, Single Axle Trailer Mounted, Ball Hitch, 17.2 Gallon Fuel Tank, Low as 7,039 Hours, Location – Oklahoma City

1 – 16' TANDEM AXLE GENERATOR TRAILER, VIN NA, w/ Marelli Type MJL200MA4 72 KVA AC Power Generator, S/N MYN00772, 4-Cylinder Diesel, Continuous Duty – 72 KVA – 480/240V, 60 Hz, 3 Ph, Standby Duty – 79 KVA, 480/240V, 60 Hz, 3 Ph, Estimated 500 Gallon Fuel Tank, Single 15" Tires, Wood Deck, Pintle Eye Hitch, Location – Crowley, TX

1 – MQ POWER CORP. 14' TANDEM AXLE GENERATOR TRAILER, VIN 5SLBG16298L004099 (2008), Trailer Chassis Only, Built-In Fuel Tanks, Single 16" Tires, Hydraulic Surge Brakes, Pintle Eye Hitch, Location – Oklahoma City





## WATER PUMPS

- 7 – PIONEER MODEL PP108S17L2-E0114 DIESEL POWERED WATER PUMPS, S/Ns 16586, 1605, 16546, 16191, 16063, 16547, 16046, Pump Size VS10x8x17.5, Pump # PPEM108S17-21, Trim 1700, John Deere 6-Cylinder Diesel, CAN Plus 600 Control, Skid Base, Mounted On 2013 Lone Star 20' Tandem Axle Trailer, 14,000 Lb. GVWR, Diamond Plate Steel Deck, 83" Deck Width, 10" High Angle Iron / Pipe Sides, Single 16" Tires, Electric Brakes, Pintle Eye Hitch, w/ 60" x 32" x 26"H Diesel Fuel Tank, Low as 3,817 Hours, Location – Oklahoma City
- 1 – PIONEER MODEL SC108S17L1-E114 DIESEL POWERED WATER PUMP, S/N 7862, Size VS10x8x17.5, Pump # SCEM108S17-4, Trim 1700, John Deere 6-Cylinder Diesel, S/N RG6081H296716, CAN Plus 600 Control, Mounted On 16' Tandem Axle Trailer Chassis, VIN NA, Built-In Fuel Tanks, Single 16" Tires, Electric Brakes, Pintle Eye Hitch, Hours 7937, Location – Oklahoma City
- 1 – PIONEER MODEL SC108S17L1-EG-114 DIESEL POWERED WATER PUMP, S/N 9071, Size VS10x8x17.5, Pump # SCEM108S17-4, Trim 1700, John Deere 6-Cylinder Diesel, S/N RG6090L034285, CAN Plus 600 Control, Mounted On 14' Tandem Axle Trailer Chassis, VIN NA, Built-In Fuel Tanks, Single 16" Tires, Hydraulic Surge Brakes, Pintle Eye Hitch, Location – Oklahoma City
- 2 – PIONEER MODEL SC8617L72-E311 DIESEL POWERED WATER PUMPS, S/Ns 8053, 8052, Pump Size VC8x6x17, Pump # SCEM86017-7, Trim 1700, John Deere 6-Cylinder Diesel, Mounted On 12' Tandem Axle Trailer Chassis, Built-In Fuel Tanks, Single 16" Tires, Electric Brakes, Pintle Eye Hitch, Location – Oklahoma City
- 8 – GODWIN MODEL 80-50-320 DIESEL POWERED WATER PUMPS, Deutz 45.2 Kw Air Cooled Diesel, (6) w/Skid Base & Built-In Fuel Tank, 3" Ports, HP6, (2) Portable, Mounted On 12' Tandem Axle Trailer Chassis, Pintle Eye Hitch, Hydraulic Surge Brakes, Location – Crowley, TX



## FUSION PIPE WELDERS

- 1 – MCELROY MODEL PIT BULL 28 FUSION PIPE WELDER, S/N C35320, Mounted On Trac Star 250 Track Mounted Vehicle, S/N C34628, Model Type AT800801, Honda Gas Engine, Model AT805505 Clamping Fixture, Location – Oklahoma City
  - 1 – MCELROY MODEL PIT BULL 28 FUSION PIPE WELDER, w/ Model DynaMac EP Type 1272701 Hydraulic Power Unit S/N C41544, Model Dynamac 28HP E/M Pkg Type A88140 Welding Frame S/N C32848, Heating Iron, Surfacers, Location – Oklahoma City
- QUANTITY OF SUPPORT EQUIPMENT, Including:** Clamping Fixtures, Hot Iron, & Surfacers, Location – Oklahoma City

## Over 75,000' of 10" Lay Flat, 2", 3" & 4" Poly and 10" Aluminum Water Pipe & Fittings



**Partial Listing Only,  
Please Visit Our Website  
[www.hilcoind.com](http://www.hilcoind.com)  
For Complete Lot Catalog**

**2013**



## WATER MANIFOLD TRAILERS

- 1 – HORSECREEK 5TH WHEEL GOOSENECK WATER MANIFOLD TRAILER, VIN 5BSBA3423BC02538x (2012), 24' x 83" Wide Wood Deck, Water Manifold w/ (2) 10" Ports, (9) 6" Ports, Single 16" Tires, Tandem Axle w/ Single 16" Tires, Electric Brakes, Gooseneck Hitch w/ 2-5/16" Ball Receiver, Location – Crowley, TX
- 4 – HORSECREEK 8 & 10 OUTLET WATER MANIFOLD TRAILERS, VINs 5BSBA4027DC028296, 5BSBA4029DC028297, 5BSBA4026AC024185, 5BSBA3226BC025166 (To 2013), To 40' Length, 12,000 Lb. GVWR, (4) 10" Lower Ports, (10) 6" Upper Ports, Tandem Axle, Single 16" Tires, 5th Wheel Gooseneck Hitch w/ 2-5/16" Ball Receiver, Location – Oklahoma City
- 1 – TLR WELDING WATER MANIFOLD TRAILER, VIN 4T91P3015BP083034, Single Axle, 30' Length, (3) 10" Ports, (15) 4" Ports, Single 16" Tires, Pintle Eye Hitch, Hose Carrying Racks, Location – Oklahoma City
- 1 – 25' WATER MANIFOLD TRAILER, VIN NA, (3) 10" Ports, (11) 6" Ports, Single Axle w/ Single 15" Tires, 2-5/16" Ball Hitch, Location – Midland, TX
- 1 – 25' MODEL VR56 WATER MANIFOLD TRAILER, VIN OK1422702, (2) 10" Ports, (7) 6" Ports, (1) 4" Port, Single Axle w/ Single 15" Tires, Pipe Rack, 2-5/16" Ball Hitch, Location – Midland, TX
- 1 – 20' WATER MANIFOLD TRAILER, VIN ARKAVTL1680512890, (3) 10" Ports, (10) 6" Ports, Single Axle w/ Single 15" Tires, 2-5/16" Ball Hitch, Hose Carrying Racks, Location – Crowley, TX
- 1 – 18' MODEL VR60 WATER PIPE RENTAL WATER MANIFOLD TRAILER, VIN OK1422701, (3) 10" Ports, (2) 8" Ports, (14) 6" Ports, Single Axle w/ Single 16" Tires, Electric Brakes, 2-5/16" Ball Hitch, Location – Midland, TX
- 1 – 18' WATER MANIFOLD TRAILER, VIN NA, (4) 10" Ports, (14) 6" Ports, Single Axle w/ Single 16" Tires, Electric Brakes, 2-5/16" Ball Hitch, Location – Crowley, TX



# TRAFFIC MANAGEMENT EQUIPMENT • WATER BRIDGE TRAILER PIPE SPOOL TRAILERS • PIPE CARRYING TRAILERS

2012



## TRAFFIC MANAGEMENT EQUIPMENT

**LARGE QUANTITY OF TRAFFIC MANAGEMENT EQUIPMENT, Including:** Ramp Type, Port Type and Hinged Top Street Crossings, Safety Barriers, Location – Oklahoma City, Crowley, TX, Midland, TX

## WATER BRIDGE TRAILER

1 – TLR WELDING WATER CROSSOVER BRIDGE TRAILER, VIN 4T91P2010CP083129 (2012), Dual 10" Pipes, 11' Clearance Height, 12' Clearance Width, Single Axle w/ 16" Tires, Electric Brakes, 2-5/16" Ball Hitch, Location – Crowley, TX

## PIPE SPOOL TRAILERS

1 – 20' TANDEM AXLE PIPE SPOOL TRAILER, VIN NA, Single Hydraulic Sprocket Chain Drive, 12' Diameter x 6' Wide Spool, Honda GX340 Gas Power Unit, Single 16" Tires, Electric Brakes, 5' x 19" High Wire Mesh Sides Front Storage Compartment, 2-5/16" Ball Hitch, Location – Crowley, TX

1 – 20' TANDEM AXLE PIPE SPOOL TRAILER, VIN 20143571430A (2007), Single Hydraulic Sprocket Chain Reel Drive, 11' Diameter x 6' Wide Reel, Honda Gas Power Unit, Single 16" Tires, Electric Brakes, 5' Front Mounted Open Storage Compartment, 2-5/16" Ball Hitch, Location – Midland, TX

1 – MIDLAND CARRIER MODEL PL6000 14' TANDEM AXLE PIPE SPOOL TRAILER, VIN 1S9ES19230E464002 (2010), 12,000 Lb. GVWR, Single Hydraulic Sprocket Chain Drive, Honda GTX390 Gas Power Unit, 12' Diameter x 6' Wide Spool Reel, Single 16" Tires, Electric Brakes, Pintle Eye Hitch, Location – Crowley, TX

1 – PALMER TANDEM AXLE PIPE SPOOL TRAILER, VIN 1J9BS1629EW401082 (2014), Red River Carrier Pipe Spool, 12' Diameter x 6' Wide, Dual Hydraulic Powered Sprocket Chain Drive, Honda GX630 Gas Power Unit, Mounted On Palmer 16' Tandem Axle Trailer, 12,000 Lb. GVWR, Single 16" Tires, Electric Brakes, Pintle Eye Hitch, Location – Oklahoma City

1 – CIRCLE D WELDING TANDEM AXLE PIPE SPOOL TRAILER, VIN 4C9BS162EW382095 (2014), Red River Carrier Pipe Spool, 12' Diameter x 6' Wide, Dual Hydraulic Powered Sprocket Chain Drive, Honda GX630 Gas Power Unit, Mounted On Circle D Welding 16' Tandem Axle Trailer, 12,000 Lb. GVWR, Single 16" Tires, Electric Brakes, Pintle Eye Hitch, Location – Oklahoma City

1 – MIDLAND CARRIER TANDEM AXLE PIPE SPOOL TRAILER, VIN 1Z9CS1229CW276153 (2012), Iron Works 102 Pipe Spool, 11' Diameter x 6' Wide, Dual Hydraulic Powered Sprocket Chain Drive, Honda GX660 Gas Power Unit, 16' Tandem Axle Trailer, Single 16" Tires, Electric Brakes, Pintle Eye Hitch, 12,000 Lb. GVWR, Location – Oklahoma City

1 – SWEETWATER METAL PRODUCTS MODEL CT27 COILED PIPE TRAILER, VIN 1RCFCBY2091000816 (2009), w/ McElroy Model Line Tamer LT0048 Straightener / Rerounder, S/N C30981, Honda GXV160 Gas Power Unit, Tandem Axle Trailer, 8,600 Lb. GVW, 24' Length, Single 16" Tires, Hydraulic Tension & Height Adjustment, Spooling Idlers, Location – Oklahoma City

1 – TANDEM AXLE PIPE SPOOL TRAILER, VIN NA, Red River Carrier Pipe Spool, 12' Diameter x 6' Wide, Dual Hydraulic Powered Sprocket Chain Drive, Honda GX630 Gas Power Unit, Mounted On 16' Tandem Axle Trailer, 12,000 Lb. GVWR, Single 16" Tires, Electric Brakes, 2-5/16" Ball Hitch, Location – Oklahoma City

1 – IRONWORKS TANDEM AXLE PIPE SPOOL TRAILER, VIN 1Z9CS1220CW276154 (2012), 12' Diameter x 6' Wide, Dual Hydraulic Powered Sprocket Chain Drive, Honda GX630 Gas Power Unit, Mounted On 18' Tandem Axle Trailer, 12,000 Lb. GVWR, Single 16" Tires, Electric Brakes, Pintle Eye Hitch, Location – Oklahoma City

## PIPE CARRYING TRAILERS

1 – HEAVY BILT MFG. 40' TANDEM AXLE 5TH WHEEL GOOSENECK PIPE TRAILER, S/N NA, 50" x 38" Steel Deck, Single 16" Tires, Electric Brakes, Location – Oklahoma City

1 – LONE STAR 36' TANDEM AXLE 5TH WHEEL GOOSENECK PIPE TRAILER, VIN 5VYG3627DH004667 (2013), 12,000 Lb. GVWR, Open Deck, (4) Load Bunks, 102" Wide, Single 16" Tires, Electric Brakes, Gooseneck Hitch w/ 2-5/16" Ball Receiver, Location – Crowley, TX

2 – 36' TANDEM AXLE 5TH WHEEL GOOSENECK PIPE TRAILERS, VINs ARKAVTL1720500262, ARKAVTL1020500264 (Both 2012), 12,000 Lb. GVWR, Open Deck, (3) Load Bunks, 102" Wide, Single 16" Tires, Electric Brakes, Gooseneck Hitch w/ 2-5/16" Ball Receiver, Location – Crowley, TX

1 – TLR WELDING 30' TANDEM AXLE PIPE TRAILER, VIN xxx1P2821CP083010, Open Center, (4) Load Bunks, Single 16" Tires, Electric Brakes, 2-5/16" Ball Hitch, Location – Midland, TX

1 – HORSECREEK 25' TANDEM AXLE 5TH WHEEL GOOSENECK PIPE CARRYING TRAILER, VIN 5BSBA3423BC025378 (2010), 12,000 Lb. GVWR, 25' x 80" Wood Deck, 12" High Angle Iron / Pipe Sides, Custom Compartments w/ Wire Mesh Dividers, Full Length Wire Mesh Upper Deck, Single 16" Tires, Electric Brakes, Gooseneck Hitch w/ 2-5/16" Ball Receiver, w/ Assorted Lay Flat Pipe, Location – Oklahoma City



2009





# GOOSENECK FLATBED, OIL SEPARATION, BURNER & CAGE TRAILERS

## GOOSENECK FLATBED TRAILERS

- 11 – HORSECREEK 34' TANDEM AXLE 5TH WHEEL GOOSENECK FLAT BED TRAILERS, VINs 5BSBA3429DC028238, 5BSBA3426DC028293, 5BSBA3428DC028294, 5BSBA3427BC025382, 5BSBA3421BC025380, 5BSBA3429DC028239, 5BSBA3424DC028292, 5BSBA342XDC028295, 5BSBA3421BC025377, 5BSBA3425BC025379, 5BSBA3429BCC25383 (All 2013), 12,000 Lb. GVWR, 34' Wood Deck, 102" Wide, (3) Load Bunks, Single 16" Tires, Electric Brakes, Gooseneck Hitch w/ 2-5/16" Ball Receiver, Location – Oklahoma City
- 1 – 32' TANDEM AXLE 5TH WHEEL GOOSENECK FLAT BED TRAILER, VIN NA, 102" Wide, Expanded Metal Decking, Single 16" Tires, Electric Brakes, Gooseneck Hitch w/ 2-5/16" Ball Receiver, w/ (6) Lengths Estimated 660' Flat Hose (Estimated 3,960'), Location – Crowley, TX
- 3 – JENNINGS DG322 SURE-PULL 32' TANDEM AXLE 5TH WHEEL GOOSENECK FLAT BED TRAILERS, VINs 1J9DG3229AJ143008, 1J9DG3227AJ143007, 1J9DG3225AJ143006 (All 2010), 12,000 Lb. GVWR, 32' Wood Deck, 102" Wide, (3) Load Bunks, Single 16" Tires, Electric Brakes, Gooseneck Hitch w/ 2-5/16" Ball Receiver, Location – Oklahoma City
- 1 – LAWHON 30' TANDEM AXLE 5TH WHEEL GOOSENECK FLAT BED TRAILER, VIN 44ZLK3028CT015340 (2012), 14,000 Lb. GVWR, 102" Wide, 36" High Angle Iron / Wire Mesh Sides w/ Compartment Dividers, Single 16" Tires, Electric Brakes, Gooseneck Hitch w/ 2-5/16" Ball Receiver, w/ Contents Including Assorted Hose Fittings, Valves, Etc., Location – Oklahoma City
- 1 – LAMAR 26' TANDEM AXLE 5TH WHEEL GOOSENECK FLAT BED TRAILER, VIN 5RVGN26247M001150 (2007), 12,000 Lb. GVWR, 26' x 96" Deck, 30" High Angle Iron / Wire Mesh Sides, Single 16" Tires, Electric Brakes, Gooseneck Hitch w/ 2-5/16" Ball Receiver, w/ Contents Including Assorted Hose, Fittings, Etc., Location – Oklahoma City
- 3 – LONE STAR 24' TANDEM AXLE 5TH WHEEL GOOSENECK FLAT BED TRAILERS, VINs 5VYGL2420EH005413, 5VYGL2429DH004582, 5VYGL2423EH005616 (To 2014), 13,800 Lb. GVWR, 84" Inside Width, Wood Deck, 12" High Angle Iron / Square Tube Sides, Single 16" Tires, Electric Brakes, Gooseneck Hitch w/ 2-5/16" Ball Receiver, Monorail Overhead Hoist I-Beam, Location – Midland, TX
- 2 – LONE STAR 20' TANDEM AXLE 5TH WHEEL GOOSENECK FLAT BED TRAILERS, VINs 5VYGL2020DH004959, 5VYGL2027DH004960 (Both 2013), 13,800 Lb. GVWR, 83" Wide Wood Deck, 12" High Angle Iron/Square Tube/Wire Mesh Sides, Single 16" Tires, Electric Brakes, Gooseneck Hitch w/ 2-5/16" Ball Receiver, Monorail I-Beam Hoist Rail, Location – Midland, TX
- 1 – KEARNEY 20' TANDEM AXLE 5TH WHEEL GOOSENECK FLAT BED TRAILER, VIN NA, 20,000 Lb. GVWR, 102" Wide, Dual 235/80R16 Tires, Electric Brakes, Gooseneck Hitch w/ 2-5/16" Ball Receiver, w/ Westin T-Max 11000 12 Volt Hydraulic Winch, Tail Roller, Location – Midland, TX



## OIL SEPARATION TRAILERS

- 1 – OIL SEPARATION TRAILER (2013), w/ Energy Weldfab Separator Vessel, S/N 13612-104 (2013), MAWP 1440 PSI @ 125°F, MDMT 20°F @ 1440 PSIG, Mounted On Stagecoach Model 83x20 EQ GN-TA 20' Tandem Axle 5th Wheel Gooseneck Flatbed Trailer, VIN: 5NYGU2027DN5C7073, (2013), 14,000 Lb. GVWR, 83" Wide Wood Deck, Single 16" Tires, Electric Brakes, Gooseneck Hitch w/ 2-5/16" Ball Receiver, High Pressure Flow Back Piping, Regulators, Valves, (3) Rear Ports, Location – Midland, TX
- 1 – OIL SEPARATION TRAILER, w/ Energy Weldfab Vertical Mounted Separator Vessel, S/N 14840-201, (2014), MAWP 5000 PSIG @ 200°F, MDMT 25°F @ 5000 PSIG, Flow Back Piping & Valves, Mounted On C&M Trailers 10' Tandem Axle Utility Trailer, VIN: 5VNBU1024ET13940, (2014), 7,000 Lb. GVWR, Expanded Metal Decking, Single 15" Tires, Electric Brakes, 2-5/16" Ball Hitch, Location – Midland, TX



## BURNER TRAILER

- 1 – BURNER TRAILER, VIN 5NYBU3013DN5C7059 (2013), 30' Burner Boom Length w/ Hydraulic Raise, 12 Volt Hydraulic Power Unit w/ Pendant Control, LPG Burner, Flare Equipment Burner Control, Single Axle w/ 15" Tires, 2-5/16" Ball Hitch, Location – Midland, TX

## CAGE TRAILERS

- 4 – DIAMOND C ROAD CLIPPER TANDEM AXLE ENCLOSED CAGE TRAILERS, VINs 46UFU1827A1125171, 46UFU1825A1125170, 46UFU1829A1125172, 46UFU1829A1125169 (All 2010), 12,000 Lb. GVWR, 18' Length x 84" Inside Width, 8' High Angle Iron / Wire Mesh Sides & Top w/ Swing Doors, Single 16" Tires, Electric Brakes, Pintle Eye Hitch, Location – Oklahoma City

## FLATBED SEMI TRAILER

- 1 – 47' TANDEM AXLE FLATBED SEMI TRAILER, VIN ARKAVLT0550369442 (2005), Spring Suspension, Fixed Tandem, Location – Oklahoma City




**Register and Bid  
Online Only at**  
[hilcoind.com/HITechnologies](http://hilcoind.com/HITechnologies)



## FLATBED UTILITY TRAILERS

- 2 – **IRONWORKS 20' TANDEM AXLE FLAT BED TRAILERS**, VINs 1Z9CS20287W276126 (Both 2007), 12,000 Lb. GVWR, 83" Deck Width, Wood Deck, Single Tires, Electric Brakes, Pintle Eye Hitch, Location – Oklahoma City
- 1 – **C & M 20' TANDEM AXLE FLATBED UTILITY TRAILER**, VIN 1CABC20225T030203 (2005), 14,000 Lb. GVWR, Diamond Plate Steel Deck, 10" High Angle Iron / Pipe Sides, Single 16" Tires, Electric Brakes, Pintle Eye Hitch, Location – Oklahoma City
- 1 – **STARLITE 20' TANDEM AXLE FLAT BED TRAILER**, VIN 13YFS2026CC117391 (2012), 14,000 Lb. GVWR, 16' Flat Wood Deck w/ 4' Metal Beavertail, Flip Ramps, Single 215/75R17.5 Tires, Electric Brakes, Pintle Eye Hitch, Location – Oklahoma City
- 1 – **LOAD CLIPPER / DIAMOND C MODEL 18EEQ 20' TANDEM AXLE FLAT BED TRAILER**, VIN 46UFU2028D1147671 (2013), 14,000 Lb. GVWR, 18' Wood Deck + 2' Beavertail, 83" Deck Width, Flip Ramps, Single 16" Tires, Electric Brakes, Pintle Eye Hitch, #338, Location – Oklahoma City
- 1 – **TEXAS BRAGG 18' TANDEM AXLE FLATBED UTILITY TRAILER**, VIN NA, 83" Wide Wood Deck, 16" High Angle Iron / Pipe Sides, Single 15" Tires, Electric Brakes, 2-5/16" Ball Hitch, Location – Crowley, TX
- 6 – **BEST BILT 16' TANDEM AXLE FLATBED UTILITY TRAILERS**, VINs 5YHBU1627BMD02342, 5YHBU162XAM902103, 5YHBU1629AM701862, 5YHBU1623BM602873, 5YHBU1623BM502806, N/A (To 2011), Wood Deck, 12" High Angle Iron Sides, Single 15" Tires, Pintle Eye Hitch, Location – Oklahoma City
- 1 – **PERO 16' TANDEM AXLE FLATBED UTILITY TRAILER**, VIN NA, 83" Wide Wood Deck, 12" High Angle Iron Sides, Single 15" Tires, 2-5/16" Ball Hitch, Location – Midland, TX
- 1 – **MAXEY 16' TANDEM AXLE FLATBED UTILITY TRAILER**, VIN 5GXSL16208M008769 (2008), 83" Inside Deck Width, Wood Deck, 14" High Angle Iron / Pipe Sides, Single 15" Tires, Electric Brakes, Pintle Eye Hitch, Location – Oklahoma City
- 1 – **PARKER 12' TANDEM AXLE FLATBED UTILITY TRAILER**, VIN 41MAU12281W010117 (2001), 83" Inside Deck Width, Wood Deck, 14" High Angle Iron / Pipe Sides, 4' Angle Iron / Wire Mesh Drop Tailgate, Single 15" Tires, 2-5/16" Ball Hitch, Location – Oklahoma City
- 1 – **STAGECOACH 12' TANDEM AXLE FLATBED UTILITY TRAILER**, VIN 5NYBU12238NSC5223, 83" Wide Wood Deck, 4' Drop Down Rear Ramp, Single 15" Tires, 2-5/16" Ball Hitch, Location – Oklahoma City



## POWER WASH TRAILER

- 1 – **FOREST RIVER 20' X 8' ENCLOSED POWER WASH TRAILER**, VIN 5NHUCCU25CY016508 (2012), 9,800 Lb. GVWR, Single 16" Tires, Electric Brakes, 2-5/16" Ball Hitch, Swing Rear Doors, Curb Side Door, w/ 3500 PSI Pressure Washer, S/N NA, Honda GX630 Gas Engine, Fuel Oil Burner, 35 Gallon Poly Soap Tank, 535 Gallon Poly Water Tank, Hose, Hose Reel, Spray Wand, Location – Midland, TX
- 1 – **15' TANDEM AXLE POWER WASH TRAILER**, VIN 122633707A, Shop Built Custom 15' L x 72" W x 10" H Built-In Water Tank, Single 16" Tires, Electric Brakes, Pintle Eye Hitch, w/ Landa Model HOT2-11021D Pressure Washer, S/N P0504-81815, 1000 PSI, 2.0 GPM, 225° Max., 156,524 BTU, 120V 1Ph Pump, Location – Oklahoma City

## FUEL TRAILER

- 1 – **IRONWORKS CUSTOM BUILT TANDEM AXLE FLATBED FUEL TRAILER**, VIN 1Z9CS2023AW276722 (2010), 20' L x 84" W x 8-1/2" H Built-In Fuel Tank w/ Wood Deck Overlay Top, Knaack 2472 Gang Box w/ Tuthill Fill-Rite FR4200G 20 GPM 12 Volt Fuel Pump, Fill Hose & Nozzle, 14,000 Lb. GVWR, Single 16" Tires, Electric Brakes, Pintle Eye Hitch, Flip Ramps, Location – Oklahoma City

## TRAVEL TRAILER

- 2 – **GULF STREAM MODEL CAVALIER MPV-CVDH 28' TRAVEL TRAILERS**, VINs 1NLIQTR2461002630, 1NLIQTR261017821 (Both 2006), Tandem Axle, 2-5/16" Ball Hitch, A/C Unit, Location – Midland, TX
- 1 – **SKYLINE MODEL 300 LTD 20' TRAVEL TRAILER**, VIN 1SE200P296F001419 (2006), Skyline S.N. 7037-1419-U, Location – Oklahoma City

## LIVESTOCK TRAILER

- 1 – **W-W TRAILER 16' TANDEM AXLE LIVESTOCK TRAILER**, VIN 11WHS162XRW203131 (1994), 10,400 GVWR, Single 15" Tires, Electric Brakes, Wood Floor, Location – Oklahoma City

## ALL TERRAIN VEHICLES

- 1 – **JOHN DEERE MODEL GATOR SIDE-BY-SIDE 4X4 ATV**, S/N M0HX0PA099933, 4' Dump Box, Location – Oklahoma City
  - 1 – **POLARIS MODEL RANGER 6X6 ATV**, S/N 4XAHR76A734715735, Location – Oklahoma City
  - 1 – **SUZUKI MODEL KING QUAD 500 AXI 4X4 ATV**, S/N NA, Location – Oklahoma City
- QUANTITY OF ATV PARTS, Including:** (2) Suzuki King Quad 750's (Parts Only), Misc. Frame & Engine Parts, Location – Oklahoma City





**Hilco** Industrial

**ONLINE AUCTION**



**Hil Technologies, Inc**  
ENERGY SERVICES

**Oilfield Well Site  
Support Assets**  
*Flowback Water Transfer Equipment*  
*Generated Power*  
*Construction Equipment*



**Online Bidding Opens: Friday, November 13<sup>th</sup>**  
**Online Bidding Closes: Wednesday, November 18<sup>th</sup>**  
**Multiple Locations in Oklahoma & Texas**

**Terms of Sale**

A 16% buyer's premium will be charged on all assets when payment is made by means of cash, cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of sale close. An 18% buyer's premium will be charged on all assets when payment is made by credit card (accepted for invoices of \$2000 or less), or when payment is received after 48 hours of sale close. Everything will be sold online to the highest bidder for cash, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted online. All items will be sold "as is, where-is" without any warranties, expressed or implied. Although obtained from sources deemed reliable, the Auctioneer makes no warranty or guarantee to the accuracy of the information herein contained. Bidders are encouraged to thoroughly inspect the items on which they intend to bid prior to sale. Absolutely no items will be removed until the day after the conclusion of the sale and payment is made in full. Subject to additions, deletions and prior sale. For updated information, please visit our website at [www.hilcoind.com](http://www.hilcoind.com) for any date, sale process, terms and conditions and list of available assets.

**Payment:** INVOICES WILL BE EMAILED WITHIN 24 HOURS AFTER THE AUCTION CLOSES. Payment is to be made to Hilco Industrial, LLC. Payment Options: VISA, Mastercard Discover accepted - if invoice total is \$2,000 or less; Wire Transfer; Certified Check; or Company Check (with Bank letter of guarantee - see sample letter below). All sales are subject to sales tax. Purchasers claiming exemptions from taxes must provide proof satisfactory to the Auctioneer of their entitlement to claim such exemptions. Please see complete terms and conditions on our website, [www.hilcoind.com](http://www.hilcoind.com).

**Sample Bank Letter**

(Bank Name) unconditionally guarantees payment to Hilco Industrial from (Company Name). This guarantee will be valid for purchases made at the Auction of Hil Technologies on November 13-18, 2015.



Follow Us on:

