

Assets Surplus to the Ongoing Operation of



**Steel Tank & Vessel
Fabrication Facility**
*Featuring Welding Manipulators,
Fit Up Rolls, Plate Rolls,
CNC Plasma Cutting System,
Welders, and More*



**Online Bidding
Closes December 14th**

**Williston,
North Dakota
USA**

PLATE BENDING ROLLS • FIT-UP ROLLS

PLATE BENDING ROLLS

- 1 - WEBB R3L-8008 8'2" X 1/4" 3-ROLL INITIAL PINCH-TYPE PLATE BENDING ROLL, S/N 2014-148 (New 2014), Diameter of Rolls: 8", with Air Drop End, Operator Pedestal Control Console with Joystick, Power Roll Adjustment, Safety Wire, 460/3/60
- 1 - WEBB R3L-8008 8' X 1/4" INITIAL PINCH-TYPE PLATE BENDING ROLL, S/N 7744, with Air Drop End, Power Roll Adjustment, Safety Wire, 460/3/60

Bid Online Only
with:

Hilcobid



2013



FIT-UP ROLLS

- 1 - LJ WELDING MODEL ALG-512-100-4 25-TON TANK & VESSEL ALIGNMENT FIT-UP ROLL (New 2013), 5-Section Modular Design, Capacity: 5-Ton per 5' Section, Diameter Range: 5' to 14', Tractive Effort: 4,800-Lbs., Max Torque at Rollers: 24,000-In.Lbs., Rotation Speed: 5 to 96-IPM, with (1) Dual Drive Section, (4) Idler Sections, (8) Hydraulic Side Alignment Rollers & Supports, Hydraulic Center Support Rolls, Adjustable End Stop with Shuttle, Operator Control Console, Drive-Shaft Free Style, 10-HP, 460/3/60

FIT-UP ROLLS, continued

- 3 - LJ WELDING MODEL ALG-512-100-4 20-TON TANK & VESSEL ALIGNMENT FIT-UP ROLLS (New 2013), Each with 4-Section Modular Design, Capacity: 5-Ton per 5' Section, Diameter Range: 5' - 14', Tractive Effort: 4,800-Lbs., Max Torque at Rollers: 24,000-In.Lbs., Rotation Speed: 5 to 96-IPM, with (1) Dual Drive Section, (3) Idler Sections, (6) Hydraulic Side Alignment Rollers & Supports, Hydraulic Center Support Rolls, Adjustable End Stop with Shuttle, Operator Control Console, Drive-Shaft Free Style, 10-HP, 460/3/60
- 1 - LJ WELDING MODEL ALG-512-100-4 20-TON TANK & VESSEL ALIGNMENT FIT-UP ROLL (New 2013), 4-Section Modular Design, Capacity: 5-Ton per 5' Section, Diameter Range: 5' - 14', Tractive Effort: 4,800-Lbs., Max Torque at Rollers: 24,000-In.Lbs., Rotation Speed: 5 to 96-IPM, with (1) Dual Drive Section, (3) Idler Sections, (4) Hydraulic Side Alignment Rollers & Supports, Hydraulic Center Support Rolls, Adjustable End Stop with Shuttle, Operator Control Console, Drive-Shaft Free Style, 10-HP, 460/3/60 (Note: Not Installed, Partially Disassembled)



WELDING MANIPULATORS • ROBOTIC WELDING CELLS

WELDING MANIPULATORS

5 - LJ WELDING MODEL MN12-200 12' X 12' WELDING MANIPULATORS, S/Ns 004, 005, 006, NA (New 2013), 500-Lb. Max Boom Capacity, Boom Reach: 24" to 168", Boom Height: 30" to 174", Boom & Column Travel Speed: 5 to 120-IPM, Two-Piece Mast Design, Some Equipped with All or Some Combination of the Following: Fronius TransPuls Synergic 5000 CMT Welding Power Source, Fronius VR7000 Wire Feeder, Weld Inspection System with Xiris Camera, Meta Vision Seam Tracking System w/ Operator Control Unit, Remote Pendant, Motion Control Unit, Power Travel Car on Floor Mounted Track, 460/3/60 (Important Note: Several units are not installed and are partially disassembled. Please see lot catalog for detailed descriptions and photos for each unit.)

2013



2013



Partial Listing Only, See
hilcoind.com/Sale/CameronWilliston
For Additional Photos & Complete Lot Catalog

2013



ROBOTIC WELDING CELLS

2 - ROBOTIC TANK WELDING CELLS (New 2013), Each Cell Equipped with Panasonic Model TA-1900 6-Axis Robot, Panasonic YA-1UPA-2 Controller, YA-1TPSA-1 Tawers Arc Sensor Software, Teach Pendant, Banner BRS Torch Cleaning System, LJ Welding TRM20-100 40,000-Lb. Capacity Welding Turntable w/ Custom Designed & Fabricated 6-Position Tank Top & Bottom Fit Up Fixture, Square D 30-KVA Transformer, Safety Enclosure



2013

CNC PLASMA CUTTING SYSTEM • ABRASIVE PLATE BLAST WELDING TURNTABLE & POSITIONERS

CNC PLASMA CUTTING SYSTEM

1 - SECTOR/PROSTAR MODEL PRS-400-HD 72" X 45' CNC PLASMA CUTTING SYSTEM, S/N 1425-1303-200-150 (New 2013), with Hypertherm HyPerformance HPR260XD 260-Amp Plasma Power Source, (1) Plasma Torch, (1) Oxy Fuel Torch, Ignition Control, Gas Control, Drive Amplifier, Hi/Low Pre-Heat, Hi/Low Oxy Pre-Heat, Water Table, Hypertherm Windows PC Control



ABRASIVE PLATE BLAST

1 - GOFF MODEL PB4-60 4-HEAD X 60" PASS-THROUGH ABRASIVE PLATE BLAST, S/N NA (New 2013), Max Opening: 64", with (4) 15-HP Abrasive Blast Wheels, Allen-Bradley PowerFlex 70 Vari-Speed Drive, Conveyor Inverter, Blow Off, Reclaim System, 40' Infeed & Outfeed Conveyors, Torit DFO3-6 Dust Collector (S/N 4058771-1), 460/3/60



WELDING TURNTABLE & POSITIONERS

1 - LJ WELDING MODEL TRM20-100 40,000-LB. LOW PROFILE WELDING TURNTABLE (New 2009), 48" Slotted Table
1 - LOW PROFILE WELDING LAYOUT TURNTABLE, 144" Table
1 - AWT MODEL POS-20 2,000-LB. WELDING POSITIONER (New 1984), with 36" Table



2014



MATERIAL HANDLING

- 1 – CATERPILLAR MODEL IT24F INTEGRATED TOOL CARRIER WHEEL LOADER, S/N 4NN00260 (New 1985), with 72" Forks, Cab, 97/02620 Motor, 14,9XX-Hours Indicated
- 1 – GROVE MODEL RT527.5 27.5-TON ROUGH TERRAIN CRANE, S/N 67861, with (4) Hydraulic Outriggers, 28' to 70' Boom
- 1 – ANVER MODEL 82001166 PNEUMATIC SHEET LIFT, S/N S0140006653 (New 2014), Capacity: 3,100-Lb., Max Sheet Size: 6'W x 48'L, with (7) Cross Arms w/2 Vacuum Pads per Arm
- 1 – ANVER MODEL 82001166 PNEUMATIC SHEET LIFT, S/N S0130001213 (New 2013), Capacity: 1,500-Lb., Max Sheet Size: 6'W x 38'L, with (5) Cross Arms w/2 Vacuum Pads per Arm (Note: Late Delivery)
- 1 – MANUFACTURER UNKNOWN 500-BBL TANK TRAILER, with (2) Tank Carrier Frames (Note: No Title)
- 3 – 8' X 12' SINGLE AXLE EQUIPMENT TRAILERS (Note: No Titles)
- 1 – 20' X 12,000-LB. SPREADER BAR



27.5-Ton


PLANT & PRODUCTION SUPPORT

- 1 – GRACO MODEL H-40 HYDRAULIC PLURAL COMPONENT SPRAY FOAM REACTOR, S/N A0279, with Graco XP-70 Sprayer w/ (3) Heaters, Solvent Pump
 - 1 – PORTABLE PRESSURE WASH SYSTEM, Consisting of: Karcher 1.575-604.0-C 3500-PSI Pressure Washer, Mounted on 7'W x 14'L Tandem Axle Steel Deck Trailer, w/Delta Truck Box, Hoses, 208cc Water Pump
 - 7 – LINCOLN MODEL DC-600 600-AMP WELDERS (New as 2013)
 - 1 – LINCOLN MODEL POWER WAVE 455M 450-AMP WELDER, S/N U1090906923 (New 2009)
 - 2 – MILLER MODEL DELTAWELD 452 450-AMP WELDERS, S/Ns MB410179U (New 2011) and LB141485 (2001)
 - 1 – MILLER MODEL MILLERMATIC 252 250-AMP WELDER, S/N MD251397N (New 2013)
 - 9 – LINCOLN WIRE FEEDERS, Models DH-10, LN-10, LN-7
 - 1 – THERMAL DYNAMICS MODEL PAK MASTER 100XL PLUS 100-AMP PLASMA CUTTER, S/N EN50192
 - 1 – HYPER THERM MODEL POWERMAX 45 45-AMP PLASMA CUTTER
- PLANT & PRODUCTION SUPPORT EQUIPMENT Including:** Double End Grinders, Drill Press, Darex Drill Sharpener, Vises, Hand/Power/Pneumatic Hand Tools, Tool Boxes, Hammer Drills, Chop Saws, Master Marker Torch Attachment, Ultra Line Track Torch, Welding Leads, Cables, & Torch Hoses, Assorted Tank Cradles - to 26', Bessey Welding Clamps, Vise Grip Welding Clamps, Level, Torch Carts, Blowers, Lifting Chain, Storage Cabinets, Shelving, Fastenal Hardware Cabinets w/Contents, Conduit Benders, Etc.



STEEL INVENTORY

QUANTITY OF STEEL INVENTORY Including – Approximately (100) Sheets of 1/4” and 3/16” Mild Steel Sheets, (83) 60”W x 38”L and (15) 60”W x 10”L; 1/4” Mild Steel Half Circle Tank Top/Bottom Sheets



Hilco® Industrial

Assets Surplus to the Ongoing Operation of



ONLINE AUCTION

FURTHER INFORMATION

- A 16% BUYER'S PREMIUM WILL BE CHARGED ON ALL ASSETS WHEN PAYMENT IS MADE BY MEANS OF CASH, CASHIER'S CHECK, COMPANY CHECK (WITH BANK LETTER OF GUARANTEE) OR WIRE TRANSFER WITHIN 48 HOURS OF SALE CLOSE. AN 18% BUYER'S PREMIUM WILL BE CHARGED ON ALL ASSETS WHEN PAYMENT IS MADE BY CREDIT CARD (ACCEPTED FOR INVOICES OF \$2000 OR LESS), OR WHEN PAYMENT IS RECEIVED AFTER 48 HOURS OF SALE CLOSE. AUCTION WILL BE CONDUCTED IN ENGLISH, ACCEPTING U.S. CURRENCY ONLY.
- REMOVAL DEADLINE: JANUARY 13, 2017 AND BY APPOINTMENT ONLY. PLEASE CONTACT TIM PFISTER AT +1 847-404-2823, EMAIL TPFISTER@HILCOGLOBAL.COM TO ARRANGE REMOVAL. BUYERS WITH ITEMS LEFT ON SITE AFTER DEADLINE ARE SUBJECT TO FINES OF \$500 PER DAY.

ONLINE BIDDING OPENS

WEDNESDAY, DECEMBER 7TH

ONLINE BIDDING CLOS

WEDNESDAY, DECEMBER 14TH

CHECK WWW.HILCOIND.COM FOR CLOSING TIMES

PREVIEW

MONDAY, DECEMBER 12TH

9AM TO 4PM CT

TO SCHEDULE AN EARLIER INSPECTION, PLEASE CONTACT TPFISTER AT +1 847-404-2823
EMAIL TPFISTER@HILCOGLOBAL.COM

ASSET LOCATION

501 58TH STREET W.
WILLISTON, ND 58801

MACHINERY & EQUIPMENT

TIM PFISTER +1 847-404-2823 • TPFISTER@HILCOGLOBAL.COM

PAYMENT INFORMATION

LESIA JOSEPH +1 616-328-6892 • LJOSEPH@HILCOGLOBAL.COM

HILCO ACCOUNTS RECEIVABLE AT AR-GR@HILCOGLOBAL.COM

CUSTOMER SERVICE

+1 877-37-HILCO • +1 616-732-1800 • INFO@HILCOIND.COM

Information contained herein deemed to be accurate at time of printing and subject to change. For updated information, please visit our website at www.hilcoind.com for any changes to date, sale process, terms and conditions and list of available assets.





Hilco[®] Industrial **ONLINE AUCTION**

Assets Surplus to the Ongoing Operation of



Steel Tank & Vessel Fabrication Facility



*Featuring Welding Manipulators,
Fit Up Rolls, Plate Rolls,
CNC Plasma Cutting System,
Welders, and More*

**Online Bidding Closes December 14th
Williston, North Dakota USA**

Hilco Industrial, LLC is a division of Hilco Global • Headquarters 5 Revere Drive, Ste. 206 • Northbrook, IL 60062 • All rights reserved
Hilco Industrial, LLC North Dakota Auctioneer & License: Tim Pfister License #950 • IL License #444.000215
Printed in USA • CAM5930 • IL License #444.000215 • Please visit our website at www.hilcoind.com to review our complete terms and conditions.

Terms of Sale


A 16% buyer's premium will be charged on all assets when payment is made by means of cash, cashier's check, company check (with bank letter of guarantee) or wire transfer within 48 hours of sale close. An 18% buyer's premium will be charged on all assets when payment is made by credit card (accepted for invoices of \$2000 or less), or when payment is received after 48 hours of sale close. Everything will be sold online to the highest bidder for cash, in accordance with the Auctioneer's customary "Terms of Sale", copies of which will be posted online. All items will be sold "as is, where-is" without any warranties, expressed or implied. Although obtained from sources deemed reliable, the Auctioneer makes no warranty or guarantee to the accuracy of the information herein contained. Bidders are encouraged to thoroughly inspect the items on which they intend to bid prior to sale. Absolutely no items will be removed until the day after the conclusion of the sale and payment is made in full. Subject to additions, deletions and prior sale. For updated information, please visit our website at www.hilcoind.com for any date, sale process, terms and conditions and list of available assets.

Payment:

INVOICES WILL BE EMAILED WITHIN 24 HOURS AFTER THE AUCTION CLOSES. Payment is to be made to Hilco Industrial, LLC. Payment Options: VISA, Mastercard, & Discover accepted - if invoice total is \$2,000 or less; Wire Transfer; Certified Check; or Company Check (with Bank letter of guarantee - see sample letter below). All sales are subject to sales tax. Purchasers claiming exemptions from taxes must provide proof satisfactory to the Auctioneer of their entitlement to claim such exemptions. Please see complete terms and conditions on our website, www.hilcoind.com.

Sample Bank Letter

(Bank Name) unconditionally guarantees payment to Hilco Industrial from (Company Name). This guarantee will be valid for purchases made at the Auction of Cameron Process Systems on December 7-14, 2016.



A Hilco Global Company
Vested in your Success