

Honda Accord Coupe Specifications

Engineering

DESCRIPTION	LX-S	EX	EX-L	EX-LV-6	TOURING
Engine Block / Cylinder Head: Aluminum-Alloy	•	•	•	•	•
Displacement (cc)	2356	2356	2356	3471	3471
Redline: 6800 rpm	•	•	•	•	•
Bore and Stroke (mm)	87 × 99.1	87 x 99.1	87 x 99.1	89 x 93	89 x 93
Compression Ratio	11.1 : 1	11.1 : 1	11.1 : 1	10.5 : 1	10.5 : 1
Drive-by-Wire Throttle System	•	•	•	•	•
Eco Assist™ System	•	•	•	•	•
Active Noise Cancellation™ (ANC)	•	•	•	•	•
Active Sound Control	•	•	•	•	•
Hill Start Assist	•	•	•	•	•
Direct Ignition System with Immobilizer	•	•	•	•	•
100K +/- Miles No Scheduled Tune-Ups ¹	•	•	•	•	•
Remote Engine Start		CVT model	•	6AT Model	•
				6AT Model	•
Engine Type					
In-Line 4-Cylinder	•	•	•		
V-6				•	•
Horsepower (SAE net)					
185 @ 6400 rpm	•	•	•		
278 @ 6200 rpm				•	•
Torque (SAE net)					
181 lb-ft @ 3900 rpm	•	•	•		
251 lb-ft @ 5300 rpm (6MT)				•	
252 lb-ft @ 4900 rpm (6AT)				•	•
Valve Train					
16-Valve DOHC i-VTEC®	•	•	•		
24-Valve SOHC i-VTEC®				•	•
Fuel Injection					
Direct	•	•	•		
Multi-Point				•	•
CARB Emissions Rating ²					
6MT: LEV3-ULEV125	•	•		•	
CVT: PZEV or LEV3-SULEV30	•	•	•		
6AT: LEV3-ULEV125				•	•

6MT = 6-Speed Manual Transmission • CVT = Continuously Variable Transmission • 6AT = 6-Speed Automatic Transmission

Transmissions

DESCRIPTION	LX-S	EX	EX-L	EX-L V-6	TOURING
6-Speed Manual Transmission (6MT)	•	•		•	
Continuously Variable Transmission (CVT) wit	h Sport Mode Available	Available	•		
with Paddle Shifters	Available	Available	•		
-Speed Automatic Transmission (6AT) with S	port Mode			Available	•
with Paddle Shifters				Available	•
6-Speed Manual Transmission (6MT) (LX-S & EX) GEAR : RATIO	Continuously Variable Transmission (CVT) with Sport Mode	6-Speed Manua (6MT) (EX GEAR :	K-L V-6)	6-Speed Automatic with Sport I GEAR : RA	Mode
1st : 3.643	GEAR : RATIO	1st :	3.933	1st : 3.	359
2nd : 2.080	Forward : 2.645 ~ 0.405	2nd :	2.478	2nd : 2.	095
3rd : 1.361	Reverse : 1.859 ~ 1.265	3rd :	1.700	3rd : 1.	485
4th : 1.024	Final Drive : 5.048	4th :	1.250	4th : 1.	065
5th : 0.830		5th :	0.976	5th : 0.	754
6th : 0.686		6th :	0.771	6th : 0.	556

Reverse : 3.673 Final Drive : 4.105

Final Drive : 3.550

Reverse : 2.269

6th : 0.556 Reverse : 2.269 Final Drive : 3.941

Body / Suspension / Chassis

DESCRIPTION	LX-S	EX	EX-L	EX-LV-6	TOURING
Unit-Body Construction	•	٠	•	٠	•
MacPherson Strut Front Suspension	•	•	•	•	•
Multi-Link Rear Suspension	•	٠	•	٠	•
Electric Power-Assisted Rack-and-Pinion Steering (EPS)	•	•	•	•	•
Front Shock Tower Bar	•	•	•	٠	•
Stabilizer Bar	•	•	•	٠	19
Front (mm)	18	18	18	19	•
Rear: 16mm	•	•	•	•	2.47
Steering Wheel Turns, Lock-to-Lock	2.54	2.54	2.54	2.47	13.49
Steering Ratio	13.23	13.41	13.41	13.49	39.0
Turning Diameter, Curb-to-Curb (ft)	37.6	39.0	39.0	39.0	•
Power-Assisted Brakes	•	•	•	٠	12.3
Ventilated Front Disc (in)	11.1	11.5	11.5	11.5	12.3
Solid Rear Disc (in)	11.1	11.5	11.5	11.5	
Wheels: 17-Inch Alloy	•				
Wheels: 18-Inch Alloy		•	•	•	•
Wheels: 19-Inch Alloy					
All-Season Tires: P215/55 R17 94V	•				
All-Season Tires: P235/45 R18 94V		•	•	•	•
All-Season Tires: 235/40 R19 96V					
Compact Spare Tire: T135/90 D16 102M	•	•	•	•	•
Compact Spare Tire: T135/80 D17 103M					•

Exterior Measurements

DESCRIPTION	LX-S	EX	EX-L	EX-LV-6	TOURING
Wheelbase: 107.3 in	•	•	•	•	•
Length: 189.5 in	•	•	•	•	•
Height: 56.5 in	•	•	•	•	•
Width: 73.0 in	•	•	•	•	•
Track – Front: 62.4 in.	•	•	•	•	•
Track – Rear (in)	62.6	62.7	62.7	62.7	62.7
Curb Weight for 6MT	3179 lbs	3267 lbs	-	3397 lbs	-
Curb Weight for CVT	3248 lbs	3336 lbs	3342 lbs	-	-
with Honda Sensing™	3254 lbs	3342 lbs	3349 lbs	-	-
Curb Weight for 6AT	-	-	-	3523 lbs	-
with Honda Sensing™	-	-	-	3530 lbs	3554 lbs
Weight Distribution for 6MT (front / rear, %)	60 / 40	60 / 40	-	61 / 39	-
Weight Distribution for CVT (front / rear, %)	61 / 39	61 / 39	61 / 39	-	-
Weight Distribution for 6AT (front / rear, %)	-	-	-	63 / 37	63 / 37

6MT = 6-Speed Manual Transmission • CVT = Continuously Variable Transmission • 6AT = 6-Speed Automatic Transmission

Interior Measurements

DESCRIPTION	LX-S	EX	EX-L	EX-LV-6	TOURING
Headroom – Front (in)	39.0	37.2	37.2	37.2	37.2
Headroom – Rear (in): 37.2 in.	•	•	•	•	•
Legroom – Front: 42.2 in	•	•	•	•	•
Legroom – Rear: 33.7 in	•	•	•	•	•
Shoulder Room – Front: 58.9 in	٠	•	•	•	•
Shoulder Room – Rear: 55.1 in	•	•	•	•	•
Hiproom – Front: 55.4 in	•	•	•	•	•
Hiproom – Rear: 48.9 in	•	•	•	•	•
Cargo Volume (cu ft)	13.7	13.4	13.4	13.4	13.4
Passenger Volume (cu ft)	95.6	93.1	93.1	93.1	93.1
Seating Capacity: 5	•	٠	•	•	•

EPA Mileage Ratings³ / Fuel

DESCRIPTION	LX-S	EX	EX-L	EX-L V-6	TOURING
6-Speed Manual Transmission (6MT)					
City (MPG)	23	23		18	
Highway (MPG)	34	34		28	
Combined (MPG)	27	27		22	
Continuously Variable Transmission (CVT)					
City: 26 MPG	•	•	•		
Highway: 35 MPG	•	•	•		
Combined: 30 MPG	•	•	•		

6-Speed Automatic Transmission (6AT)					
City: 21 MPG				•	•
Highway: 32 MPG				•	•
Combined: 25 MPG				•	•
Fuel Tank Capacity: 17.2 gal	٠	•	•	•	•
Required Fuel: Regular Unleaded	•	•	•	•	•

Active Safety

DESCRIPTION		LX-S	EX	EX-L	EX-LV-6	TOURING
Vehicle Stability Assist™ (VSA®) with Traction Control⁴		•	•	٠	•	•
Anti-Lock Braking System (ABS)		•	•	•	•	•
Electronic Brake Distribution (EBD)		•	•	•	٠	•
Brake Assist		•	•	•	•	•
Multi-Angle Rearview Camera with Dynamic Guidelines ⁵		•	•	•	•	•
Tire Pressure Monitoring System (TPMS) ⁶		•	•	•	•	•
Daytime Running Lights (DRL)		•	LED	LED	LED	LED
Forward Collision Warning (FCW) ⁷	HS	Available	Available	Available	Available	•
Lane Departure Warning (LDW) ⁸	HS	Available	Available	Available	Available	•
Collision Mitigation Breaking System™ (CMBS™)°	HS	Available	Available	Available	Available	•
Road Departure Mitigation System (RDM) ¹⁰	HS	Available	Available	Available	Available	•

HS = Honda Sensing Feature

Passive Safety

DESCRIPTION	LX-S	EX	EX-L	EX-LV-6	TOURING
	•	•	•	•	•
Dual-Stage, Multiple-Threshold Front Airbags (SRS)	•	•	•	•	•
SmartVent® Front Side Airbags	•	•	•	•	•
Side Curtain Airbags with Rollover Sensor	•	•	•	•	•
3-Point Seat Belts at All Seating Positions	•	•	•	•	•
Front 3-Point Seat Belts with Automatic Tensioning System	•	•	•	•	•
Driver's and Front Passenger's Seat-Belt Reminder	•	•	•	•	•
Lower Anchors and Tethers for CHildren (LATCH)	•	•	•	•	•
Lower Anchors (2nd Row Outboard)	•	٠	•	•	•
Tether Anchors (2nd Row All)	•	•	٠	•	•

Driver-Assist Technology

DESCRIPTION	LX-S	EX	EX-L	EX-L V-6	TOURING
Lane Keeping Assist System (LKAS) ¹¹	Available	Available	Available	Available	•
Adaptive Cruise Control (ACC) ¹²	Available	Available	Available	Available	•
Honda LaneWatch™ ¹³		•	•	•	•
Auto High-Beam Headlights					•

Exterior Features

DESCRIPTION	LX-S	EX	EX-L	EX-LV-6	TOURING
Integrated Rear Window Antenna	•	•	•	•	•
Security System with Remote Entry and Trunk Release	•	•	•	•	•
One-Touch Turn Indicators	•	•	•	•	•
Taillights with Integrated LED Light Bars	•	•	•	•	•
Chrome Door Handles	•	•	•	•	•
Variable Intermittent Windshield Wipers	•	•	•	•	Rain-Sensing
Chrome Exhaust Finisher	•	•	•	Dual Exhaust	Dual Exhaust
LED Fog Lights		•	•	•	•
Smart Entry		•	•	•	•
One-Touch Power Moonroof with Tilt Feature		•	•	•	•
Roof-Mounted Antenna		•	•	•	•
Hood Struts				•	•
Body-Colored Parking Sensors (front / rear)					•
Projector-Beam Halogen Headlights with Auto-On / Off	•	•	•	•	
LED Headlights with Auto-On / Off					•
Body-Colored Power Side Mirrors	•	•	•	•	•
Including Expanded View Driver's Mirror	•	•	•	•	•
Including Integrated Turn Indicators		•	•	•	•
Heated Side Mirrors		•	•	•	•

Comfort and Convenience

DESCRIPTION	LX-S	EX	EX-L	EX-LV-6	TOURING
Dual-Zone Automatic Climate Control System	•	•	•	•	•
Power Door Locks / Programmable Auto-Locking Doors	•	•	•	•	•
Cruise Control	•	•	•	•	•
Tilt and Telescopic Steering Column	•	•	•	•	•
Center Console with Armrest and Storage Compartment	•	•	•	•	•
Beverage Holders (front and rear)	•	•	•	•	•
Driver's and Front Passenger's Illuminated Vanity Mirrors	•	•	•	•	•
Map Lights	•	•	•	•	•
Sunglasses Holder	•	•	•	•	•
12-Volt Power Outlets (front and center console)	•	•	•	•	•
Remote Fuel Filler Door Release	•	•	•	•	•
Remote Trunk Release with Lock	•	•	•	•	•
Electronic Remote Trunk Release	•	•	•	•	•
Rear Window Defroster	•	•	•	•	•
Cargo Area Light	•	•	•	•	•
Floor Mats	•	•	•	•	•
Side Door Pockets	•	•	•	•	•
Lockable Glove Compartment	•	•	•	•	•
Illuminated Power Window Switches	Driver's Only	•	•	•	•
Driver- and Passenger-Side Seatback Pockets	Passenger-Side Only	•	•	•	•

DESCRIPTION	LX-S	EX	EX-L	EX-L V-6	TOURING
Push Button Start		•	•	•	•
HomeLink® Remote System ¹⁴		•	•	•	•
Automatic-Dimming Rearview Mirror			•	•	•
Leather-Wrapped Steering Wheel			•	•	•
- Power Windows with Auto-Up / Down	•	•	•	•	•
Driver's Window	•	•	•	•	•
Front Passenger's Window		•	•	•	•
Illuminated Steering Wheel-Mounted Controls	•	•	•	•	•
Cruise / Audio / Phone / i-MID	•	•	•	٠	•
Navi			Avaliable	Avaliable	•

Seating

DESCRIPTION	LX-S	EX	EX-L	EX-LV-6	TOURING
Passenger-Side Walk-In Feature	•	•	•	•	•
Fold-Down Rear Seatback	•	•	•	•	•
Heated Front Seats			•	•	•
Leather-Trimmed Seats			•	•	•
Driver's Seat with Manual Height Adjustment	•				
Driver's Seat with 10-Way Power Adjustment, Including Power Lumbar Support		•	•	•	•
with Two-Position Memory			٠	•	٠

Audio and Connectivity

DESCRIPTION	LX-S	EX	EX-L	EX-L V-6	TOURING
MP3 / Auxiliary Input Jack	•				
MP3 / Windows Media®15 Audio (WMA) Playback Capability	•	•	•	•	•
i-MID with High Resolution WVGA (800 x 480) Screen	•	•	•	•	•
Bluetooth® HandsFreeLink®16	•	•	•	•	•
Bluetooth® Streaming Audio ¹⁶	•	•	•	•	•
Pandora ^{®17} Compatibility	•	•	•	•	•
SMS Text Message Function ¹⁸	•	•	•	•	•
Radio Data System (RDS)	•	•	•	•	•
Speed-Sensitive Volume Control (SVC)	•	•	•	•	•
HondaLink®19		•	•	•	•
SiriusXM® Radio ²⁰		•	•	•	•
Apple CarPlay™²1 / Google Android Auto™²²		•	•	•	•
HD Radio™23		•	•	•	•
USB Audio Interface ²⁴	•	•	•	•	•
with Charging Port in Front	1.0-Amp	1.5-Amp	1.5-Amp	1.5-Amp	1.5-Amp
with Charging Port in Center Console		1.0-Amp	1.0-Amp	1.0-Amp	1.0-Amp

DESCRIPTION	LX-S	EX	EX-L	EX-LV-6	TOURING
160-Watt AM / FM / CD Audio System with 6 Speakers	•				
360-Watt AM / FM / CD Audio System with 7 Speakers, Including Subwoofer		•	•	•	•
7-Inch Display Audio with High-Resolution WVGA (800x480)		•	•	•	•
Electrostatic Touch-Screen		٠	•	•	•
Customizable Feature Settings		٠	•	•	•
Honda Satellite-Linked Navigation System ^{TM25}			Available	Available	•
Voice Recognition			with Navigation	with Navigation	•
Honda HD Digital Traffic			with Navigation	with Navigation	•
Song By Voice® (SBV)			with Navigation	with Navigation	•

Multi-Information Display

DESCRIPTION	LX-S	EX	EX-L	EX-L V-6	TOURING
Average Fuel Economy Indicators (2)	•	•	•	•	•
Engine Oil Life Indicator	•	•	•	•	•
Exterior Temperature Indicator	•	•	•	•	•
Instant Fuel Economy Indicator	•	•	•	•	•
Maintenance Minder™ System	•	•	•	•	•
Miles-to-Empty Indicator	•	•	•	•	•
Odometer and Trip Meters (2)	•	•	•	•	•
Average Speed Indicator (on models with Honda Sensing)	•	•	•	•	•
Elapsed Time Indicator (on models with Honda Sensing)	•	•	•	•	•
Shift Lever Position Indicator (on models without Honda Sensing)	CVT Model	CVT Model	•	6AT Model	
Sequential Mode Gear Selection Indicators (on models without Honda Sensing)	CVT Model	CVT Model	•	6AT Model	

CVT = Continuously Variable Transmission • 6AT = 6-Speed Automatic Transmission

Intelligent Multi-Information Display

DESCRIPTION	LX-S	EX	EX-L	EX-L V-6	TOURING
Audio Information	•	•	•	•	•
Average Fuel Economy Indicator	•	•	•	•	•
Clock	•	•	•	•	•
Miles-to-Empty Indicator	•	•	•	•	•
Multi-Angle Rearview Camera with Dynamic Guidelines	•	•	•	•	•
Bluetooth® HandsFreeLink®16	•				
Customizable Feature Settings	•				
Instant Fuel Economy Indicator	•				
SMS Text Message Function	•				
Honda LaneWatch™		•	•	•	•
Compass			•	•	•
Turn-By-Turn Directions			with Navigation	with Navigation	•

Instrumentation

DESCRIPTION	LX-S	EX	EX-L	EX-L V-6	TOURING
12-Volt Battery-Charging System Indicator	•	•	•	•	•
Anti-Lock Braking System (ABS) Indicator	•	•	•	•	•
Airbag System Indicator	•	•	•	•	•
Brake System Indicator	•	•	•	•	•
Coolant Temperature Indicator	•	•	•	•	•
Cruise Control Indicators	•	•	•	•	•
Door- and Trunk-Open Indicator	•	•	•	•	•
ECON Mode Indicator	٠	•	•	•	•
Electric Power Steering (EPS) Indicator	•	•	•	•	•
Fuel Level Indicator	٠	•	•	•	•
Headlights-On Indicator	•	•	•	•	•
High-Beam Indicator	•	•	•	•	•
Immobilizer System Indicator	•	•	•	•	•
Low-Fuel Indicator	•	•	•	•	•
Low-Oil Pressure Indicator	•	•	•	•	•
Low-Tire Pressure Indicator	•	•	•	•	•
Maintenance Minder™ Indicator	•	•	•	•	•
Malfunction Indicator	•	•	•	•	•
Seat-Belt Reminder Indicator	•	•	•	•	•
Security System Indicator	•	•	•	•	•
Starter System Indicator	•	•	•	•	•
System Message Indicator	•	•	•	•	•
Tachometer	•	•	•	•	•
VSA System and VSA-Off Indicators	•	•	•	•	•
Adaptive Cruise Control (ACC) On and System Indicators		•			
(on models with Honda Sensing)					
Collision Mitigation Braking System (CMBS) Indicator	•	•			•
(on models with Honda Sensing)					
Lane Keeping Assist System (LKAS) On and System Indicators (on models with Honda Sensing)	•	•	•	•	•
Road Departure Mitigation (RDM) System Indicator					
(on models with Honda Sensing)	•	•	•	•	•
Shift Lever Position Indicator (on models with Honda Sensing)	CVT Model	CVT Model	•	6AT Model	•
Sequential Mode Gear Selection Indicator (on models with Honda Sensing)	CVT Model	CVT Model	•	6AT Model	•
Fog Lights Indicator		•	•	•	•
Smart Entry System Indicator		•	•	•	•
Auto High-Beam Indicator					•
Parking Sensor System Indicator					•

CVT = Continuously Variable Transmission • 6AT = 6-Speed Automatic Transmission

Disclaimers

- 1. Does not apply to fluid and filter changes. Will vary with driving conditions. Please see your Honda dealer for details.
- 2. CVT models are PZEV-rated in California and states that have adopted California vehicle emission regulations. CVT models in non-CARB states are LEV3-SULEV30-rated. 6AT and 6MT models in all 50 states are LEV3-ULEV125-rated
- B. Based on 2016 EPA mileage ratings. Use for comparison purposes only. Your mileage will vary depending on how you drive and maintain your vehicle, driving conditions and other factors.
- 4. VSA is not a substitute for safe driving. It cannot correct the vehicle's course in every situation or compensate for reckless driving. Control of the vehicle always remains with the driver
- 5. Always visually confirm that it is safe to drive before backing up; the rearview camera display does not provide complete information about all conditions and objects at the rear of your vehicle.
- 6. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge. Do not rely solely on the monitor system. Please see your Honda dealer for details.
- 7. FCW cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. FCW does not include a braking function. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 8. LDW only alerts drivers when lane drift is detected without a turn signal in use. LDW may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 9. Depending on the circumstances, CMBS may not go through all the alert stages before initiating the last stage (of collision mitigation). CMBS cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by high interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 10. Road Departure Mitigation only alerts drivers when lane drift is detected without a turn signal in use and can apply mild steering torque to assist driver in maintaining proper lane position and/or brake pressure to slow the vehicle's departure from a detected lane. Road Departure Mitigation may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 11. LKAS only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. LKAS may not detect all lane markings; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 12. ACC cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. ACC should not be used in heavy traffic, poor weather or on winding roads. ACC only includes a limited braking function; driver remains responsible for slowing or stopping the vehicle to avoid a collision.
- 13. Display accuracy will vary based on weather, size of object and speed, and the display may not show all relevant traffic. The display is not a substitute for your own direct visual assessment of traffic conditions before changing lanes.
- HomeLink[®] is a registered trademark of Gentex Corporation.
- 15. Windows Media® is a trademark or registered trademark of Microsoft Corporation in the United States and/or other countries.
- 16. The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc., and any use of such marks by Honda Motor Co., Ltd., is under license.
- 17. Pandora, the Pandora logo, and the Pandora trade dress are trademarks or registered trademarks of Pandora Media, Inc. Used with permission. Compatible with select smartphones. See: www.pandora.com/everywhere/mobile. Not all devices compatible with USB connection. Your wireless carrier's rate plans apply.
- 18. Compatible with select phones with Bluetooth®. Your wireless carrier's rate plans apply. State or local laws may limit use of texting feature. Only use texting feature when conditions allow you to do so safely.
- 19. Check the HondaLink® website for smartphone compatibility.
- 20. SiriusXM services require a subscription after any trial period. If you decide to continue your SiriusXM service at the end of your trial subscription, the plan you choose will automatically renew and bill at then-current rates until you call SiriusXM at 1-866-635-2349 to cancel. See our Customer Agreement for complete terms at <u>www.siriusxm.com</u>. Fees and programming subject to change. XM satellite service is available only to those at least 18 years and older in the 48 contiguous United States and D.C. ©2015 SiriusXM Radio Inc. Sirius, XM and all related marks and logos are trademarks of SiriusXM Radio Inc.
- 21. Apple CarPlay[™] is a trademark of Apple Inc.
- 22. Android and Android Auto are trademarks of Google Inc.
- 23. HD Radio and the HD, HD Radio, HD Digital Radio, HD Digital Radio Alliance, and "Arc" logos are proprietary trademarks of iBiquity Digital Corporation.
- 24. The USB Audio Interface is used for direct connection to and control of some current digital audio players and other USB devices that contain MP3, WMA or AAC music files. Some USB devices with security software and digital rightsprotected files may not work. Check the HondaLink® website for smartphone compatibility. Please see your Honda dealer for details.
- 25. The Honda Satellite-Linked Navigation System™ is available on EX-L models and standard on Touring models in the United States, Canada and Puerto Rico. (Honda HD Digital Traffic service only available in the United States, except Alaska.) Please see your Honda dealer for details.

