HP LaserJet Enterprise M611 series

This HP LaserJet with JetIntelligence combines performance, energy efficiency, and security.¹

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.¹



HP LaserJet Enterprise M611dn



HP LaserJet Enterprise M611x

The world's most secure printing¹

- With HP Sure Start, operating code is automatically checked at startup and repairs itself if compromised.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.²
- Give workgroups what they need to succeed. Easily choose and deploy hundreds of HP and third-party solutions.

High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.
- This printer wakes up and prints your first page fast—in as quickly as 7.8 seconds.⁴
- This printer uses low amounts of energy thanks to its innovative design and toner technology.
- Easily manage print jobs directly at the printer—just tap and swipe the 4.3-inch (10.9 cm) color touchscreen.

Performance and protection you can count on

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.⁵

Data sheet | HP Laser Jet Enterprise M611 series

Product walkaround



HP LaserJet Enterprise M611x shown



Series at a glance



		<u> </u>	
	M611dn	M611x	
Part number	7PS84A	7PS85A	
Print speeds (A4) ²	Up to 61 ppm	Up to 61 ppm	
Control panel	10.9 cm (4.3-inch) colour touchscreen	10.9 cm (4.3-inch) colour touchscreen	
Automatic two-sided printing	\checkmark	✓	
Hardware Integration Pocket ¹	\checkmark	\checkmark	
100-sheet tray 1, 550-sheet tray 2	\checkmark	\checkmark	
550-sheet paper feeder ³	Optional (up to four)	✓ (plus up to three optional)	
2,100-sheet paper feeder ³	Optional	Optional	
Envelope feeder	Optional (up to two)	Optional (up to two)	
Printer stand	Optional	Optional	
5-bin stapler/stacker/mailbox with job offset	Optional	Optional	
Direct mobile printing	Optional wireless direct ⁴ /NFC ⁵	Embedded Wi-Fi Direct ⁴ / Bluetooth Low Energy ⁷	
Wireless networking	Optional ⁶	Optional ⁶	
HP High-Performance Secure Hard Disk	Optional	Optional	

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase

⁵ Touch-to-print capability is optional for all models (except M611x and M612x) with purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting.

6 All models can add wireless networking with the purchase of the optional HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

⁷ Bluetooth Low Energy is standard only on the HP Laser Jet Enterprise M611x and M612x models, and it cannot be added to other models. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license

² Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and

document complexity. ³ All models come standard with the 100-sheet multipurpose tray and 550-sheet tray 2. The HP LaserJet Enterprise M611x and M612x models come with one additional 550-sheet paper feeder standard, and can add up to three additional optional 550-sheet paper feeders and the optional 2,100-sheet paper feeder. The M610dn, M611dn, and M612dn models can add up to four additional optional 550-sheet paper feeders and the

optional 2,100-sheet paper feeder. ⁴ Wi-Fi Direct printing is embedded in the HP Laser Jet Enterprise M611x and M612x models. All other models can add wireless direct with the purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the signal of a Wi-Fi Direct[®] supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/mobileprinting. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network **Configuration Service**

Basic Care (minimum recommended support): Next Business Day Onsite Support

4 hour Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit J8 including parts, materials, and labor LC

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization. For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices







AirPrint

HP Care Pack

Top features

Only HP Enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.

With speeds up to 65 pages per minute,³ fast first page out, and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Help protect your printer using Original HP Toner cartridges with JetIntelligence.

Product 7PS84A 7PS85A	HP LaserJet Enterprise M611dn HP LaserJet Enterprise M611x
Accessories 3JN69A 4QL32A B5L28A B5L28A B5L29A G6W84A L0H17A L0H18A L0H19A L0H20A L0H21A L0H22A X3D03A Y7C05A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory HP Legic Secure USB Reader HP Internal USB Ports HP High-Performance Secure Hard Disk HP 1 GB 90-pin DDR3 DIMM HP LaserJet 550-sheet Paper Tray HP LaserJet 2100 Sheet Paper Tray HP LaserJet Printer Stand HP LaserJet Stapler/Stacker/Mailbox HP LaserJet Envelope Feeder HP LaserJet Extension Tray Cover HP Universal USB Proximity Card Reader HP HIP2 Keystroke Reader

Supplies

J8J96A	HP Staple Catridge Refill (5,000 staples)		
LOH24A	HP LaserJet 110v Maintenance Kit (225,000 pages)		
LOH25A	HP LaserJet 220v Maintenance Kit (225,000 pages)		
W1470A	HP 147A Black Original LaserJet Toner Cartridge (10,500 pages)		
W1470X	HP 147X High Yield Black Original LaserJet Toner Cartridge (25,200 pages)		
W1470Y	HP 147Y Extra High Yield Black Original LaserJet Toner Cartridge (42,000 pages)		

HP Care Packs

U9NE0E U9NE1E U9NE2E U9NE3E U9NE4E U9NF5E U9NF6E U9NF6E U9NF7E U9NF8E U9NF9E U9NF9E U9NG0E U9NG4PE	HP 3 Year Next Business Day HW Support w/Defective Media Retention HP 4 Year Next Business Day HW Support w/Defective Media Retention HP 5 Year Next Business Day HW Support w/Defective Media Retention HP 3 Year 4 Hour 9x5 HW Support W/Defective Media Retention HP 4 Year 4 Hour 9x5 HW Support W/Defective Media Retention HP 5 Year 4 Hour 9x5 HW Support W/Defective Media Retention HP 3 Year Return for Repair Service HP 4 Year Return for Repair Service HP 5 Year Return for Repair Service HP 3 year Next Business Day Parts Exchange Service HP 4 year Next Business Day Parts Exchange Service HP 5 year Next Business Day Parts Exchange Service HP 1 Year Post Warranty Next Business Day Hardware Support w/DMR
U9NG5PE	HP 2 Year Post Warranty Next Business Day Hardware Support w/DMR

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

4WM80A	HP CHP113 Office Paper-2500 sht/A4/210 x 297 mm	
4WM81A	HP CHP150 Home and Office Paper-500 sht/A4/210 x 297 mm	
4WM82A	HP CHP650 Everyday Paper 75 gsm-500 sht/A4/210 x 297 mm	
4WM83A	HP CHP755 Color Choice Paper 200 gsm-250 sht/A4/210 x 297 mm	
4WM84A	HP CHP855 Premium Paper 80 gsm-250 sht/A4/210 x 297 mm	
4WM85A	HP CHP910 Copy Paper 80 gsm-500 sht/A4/210 x 297 mm	

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc

HP LaserJet Enterprise M611 series

Model	HP Laser Jet Enterprise M611dn	HP Laser Jet Enterprise M611x	
Product number	7PS84A	7PS85A	
Functions	Prinț		
Print			
Duplex print options	Automatic (standard)		
Print speed ⁹	Black (A4, normal): Up to 61 ppm; Black (letter, normal): Up to 65 ppm; Black (A4, duplex): Up	o to 50 ipm; Black (letter, duplex): Up to 53 ipm	
First page out ¹¹	Black (A4, ready): As fast as 5.1 sec; Black (A4, sleep): As fast as 7.9 sec in mm		
Print technology	Laser		
Print resolution	Black (best) Up to 1200 x 1200 dpi; Black (normal) FastRes 1200; Black (fine lines) Up to 120		
Print resolution technology	Normal FastRes 1200; Fine Lines (1200 x 1200 dpi), Quickveiw (300 x 300 dpi), Economode	(600 × 600 dpi)	
Print cartridges number Standard print languages	1 (black) HP PCL 6, HP PCL 5, HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrin	s+TM	
		rity Manager, HP SNMP Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator Resource	
Printer management	Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Mar	aged Printing Administrator);	
Connectivity			
Standard connectivity	1 Hi-Speed USB 2.0 Device; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet 10/100/1000T netv	-	
Mobile printing capability ⁷	HP ePrint; Apple AirPrint™; Google Cloud Print™; Mopria™ Certified; ROAM optional for easy printing	HP ePrint; Apple AirPrint™; Google Cloud Print™; Mopria™ Certified; ROAM capable for easy printing; Wi-Fi® Direct printing	
Wireless capability	Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A	Yes, built-in WiFi with Dual band Wireless Station, Wi-Fi Direct functionality and BLE.	
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EED) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Built-in 802.11a/b/g/n wireless networking (standard);	
Memory	Standard: 512 MB; Maximum: 1.5 GB, MAX memory, when 1GB Accessory DIMM is installed		
Hard disk	Optional, 500 GB (with accessory B5L29A)		
Processor speed	1.2 GHz Up to 275,000 pages; Recommended monthly page volume¹²: 5000 to 25000		
Duty cycle (monthly) Paper handling	up to 275,000 pages, Recommended monthly page volume 5000 to 25000		
Input	100-sheet multipurpose feeder, 550-sheet input feeder	100-sheet multipurpose feeder, 550-sheet input feeder, 550 accessory feeder	
Output	500 sheet output bin	in an and a part of the second s	
Media types	Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, c	olored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope	
Media weight	Tray 1: 60 to 200 g/m ² ; Automatic Duplexer: 60 to 120 g/m ²		
Media Sizes Custom	100-sheet multipurpose Tray 1: 76 x 127 to 216 to 356 mm; 550-sheet input Tray 2: 99 x 1	48 to 216 x 356 mm; 550-sheet optional feeder: 99 x 148 to 216 x 356 mm; 75-sheet	
Dimensions (w x d x h)	envelope feeder: 90 x 148 to 178 x 254 mm 431 x 466 x 380 mm	421 × 455 × 505 mm	
Weight	21.6 kg	431 x 466 x 505 mm 26.3 kg	
What's in the box ²	HP LaserJet Multifunction Printer; HP Black Original LaserJet Toner Cartridge (~10.5K yield);		
Software included	No software solutions are included in the box, only on http://hp.com, http://123.hp.com;	becamentation (naroware instate oblide) negatatory riger, ir over color	
Warranty features		equirements. Go to http://www.hp.com/support to learn about HP award winning service and	
Systems			
Compatible operating systems	Windows Client OS (32/64 bit)-, Win10, Win8.1, Win7 Ultimate, Mobile OS-, iOS, Android, Mac-, Apple® macOS Sierra v10.13, Apple® macOS High Sierra v10.14, Apple® macOS Mojave v10.15, Discrete PCL6 Printer Driver-, For more information on the supported operating systems go to http://support.bp.com, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) – User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers-, For more information on the supported operating systems go to http://support.bp.com, Enter your product name and search for User Guide, Search for Us		
Minimum system requirements	PC:2 GB available hard disk space, Internet connection, or USB port, Internet browser. For ad Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For	ditional OS hardware requirements see microsoft.com;;	
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,), Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMS		
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts		
Control panel	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)	display; Home button	
Display	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)		
Energy efficiency compliance	ENERGY STAR [®] qualified; EPEAT [®] Silver; EPEAT [®] Gold (#AAZ, #201 options only) ¹		
ENERGY STAR Qualified	Yes	an human taunah an ulih 11 Ontian anda identifiadi Derum ana human darih 1000 (1270)	
Power	Power supply type: Built in 115V or 220V Power Supply (Not dual voltage, power supply varies by part number with # Option code identifier); Power supply required: 100V - 127V nominal (@ +/-10% (min 90V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12, 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12, 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12, 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12, 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12, 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12, 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12, 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12, 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12, 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12, 20V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12, 20V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12, 20V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12, 20V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12, 20V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12, 20V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12, 20V - 240V nominal, @ +/-10% (min 47Hz, max 63Hz), 12, 20V - 240V nominal, @ +/-10% (min 47Hz, max 63Hz), 12, 20V - 240V nominal, @ +/-10% (min 47Hz), 12, 20V - 240V nominal, @ +/-10% (min 47Hz), 12, 20V nominal, @ +/-10% (min		
Acoustics	Acoustic power emissions ⁸ : 6.9 B(A) ; Acoustic power emissions (ready): Inaudible ; Acoustic pressure emissions bystander (active, printing): 55 dB(A) ; Acoustic pressure emissions bystander (ready): Inaudible		
Environmental ranges	Operating temperature range: 10 to 32.5°C; Recommended operating temperature: 15 to 27°C; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH		
Safety approvals and requirements	IEC 60950-1:2005 +A1:2009 +A2:2013 (International): EN60950-1:2006 +A11:2009 +A1:2011 +A2:2011 +A2:2011 +A2:2011 (LU): EN 60825-1:2014 (IClass 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/CUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries.		
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x		

Footnotes

¹ HP's most advanced embedded security features are available on HP Enterprise and HP Managed devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: http://www.hp.com/qo/PrintersThatProtect. For more information, visit: http://www.hp.com/qo/PrinterSecurityClaims

² HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.

⁵ HP 147X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately. ⁶ An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications

Technical specifications disclaimers

¹ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country. ² Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies. ³ With print cartridges

⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device

⁵ BA TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star Version 3.0

TEC is not comparable to Energy Star Version 2.0 TEC values or BA TEC values. BA uses Energy Star Version 2.0 TEC. Energy Star value typically based on measurement of 115V device ⁶ Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies. ⁷ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit

http://hp.com/go/roam

⁸ Acoustic values are subject to change. For current information see http://www.hp.com/support. Noise measured during printing mono simplex A4 at 62 ppm.

⁹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ¹⁰ Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

¹¹ Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ¹² HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period

¹³ An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications.

To learn more, visit http://www.hp.com

© Copyright 2021 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group. Published in APJ 4AA7-6733EEP, April 2021

