HVAC TECHNICAL SHEET ENERGY EFFICIENT COMMUNITIES

Packaged HVAC Units, Chillers, and VFD Equipment



Prescriptive Program

The Delmarva Power Energy Savings for Business Program offers incentives to install energy efficient HVAC, chiller, and variable frequency drive (VFD) equipment.

Click or scroll to view the following sections below:

Packaged HVAC Equipment

Geothermal Equipment

Hotel Room HVAC and Receptacle Controls

Chillers

- Constant Speed Chillers
- VFD Chillers

Variable Frequency Drives

To take advantage of these incentives, you must meet the following eligibility requirements:

- 1. Must be a:
 - a. Municipal, city, or county government
 - b. Public school
 - c. Community or public college or university
 - d. Non-profit or community serving institution or facility
 - e. Religious institution or school
- 2. Be replacing existing equipment (HVAC or chiller) OR applying for new construction or major renovation incentives

Existing buildings, new construction, and major renovation projects are all eligible for Prescriptive incentives. New construction refers to site preparation for and construction of entirely new structures and/or extensions to existing buildings. Major renovation refers to extensive alteration of an existing building encompassing projects where lighting and HVAC systems are being completely replaced.

All projects require pre-approval. Unitary HVAC projects with an incentive of \$15,000 or less can receive instant pre-approval.

You can also contact your installation contractor or equipment vendor to discuss energy efficiency equipment options. If you do not have a contractor or vendor in mind, please visit our website for a list of Service Providers. **New construction and/or major renovation projects are not subject to program Service Provider requirements.**

All projects MUST receive pre-approval before purchasing equipment or beginning work. Please review the program process and eligibility requirements on the <u>program website</u> as well as the customer-signed <u>Terms and Conditions</u>. Please <u>contact</u> the program office with any questions.

How to Apply:

- The customer completes and submits the application via the online <u>Application Center</u>. The Application Center Equipment Guide below illustrates how to enter equipment into the online application. <u>Pre-approval is required before purchasing or installing equipment</u>. The following supporting information must be included with the application:
 - ☑ Completed and customer-signed Terms and Conditions (T&Cs)
 - ☑ Manufacturer specification sheets providing EER, IPLV, and HSPF/COP (as applicable) at AHRI conditions
 - AHRI certificate or screenshot of current listing on AHRI website (note: not all equipment is listed on AHRI website)
- 2. The Program reviews submitted documentation, revises and/or requests additional documentation as necessary. A site inspection may be required as part of the pre-approval process.
- 3. The Program emails the project pre-approval to the customer and Service Provider.
- 4. If the scope of work has changed, then the Program must be notified as soon as possible. If your project increases the incentive amount by more than \$2,500 or 10% of the reserved amount whichever is greater a separate application must be submitted for the variance prior to installation and will need to go through the application pre-approval process.
- Once the installation of all proposed equipment is complete and the Delmarva Power customer is satisfied with the equipment and installation, the Delmarva Power customer must sign the program pre-approval letter. The customer-signed pre-approval letter must be uploaded to the online Application Center along with a copy of the invoice, indicating total project cost, incentive amount, and balance of cost to be paid by customer. The invoice should match the application information.
- 6. The Program may require a post-installation inspection to verify compliance with program rules, accuracy of project documentation, and equipment operation.
- 7. The Program distributes the incentive check to the payee following final approval processing.

PACKAGED HVAC EQUIPMENT APPLICATION CENTER EQUIPMENT GUIDE

Product Type	Category				
	Air Conditioning Only				
Air Conditioners	Residential Air Conditioners Installed in Commercial Setting (Window Unit)				
	Water-Cooled Air Conditioning				
	Ductless Mini Split Air Conditioner				

EmPOWER Maryland programs are funded by a charge on your energy bill. EmPOWER programs can help you reduce your energy consumption and save you money. To learn more about EmPOWER and how you can participate, go to delmarva.com/business.



PACKAGED HVAC EQUIPMENT – APPLICATION CENTER EQUIPMENT GUIDE (CONTINUED)						
Product Type	Category					
Coethormal Heat Dumos	Ground Source Heat Pump					
Geothermal Heat Pumps	Ground Water Source Heat Pump					
	Air Source Heat Pumps					
Heat Pumps	Ductless Mini Split Heat Pumps					
	Water Source Heat Pump					
Packaged Tarminal Equipment	Packaged Terminal Air Conditioner					
Packaged Terminal Equipment	Packaged Terminal Heat Pump					

Please Note:

- The incentive will be based upon actual tons calculated by dividing the rated Btu/hour shown on the specifications by 12,000.

 Measures in the following (**) categories are eligible for an additional \$200/unit incentive when a Dual Enthalpy (DE) Economizer is installed on a new HVAC unit meeting the $minimum\ requirements: Air\ Conditioning,\ Air\ Source\ Heat\ Pumps,\ and\ Water-Cooled\ Air\ Conditioners.$

PACKAGED HVAC MEASURES AND INCENTIVES

Unit	Cooling	Capacity	Minimum Requirements				Dual Enthalpy	
Unit	Btu/h	Tons	SEER/IEER	EER	HSPF/COP	Incentive*	Economizer (Per Unit)	
RESIDENTIAL AIR CONDITIONERS	INSTALLED IN COMMERC	IAL SETTING (WINDOW U	NIT)					
Single Package	N/A	N/A		ENERGY STAR	!	\$25/unit	N/A	
AIR CONDITIONING ONLY** (UNITS WITH ELECTRIC HEAT OR NO HEAT)								
Split System or Single Package	<65,000	<5.4	16.0	N/A	N/A	\$250/ton	\$200	
Split System or Single Package	≥65,000 and <135,000	≥5.4 and <11.25	14.0	11.2	N/A	\$250/ton	\$200	
Split System or Single Package	≥135,000 and <240,000	≥11.25 and <20	13.2	11.0	N/A	\$250/ton	\$200	
Split System or Single Package	≥240,000 and <760,000	≥20 and <63.3	12.3	10.0	N/A	\$250/ton	\$200	
Split System or Single Package	≥760,000	≥63.3	11.6 9.7 N/A		\$250/ton	\$200		
AIR CONDITIONING ONLY** (UNITS	WITH GAS HEAT)							
Split System or Single Package	<65,000	<5.4	16	N/A	N/A	\$250/ton	\$200	
Split System or Single Package	≥65,000 and <135,000	≥5.4 and <11.25	13.8	11.0	N/A	\$250/ton	\$200	
Split System or Single Package	≥135,000 and <240,000	≥11.25 and <20	13.0	10.8	N/A	\$250/ton	\$200	
Split System or Single Package	≥240,000 and <760,000	≥20 and <63.3	12.1	9.8	N/A	\$250/ton	\$200	
Split System or Single Package	≥760,000	≥63.3	11.4	9.5	N/A	\$250/ton	\$200	
AIR SOURCE HEAT PUMPS** (UNIT	S WITH ELECTRIC HEAT C	PR NO HEAT)						
Split System	<65,000	<5.4	16.0	N/A	9.0	\$250/ton	\$200	
Single Package	<65,000	<5.4	16.0	N/A	8.2	\$250/ton	\$200	
Either	≥65,000 and <135,000	≥5.4 and <11.25	13.0	11.0	3.4	\$250/ton	\$200	
Either	≥135,000 and <240,000	≥11.25 and <20	12.0	10.6	3.3	\$250/ton	\$200	
Either	≥240,000	≥20	11.0	9.5	3.3	\$250/ton	\$200	



11.54	Cooling (Capacity	Minimum Requirements				Dual Enthalpy
Unit	Btu/h	Tons	SEER/IEER	EER	HSPF/COP	Incentive*	Economize (Per Unit)
AIR SOURCE HEAT PUMPS** (I	JNITS WITH GAS HEAT)						
Split System	<65,000	<5.4	16.0	N/A	9.0	\$250/ton	\$200
Single Package	<65,000	<5.4	16.0	N/A	8.2	\$250/ton	\$200
Either	≥65,000 and <135,000	≥5.4 and <11.25	12.8	10.8	3.4	\$250/ton	\$200
Either	≥135,000 and <240,000	≥11.25 and <20	11.8	10.4	3.3	\$250/ton	\$200
Either	≥240,000	≥20	10.0	9.3	3.3	\$250/ton	\$200
WATER-COOLED AIR CONDITION	ONERS** (UNITS WITH ELECTR	IC HEAT OR NO HEAT)					
Single Package	<65,000	<5.4	16.0	12.1	N/A	\$250/ton	\$200
Single Package	≥65,000 and <135,000	≥5.4 and <11.25	15.3	12.1	N/A	\$250/ton	\$200
Single Package	≥135,000 and <240,000	≥11.25 and <20	14.8	12.5	N/A	\$250/ton	\$200
Single Package	≥240,000 and <760,000	≥20 and <63.3	14.0	12.4	N/A	\$250/ton	\$200
Single Package	≥760,000	≥63.3	14.0	12.2	N/A	\$250/ton	\$200
WATER-COOLED AIR CONDITION	ONERS** (UNITS WITH GAS HE	AT)					
Single Package	<65,000	<5.4	16.0	11.9	N/A	\$250/ton	\$200
Single Package	≥65,000 and <135,000	≥5.4 and <11.25	15.1	11.9	N/A	\$250/ton	\$200
Single Package	≥135,000 and <240,000	≥11.25 and <20	14.6	12.3	N/A	\$250/ton	\$200
Single Package	≥240,000 and <760,000	≥20 and <63.3	13.8	12.2	N/A	\$250/ton	\$200
Single Package	≥760,000	≥63.3	13.8	12.0	N/A	\$250/ton	\$200
PACKAGED TERMINAL AIR CO	NDITIONERS						
Single Package	<9,000	<3/4	N/A	12.0	N/A	\$75/unit	N/A
Single Package	≥9,000 and <12,000	≥3/4 and <1	N/A	11.4	N/A	\$90/unit	N/A
Single Package	≥12,000	≥1	N/A	10.5	N/A	\$100/unit	N/A
PACKAGED TERMINAL HEAT F	PUMPS						
Single Package	<9,000	<3/4	N/A	11.7	3.4	\$75/unit	N/A
Single Package	≥9,000 and <12,000	≥3/4 and <1	N/A	11.0	3.3	\$90/unit	N/A
Single Package	≥12,000	≥1	N/A	10.1	3.1	\$100/unit	N/A
DUCTLESS, MINI-SPLIT AIR CO	NDITIONERS AND HEAT PUMP	PS					
AC Split System	All	All	16.0	N/A	N/A	\$125/ton	N/A
HP Split System	All	All	16.0	N/A	8.2	\$125/ton	N/A

^{*}Note that the incentive will be based upon actual tons calculated by dividing the rated Btu/hour shown on the specifications by 12,000.

**Measures in the following categories are eligible for an additional \$200/unit incentive when a Dual Enthalpy (DE) Economizer is installed on a new HVAC unit meeting the minimum requirements: Air Conditioning, Air Source Heat Pumps, and Water Cooled Air Conditioners.



GEOTHERMAL MEASURES AND INCENTIVES

Qualifying equipment must meet or exceed the minimum EER/COP outlined in the table below.

		Program Minimum and Incentives						
Unit	Capacity (Btu/h)		Tier I		Tier II			
		EER	СОР	Incentive	EER	СОР	Incentive	
WATER SOURCE HEAT PUMPS								
Water to Air	<17,000	13.2	4.7	\$250/ton	N/A	N/A	N/A	
Water to Air	≥17,000 and <135,000	14	4.7	\$250/ton	N/A	N/A	N/A	
Water to Water	≥17,000 and <135,000	11.6 4 \$250/ton		N/A	N/A	N/A		
GROUND SOURCE HEAT PUMPS								
Brine to Air	<135,000	15.5	3.4	\$300/ton	16.2	3.5	\$350/ton	
Brine to Water	<135,000	13.3	2.6	\$300/ton	13.9	2.8	\$350/ton	
GROUND WATER SOURCE HEAT PUMPS								
Water to Air	<135,000	19.8	3.9	\$300/ton	20.7	4.1	\$350/ton	
Water to Water	<135,000	17.9	3.3	\$300/ton	18.7	3.4	\$350/ton	

VFD INSTRUCTIONS

- 1. If submitting an application for a Standard measure, enter data requested on the online VFD application. Annual savings will be automatically calculated.
- 2. If submitting an application for any Custom measure, enter data requested on the online Custom application. For these measures, the user is required to calculate annual savings and enter those data into the online application. All calculations and methodology supporting the annual kWh and kW savings must be provided.

VFD APPLICATION CENTER EQUIPMENT GUIDE

Product Type	Category	Equipment Attribute
		HVAC Supply Fans
Variable Frequency Drives		HVAC Return Fans
	VFD Fan	Cooling Tower Fans
		HVAC Make Up Air Fans
		HVAC Exhaust Fans
		Chilled Water Supply/Return Pumps
		Condenser Water Supply/Return Pumps
Variable Frequency Drives	VFD Pump	Hot Water Supply/Return Pumps
		Hot Water Circulation Pumps
		Heat Water Pumps

VFD MEASURES AND INCENTIVES*

Incentives are awarded based upon the VFD horsepower (HP) rating and type of equipment controlled. If the equipment controlled is identified as Standard, then the incentive is calculated based upon HP (see incentive table immediately following). If the equipment controlled is identified as Custom, then the incentive is calculated as the lesser of Standard incentive, \$0.28/kWh for one year of projected kWh savings, 50% of installed cost, or buydown to 1.5 year payback and must pass the Total Resource Cost test.

VFD INCENTIVES FOR BOTH STANDARD AND CUSTOM MEASURES

VFD Horsepower Rating	Per Unit Incentive ¹	VFD Horsepower Rating	Per Unit Incentive ¹			
2	\$600	30	\$2,250			
3	\$700	40	\$2,500			
4	\$800	50	\$3,000			
5	\$900	60	\$4,000			
7.5	\$1,000	75	\$4,750			
10	\$1,250	100	\$6,000			
15	\$1,500	101 to ≤200	\$60 per HP			
20	\$1,750	>200	\$60 per HP			
25	\$2,000	¹ Custom measures may be adjusted. See <u>Terms and Conditions</u> for details.				

^{*}To qualify for an incentive, the motor(s) being controlled must operate a minimum of 2,000 hours per year.

PRESCRIPTIVE CHILLER ELIGIBILITY AND INCENTIVE CALCULATIONS

Eligible systems are air- and water-cooled water chilling packages, 1,000 tons and less, used in single-chiller HVAC applications. Water-chilling equipment must meet the current Air Conditioning and Refrigeration Institute (ARI) standards 550/590, be UL-listed, and use a minimum ozone-depleting refrigerant (e.g., HCFC or HFC).

*Note Performance Incentive: For each 0.1 EER point above or for each 0.01 kW below minimum efficiency Full Load or Integrated Part Load Value (IPLV). Total incentive is capped at \$250/ton for all air-cooled chillers and water-cooled centrifugal chillers and \$200/ton for water-cooled positive displacement chillers.

CONSTANT SPEED CHILLER MEASURES AND INCENTIVES (PATH A)

Familian and Taxas	Unit Size (ARI Net Minimum Efficiency Incentive		ntive	Application Center	r Equipment Guide		
Equipment Type	Tons)	Full Load	IPLV	Base	Performance	Product Type	Category
Air-Cooled Chiller with	<150	10.1 EER	14 EER	\$28/ton	\$10/ton	Air Cooled	Air Cooled Obillon
Condenser	≥150	10.1 EER	14.2 EER	\$28/ton	\$10/ton	Air-Cooled	Air-Cooled Chiller
	<75	0.75 kW/ton	0.54 kW/ton	\$20/ton	\$8/ton	Electric, Water-Cooled	
	≥75 and <150	0.72 kW/ton	0.54 kW/ton	\$20/ton	\$8/ton		Water-Cooled Positive Displacement Chillers
Water-Cooled Positive Displacement Chillers	≥150 and <300	0.66 kW/ton	0.52 kW/ton	\$20/ton	\$8/ton		
	≥300 and <600	0.61 kW/ton	0.50 kW/ton	\$20/ton	\$8/ton		
	≥600 and ≤1000	0.56 kW/ton	0.48 kW/ton	\$20/ton	\$8/ton		
	<150	0.61 kW/ton	0.53 kW/ton	\$24/ton	\$10/ton		
Water-Cooled,	≥150 and <300	0.61 kW/ton	0.53 kW/ton	\$24/ton	\$10/ton	Flooris Meteo Cooled	Water-Cooled
Centrifugal Chillers	≥300 and <400	0.56 kW/ton	0.50 kW/ton	\$24/ton	\$10/ton	Electric, Water-Cooled	Centrifugal Chillers
	≥400 and ≤1000	0.56 kW/ton	0.48 kW/ton	\$24/ton	\$10/ton		

VFD CHILLER MEASURES AND INCENTIVES (PATH B)

Familian and Taxas	Unit Size (ARI Net	Minimum	Efficiency	Incentive		Application Center Equipment Guide	
Equipment Type	Tons)	Full Load	IPLV	Base	Performance	Product Type	Category
Air-Cooled Chiller with	<150	9.7 EER	16 EER	\$28/ton	\$10/ton	Air Cooled	Air Oralad Ohillar
Condensers	≥150	9.7 EER	16.3 EER	\$28/ton	\$10/ton	Air-Cooled	Air-Cooled Chiller
	<75	0.78 kW/ton	0.48 kW/ton	\$25/ton	\$14/ton	Electric, Water-Cooled	Water-Cooled Positive Displacement Chillers
	≥75 and <150	0.75 kW/ton	0.47 kW/ton	\$25/ton	\$14/ton		
Water-Cooled Positive Displacement Chillers	≥150 and <300	0.68 kW/ton	0.42 kW/ton	\$25/ton	\$14/ton		
	≥300 and <600	0.625 kW/ton	0.38 kW/ton	\$25/ton	\$14/ton		
	≥600 and ≤1000	0.585 kW/ton	0.36 kW/ton	\$25/ton	\$14/ton		
	<150	0.695 kW/ton	0.42 kW/ton	\$28/ton	\$14/ton		
Water-Cooled,	≥150 and <300	0.635 kW/ton	0.38 kW/ton	\$28/ton	\$14/ton	Flactic Water Octob	Water-Cooled
Centrifugal Chillers	≥300 and <400	0.595 kW/ton	0.37 kW/ton	\$28/ton	\$14/ton	Electric, Water-Cooled	Centrifugal Chillers
	≥400 and ≤1000	0.585 kW/ton	0.36 kW/ton	\$28/ton	\$14/ton		



CUSTOM CHILLER MEASURE DEFINITIONS

Measures are designated as Custom if:

- 1. The project has more than one chiller in the same building, or
- 2. The chiller has greater than 1,000 tons cooling capacity.

Chillers installed in multiple chiller systems and chillers serving a non-HVAC load greater than 25% of chiller capacity are not eligible under the prescriptive application form, but customers using these systems may apply using the Custom application form.

CUSTOM CHILLER MEASURE ADDITIONAL INFORMATION

- 1. If submitting an application for any Custom measure, enter data requested on the online Custom application.
- 2. The user is also required to supply the average electricity price. This is the price that the facility paid over the last 12 months, inclusive of the distribution costs, fuel cost, demand charge, and all taxes and applicable rider charges. This is calculated as the sum of all electricity charges over the past 12 months divided by the kWh used over the same period.
- 3. The online application will automatically calculate incentives and energy savings. Please note that these calculations may need to be adjusted by the Program office. Submit a completed application and contact the Program for further guidance.

Refer to the **Terms and Conditions** for additional information.

HOTEL ROOM HVAC AND RECEPTACLE CONTROLS INCENTIVE

Facility must be a lodging business. Incentives are for occupancy-based guest room energy management controls. Occupancy control may be room-key activated or sensed due to motion and/or sound and must control the HVAC system serving the room. Front desk control systems and new construction are not eligible.

Equipment Type	Per Unit Incentive	Application Center Equipment Guide				
Equipment Type Per Unit Incentive		Product Type	Category			
Hotel Room HVAC Controls	\$100/room	Hotel Room Controls	Hotel Room HVAC Controls			
Receptacle Controls	\$14/control	Plug Load Control	Receptacle Controls			

Delmarva Power Energy Savings for Business Program

Contact: 1-866-353-5799 | delmarvabusiness@icf.com

