IEC 61000-4 AC Immunity Test Routines

Available Features:

Includes Complete Test Sequences for the following IEC 61000-4 Conducted Immunity Test Standards:

- IEC 61000-4-11, Voltage dips, short interruptions and voltage variations immunity tests for equipment with mains current less than 16 A per phase
- IEC61000-4-13, Harmonics and inter harmonics including mains signaling at AC power port, low frequency immunity tests
- IEC61000-4-14, Voltage fluctuation immunity test
- IEC61000-4-17, Ripple on DC input power port immunity test (AFX Series only)
- IEC61000-4-27, Unbalance, immunity test for equipment with input current not exceeding 16 A per phase
- IEC61000-4-28, Variation of power frequency, immunity test for equipment with input current not exceeding 16 A per phase
- IEC 61000-4-29p, Voltage dips, short interruptions and voltage variations on DC input power port immunity tests
- IEC61000-4-34, Voltage dips, short interruptions and voltage variations immunity tests for equipment with mains current more than 16 A per phase

Common Features for all IEC 61000-4 Test Sequences Provided:

- Pre-set test sequences and test levels conform to IEC 61000-4 test standards, ready to test out of the box. No need for any programming by the end-user saves time.
- Immunity tests can be run continuously or in single step mode to allow close observation of EUT performance. Enables detailed review of EUT behavior to help implement needed design changes.
- Measurements such as voltage and current are recorded at each test step and included in test reports. Documents and validates correct EUT behavior during and after test runs.
- User guided prompts the operator through entire test procedure. No IEC Standards knowledge required on the part of the operator, less chance of mistakes.
- Reports are generated in Rich Text Format for compatibility with most word processors allowing customization of test reports. Makes it easy to meet documentation requirements and augment technical construction files with test reports.
- All test sequences are fully customizable by user if needed to create custom version or special purpose test variations as desired. Accommodate changing IEC standards if needed. Test sequences can be locked down with a password to insure integrity of the tests applied.



IEC Immunity Testing

The EMC Directive is one of the 'New Approach' Directives and applies across all 27 member states of the European Union (EU). The Directive applies to all electronic or electrical products liable to cause or be disturbed by electromagnetic interference (EMI). As a result a large number of manufacturers in the electronics or electrical industries need to ensure that their products are compliant with the requirements of the Directive and be able to demonstrate that this is the case in order to affix the CE Mark.

To verify compliance with these directives, the International Electrotechnical Commission (http://www.iec.ch) has issued a number of harmonized standards that describe test methods, test levels and pass or fail criteria. A number of these test standards cover immunity to commonly found AC line anomalies that are known to occur on the public Low Voltage (LV) network. These conducted immunity standards are numbered IEC 61000-4-nn. These IEC 61000-4 standards are not product specific but rather generic and may be applied to numerous product categories to ensure compliance with CE mark requirements.

There are additional product specific IEC standards that cover individual product types. To determine the IEC 61000-4 tests that apply to a particular product category, refer to the relevant product standard. For example, the IEC EMC product standard that applies to programmable AC power sources is IEC 61326-1, "Electrical equipment for measurement, control and laboratory use - EMC requirements". It calls out which IEC 61000-4 tests must be performed, what product class if applicable and any specific set of test levels and pass/fail criteria. Consult the product specific EMC immunity standard for the product you intend to test. Copies of these standards can be purchased at the IEC web store (http:// webstore.iec.ch).

All standards included in Pacific Power Source's IEC Test option package relate to AC conducted immunity except for IEC 61000-4-29 which is a DC Test.



THE POWER OF EXPERTISE



FREQUENCY CONVERSION

AEROSPACE

IEC AC Option

Standard and Editions included in the IEC AC Immunity Option

The Pacific Power Source IEC AC Immunity Test option includes predefined test sequences for all relevant IEC 61000-4 standards. This option provides a complete solution for IEC AC conducted immunity testing when combined with an AMX, ASX, AFX or MS Series AC Power Source. As of the date of publication of this data sheet, all test sequences conform to the latest standard revisions that are in effect. A summary of standard numbers, descriptions, editions and publication dates is provided in the table below.

Common Features

All IEC test sequences share a common user interface and controls making it easy for an operator to perform multiple tests on a given EUT. The underlying execution platform for the IEC AC Immunity test option is the UPC Test Manager¹ program which is a component of the Pacific Power Source UPC Studio suite of Windows software.


The UPC Studio software provides an easy to use Windows based control and execution environment that allows the operator to control and document all aspects of compliance testing. The Test Manager component adds advanced capabilities for controlling not only the AC Power Source but also additional test equipment that may be needed to perform specific EUT tests.


All IEC tests are controlled from the UPC Test Manager main window (Figure 1) which offers four individual tabs. The tabs listed in the table to the right are available to the user.

Note 1: For AFX Series, the PPSC Manager software is used.

IEC Standard	Description	Edition	PPS P/N
IEC61000-4-11	Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests (AC, <16A)	Edition 2.0, 2004-03	149117
IEC61000-4-13	Testing and measurement techniques – Harmonics and inter harmonics including mains signaling at AC power port, low frequency immunity tests	Edition 1.1, 2009-07	149123
IEC61000-4-14	Testing and measurement techniques – Voltage fluctuation immunity test	Edition 1.2, 2009-08	149120
IEC61000-4-17	Testing and measurement techniques – Ripple on DC input power port immunity test	Edition 1.0 with am 1&2, 2008-11	149131
IEC61000-4-27	Testing and measurement techniques - Unbalance, immunity test for equipment with input current not exceeding 16 A per phase	Edition 1.1 Consol. with am1, 2009-04	149121
IEC61000-4-28	Testing and measurement techniques - Variation of power frequency, immunity test for equipment with input current not exceeding 16 A per phase	Edition 1.2 Consol. with am1&2, 2009-04	149119
IEC61000-4-29p	Testing and measurement techniques - Voltage dips, short interruptions and voltage variations on DC input power port immunity tests (pre-compliance)	Edition 1.0, 2000-08	149129
IEC61000-4-34	Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests for equipment with mains current more than 16 A per phase	Edition 1.1, 2009-11	149118

Table 1: Included IEC Standards and Editions





These control elements are identical for all IEC 61000-4 test sequences contained in this option package. For more details on UPC Studio and UPC Test Manager operation, refer to the UPC Software Product Brochure.



UPC Studio Software Suite Master the Power of the Wave!

The IEC AC Immunity test sequences are installed as part of the UPC Studio Software and provide pre programmed AC Immunity test sequences per the various IEC 61000-4 test standards. This allows the operator to quickly and easily apply required immunity tests and generate detailed test reports verifying compliance of the EUT. With the combination of UPC Test Manager and the IEC AC test sequence option, our graphical interface controls all areas of your AC Immunity testing with simple presets, user prompts, test sequences, test plans and reports.

IEC AC Option

IEC 61000-4-11 Voltage Dips, Interruptions and Variations

Voltage Dips and Interruptions immunity applies to virtually all electrical products that require the CE mark. This requires testing per IEC 61000-4-11 to determine the ability of the equipment under test to withstand such AC line anomalies. Actual test levels and durations depend on the product class. Products are categorized into four classes, 1, 2, 3 and X, with X being a class defined by individual product committees with the restriction that they cannot be less severe than class 2. Test levels for class 1 and X are not specified in the IEC 61000-4-11 standard itself. Testing levels for these classes are defined in product specific IEC standards which refer to the generic IEC 61000-4-11 standard for test methods and equipment to be used.

The IEC 61000-4-11 test sequences contained in the IEC AC Option package cover all defined classes and nominal voltage and frequency permutations for single, split or three phase products as detailed in Table 2.


Once selected, the corresponding test screen is displayed allowing a test to be started. A typical IEC 61000-4-11 test sequence is shown in Figure 3. Text execution is normally continuous but the user has the option of single stepping through the sequence.


A typical IEC 61000-4-11 Phase-to-Phase voltage dip of $\frac{1}{2}$ cycle duration is shown in Figure 4.

AC Source Requirements – IEC 61000-4-11

Table 4 in Section 6.1.1 of the IEC 61000-4-11 standard specifies AC generator performance requirements. The AMX, ASX and AFX Series AC sources all meet or exceed these requirements with only one exception as indicated in Table 3.

IEC 61000-4-11 Table	Test	Voltage V _{LN} /V _{LL} (V _{RMS})	Frequency (Hz)	Class / Test Level	Phase Mode
Table 1	Voltage Dips	115/208Vac	60 Hz	Class 2	1ø,3ø
				Class 3	1ø,3ø
		230 / 400Vac	50Hz	Class 2	1ø, 2ø, 3ø
				Class 3	1ø, 2ø, 3ø
Table 2	Short Interruptions		60 Hz	Class 2	1ø,3ø
				Class 3	1ø,3ø
		230/400Vac	50Hz	Class 2	1ø, 2ø, 3ø
				Class 3	1ø, 2ø, 3ø
Table 3	Voltage Variations	115 / 208Vac	60 Hz	V = 70%	1ø,3ø
		230 / 400Vac	50Hz	V = 70%	1ø, 2ø, 3ø










Figure 3: IEC 61000-4-11 Test Execution Control Screen




Figure 4: IEC 61000-4-11 1/2 Cycle Phase-to-Phase Voltage Dip

IEC AC Option

Voltage Rise and Fall Time Requirement Clarification

The requirement to meet a 1 to 5 µsec rise and fall time of the AC voltage has been the cause of much confusion over the years as it necessitated the use of multi-tap transformers and electronic transfer switches to meet this requirement, adding excessive cost and economic burden to test labs and other end users of EMC compliance equipment. As the actual voltage dips and interruptions called out in product standards that reference the IEC 61000-4-11 standard are all performed at zero crossings of the AC sine wave (0° or 180° phase angle). At that point, no rise or fall time is applicable. The IEC SC77A Working Group 6 that is responsible for the IEC 61000-4-11 has issued an interpretation sheet that addresses this long standing controversy.

Document 77A/720/DC states the following:

- 1. In IEC 61000-4-11 Ed 2, Table 4 (Generator Specifications) does not apply to EUT (Equipment Under Test) testing. Table 4 is for generator calibration and design only.
- With reference to Table 1 and Table 2 (Test Levels and Durations), there is no requirement in 61000-4- 1 Ed 2 for rise-time and fall-time when testing an EUT; therefore, it is not necessary to measure these parameters during tests.
- 3. With reference to Table 4 (Generator Specifications), all of the requirements apply to design and calibration of the generator. The requirements of Table 4 only apply when the load is a non-inductive 100-ohm resistor. The requirements of Table 4 do not apply during EUT testing.

As such, it is not necessary to burden the AC Power Source used for IEC 61000-4-11 testing with this requirement.

Three Phase EUT Voltage Dip Testing

For three phase EUT testing, the voltage dips and interruptions applied are different between Delta and WYE configurations. Figure 5 shows an example of the output of the AC source during a 70% voltage dip test on a three phase Delta AC product. For three phase delta systems, each phase-to-phase voltage must be dropped and phase shifted to accomplish the required resulting vector voltage drop. This requires three tests to be run (Phase A-B, Phase A-C and Phase B-C).

On three phase Y systems (with Neutral), each individual phase must be dropped but also each combination of phase-to-phase voltage. This requires six tests. All six test sequences are provided in the IEC AC Immunity test option.

Parameter	IEC 61000-4-11 Requirement	AMX/ASX with UPC Controller Compliance	AFX Series Compliance
Output voltage at no load	Output voltage at no load 0 to 100%, ±5% of residual voltage		Voltage Accuracy: ±0.25%
Voltage change with load at the output of generator 100% output, 0A – 16A 80% output, 0A – 20A 70% output, 0A – 23A 40% output, 0A – 40A	Less than 5% of U _T	Load Regulation: 0.25%	Load Regulation: 002%
Output current capability	Capable of supporting current stated in row 2 of this table for 5 sec at 80% of U and 3 sec at 70% or 40% of U. This requirement may be reduced according to EUT rated steady state supply current.	Model dependent. See ASX/AMX Data sheet for Current/Voltage rating chart by model.	Model dependent. See AFX Data sheet for Current/ Voltage rating chart by model.
Peak Inrush current capability. (no requirement for voltage variation tests)	Not to be limited by generator. However, maximum peak capability need not exceed 1000A for 250V to 600V or 500A for 200V to 240V, or 250A for 100V to 120V mains.	Model dependent. See ASX/AMX Data sheet for Current/Voltage rating chart by model.	Model dependent. See AFX Data sheet for Current/ Voltage rating chart by model.
Instantaneous peak overshoot/undershoot of the actual voltage, generator loaded with 100 Ohm resistive load.	Less than 5% of U _T	<2	2%
Voltage rise and fall time during abrupt change, generator loaded with 100 Ohm resistive load.	Between 1 μs and 5 μs.	to actual volt interruption test Refer to IEC issu statement 77A/	ever, not relevant age dips and ting of products. red clarification (720/DC on this pic.
Phase Shifting	0° to 360°	0° to	360°
Phase relationship of voltage dips and interruptions with the power frequency	Less than ±10°	±0	.5°
Zero crossing control of the generator	±10°	±0	.5°

Table 3: IEC 61000-4-11 Section 6.1.1, Table 4 Generator Requirements




Figure 5: IEC 61000-4-11 Phase BC Voltage Dip to 70% of UT

IEC AC Option

IEC 61000-4-13 Harmonics and Inter Harmonics

The objective of the IEC 61000-4-13 standard is to ensure that products are impervious to the effects of signaling frequencies that may be present on the public utility power grid. Signaling over AC power lines is often used to remotely control switch gear or other devices.

The IEC 61000-4-13 test requirements are rather extensive compared to the other IEC 61000-4 tests. It also requires a second, asynchronous wave form generator capable of generating inter harmonics. Inter harmonics are not harmonically related to the fundamental power frequency (50Hz or 60Hz) and therefore, it is mandatory that a separate oscillator is used to generate these frequencies. In case of the IEC AC Immunity test option, an SCU-UPC32-413 three phase capable external controller is used to accomplish this.

The IEC 61000-4-13 test sequences contained in the IEC AC Option package cover all defined classes and nominal voltage and frequency permutations for single, split or three phase products. Harmonics and Inter Harmonics frequency ranges are swept using pre-scribed frequency step sizes resulting in long test times.

The appropriate IEC 61000-4-13 test sequence can be selected from the UPC Test Manager pull down menu based on nominal voltage, frequency, phase mode and test level or EUT class.

Once selected, the corresponding test screen is displayed allowing a test to be started. A typical IEC 61000-4-13 test sequence is shown in Figure 6. Text execution is normally continuous but the user has the option of single stepping through the sequence.

A typical IEC 61000-4-13 three phase interharmonic frequency sweep tests is shown in Figure 7.

SCU-UPC32 Inter Harmonics Generator

To perform the inter harmonics tests included in the IEC 61000-4-13 test standard, a fully independent single or three phase waveform generator – model SCU-UPC32-413 - is required in addition to the main AC Power Source generator which produces the fundamental and harmonics frequency components of the test signal. This additional generator is housed in a 19" inch wide chassis (3U panel height) that can be placed near or on top of the AC Power Source used. All interactions with this external inter harmonic generator are controlled through the IEEE-488 interface so its operation is transparent to the operator. The same unit is used for both single, two or three phase applications.

IEC 61000-4-13 Table	Test	Voltage V _{LN} / V _{LL} (V _{RMS})	Frequency (Hz)	Class/Test Level	Phase Mode
Table 1, 2 & 3	Odd .	115 / 208Vac	60 Hz	Class 1, 2 & 3	1ø,3ø
	Harmonics	230/400Vac	50 Hz	Class 1, 2 & 3	1ø, 2ø, 3ø
Table 4	Inter Harmonics	115 / 208Vac	60 Hz	Class 1, 2 & 3	1ø,3ø
	Harmonics	230 / 400Vac	50 Hz	Class 1, 2 & 3	1ø, 2ø, 3ø
Table 7	Flat Curve	115 / 208Vac	60 Hz	Class 1, 2 & 3	1ø,3ø
		230 / 400Vac	50 Hz	Class 1, 2 & 3	1ø, 2ø, 3ø
Table 8	Over Swing	115 / 208Vac	60 Hz	Class 1, 2 & 3	1ø,3ø
		230 / 400Vac	50 Hz	Class 1, 2 & 3	1ø, 2ø, 3ø
Table 9	Frequency	115 / 208Vac	60 Hz	Class 1, 2 & 3	1ø,3ø
	Sweep	230 / 400Vac	50 Hz	Class 1, 2 & 3	1ø, 2ø, 3ø
Table 11	Meister	115 / 208Vac	60 Hz	Class 2	1ø,3ø
	Curve	230 / 400Vac	50 Hz	Class 2	1ø, 2ø, 3ø
		230 / 400Vac	50 Hz	Class 2	1ø, 2ø, 3ø

Table 4: IEC 61000-4-13 Test Coverage








Figure 7: IEC 61000-4-13 Inter Harmonic Frequency Sweep Test



Figure 8: Model SCU-UPC32-413 Inter Harmonic Generator-3 Phase

IEC AC Option

AC Source Requirements-IEC 61000-4-13

Table 5 of the IEC 61000-4-13 standard specifies AC generator performance requirements. The AMX and ASX AC sources meet or exceed these requirements as indicated in table 5. AFX Series model power sources do not support IEC 61000-4-13 testing at this time.

In addition to the AC Source requirements shown in Table 5, the AC voltage distortion of the AC Power Source output under load must meet the same requirements as for IEC 61000-3-2 Harmonics emissions testing. For best performance, the AMX series linear AC sources are recommended.

Note: IEC 61000-4-13 Option is not available on AFX Series models.

Voltage Distortion Check-HAS Option

To verify compliance with this voltage distortion requirement, the HAS option may be used to run a pretest on the AC Source with the EUT connected. This can be done prior to running any of the IEC 61000-4-13 test sequences. If no suitable Harmonics and Flicker analyzer is available, this test can be performed by the Pacific Power Source AC Source itself as long as the Waveform Harmonic Analysis and Synthesis (HAS) option is installed. See the HAS option data sheet for more details.

Parameter	IEC 61000-4-13 Requirement	AMX/ASX with UPC Controller Compliance
Fundamental Voltage:		
- Magnitude U1 - Frequency - Angle between phases	Nominal main voltage $\pm 2\%$ single phase Nominal main voltage $\pm 2\%$ three phase $50Hz \pm 0.5\%$ or $60Hz \pm 0.5\%$ $120^\circ \pm 1.5^\circ$ (star connection)	Voltage Accuracy: ±0.5% single phase Voltage Accuracy: ±0.5% three phase 50Hz ± 0.01% 120° ± 0.5°
Individual Harmonics:		
- Order	2 to 40	2 to 51
-Magnitude Uh Range Accuracy - Phase angle h = 2 to 9 Accuracy of zero phase	0% - 14% Larger of ±5% or 0.1% U1 0°, 180° ±2° of fundamental	0% to 100% Meets Programmable 0° to 359° ±0.5° of fundamental
crossing with respect to fundamental		
Inter Harmonics		
-Magnitude Range Accuracy	0% to 10% Larger of ±5% or 0.1% U1	0% to 100% Meets
-Frequency Range Steps for adjusting Maximum error of adjusted value	0.33 x f1 to 40 x f1 0.1 x f1 to 0.5 x f1 ±0.5% f	0.33 x f1 to 80 x f1 Exceeds requirements ±0.01% f

Table 5: IEC 61000-4-13, Table 5 Generator Requirements

IEC 61000-4-14 Voltage Fluctuations

The IEC 61000-4-14 standard applies a series of repetitive voltage fluctuations. The required IEC 61000-4-14 test sequences are included in the IEC AC Immunity option package and cover all defined classes and nominal voltage and frequency permutations for single, split or three phase products.

The appropriate IEC 61000-4-14 test sequence can be selected from the UPC Test Manager pull down menu based on nominal voltage, frequency, phase mode and test level or class.

Once selected, the corresponding test screen is displayed allowing a test to be started. A typical IEC 61000-4-14 test sequence is shown in Figure 9. Text execution is normally continuous but the user has the option of single stepping through the sequence.

A typical IEC 61000-4-14 three phase voltage fluctuation test is shown in Figure 10.

AC Source Requirements- IEC 61000-4-14

Table 2 of the IEC 61000-4-14 standard specifies AC generator performance requirements. The AMX, ASX and ASX AC sources meet or exceed these requirements as indicated in table 7.

Parameter	IEC 61000-4-14 Requirement	AMX/ASX with UPC Controller Compliance	AFX Series Compliance
Output voltage Un ± 25% capability		Maximum voltage is a function of the AC Power Source model used. Actual test levels do not exceed Un+12% so a 260Vrms L-N or L-L voltage range is sufficient for Un = 230Vrms.	300Vrms
Voltage accuracy	± 1%	± 0.5%	± 0.02%
Zero crossing accuracy	250 msec at zero voltage crossover	< 1 msec	
Output current capability	Able to supply enough current to EUT at test voltage	Model dependent. See AMX/AS> AFX Data sheet for Current/Voltag rating chart by model.	
Voltage overshoot/ undershoot	Less than 5% of the change in voltage	Meets requirement	
Voltage rise/ fall time during switching	< 1 µsec	< 1 µsec	
Maximum interphase error (Three Phase)	2.5°	0.5°	
Frequency accuracy	2.5% of fn (50 Hz of 60 Hz)	0.01% of fn (15 Hz	– 150 Hz)

Table 7: IEC 61000-4-14, Table 2 Generator Requirements

IEC 61000-4-14	Test	$\frac{\text{Voltage V}_{\text{LN}}/\text{V}_{\text{LL}}}{(\text{V}_{\text{RMS}})}$	Frequency (Hz)	Class / Test Level	Phase Mode
Table 1	Voltage Fluctuations	115 / 208Vac	60 Hz	Class 2 & 3	1ø,3ø
		230 / 400Vac	50 Hz	Class 2 & 3	1ø, 2ø, 3ø

Table 6: IEC 61000-4-14 Test Coverage

		apprenter (0.4656) - 41.4 Vertage Recturption Terr 1 (04.3	riore Cault factory	
28.F4	in Westing			L180
13	H H H	ar	a	
10-11	and the designed of the little	Ale Counteri She Rout		
late.	DISANCE TANECHIOS	4.54		10
laune .	ANAL VOLTAGE 25	U AC		
	ANAL FREQUENCY.			
		Contraction of the state of the state of the		
lues	FCARC Cines 3 W	Stage Stucturation Immunity Test		
-	Like	Shap Tataf Ekapadi M 34 - 00 15 43 1300 00 00 00	Ramaning	
		Ad 34 - 00 15 43 1200 00 00 00	0000 00118421258	
10				
1,000	1 PM User loved	Unit Fast Mandes Unit Sunal Humber Compares Harse Test Ope	Damaged (Base Bird C0100.4.14, Volume Parmanen Innerse Teer Internation Deep	
2	a ta Comit	Coast Prain Standard (Col) Transa Prancha Consults Hand, Faid Ope	These Output Entropy for to BRANC 215C and to DR	
2	3 (2) Line Press	Concept U/U/ to the AC Plane Double	EN/RCE100 / 14 - Some Damanter Demanter Text	
÷.	4 14 Cirmid	Comos Frailer	Charger Outerd Evader (Charge Datase Referan)	
÷.	5 P Linedi Line	Washington Constraint	Electric Strill & 14 Winner Flathcaren temperar find reading unlage at 1955 of West Int Bill	
20	di Teaman	1777 (M 144)	a substant of a state	
100	of a lot allocates	View liver	Mission process readout IV, II. Discounts of Tremont Indian making walkers and experiment	
÷.	· · ·	Visit/30.0 Visit/30.0 V/ s230.0 Fa%0.0	ETERT STOLE 18 . Without Factorises invested a Tabl	
× 1	To Taxant	Phillippe		
18 C	10 C Mater	Vers.Bes	Measure power socrae subject IV, III Duration of 1 record before matting another test reasonable	
10 C	11 Prande Class	Wark 230 Tr Vers2 Write 210 G K who D	EXCREMENTATION FOR THE PARTICIPATION PROVIDED AND ADDRESS AND ADDRESS	
14 C	12 Pianuari	177.06 sec		
2	A.B	Vpm, low	Measure points pauron surgar (V, I) - Disaston of 1 includ Deficed starting another text sequences	
8	14 Datasty Lines	Marchite H Versitian H Versitian O French D	EN/INCENTED & EA VOID up Fluctuation terminary Faits. Including well-age at NEE of Yours for ND 1	
2	15 Finnerd	177 OK own	Measure (main insulation \$7.1) Distribute in Control before stating architectory incomes	
2	10 Do Manda Tinne	Variation and the second state of the second s	Measure power second scipal IV, II. Standard IV anound before shalling and the find and second scipal and the scipal scipal and the scipal sci	
5	tit D Tarmed	14 M	ENds Children 14 - Kollege Photosom minado Test	
2.	T-R off, Market	Van line	Measure power to interactulated (V, 1): Disastion of 1 success before starting another test sequence	
Q	NY Description	Var(20) 0 Ver(20) 0 Var(20) 0 F-000	EN (ECution 4.14 - Volage Thomaster Investig Text - Politing Witnesseth gas defaus at 21857	
÷	21 - Defensioned	177/38 veni	The state of the s	
64 C	27 C Manuel	Want land	His state present prices to Appar (V. 11) Distance of A second helical stating grapher had conjunction	
14 C	210 De Simarke Silate	VandSik O Venimi il Venimi il referiti	Electrication and Analogo Planmanese pressure from the intering ensinger or 1 will of where the fill	
×	24 Through	177.06.pml		
1 N	20. Con Martin	Minut Jimat	Historical property balance balance (C. D. Database of Tamorana before starting weather best arrangements)	
¥.	26 Pr Sheath State	Var.2300 Ver.230 il Vi v 240 il Pelli /i	EHAECETOD 414 Voltage Placements investment Text	
96. L	27 Enterment	NA/M MC		
×	29 Chiefer	Wart Jimu	Measure prime you contact M. D. Susaniar of Y secured Indian Italian intelling watches tell technologies	
1	29 Pr Maruly State	Man 2000 St Man 2000 III Man (Film III Fertilite III	ENVECTIONATE Vidings Photosics Tenning Fast , Judding 60 records any delays at 200-	
× .	20 Capelland	172.08 sec	The second s	
8	21 C Mater	A URUP had not Compliance, they thin, on half is to beat an	Manager proven reason output IV. 11 Durantees in 7 meters) instant market worker responses in Concerning to data broadless	
21	23 Taxade Chate	Variation Variation (Compliance, Statistics, and Parity to Develop its Variation Variation (Compliance), Statistics, and Parity to Develop its	Ender: Ender: Dogst (moder: ENVECTION 4.14 : Witness Particition Instantion Task	
G	In 18 Corner	Cond Logic	Ellowed Collage Charles Control Removed	
	and the statement	CORRECTION OF THE OWNER OWNER OF THE OWNER	Charles Control Contro	

Figure 9: IEC 61000-4-14 Test Execution Control Screen



Figure 10: IEC 61000-4-14 Three Phase Voltage Fluctuation Test

IEC 61000-4-17 Ripple on DC

The IEC 61000-417 standard covers only DC powered products. The Pacific Power Source IEC 61000-4-17 option, when used with the AFX Series, covers DC powered products up to 425Vdc. Included test voltages are shown in the table below. Additional DC test levels can be created by copying and editing any of the provided test sequence files. The AFX Series meets all IEC 61000-4-17 Power Source requirements.

Power Group	Nominal Voltage	Ripple Frequency	Ripple Amplitude
DC	24Vdc	50Hz	2%, 5%, 10%, 15%
	24Vdc	100Hz	
	24Vdc	150Hz	
	24Vdc	300Hz	
	48Vdc	50Hz	2%, 5%, 10%, 15%
	48Vdc	100Hz	
	48Vdc	150Hz	
	48Vdc	300Hz	

Table 8: IEC 61000-4-17 Test Coverage

IEC 61000-4-27 Voltage Unbalance

The IEC 61000-4-27 standard applies only to 50Hz or 60Hz three-phase powered electrical and/or electronic equipment with rated line current up to 16Arms per phase. It establishes a reference for evaluating the immunity of such equipment when subjected to an unbalanced power supply voltage. This test can only be performed using a three phase AC Power Source. An error message will be generated when attempting to execute any of these tests on a AC Power Source in single phase or split phase mode and the test will not start.

The IEC 61000-4-27 test sequences included in the IEC AC Immunity option package covers class 2 and 3 for nominal voltage and frequency permutations and in three phase mode only.

The appropriate IEC 61000-4-27 test sequence can be selected from the UPC Test Manager pull down menu based on nominal voltage, frequency and test level or EUT class.

Once selected, the corresponding test screen is displayed allowing a test to be started. A typical IEC 61000-4-27 test sequence is shown in Figure 11. Text execution is normally continuous but the user has the option of single stepping through the sequence.

A typical IEC 61000-4-27 three phase voltage unbalance test is shown in Figure 12.

AC Source Requirements – IEC 61000-4-27


Table 2 of the IEC 61000-4-27 standard specifies AC generator performance requirements. The AMX, ASX and AFX AC sources meet or exceed these requirements as indicated in table 10.

IEC 61000-4-27	Test	$\frac{\text{Voltage V}_{\text{LN}}/\text{V}_{\text{LL}}}{(\text{V}_{\text{RMS}})}$	Frequency (Hz)	Class / Test Level	Phase Mode
Table 1	Voltage	115/208Vac	60 Hz	Class 2 & 3	3ø
	Unbalance	230/400Vac	50 Hz	Class 2 & 3	3ø

Table 9: IEC 61000-4-27 Test Coverage

UPC	Alamager of \$1 - [Text	Auguments - (1980):1 427	Wonage Share Links			ACCORDANCE.
1.74	le Winslow Help	The second second second	the state of the second			-10
0	P 11 12	0 0 He		A (T)		
Same A	The Parliment of Supply	ahar Command Step Flend				
_		The second second				
PIA	NDARD ENTECTION	4.27				11
NON	INAL VOLTAGE 23	OV AC				
NOM	MAL FREQUENCY	50 Mz				
L.	and in the second	d Phase Unbalance T	and the second			
lies	I DASE Vortage as	d Phase Decelance I	est - Class 3			-
-	1de	Shep	Total	Elapsed	Remaining	
		A112 -	00.27.52.1800	00.000000000	00.27 \$2,1000	
544		-	Value		Comment	Rend
200	1 III User Ingal	URIT Part Number LETT 1	mill Number Disspore Nam	Test Oreast	ENJECTIO4-27 (Village and Phase Unitational Test Information Entry)	menue
	2 1 Cores	Dated Fruth CSC			Doen Bulgad Relaxi. Set to U OVAC, CSC set to DFF	
e	3 Diam Prompt	Garrent LBJT to the AC.F	Summ Source		EN//EC0100-4-27 - Voltage and Phase Unitialance Test	
	A Timade Shate	Van238.0 Vbn238.0 Von2	30.0 F+50.0		ENAECE100-8-27 - Vallage and Phase Unitedance Test - 10 seconds pre-test	
8	5 -> Transme	10.0 vec				
5	E Mater	Vinst, Imag			Méasure power source output (V. I) - Dutation of 7 second before starting another test sequence	
	P Steady State	Va=296.0 Vb=236.0 Vc=2	30.0 F+50.0		EN//EC0100.4.27 - Voltage and Phase Unbalance Fast - Text 1	
•	8 Transmit	60.02 sec			and which the state of the second state of the state of the	
	W Matter	Van Statiovan 230 o Wenz	and a state		Measure power issues asted (V.1). Duration of 1 second before starting another text requirese	
<u> </u>	10 Steady State	180.0 inc.	10.0 + -0.00		EN/IEC6300-8-27 - Vallage and Phase Unbialance Text - 180 seconds sequence delays	
	12 Mater	Venn liter			Ministran power source output (V, I) - Diamon of 3 second before strating wolfner and organice	
	12 Steady Shate	Va+230.0 Vb+230.0 Vo+2	non name		Divection-4-27 -Values and Phase Urbalance Test - Test 1	
	14 Tracower	30.02'380	and Learna		FULL FULL AND A LINE AND LINE FLOWING LINE - LINE 2	
	18 Mater	Vine line.			Measure power pource subput IV. () Duration of 1 second before starting another test sequence	
	THE DE Lineals Disks	Vari236.8 Veri236.8 Veri2	000 F=500		EN//EO/1004-27 / Village and Phase Unbalance Test / 180 seconds impurrow datase	
e .	17 Transment	180.0 mm				
	18 Mater	Venia, Simo			Measure gover locate output (V, I): Dutation of 1 second before starting another helt region te-	
•	19 Pr Sheady Sinks	Var200.0Vb=200.0Vc=2	30.0 F=50.0		EN//EC6100-6-27 - Viskage and Phase Unbalance Text - Text E	
	20 Torviert	KD 02 mmc				
•	21 Mater	Menia Alexer	A State State		Measure power source surput (V, I) - Duration of 1 record before starting another list sequence	
5	22 Steady State	Ya+230.0 Yb+230.0 Yo+2	30.0 * -50.0		EN/IECET00-4-27 - Yolkage and Phase Stribalance Test - 110 seconds sequence delays	
2	23 Toarcore 34 Mane	180.0 sec-			and the first of a first state of the state	
2	25 Be Martel Mater	Ve=236.0 Vb=236.0 Vi=2	000 0-000		Meanue power source output (V, I) - Datatory of 1 second before stating another test sequence EN/ECE/DD4-27 - Village and Phase Unbilance Test - 13 second preteril	
	25 Travers	100 mm	DAME FROM M		Enclosed on a standard and there are easily and the second period	
	27 Mater	Ves les			Minimum power sparse subject (V, 1) - Dubition of 1 second before starting another test suggestion	
8	28 P Steach State	Ver/200 0748+2280 0 Vor/2	20.0 F+50.0		EN//EC020-6-27 / Voltage and Phase Unitediance Text / Text 2	
	29 Transient	15.02 mc			a faith the factor of the second se	
*	30 Meter	Vess lites			Measure power source curput (V, I) - Duration of 5 second before starting another test requence	
	31 P Stendy State	V=230.0V=230.0Vo+2	30.0 F-50.0		EN//ECKT004-27 - Yollage and Phase Unitational Test - 110 seconds pequence disage	
	32 Transmit	180.0				

Figure 11: IEC 61000-4-27 Test Execution Control Screen



Parameter	IEC 61000-4-27 Requirement	AMX/ASX with UPC Controller Compliance	AFX Series Compliance
Output Voltage Capability	Un ± 50%	Actual test levels do not exceed Un+10% so a 260Vrms L-N or L-L voltage range is sufficient for Un = 230Vrms.	300Vrms
Output Voltage Accuracy	± 2% of Un	± 0.5%	
Output Current Capability	Sufficient to supply the EUT under all test conditions	Model dependent. See AMX/ASX/AFX Data sheet for Current/Voltage rating chart by model.	
Voltage overshoot / undershoot, generator loaded with 100 Ohm resistive load	Less than 5% of the change in voltage	Meets requirement	
Voltage rise/fall time during switching, generator loaded with 100 Ohm resistive load	uded .		1, Table 3.
Total harmonic distortion of the output voltage	Less than 3%	ASX Series: Less than 0.25%, 15Hz – 1200Hz AMX Series: Less than 0.1%, 45Hz-1000Hz	< 0.25%
Phase Shifting	0°, 120°, 240° ± 30°	0°, 120°, 240° ± 30°	
Phase Accuracy	1° between any two phases	0.5° between any two phas	es
Frequency Accuracy	0.5% of f1 (50 Hz of 60 Hz)	0.01% of f1 (15 Hz – 150 Hz	z)

Table 10: IEC 61000-4-27, Table 2 Generator Requirements

IEC 61000-4-28 Frequency Variations

The IEC 61000-4-28 standard is intended to evaluate the effect of power frequency variations on equipment which may be sensitive to such disturbances. These effects are generally instantaneous. To this end, these tests apply frequency variations using specific frequency slew rates to the EUT.

The IEC 61000-4-28 test sequences included in the IEC AC Immunity option package covers test levels 1, 2, 3 and 4 for nominal voltage and frequency permutations and in single, split or three phase mode. These test levels relate to product Classes 1, 2 and 3 per section 5 of the standard.

The appropriate IEC 61000-4-28 test sequence can be selected from the UPC Test Manager pull down menu based on nominal voltage, frequency, phase mode and test level.

Once selected, the corresponding test screen is displayed allowing a test to be started. A typical IEC 61000-4-28 test sequence is shown in Figure 13. Text execution is normally continuous but the user has the option of single stepping through the sequence.

A typical IEC 61000-4-28 three phase frequency variation test is shown in Figure 14. Since the frequency change is very gradual, it is near impossible to see on a digital scope. A frequency counter is required to measure the actual frequency changes.

AC Source Requirements – IEC 61000-4-28

Table 2 of the IEC 61000-4-28 standard specifies AC generator performance requirements. The AMX, ASX and AFX AC sources meet or exceed these requirements as indicated in table 11.

IEC 61000-4-29p DC Voltage Dips & Interruptions

The IEC 61000-4-29 standard is intended to evaluate the effect of voltage dips and interruptions on equipment which may be sensitive to such disturbances. Note that this is a DC tests and requires use of the optional DCR hardware available from Pacific Power Source (not included with IEC Option software) unless an AFX Source is used.

DC Source Requirements - IEC 61000-4-29p

This test requires the use of the DCR option or an AFX model to produce the required DC voltage output. Not all DC source requirements can be met so this test is included for pre-compliance test purposes only.

Parameter - IEC 61000-4-29	Requirement	AMX with DCR	AFX Series
Output voltage range (Uo)	up to 360 V	up tp 600 Vdc	up to 425 Vdc
Output voltage variation with the load (0 to rated current)	less than 5 %	less than 1 % of FS.	less than 0.02 % of FS.
Ripple content	less than 1% of the output voltage	Complies for test voltage Uo > 20Vdc	Complies for test voltage Uo > 15Vdc
Rise and fall time of the voltage change, generator loaded with 100 Ohm resistive load	between 1 μs and 50 μs	Does not comply.	< 140 μs
Overshoot/undershoot of the output voltage (100. Ohm Rload)	less than 10 % of the change in voltage	Partial compliance only	Full compliance
Output current (steady state)	up to 25 A	up to 20 A	All AFX models > 25A

IEC 61000-4-27	Test	$\begin{array}{l} \text{Voltage V}_{\text{\tiny LN}} / \text{V}_{\text{\tiny LL}} \\ (\text{V}_{\text{\tiny RMS}}) \end{array}$	Frequency (Hz)	Class / Test Level	Phase Mode
Table 1	Voltage Unbalance	115/208Vac	60 Hz	Class 2, 3 & 8	1ø, 3ø
		230/400Vac	50 Hz	Class 2 ,3 & 4	1ø, 3ø

Table 11: IEC 61000-4-28 Test Coverage

21.63	e Wester Hels			
1 10				(e) 0 (
0		a 🐘 🛃 🚛 🛃 🧶 🕐		
Object	He Perlevinces Step V	Aut/Comment Step Result		
STA	NDARD: EN/IEC6100	0.4.28		
	MINAL VOLTAGE 23			
Prov	REAL LINE OF ENCY.	24 112		
res	T CASE IECK1000.4	25 Frequency Variations Test on Phase A. B. C.		
		ter tridente for the contrast of the		
-	ide	Shop Total Flagued	Remaining	
		NET2 3 00 19 12 0600 09 00 00 0000	Remarking 01/01/2000	
	140 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	NE 12 3 00 10 12 0600 00 00 00 00 0000	00.1012.0600	
SM	p Description	Al 12 1 00 00 10 10 00 00 00 00 00 00 00 00 0	00.10.12.0000	Besult
	p Description	N 12 1 00 00 00 000 Value UUT Par Number UUT Send Number Despany Name, Terr Operation U	00.10112.0609 Commont EVAIDES20004-229: Firequency Vacanors Test Level 4 Information Entry	Result
*	Description 3 III Une Input 2 III Contui	All 12:1 Bit 18:12 DEBL BODD BUDD BUDD Value UUT Part Namber UUT Send Number Despany Name, Test Operation, U Dugue Tradie CSC	00:1912:0000 Commont EM/00:530014-20: Frequency Vaciations Tred Level 6 Information Entry Open Object Articles to 0.01/442_ ISSC ent to DEF	Result
	p Description 1 Unit Hour 2 U Control 3 O Units Prospi	AV 12.1 00 10 12 0000 00 0000 0000 Value UUT Park Number UUT Sensit Number Campany Name, Terr Operator U Dugar Enable CSU Connect UUT In the ALP Nove Source	00.1912.0009. Commont EAACCC2000.429: Frequency Vacance 1rel Level 4 hyterators Entry Open Opex Arbitras Set to 19442, CDC and to EFF EAACCC2000.429: Frequency Vacance Test Level 4	Result
	P Description 1 Une Hour 2 U Control 3 Une Proof 3 Une Proof 4 Standy Une	Nel 12:1 00:10:12:0600 D0:00:0010000 Value Value Value Value UUT Prie Namber UUT Smith Namme Chimpsony Name, Terr Openine U Dogue Tradie: CFC Common UUT in the JC Private Sauga Value2000 Vid-2000 F-2000 F-2010 Value Sauga Value Sauga	00:1912:0000 Commont EM/00:530014-20: Frequency Vaciations Tred Level 6 Information Entry Open Object Articles to 0.01/442_ ISSC ent to DEF	Result
	Description Description Dim Use Input Dim France Dim France Seady State S- Taxound	Value Op 11:12 0000 D0 00:00 00:0000 UUT Park Number UUT Seart Number Disropany Name, Test Openess UU Dougs Franklin, 550 Convert, UUT I seart Number Disropany Name, Test Openess UU Dougs Franklin, 550 Convert, UUT I with He AC Power Sauja Mac2000 Vec/2000 Fr4000 Sauja Vec/2000 Vec/2000 Fr4000 Sauja Mac2000 Vec/2000 Fr4000	00.1912.0009 Common DMCCD2000.4.3.F. Freezency Visions 1 wil (swel Crystemator: Drag Open Ouzya Priling: Set to BMC, CSY on to CSF DMCCD2000.4.3.F. Preezency Visions and to CSF DMCCD2000.4.3.F. Preezency Visions Traf Lend 4 (155 Progency Drage)	
	Description Descripti Descripti Description Description Description	NH 12:1 00:10:12:0000 00:00:00:0000 Value Value 00:00:00:0000 U/U Part function U/U Seam Number Company Name, Terr Operator/U Dougs / ander CO company Value 20:00 Vie-20:00 F-80:00 Seat 20:00 00:00:00:0000 Seat 20:00 Vie-20:00 Vie-20:00 F-80:00 Views/Imme Views/Imme Views/Imme	Common	
*	Description Description Dim Use Input Dim France Dim France Seady State S- Taxound	Value Op 11:12 0000 D0 00:00 00:0000 UUT Park Number UUT Seart Number Disropany Name, Test Openess UU Dougs Franklin, 550 Convert, UUT I seart Number Disropany Name, Test Openess UU Dougs Franklin, 550 Convert, UUT I with He AC Power Sauja Mac2000 Vec/2000 Fr4000 Sauja Vec/2000 Vec/2000 Fr4000 Sauja Mac2000 Vec/2000 Fr4000	00.1912.0009 Common DMCCD2000.4.3.F. Freezency Visions 1 wil (swel Crystemator: Drag Open Ouzya Priling: Set to BMC, CSY on to CSF DMCCD2000.4.3.F. Preszency Visions en USF DMCCD2000.4.3.F. Preszency Visions Traf Lend 4 (155 Prepare; Drange)	
*	Description Description Une You Une You Une You Une You Stack Use Stack Use Stack Use Stack Use Stack Use Stack Use Stack State Terment Terment Stack State Terment	VA 12.3 Value VV Value VII 7 bar Aproder UUT Start Russen Enterrore Visions Terr Opension U. Dayso Friedda Sci Dayso Friedda Sci Dayson Friedda Sci Dayson Friedda Sci Dayson Friedda Sci Dayson Friedda Sci Dayson Friedda Sci Ver2000 VV-02000 VV-02000 Friedda Heidda Sci Ver2000 VV-02000 VV-02000 Friedda Heidda Sci	Common	
*	Description Description Description Descript Descript Descript Descript Descript Descript Descript Descript Descript Description Desc	M 12.3 Bit 10 2 0000 Bit 00 0000 00000 Value Value Value Value U/U For Hundes U/U T Sent Hundes Groups Vises, Tyrr Openes/U Downer U/U Hin R // Prove Sustain Value Value Value Value	Committee	
	Description Description Une You Une You Une You Une You Stack Use Stack Use Stack Use Stack Use Stack Use Stack Use Stack State Terment Terment Stack State Terment	MTC 1 Winter 12 data Debtes and D17 for Market UT / Server Deptemble Company Kines (ser Operate) Deptemble Company Kines (ser Operate) D40 for Market UT / Server Se	00.1112.000. Detection 01.25. Engineery Transmiss Test Level (Thermation Entry Detection 01.25. Engineery Transmiss Test Level 4 Detection 02.25. Thermany Vision Test Level 4 DETECTION 25. Thermany Vision Test Level 41(5): Thermany Denny Mensure power souch objet (V). Dynamic of 1 visions before faiting and/or test response DETECTION 25. Thermany Visions of 1 visions before faiting and/or test response DETECTION 25. Thermany Visions of 1 visions before faiting and/or test response DETECTION 25. Thermany Visions of 1 visions before faiting and/or test response DETECTION 25. Thermany Visions of 1 visions before faiting and/or test response DETECTION 25. Thermany Visions of 1 visions before faiting and/or test responses DETECTION 25. Thermany Visions of 1 visions before faiting and/or test responses DETECTION 25. Thermany Visions of 1 visions of 1 visions before faiting and/or test responses DETECTION 25. Thermany Visions of 1 visions of 1 visions before faiting and/or test responses DETECTION 25. Thermany Visions of 1 visions of 1 visions before faiting and/or test responses DETECTION 25. Thermany Visions of 1 visions of 1 visions before faiting and/or test responses DETECTION 25. Thermany Visions of 1 visions of 1 visions before faiting and/or test responses DETECTION 25. Thermany Visions of 1	

Figure 13: IEC 61000-4-28 Test Execution Control Screen





Figure 14: IEC 61000-4-28 Frequency Variation Test

Parameter	IEC 61000-4-28 Requirement	AMX/ASX with UPC Controller Compliance
Output voltage accuracy	± 2%	± 0.5%
Output voltage and current capability	Able to supply enough voltage and current according to the type of EUT	Model dependent. See ASX/AMX Data sheet for Current/Voltage rating chart by model.
Phase accuracy for each phase	2° (0.5% of 360°)	0.5°
Frequency accuracy	0.3% of f1 (50 Hz of 60 Hz)	0.01% of f1 (15 Hz – 150 Hz)
Frequency capability range	f1 ±20%	Exceeds requirements
Test duration accuracy	±10%	± 0.01%

Table 12: IEC 61000-4-28, Table 2 Generator Requirements



IEC 61000-4-34 Voltage Dips, Interruptions and Variations

The IEC61000-4-34 is closely related to the IEC 61000-4-11 standard as both cover Voltage dips, short interruption and voltage variations. The main difference is that the IEC 61000-4-11 standard only covers products requiring no more than 16 Arms per phase while the IEC 61000-4-34 covers products with higher current requirements.

IEC 61000-4-34 tests are used to determine the ability of the equipment under test to withstand short duration voltage dips and variations. Products test levels and durations are categorized into four classes, 1, 2, 3 and X with X being a class defined by individual product committees with the restriction that they cannot be less severe than class 2. Test levels for class 1 and X are not specified in the IEC 61000-4-34 standard itself. Testing levels for these classes are defined in product specific IEC standards which refer to the generic IEC 61000-4-34 standard for test methods and equipment to be used.

The IEC 61000-4-34 tests covers all defined classes and nominal voltage and frequency permutations for single, split or three phase products. Both Voltage Dips and Voltage Variations are covered.

The appropriate IEC 61000-4-34 test sequence can be selected from the UPC Test Manager pull down menu based on nominal voltage, frequency, phase mode and test level or EUT class.

Once selected, the corresponding test screen is displayed allowing a test to be started. A typical IEC 61000-4-34 test sequence is shown in Figure 15. Text execution is normally continuous but the user has the option of single stepping through the sequence.

A typical IEC 61000-4-34 three phase voltage variation test is shown in Figure 17.

IEC 61000-4-34 Table	Test	Voltage V _{LN} / V _{LL} (V _{RMS})	Frequency (Hz)	Class/Test Level	Phase Mode
Table 1	Voltage Dips	115 / 208Vac	60 Hz	Class 2	1ø,3ø
				Class 3	1ø,3ø
		230 / 400Vac	50 Hz	Class 2	1ø, 2ø, 3ø
				Class 3	1ø, 2ø, 3ø
Table 2	Short	115 / 208Vac	60 Hz	Class 2	1ø,3ø
	Interruptions			Class 3	1ø,3ø
		230 / 400Vac	50 Hz	Class 2	1ø, 2ø, 3ø
				Class 3	1ø, 2ø, 3ø
Table 3	Voltage	115 / 208Vac	60 Hz	V = 70%	1ø,3ø
	Variations	230 / 400Vac	50 Hz	V = 70%	1ø, 2ø, 3ø

Table 13: IEC 61000-4-34Test Coverage

100	C Manager V153 Tays	Sequence - UPIBLE 2 - 4344-D	pt-7324-3= 50Hz-O	and Phatic-Test	141 L	
10	ia Weidow Help					-1414
0		81 1 1 1 1 1 1 1 1 1 1 1 1 4 4		e (1)		
-	Ave Parlemone Step V	Man Conmant Step Tresul				
STA	MOARD ENTECOTO	0.4.34				
	MINIAL VOLTAGE 23					
	MINAL VOLTAGE ZI					
1.1						
TE3	ST CASE Table 1-0	lass 3 Voltage Dips on Pl	hase B and C			
1	ble 1 . Proferred t	est level and duration	for unitana di			
1.0	we is reterred t	est level and duragon	ion vortage di			
Ch	asis 3 0 % during	1 cycle 40 % duni	g 10 cycles	70 % duri	ng 25 cycles 80 % during 250 cycles	
				-		
-	Idie	Step	Total	Elapsed	Reasing	
		A118 -	00.0217.4000	00.00.00.0000	08.02.17.4000	
55		<i>e</i>	Value		Commind Brauk	
2.00	1 m Urm ingut	UUT PartNumber UUT Seial		e Test Devotre 11	EN/EC(1003434 - Dgs and Interceptions, Class 3, 50Hz Test InformationEntry	
	2 (Cormi	Dubus Envire CSC			Open Dupput Relaxy Set to DOVAC CSC set to OFF	
è.	3 D Uset Phompil	Connect LL/T to the AC Pow	M Sould -		EN/ACC17000-434 - Days and Interruptions, Class 1, 50Hz Test	
8	4 Steedy State	Va-230.0/Vb-230.0/Vc-230.0	F-50.0		EN//EC010/0.4.34 - Date and Interruptions, Class 3, 50Hz Test, 0% during 1 cyclin	
e	5 - Traciliere	30.12 oec				
1	6 K Mate	Vesiglieng			Measure power source output (V, II). Duration of 1 second before claring another test sequence	
ϵ	7 Dinady State	Va=230 8 Vb=230 8 Vc=230 8	F-50.0		EN/ECK1080-434 - Dipri and Interruptions, Cliens 3, 50Hz Timl, 40% during 10 cycles	
2	0 Tolessent	30.6E Le0				
e.	9 (E Mater	Vera Jana			Meanure power tokace pulpet (V. II- Duration of T second before starting another test sequence:	
e	to 📂 Steady State	Vac30/01/b-230/01/o-230/	F-50.0		EN/ECS1000-434 - Digit and Interruptions, Class 3, 50Hz Test, 701; during 25 cycles	
	11 -P-Topsonet	31 SE ver				
2	12 Meles	Vesig long			Measure power source output (VII): Duralion of T proprid before during another test requerice	
		Va-200 8 Vb-238 0 Vo-230 1	F=50.0		ENAEC61000.4-34 - Dise and Interruptions, Class 3, 50Hz Test, 80% during 250 cycles	
	13 Sinady Stale					
****	14 Tolevers	45.05 (ec)			Manual power exacts publicative. In Dualition of T second before starting another test sequence	
*****	18 Tutruers 15 /C Meter	Vma.hma				
******	14 Tuleveni 15 / Meter 15 Ø User Frompt	Wmm.hme III UUT Har met Compliance		Disable the Dulp.	Cauton Output Dualite	
*****	18 Tutruers 15 /C Meter	Vma.hma		Disable the Outp.		

Figure 16: IEC 61000-4-34 Test Execution Control Screen




Figure 17: IEC 61000-4-34 Three Phase Voltage Variation Test

IEC AC Option

AC Source Requirements - IEC 61000-4-34

Due to the similarities between the IEC 61000-4-11 and IEC 61000-4-34 Voltage Dips and Interruptions test standards, source requirements are similar with the obvious exception of the current capability of the AC Power Source used. Table 4 in Section 6.1.1 of the IEC 61000-4-34 standard specifies AC generator performance requirements. The AMX, ASX and AFX AC Power Sources meet or exceed these requirements with only one exception as indicated in table 13.

Test Reports

To document product compliance to IEC test standards, it is necessary to fully document the tests performed and results from the test. To this end, the IEC AC option provides a comprehensive report generation capability. IEC Test reports are created in a Rich Text Format which is compatible with a wide range of word processors including those contained in MS Office, OpenOffice or LibreOffice. Templates can be customized with company logos and descriptions as desired.

At the end of a test run, the test reports documents the tests applied to the EUT as well as any measurement results and comments added by the operator as prompted by the program. An on-screen copy of the report is displayed and then saved to the Reports directory on disk.

A sample IEC 61000-4-14 Test Report is shown in Figure 18.

Parameter	IEC 61000-4-34 Requirement	AMX/ASX with UPC Controller Compliance	AFX Series Compliance
Output voltage at no load	0 to 100%, ±5% of residual voltage	Voltage Accuracy: ±0.5%	Voltage Accuracy: ±0.25%
Voltage at the output of generator during equipment test	±10% of residual voltage value, measured as rms value every ½ cycle.	Meets requirements	Load Regulation: 002%
Output current capability	On phases that are not dipped, 200% of rated current. On phases that are dipped, sufficient current to maintain test voltage within ±10% of UT	Model dependent. See ASX/AMX Data sheet for Current/ Voltage rating chart by model.	Model dependent. See AFX Data sheet for Current/Voltage rating chart by model.
Peak Inrush current capability. (no requirement for voltage variation tests)	Not to be limited by generator. However, maximum peak capability need not exceed 1000A for 250V to 600V or 500A for 200V to 240V, or 250A for 100V to 120V mains.	Model dependent. See ASX/AMX Data sheet for Current/ Voltage rating chart by model.	Model dependent. See AFX Data sheet for Current/Voltage rating chart by model.
Instantaneous peak overshoot/undershoot of the actual voltage, generator loaded with 100, 50 or 25 Ohm resistive load.	Less than 10% of UT	<2%	
Voltage rise and fall time during abrupt change, generator loaded with 100 Ohm resistive load.	Between 1 and 5 msec for current < 75A	Exception. However, not relevant to actual voltage dips and interruption testing of products. Refer to IEC clarification statement 77A/720/DC o this topic.	
Phase angle at which the voltage dip begins and ends.	0° to 360° with a maximum resolution of 5°	0° to 360°, resolution 0.1°	
Phase relationship of voltage dips and interruptions with the power frequency	Less than ±5°	±0.5°	
Zero crossing control of the generator	±10°	±0	1.5°

Table 14: IEC 61000-4-34 Section 6.1.1, Table 4 Generator Requirements

000414					VA PACIFIC	
art Number				-		
Hode of Ope						TA PACIFIC
	TRC61000-014					
ective: STANDARD	UUT Part Number: Company:	Theorem Parity Present	Serial Santa Taur C	Number]	17480 chin D.	
NDMINAL I	UUT Mode of Op					
TEST CASE:	1					TA PAG
terenses .	Objective: STANDAF	TEC61030-414				
Part Number File Faith 414 Lain Updated Presidential Voltage Min	NOMINA NOMINA	UUT Part Number Company	Tacife Paul	et.Source	Serial Number: 20740. Test Operator: 2010.0.	
uPC Manager	TEST CAS	UUT Mode of Operation	Normal			
She 787 She Rang: 2. CT Ladator: 7	Preferences Altestok			a maria	and the surgery from the surgery state	ion Test 2 XW-31-50Hz Class2-Test]
Range Auto Transition Tim Bregile (Ph. 9	Fact Summe File Fach: 4 Lass Options Frequency 0 Votage Mile	Objectives STANDARD: DN/NCC	100-4-14		freise fere ausfe sin se	en les tan an an an an an and
ap1- Mus	Info:	NOMINAL VOLTAGE. NOMINAL PREDUENCY				
Passed - 08/ Passed - 08/	Distriction in SPETER Altern Ratio	TEST CASE: Class 2 -	Voltage Fluctuation	Immunity Te	at.	
Serathurse pary Name 3	Efficication Sarage 2.4	Preferenses				
Coperator: 4 Mode of Open	Augh-Dr.	Mow file Yes Fast Number: 1481 25,028	And the state of t	Venior 181	0.5.48	
14p 2 - 16 Ca	Preside Dis Comment Dill	New Path, 45-6-Voltage-Push Last updates 03/24/2012 3 Anguency Aller 25:00 Voltage Mrd, 0:00	29232	Report Temp Pressency M Jultage Mar	ave. 8062000-8-34 Versuale av 2000-00	
ment Day 0	UUT Fart Rumb-	Anfor UPC Manager Version 3.53 Interface X/V/MSA-5.22.03			0-32-45-22-1208-62-609140	
Passed - 08/	Company Name Test Operator 4 UST Mode of Co	Interface: X/(ABA-5-22.6.8 SV: 1817 Xiani Ratio: 2.00	NO PERMIT	Parmy Luppe	ere 1	
	Dartificate at Ca	Chipoteon Secondary Range Aveo		Amplifiers 3 General Intern CSC OM		
	Berten Brabie	Biogle: Dr. C.274 Onne		Current, Prys		
e Planak Sacan 2004 - Le Tak	CHE Conservent Oper OPassed - 80	Step 1 - Buser Ingut [4 Breakle Entry values for multi Generative Entry values for multi QPassed - 03/28/2012 13 VOT Part Number of VOT Set Number of VOT Set Number of Set Number of Company, Name 15 Ten Operator 4 VOT Name of Operation 3	Sparse Flagsanter Incoments	Test internation	e Diry	
	Paulie Pinet Se TEORIDO04-14-1	Step 2 - ¹³ Control [43.4 hem Value Output Enable Off Connecte: Oper Origin Enits] Operation - 0.8/28/201211	leris SINAC, Clickerson			
		Pacific Forms Searce, Inc.		sell		1203012 14443934

Figure 18: Sample IEC Test Report

Requirements

To deploy the IEC AC Immunity test option, the following items are required in addition to the IEC-AC-4XX Option itself:

- UPC Studio Windows Software: Available at no charge to all Pacific Power Source customers and can be downloaded from our website. (www.pacificpower.com)
- UPC Test Manager: This is a cost option and not included as part of the IEC AC Immunity test option package. If you do not already own UPC Test Manager, contact Pacific Power Source to order a copy.
- Pacific Power Source AC Power Source with either UPC1/UPC3 or UPC12/UPC32 controller or AFX Series.
- A user provided Windows XP or Windows 7 PC with either a National Instruments GPIB/IEEE-488 controller or RS232 interface is required to run UPC Studio or PPSC Manager software. A pre-configured Laptop PC with all software pre-installed is available as an option through Pacific Power Source if needed.
- For IEC 61000-4-13, an inter harmonics generator is required in the form of the SCU-UPC32-413. This additional controller is controlled by the IEC 61000-4-13 test sequence using a second IEEE-488 address. It is only required for IEC 61000-4-13 and sold separately. This option includes the required wire harness to interface to the ASX, AMX or 3060-MS AC power source Auxiliary inputs (not available on AFX models) Customer must have a National Instruments GPIB Interface controller in the PC used to run UPC Studio to use the SCU-UPC32-413 controller.
- Testing per IEC 61000-4-29p requires the optional DCR module or an AFX power source. This DCR module is **not** included in the IEC-AC-4XX option package and must be ordered seperately.

Ordering Information

Required options needed to support the following tests:

Item	Description	Details
UPC Studio	AC Power Source Control Software	Available to all PPS customers at no charge.
UPC Test Manager	Test Manager Option	Required to use IEC AC-4XX software and SCU-UPC32-413 options.
IEC-AC-4XX	IEC 61000-4 AC Immunity Test Sequences	Includes 4-11, 4-14, 4-27, 4-28, 4-29 and 4-34. Excludes 4-13 option.
SCU-UPC32-4131	IEC 61000-4-13 Inter Harmonic Generator	Required to run 4-13 tests. Includes 4-13 software.
Prog Z Option	Programmable Output Impedance	Required when using ASXT or AMXT in transformer coupled mode.
HAS Option	Harmonic Analysis and Synthesis option	Suggested for use with IEC 61000-4-13 testing if no Harmonics and Flicker or Power analyzer is available.

Note 1: SCU-UPC32-413 is not available for AFX Series models

Order Example

IEC-AC-4XX SCU/UP32-413

- Option IEC 61000-4-XX test software
- Option IEC 61000-4-13 test hardware and software
- Assumes user already owns UPC Studio and UPC Test
 Manager Software

Test Coverage By Source Model Series

IEC 61000-4 Test	Mode	AMX Series	ASX Series	AFX Series
IEC 61000-4-11	AC	\$	6	\$
IEC 61000-4-13	AC	\$	6	
IEC 61000-4-14	AC	\$	\$	\$
IEC 61000-4-17	DC			\$
IEC 61000-4-27	AC	\$	\$	\$
IEC 61000-4-28	AC	\$	\$	\$
IEC 61000-4-29p	DC	DCR opt		\$
IEC 61000-4-34	AC	6	\$	\$

Parts of the Standard Delivery

- Distribution CD ROM
- IEC AC Immunity Test Option User Manual, P/N 149151
- Compatible with UPC Studio and PPSC Manager Software
- SCU/UPC32-413 (P/N P001156) includes US Line cord and required cabling (P/N 150219) between SCU/ UPC32 and AC Power Sources; UPC32 controller.
 Note: This option requires a GPIB/IEEE-488 Interface.



17692 Fitch, Irvine, CA 92614 USA Phone: +1 949.251.1800 Fax: +1 949.756.0756 Toll Free: 800.854.2433 E-mail: sales@pacificpower.com www.pacificpower.com