

Class : 10th  
Subject : Science  
Chapter : 10  
Chapter Name : Light – Reflection And Refraction

---

Q1 Define the principal focus of a concave mirror.

Answer. The principal focus of a concave mirror is a point on its principal axis to which all the light rays which are parallel and close to the axis, converge after reflection from the concave mirror.

Page : 168 , Block Name : Questions

Q2 The radius of curvature of a spherical mirror is 20 cm. What is its focal length?

Answer. Focal length = 2 x Radius of curvature = 2 x 20 cm = 10 cm

Page : 168 , Block Name : Questions

Q3 Name a mirror that can give an erect and enlarged image of an object.

Answer. Concave mirror.

Page : 168 , Block Name : Questions

Q4 Why do we prefer a convex mirror as a rear-view mirror in vehicles?

Answer. We prefer a convex mirror as a rear-view mirror in vehicles because of two reasons -1. A convex mirror always produces an erect image of the objects. 2 The image formed in a convex mirror is highly diminished or much smaller than the object, due to which a convex mirror gives a wide field of view of the traffic behind. A convex mirror enables the driver to view such larger area of the traffic behind him.

Page : 168 , Block Name : Questions

Q1 Find the focal length of a convex mirror whose radius of curvature is 32 cm.

Answer.  $R = +32\text{cm}$  and  $f = \frac{R}{2} = +\frac{32}{2} = +16\text{cm}$

Page : 171 , Block Name : Questions

Q2 A concave mirror produces three times magnified (enlarged) real image of an object placed at 10 cm in front of it. Where is the image located?

Answer.

$$m = \frac{h'}{h} = -\frac{v}{u} = -3 \quad \text{or} \quad v = 3u$$

But  $u = -10\text{cm}$

Therefore,  $m = \frac{-v}{u} \Rightarrow -3 = \frac{-v}{-10} \Rightarrow -3 = \frac{-v}{-10}$

$\therefore v = -30\text{cm}$

Page : 171 , Block Name : Questions

Q1 A ray of light travelling in air enters obliquely into water. Does the light ray bend towards the normal or away from the normal? Why?

Answer. The light-ray bends towards the normal because the ray of light goes from a rarer medium to a denser medium.

Page : 176 , Block Name : Questions

Q2 Light enters from air to glass having refractive index 1.50. What is the speed of light in the glass? The speed of light in vacuum is  $3 \times 10^8 \text{ m s}^{-1}$ .

Answer. Refractive index of glass,  $n_g = 1.50$

Speed of light in vacuum,  $c = 3 \times 10^8 \text{ ms}^{-1}$

Speed of light in glass  $= \frac{c}{n_g} = \frac{3 \times 10^8 \text{ m/s}}{1.5} = 2 \times 10^8 \text{ ms}^{-1}$

Page : 176 , Block Name : Questions

Q3 Find out, from Table 10.3, the medium having highest optical density. Also find the medium with lowest optical density.

**Table 10.3** Absolute refractive index of some material media

Material medium	Refractive index	Material medium	Refractive index
Air	1.0003	Canada Balsam	1.53
Ice	1.31	Rock salt	1.54
Water	1.33	Carbon disulphide	1.63
Alcohol	1.36	Dense flint glass	1.65
Kerosene	1.44	Ruby	1.71
Fused quartz	1.46	Sapphire	1.77
Turpentine oil	1.47	Diamond	2.42
Benzene	1.50		
Crown glass	1.52		

Answer. From table 10.3, diamond has highest refractive index (- 2.42), so it has highest optical density. Air has lowest refractive index 1.0003, so it has lowest optical density.

Page : 176 , Block Name : Questions

Q4 You are given kerosene, turpentine and water. In which of these does the light travel fastest? Use the information given in Table 10.3.

**Table 10.3** Absolute refractive index of some material media

Material medium	Refractive index	Material medium	Refractive index
Air	1.0003	Canada Balsam	1.53
Ice	1.31	Rock salt	1.54
Water	1.33	Carbon disulphide	1.63
Alcohol	1.36	Dense flint glass	1.65
Kerosene	1.44	Ruby	1.71
Fused quartz	1.46	Sapphire	1.77
Turpentine oil	1.47	Diamond	2.42
Benzene	1.50		
Crown glass	1.52		

Answer. For kerosene,  $n = 1.44$  For turpentine,  $n = 1.47$  For water,  $n = 1.33$  Because water has the lowest refractive index, therefore light travels fastest in this optically rarer medium than kerosene and turpentine oil.

Page : 176 , Block Name : Questions

Q5 The refractive index of diamond is 2.42. What is the meaning of this statement?

Answer. By saying that the refractive index of diamond is 2.42, we mean that the speed of light in diamond is lower by a factor of 2.42 relative to that in vacuum.

Page : 176 , Block Name : Questions

Q1 Define 1 dioptre of power of a lens.

Answer. One dioptre is the power of a lens whose focal length is 1 metre.

Page : 184 , Block Name : Questions

Q2 A convex lens forms a real and inverted image of a needle at a distance of 50 cm from it. Where is the needle placed in front of the convex lens if the image is equal to the size of the object? Also, find the power of the lens.

Answer. Question 2 A convex lens forms a real and inverted image of a needle at a distance of

50 cm from it. Where is the needle placed in front of the convex lens if the image is equal to the size of the object? Also, find the power of the lens. , Sol. Here,  $u = +50$  cm Solution Here  $v = +50$ cm Because the real image is of the same size as the object,

$$\text{Therefore, } m = \frac{h'}{h} = \frac{v}{u} = -1$$

$$\text{or } u = -v = -50\text{cm}$$

$$\text{Now, } \frac{1}{f} = \frac{1}{v} - \frac{1}{u} = \frac{1}{+50} - \frac{1}{-50} = +\frac{2}{50} = +\frac{1}{25}$$

$$\text{or } f = 25\text{cm} = 0.25\text{m}$$

$$P = \frac{1}{f} = +\frac{1}{0.25\text{m}} = +4\text{D}$$

Page : 184 , Block Name : Questions

Q3 Find the power of a concave lens of focal length 2 m.

Answer. Because the focal length of a concave lens is negative, therefore  $f = -2$  m

$$\text{Therefore, } m = \frac{h'}{h} = \frac{v}{u} = -1$$

$$\text{or } u = -v = -50\text{cm}$$

$$\text{Now, } \frac{1}{f} = \frac{1}{v} - \frac{1}{u} = \frac{1}{+50} - \frac{1}{-50} = +\frac{2}{50} = +\frac{1}{25}$$

$$\text{or } f = 25\text{cm} = 0.25\text{m}$$

$$P = \frac{1}{f} = +\frac{1}{0.25\text{m}} = +4\text{D}$$

Page : 184 , Block Name : Questions

Q1 Which one of the following materials cannot be used to make a lens? (a) Water (b) Glass (c) Plastic (d) Clay

Answer. (d) Clay

Page : 185 , Block Name : Exercise

Q2 The image formed by a concave mirror is observed to be virtual, erect and larger than the object. Where should be the position of the object? (a) Between the principal focus and the centre of curvature (b) At the centre of curvature (c) Beyond the centre of curvature (d) Between the pole of the mirror and its principal focus.

Answer. (d) Between the pole of the mirror and its principal focus.

Page : 185 , Block Name : Exercise

Q3 Where should an object be placed in front of a convex lens to get a real image of the size of the object? (a) At the principal focus of the lens (b) At twice the focal length (c) At infinity (d)

Between the optical centre of the lens and its principal focus.

Answer. (b) At twice the focal length.

Page : 185 , Block Name : Exercise

Q4 A spherical mirror and a thin spherical lens have each a focal length of  $-15$  cm. The mirror and the lens are likely to be (a) both concave. (b) both convex. (c) the mirror is concave and the lens is convex. (d) the mirror is convex, but the lens is concave.

Answer. (a) Both concave

Page : 185 , Block Name : Exercise

Q5 No matter how far you stand from a mirror, your image appears erect. The mirror is likely to be (a) only plane. (b) only concave. (c) only convex. (d) either plane or convex.

Answer. (d) Either plane or convex.

Page : 186 , Block Name : Exercise

Q6 Which of the following lenses would you prefer to use while reading small letters found in a dictionary?


- (a) A convex lens of focal length 50 cm.
- (b) A concave lens of focal length 50 cm.
- (c) A convex lens of focal length 5 cm.
- (d) A concave lens of focal length 5 cm.

Answer. (c) A convex lens of focal length 5 cm.

Page : 186 , Block Name : Exercise

Q7 We wish to obtain an erect image of an object, using a concave mirror of focal length 15 cm. What should be the range of distance of the object from the mirror? What is the nature of the image? Is the image larger or smaller than the object? Draw a ray diagram to show the image formation in this case.

Answer. A concave mirror gives an erect image when the object is placed between the focus F and the pole P of the concave mirror, i.e., between 0 and 15 cm from the mirror. The image thus formed will be virtual, erect and larger than the object. A'



Page : 186 , Block Name : Exercise

Q8 Name the type of mirror used in the following situations. (a) Headlights of a car. (b) Side/rear-view mirror of a vehicle. (c) Solar furnace. Support your answer with reason.

Answer.(a) Concave mirrors are used as reflectors in headlights of cars. When a bulb is located at the focus of the concave mirror, the light rays after reflection from the mirror travel over a large distance as a parallel beam of high intensity.


(b) A convex mirror is used as a side/rear-view mirror of a vehicle because A convex mirror always forms an erect, virtual and diminished image of an object placed anywhere in front it. A convex mirror has a wider field of view than a plane mirror of the same size.

(c) Large concave mirrors are used to concentrate sunlight to produce heat in solar furnaces.

Page : 186 , Block Name : Exercise


Q9 One-half of a convex lens is covered with a black paper. Will this lens produce a complete image of the object? Verify your answer experimentally. Explain your observations.

Answer. A convex lens forms complete image of an object, even if its one half is covered with black paper. It can be explained by considering following two cases. Case I When the upper half of the lens is covered In this case, a ray of light coming from the object will be refracted by the lower half of the lens. These rays meet at the other side of the lens to form the image of the given object, as shown in the following figure.



Case II: When the lower half of the lens is covered In this case, a ray of light coming from the

object is refracted by the upper half of the lens. These rays meet at the other side of the lens to form the image of the given object, as shown in the given figure.



Page : 186 , Block Name : Exercise

Q10 An object 5 cm in length is held 25 cm away from a converging lens of focal length 10 cm. Draw the ray diagram and find the position, size and the nature of the image formed.

Answer. Here : Object distance,  $u = -25$  cm, Object height,  $h = 5$  cm, Focal length,  $f = +10$  cm  
According to the lens formula,

$$\frac{1}{f} = \frac{1}{v} - \frac{1}{u}$$

$$\text{We have } \Rightarrow \frac{1}{v} = \frac{1}{f} - \frac{1}{u} = \frac{1}{10} - \frac{1}{-25} = \frac{15}{250} \quad \text{or} \quad v = \frac{250}{15} = 16.66 \text{ cm}$$

The positive value of  $v$  shows that the image is formed at the other side of the lens.


$$\text{For magnification } m = \frac{\text{Image distance}}{\text{Object distance}} = \frac{v}{u} = \frac{16.66}{-25} = -0.66$$

The negative sign shows that the image is inverted.

But magnification

$$m = \frac{\text{Image height}}{\text{Object height}} = \frac{h'}{5}$$

$$\text{Or } h' = -0.66 \times 5 \\ = -3.3 \text{ cm}$$




Page : 186 , Block Name : Exercise

Q11 A concave lens of focal length 15 cm forms an image 10 cm from the lens. How far is the object placed from the lens? Draw the ray diagram.

Answer. Focal length,  $f = -15$  cm, Image distance,  $v = -10$  cm (as concave lens forms the image on

the same side of the lens) From the lens formula  $\frac{1}{f} = \frac{1}{v} - \frac{1}{u}$ , we have

$$\begin{aligned}\frac{1}{u} &= \frac{1}{v} - \frac{1}{f} = \frac{1}{-10} - \frac{1}{-15} \\ &= \frac{-3 + 2}{30} = -\frac{1}{30}\end{aligned}$$



Page : 186 , Block Name : Exercise

Q12 An object is placed at a distance of 10 cm from a convex mirror of focal length 15 cm. Find the position and nature of the image.

Answer. Object distance,  $u = -30$  cm The negative value of  $u$  indicates that the object is placed in front of the lens.

From mirror formula,  $\frac{1}{u} + \frac{1}{v} = \frac{1}{f}$ , we have

$$\frac{1}{v} = \frac{1}{f} - \frac{1}{u} = \frac{1}{u} - \frac{1}{-10} = \frac{2 + 3}{30} = \frac{1}{6} \text{ or } v = 6 \text{ cm}$$

Thus, image distance,  $v = +6$  cm Because  $v$  is +ve, so a virtual image is formed at a distance of 6 cm behind the mirror. Magnification,  $m = \frac{-v}{u} = \frac{-6}{-30} = \frac{1}{5}$  (i.e.  $< 1$ )

The positive value of  $m$  shows that image erect and its value, which is less than 1, shows that image is smaller than the object. Thus, image is virtual, erect and diminished.

Page : 186 , Block Name : Exercise

Q13 The magnification produced by a plane mirror is +1. What does this mean?

Answer. Since magnification,  $m = \frac{h'}{h} = \frac{-v}{u}$  Given,  $m = +1$ , so  $h' = h$  and  $v = u$  (i)  $m = 1$  indicates the size of image is same as that of object. (ii) positive sign of  $m$  indicates that an erect image is formed. - $u$  The opposite signs of  $v$  and  $u$  indicate that image is formed on the other side of the mirror from where the object is placed i.e., image is formed behind the mirror and thus image formed is virtual.

Page : 186 , Block Name : Exercise

Q14 An object 5.0 cm in length is placed at a distance of 20 cm in front of a convex mirror of radius of curvature 30 cm. Find the position of the image, its nature and size.

Answer. Since object size,  $h = +5$  cm, object distance,  $u = -20$  cm and radius of curvature,  $R = +30$



cm

$$\therefore \text{Focal length, } f = \frac{R}{2} = +\frac{30}{2} = 15\text{cm}$$

From mirror formula,  $\frac{1}{f} = \frac{1}{v} + \frac{1}{u}$ , we have  $\frac{1}{v} = \frac{1}{f} - \frac{1}{u}$

$$\text{or } \frac{1}{v} = \frac{1}{+15} - \frac{1}{-20} = \frac{4+3}{60} = \frac{7}{60} \text{ or } v = \frac{60}{7} = 8.6\text{cm}$$

$$\therefore \text{Magnification, } m = -\frac{v}{u} = \frac{h'}{h}$$

$$\therefore \text{Image size, } h' = -\frac{vh}{u} = -\frac{8.6 \times 5}{-20} = 2.15 \cong 2.2\text{cm}$$

A virtual, erect image of height 2.2 cm is formed behind the mirror at a distance of 8.6 cm from the mirror.

Page : 186 , Block Name : Exercise

Q15 An object of size 7.0 cm is placed at 27 cm in front of a concave mirror of focal length 18 cm. At what distance from the mirror should a screen be placed, so that a sharp focused image can be obtained? Find the size and the nature of the image.

Answer. Here, object size,  $h = +7.0$  cm, object distance,  $u = -27$  cm and focal length,  $f = -18$  cm  
Image distance,  $v = ?$  and image size,  $h' = ?$

For the mirror formula  $\frac{1}{f} = \frac{1}{v} + \frac{1}{u}$ ,

$$\text{We have } \frac{1}{v} = \frac{1}{f} - \frac{1}{u} \quad \text{or} \quad \frac{1}{v} = \frac{1}{-18} - \frac{1}{-27} = \frac{-3+2}{54} = -\frac{1}{54} \quad \text{or} \quad v = -54\text{cm}$$

The screen should be placed at a distance of 54 cm on the object side of the mirror to obtain a sharp image

$$\text{magnification, } m = \frac{h'}{h} = -\frac{v}{u}$$

Now

$$\text{image size, } h' = -\frac{vh}{u} = \frac{(-54) \times (+7)}{(-27)} = -14\text{cm.}$$

The image is real, inverted and enlarged in size.

Page : 186 , Block Name : Exercise

Q16 Find the focal length of a lens of power  $-2.0$  D. What type of lens is this?

Answer. Here,  $P = -2.0$  D The type of lens is concave because the focal length is negative.

$$f = \frac{1}{P} = \frac{1}{-2.0\text{D}} = -0.5\text{m}$$

Page : 186 , Block Name : Exercise

Q17 A doctor has prescribed a corrective lens of power  $+1.5$  D. Find the focal length of the lens. Is the prescribed lens diverging or converging?

Answer. Here  $P=+1.5\text{ D}$

$$f = \frac{1}{P} = \frac{1}{+1.5\text{D}} = +\frac{10}{15}\text{m} = +0.6667\text{m} = +66.67\text{cm}$$

Because the focal length is positive, the prescribed lens is converging.

Page : 186 , Block Name : Exercise

Aakash Institute