How To Make A Pinhole Camera

by 343GUILTYSPARK on January 14, 2009

Table of Contents

License: Attribution Non-commercial Share Alike (by-nc-sa)	2
Intro: How To Make A Pinhole Camera	2
step 1: Gather Materials	2
step 2: Make Pinhole	3
step 3: Make Camera Box	3
step 4: Put In Pinhole And Make Shutter	
step 5: Load The Photo Paper	5
step 6: Taking A Picture	5
step 7: Developing	6
Related Instructables	6
Advertisements	
Comments	6

Intro: How To Make A Pinhole Camera

Make your own camera out of materials around the house and take black and white photos with it.






step 1: Gather Materials

You will need a box, photo paper, thin piece of metal like a can or brass shim, tape, xacto knife, needle, and sand paper.



step 2: Make Pinhole

The pinhole is like the lens of the camera. Poke a tiny hole in the brass shim with a needle and sand it smooth. Trim the shim so there is a little space around the hole.



step 3: Make Camera Box

You can use a shoe box, oat meal box or whatever. The box must be light proof. When the lid is on and the shutter is closed the inside is completely dark. The only light comes through the pinhole. Make sure there are no holes or openings in the box. Seal it and paint it flat black. Cut a small square opening in the box for the pinhole to go in.





step 4: Put In Pinhole And Make Shutter

Tape the pinhole behind the square opening. I use electrical tape. Center the pinhole in the square. Then make the shutter which is just a flap that covers the pinhole from the outside. It can be made from some more tape.











step 5: Load The Photo Paper

This must be done in complete darkness. You can make a darkroom in a bathroom or closet and use it for developing and changing paper. Tape a piece of photo paper to the inside of the box across from the hole. Put lid on and make sure the shutter is closed. Now you can go out in the light.



step 6: Taking A Picture Point the camera at what you want to shoot. It works best when it is bright and sunny. Depending on lighting and clouds hold shutter open for 30 seconds to 4 minutes then close. Everything has to stay perfectly still. Go back to the dark room and take paper out to develop.



http://www.instructables.com/id/How-To-Make-A-Pinhole-Camera/

step 7: Developing

You will need developer, fixer, water, tongs, towels, and a safe light in you dark room. It must be pitch black when safe light is off. I found out you can use orange LED halloween lights as a safe light. It is cheaper and you get more light than a small red darkroom bulb. The paper from the box will be a negative to make the positive put another piece of photo paper under the developed negative face to face. The negative must be on top. Use a piece of glass to press them together and turn the lights on for a few seconds. Make sure your extra photo paper is safe and covered or it will all develop black. Now develop the positive. It goes in the developer then water then fixer then water then air dry.



Related Instructables



Industrial

Photography Tip: Taking photography -Beautiful hasty mistakes; **Photos And Blasting Grit** Editing Them by

How to make a slide to take 3D

photos with a

2D Camera by

tominsouthfl



Macro **Photography:** An Essential Skill for Good Instructables by 1up

How to take **Better Pictures** with a Camera

Phone by

ultrauber

Pinhole DSLR (quick and dirty edition) by CYNICALifornia



Time-Lapse Photography by randofo



How to make a pinhole camera out of an old point n' shoot by ablisspirate

Comments

Recycler by inad

50 comments Add Comment

Shadow Dragon



saharahoveybaldwin says:

can i use a safelight for this step? like, while loading the paper...

92033 says:

Look up my postings on the other 'Making a Pinhole Camera' pages. Also, to everyone of your questions...simply go to your local camera photo shop dealer. They have everything you need for developing film and prints, printing papers to use, information, etc. Just visited your page...great photos. You can make an easy tripod base for use on the camera. Use a piece of 1/4" thick plywood or plastic. Drill a 1/4 inch hole in the center. Use double-face carpet tape or layer of rubber cement on face of the wood/plastic base and layer on bottom of camera. Stick together for a permanent bond. Screw your tripos screw into the hole and you're all set. Want 'simpler'? Lightly duct-tape it to tripod. Removes easily. Idea is to hold the camera still and level..this'll do the trick. Great Instructable mind-refresher for me...have been in photography all my lifetime...'1200 Year Old Highlander Immortal', y'know. :-) Which reminds me...Do you know what Jesus said to the Apostles at The Last Supper? "All you guys who want your picture taken, sit on this side of the table with Me". Moses was The First Photographer. He used a Pinhole Camera and Bolt Of Lightning for the FLASH. Came out pretty good, eh?



KMaq says:

Feb 11, 2010. 10:30 PM REPLY

i got photo paper from staples. will this work? it comes in a small box of 100. i suppose i need to take them out of the package in the dark room as well?

view all 51 comments Jun 7, 2010. 1:08 PM REPLY

Jun 6, 2010. 7:50 PM REPLY



Musicman41 savs:

Jun 6, 2010. 5:30 PM REPLY

Apr 13, 2010. 10:52 AM REPLY

You need to make sure that it is photo DEVELOPING paper. What it sounds like you got was photo PRINTING paper. They are not the same thing. Developing paper is sensitive to light and changes color when exposed to the light. Printing paper is not and can only be colored by ink. I hope this helps.



vickaronomie savs:

Yes, or else the paper will be developed all over, turn gray, and will not be able take another image. It'll be useless, like film taken out of the cartridge and exposed to sunlight.



MOYERsamuel says:

what is a pinhole camera for ?

Jun 5, 2010. 5:22 AM **REPLY**



oobtim says:

Jun 4, 2010. 12:15 PM REPLY

I've been developing at home for years in shared houses too. I've used a dark cupboard, in the attic or thick blankets across a bathroom window in the past and have been used with good results (mostly in the evening/night to be safe). A red light is needed if you want to see what your doing though... :)

Look on any retrophotographic site or pick up and old photography book from a second hand book store to find the details of development and the chemicals. Ebay is a good source of cheap photography equipment too.

Good luck!



Irdogs12 says:

May 2, 2010, 6:36 AM REPLY

Feb 24, 2010. 7:58 PM REPLY

Apr 13, 2010. 10:50 AM REPLY

Feb 21, 2010. 5:33 AM REPLY

Sep 9, 2009. 7:30 PM REPLY

Feb 18, 2010. 3:58 PM REPLY

NetPrintz specializes in professional quality e6 slide film processing and developing as well as bulk slide scanning. We monitor chemistry and equipment daily and only professionals get near your originals. http://netprintz.net/scans.html or http://www.netprintz.net/e6.html to go directly to the pricing page. NetPrintz is competitively priced and will produce the highest quality output for you every time. We use plastic mounts and they are shipped to you in a plastic box. We are a full service lab producing 30" Chromira print posters, copy work, scanning to cd and photo restoration.



likeanita says:

can u be more specifite about how to develop a pic, by using photo paper? becasue it seems interesting to just directly have a image on the photo paper instead the film



vickaronomie says:

The photo paper you use is a special paper with silver crystals. THIS PAPER: www.freestylephoto.biz/c501-Black-and-White-Paper-Resin-Coated-Variable-Contrast is what you need. You also need the developer--which is on that website--which is for PAPER development, not film, because they're different. :P

It's all done in a darkroom because, like film, the image initially imprinted onto the paper will be destroyed if left in direct light of any kind. There are filters used over dim lights to prevent that.

Other than that, the chemicals used and process is pretty much the same as developing film; developer, stop bath, fixer, and then a wash through some fresh water, to remove all the chemicals. If the wash isn't done, then the chemical stains will eat the photo.

Just research it. You need a lot of stuff, if you aren't taking a photography course in college, like I am. The darkroom and everything inside it is available to me, but an average Joe might have to make their spare bathroom into a darkroom, in order to be able to develop photos. ;)

nutsandbolts_64 says:

where do you get the developer and fixer?



BUddy_ca111 says:

Why does everthing have to be perfectly still?



Puppy-Sized-Elephant says:

the picture would be blury, like when you take picture and your hand moves slightly, so it turns out a bit blurry, when the shutter is open taking a long exposure picture, its just like that shaky hand, but on a larger scale, if you can understand what i mean



kimm123 says:

anti mullet9 says:

the picture will come out blurry and not right, i suppose XD

It needs to be darkroom paper and not regular inkjet photo paper for a printer.

2

Feb 15, 2010. 10:46 AM REPLY

Sep 10, 2009. 4:33 PM REPLY

Something like this will totally work.

www.amazon.com/llford-Multigrade-Deluxe-Coated-Glossy/dp/B00009V3C5/ref=pd_cp_p_1



sxdemon says: I build something similar, but I was using a len instead of only a pinhole.	Jan 18, 2010. 4:08 PM REPLY
Lamah says: where does the digital camera go	Nov 1, 2009. 2:54 PM REPLY
Yerboogieman says: You don't need it when you build this. Just like you don't need a digital camera when you are using a 35mm camera.	Nov 7, 2009. 7:47 PM REPLY
Dr. Steel says: I do believe that was a troll.	Jan 9, 2010. 7:30 PM REPLY
darelite says: hheeyyyy what about fixer?	Dec 27, 2009. 11:21 AM REPLY
Iinkmaster03 says: What do you mean by "photo paper"? What kind of photo paper?	Feb 14, 2009. 7:56 PM REPLY
Yerboogieman says: Light sensitive paper.	Nov 7, 2009. 7:48 PM REPLY
kentdunne says: It's a specific type of paper. It's got a coating of light sensitive stuff (basically a cocktail of Emulsion, little silver-halide of spread across it). It's not just "photo quality" paper that you might buy at Best Buy (but it's very easy to think that now a You probably have to order it online I get mine at www.freestylephoto.biz	Jun 1, 2009. 2:54 PM REPLY crystals, and some other things adays =])
343GUILTYSPARK says: Light sensitive paper. Parts that were exposed to light will turn dark when developed.	Feb 17, 2009. 5:59 PM REPLY
Yerboogieman says: This one kid at school decided to turn on the lights in the dark room and ruined hundreds of dollars of photo paper.	Apr 3, 2009. 9:26 PM REPLY
foxtrot4697 says: WHY DO THEY HAVE LIGHTS IN THE DARk room?	Jan 2, 2010. 8:42 PM REPLY
Yerboogieman says: WHY ARE YOU YELLING?! They have lights for when she is teaching how to set stuff up.	Jan 3, 2010. 10:59 AM REPLY
Iost2010 says: love it when that happens sorry but i think hundreds of dollars is more like 10 or 15 unless you guys were dumn and lay it everywhere instead of using 1 piece at a tim	Apr 17, 2009. 9:58 PM REPLY nb enough just to take ur paper out
Chilly9781 says: How much do all the materials generally cost (chemicals and photo paper)? And this is great! I might get into this so thanks for the guidance!	Nov 7, 2009. 7:39 PM REPLY



Am I the only one who thought this meant a tiny little spy camera? I feel so uncultured when I'm on this site.

Jan 18, 2009. 10:54 AM REPLY

Oct 2, 2009, 12:11 PM REPLY

Oct 1, 2009. 12:49 PM REPLY

Sep 9, 2009. 9:12 AM REPLY

Jul 17, 2009. 9:09 AM REPLY



a.nony.mouse says:

I was thinking the exact same thing, but this is cool, too :)



sweetnienna says:

why did you use a little piece of metal for the hole ? Great instructable by the way, thank you for sharing $_$



superpat182 says:

developer is a chemical that washes the silver particles off a piece of photo paper or film, so the image comes through.... it develops the picture. if you want to pick some up i suggest B&Hphoto.com they got what you need, just dearch developer



livvyf says:

what do you mean by "developer"? what does it look like?



michaelchapala says: Very informative and practical.

Apr 26, 2009. 9:40 AM REPLY

Jan 14, 2009. 6:33 PM REPLY

Feb 16, 2009. 11:17 PM REPLY

Jan 14, 2009. 8:10 PM REPLY

Jan 15, 2009. 6:01 PM REPLY

Jan 14, 2009. 8:25 PM REPLY

Feb 14, 2009. 7:26 PM REPLY

Feb 13 2009 9.17 PM REPLY

Jan 15, 2009. 9:14 AM REPLY

Jan 15, 2009, 3:24 PM REPLY



airhead12 says:

man i was just fixing to post a pinhole camera instructable! come to think of it every time i get one in my head or even ready it happens. then everyone will say oh this is so&so's idea.



thepelton says:

I know how you feel. I was looking to see what I could post as an instructable, and found several ideas already published here.



ac1D says: true?

http://www.instructables.com/id/Happy-Little-Mac-Pinhole-Camera/

i have not noticed that before. thanks though looks like somin to do. ive had that happen to me about ten other times though.

fultron89 says:

Very cool. I am constantly amazed that making a camera like this is so easy. Note: I read an article about a guy who, instead of developing the photos with chemicals, simply put the negative on his scanner and inverted the image with photoshop or whatever. Pretty cool...



thepelton says:

airhead12 says:

I have used inversion to see who or what was in a negative. Neat process. I used Corel draw.



Uncle Kudzu says:

thanks - reversing the negative image with a scanner is a great idea! that would sure save a step in a wet darkroom.



bustedit says:

Good ible, cool results, but you are a lil vague in spots. Is there a box size that best suits this? for instance, is the distance from pinhole to paper important? and by sanding the metal shim, is the purpose to make the pinhole more round, or to rough up the shim surface?



Kiteman says:

Increasing the distance from hole to paper makes the image larger, but you need a longer exposure time. Sanding the shim makes sure that there are no bits of bent metal obstructing the light - odd-shaped holes give distorted images.



fishhead455 says:

Kiteman--Yes, distance makes a difference in that case: More distance larger exposed area...more time.

Jan 16, 2009. 10:03 AM REPLY



fishhead455 says:

Jan 16, 2009. 9:56 AM REPLY FLATULATIONS-- Try this: Use color paper . It is designed to give the opposite color when exposed to light passed through the negative. The result will be reality in reverse-color. I use a simple changing bag to load/unload the camera and place the exposed paper back into its original paper package and box while still in the changing bag. Gotta take it to a local developer ...or have the color equipment at home. Reality in reverse...KEWEL FER SHER Great ible...ciao I use an oatmeal box, tin foil, sewing needle to make the pin-hole. distance of paper from the hole does not make a difference. The depth of field is infinity, (everything is in focus). Ambient temperature will make a difference: colder is slower.



Weissensteinburg says:

Looks like you're getting pretty good results. We used to put two pieces of cardboard on either side of the paper to hold it there.



Jan 14, 2009. 6:03 PM REPLY

Jan 14, 2009. 5:59 PM REPLY

Jan 14, 2009. 7:03 PM REPLY

Capt. Fat says:

view all 51 comments