PIXMA MG6270 Canon Delighting You Always bg Wi Fi Canon

INTELLIGENT PLEASURE

INTELLIGENT TOUCH SYSTEM

FUN FILTER EFFECT

PIXMA CLOUD LINK

ENHANCED FULL HD MOVIE PRINT

AUTO DUPLEX PRINTING

6 SINGLE INK TANKS

THE PIXMA BLACK SERIES

























Full HD Movie Print

Print vour favorite moment. Catch the motion and tell the story.









Full HD Movie Print

Fun Filter Effect Just a few clicks to add artistic image effects.







Print photos from your online album or useful templates without using a PC.

3.0-inch Color LCD Display

A better view with the large display screen.





Intelligent Touch System

Only the necessary keys are illuminated to guide users to the next step of the operation




Auto Duplex Printing, 2-way Paper Feeding* and Direct Disc Print functions.









Easy-WebPrint Ex

Lets you clip, arrange and Easy-WebPrint EX print web page contents.



Mobile Printing (Wi-Fi)

Enjoy wireless photo printing from iPhone/ iPad/Android™ devices.



Quiet Mode

Offers near silent operation with straightforward settings.





CREATIVE PARK PREMIUM

High-quality & High-speed

1pl, 9600dpi, 6 colors and ISO Standard speed.



Canon Creative Park Premium

photo printing.

Download and print exclusive premium content.

*Only available when using Canon genuine inks for all colors.

THE INTELLIGENT Intelligent Told System TOUCH SYSTEM

It's brilliantly simple: featuring an intuitive touch panel, only the specific keys you need to print, copy and scan are illuminated. Fast, easy and enjoyable, it's the most intelligent way to get the job done.



PIXMA CLOUD LINK PEXMA COUNT LINK





With PIXMA Cloud Link, you can access and print photos and stationery stored online. You don't even need a computer!

Online Album Photo Print

Print photos from Picasa™ Web Albums. No PC is required: simply view and select images on the printer and print.












Web Template Print

Print attractive templates directly from your PIXMA MG6270. Templates are regularly updated and include stationery, envelopes, memos and calendars.
















FUN FILTER EFFECT FUN FILTER EFFECT





Create a more artistic impression or add some fun to your ordinary photo through Fun Filter Effect. This software is conveniently accessed via Solution Menu EX or Easy-PhotoPrint EX. Simply select an image, choose the desired effect and follow the easy steps.

Fish-Eye

A fish-eye lens captures extremely wide images, giving them a fun, distorted appearance. To create the same look, just select the center of the effect and the degree of distortion.









Miniature

Softens the edges of your images, making subjects appear to be miniatures. Select the width of the focus area to control the degree of miniaturization.





Toy Camera

Creates a stylish and increasingly popular effect by making your images appear as if they were captured with a vintage or "toy" camera.









Soft Focus

Decreases the sharpness of your images to create a dreamy, artistic feel. You can control the degree of softness.






ENHANCED FULL HD FullhDMovie Print **MOVIE PRINT**

Extract individual frames from movies taken with your Canon digital camera and print them as beautiful still photographs. For optimal image quality, you can even enhance the resolution and reduce noise before printing. Now you can do even more:





Merge Frames NEW!

Combine multiple frames of an action sequence to Create a layout with multiple frames from a movie clip. create an extraordinary image showing the natural flow of movement.



You can choose the paper size, layout orientation, frame direction and automatically adjust the cropping area of each frame.



Clearer Images NEW!

If the movie frame you choose to print is not clear, Full HD Movie Print can automatically replace it with an adjacent frame that is sharper and clearer.






Clearer Image









Makes the subject stand out by giving the background a soft, pleasing blur.



PRINT

CONNECTIVITY


Reserve Copy

Begin making another copy as you wait for the previous one to be completed. Put the next document on the platen glass, press the start key and the next job will be placed in the copy queue.

Frame Erase

Saves black ink by removing unsightly black borders that often appear on copies made from thick originals.







With Frame Erase

Auto Scan Mode

The document type is recognized and scan settings are automatically made - including file-format settings and image categorization - so you can scan at the touch of a button.





Scan To Memory

Save scanned data to USB flash memory devices or common memory cards. Use the Compact PDF option to compress a file up to 1/10 the size of a normal PDF document.

MP NAVIGATOR EX

Image Categories

categories (works with Auto Scan Mode).



OCR Text Data Conversion

Organizes scanned images into Extract text from a scanned image to create a .TXT text file, and use appropriate software to edit, copy, save or email.









Microsoft Notepad

Added PDF Security

Limit access to or restrict the printing of PDF files by giving them passwords; separate passwords can be created for a single file to give varied access.



Checkbox enables password to limit access

MP Navigator EX UI showing the check box that enables password for limiting access to PDF files



MP Navigator EX UI showing PDF files with passwords that limit access


CONVENIENT CONNECTIONS

b<mark>o</mark> Wi Fi n

Wireless & Wired LANs

Maximize the efficiency of your PIXMA printer by creating a network for multiple users. Setting up a secure wireless

network is easy with Wi-Fi Protected Setup (WPS) and Windows Connect Now (WCN). To create a wired LAN (Ethernet), simply use the bundled set-up utilities.



Canon iEPP (For iPhone)





Easy Printing From Mobile Devices





Canon EPP (For Android)*





the app.

the app.





3. Touch the "Print" key

* Subject to Android device compatibility

USB 2.0 Hi-Speed

Windows PC

USB

Connection is guick and convenient with the USB 2.0 Hi-Speed port. It also ensures fast, smooth data transfer.

USB Flash Drive & Card

Direct Printing

Print photos directly from USB drives; print PDF files created with the Scan to Memory function or the bundled MP Navigator EX. You can also print photos directly from most commonly used memory cards.



Bluetooth (optional)

Bluetooth

Connect the (optional) BU-30 adapter to print wirelessly from a Bluetooth enabled smart phone or other devices.*


* Smart Phones: JPEG only Computers: All documents

PictBridge Camera-Direct Printing


to the PIXMA MG6270 and print brilliant photos without

























EASY OPERATION SOFTWARE & TECHNOLOGY

ADVANCED MEDIA HANDLING

Auto Duplex Printing



This time and resource saving feature automatically prints on both sides of the paper.



Direct Disc Print / Case Cover Print Direct Disc Print



Choose from multiple layout and background patterns when printing directly onto a printable CD or DVD. You can also design and print CD case covers.






Images are analyzed based on the presence of faces, type of scene and lighting conditions. Precision adjustments are then made to skin tones, brightness and color cast.



Auto Photo Fix II


Corrected color cast

Solution Menu EX





2-Way Paper Feeding





EASY-WEBPRINT EX ESSY-WEBPINT EX



Clip, arrange, edit, resize and print web pages easily.

Improved Legibility

Enhance readability by changing gray text to black or increasing font size.

Clip, edit and resize web material; you

can insert images stored on your PC



Clip & Merge

before printing.



so it fits on one page.

Fit-To-Page





With a click, reduce or enlarge content

Auto Clip

With a click, clip the main part of the web page for printing.



Booklet Print

Consolidate clipped web content in an A5-sized booklet, printed on both sides.



Save Paper

Reduce Size/Fit to Page and Save to PDF options lower paper use.





EASY-PHOTOPRINT EX

It's the fun and easy way to get creative! Print photo albums and calendars with greatlooking layouts, photo stickers and much more. Easy-PhotoPrint EX also gives you quick and convenient access to other creative features including Fun Filter Effect – for even more creative fun.

Import Photos Directly From Flickr®

Easy-PhotoPrint EX gives you access to hundreds of thousands of high-quality Flickr® images. You'll have endless fun decorating photo albums, calendars, travel journals or other creative projects.*



* It is unlawful to reproduce or edit the copyrighted work of another person without permission from the copyright holder, except for personal use, use within the home, or other use within the limited scope as defined by the copyright. Additionally, reproducing or editing photographs of people may infringe on portrait rights.

ECO FRIENDLY PAPER MEDIA & CARTRIDGES

A BETTER ENVIRONMENT

To reduce CO₂ emissions, PIXMA printers conform to the EU RoHS directive and the international Energy Star Program, In addition, the PIXMA MG6270 features a number of innovations to help create a better environment.

ECO Mode NEW!

including PDF files and templates - to save resources. much you've reduced CO2 emissions by using Auto Reduce energy use by setting the printer to shut itself off automatically after a selected interval of inactivity.



ECO Information NEW!

Easy access to settings for Auto Duplex printing - Know the exact amount of paper you've saved and how Duplex Mode.



Quiet Mode NEW!

Minimize operating noise with Quiet Mode, which is easily accessible via the Home Screen or Solution Menu EX.








ChromaLife100+

* For proper storage conditions, see specifications for details.

Using Canon's dye-based inks and genuine photo papers, prints can last up to 300 years under proper storage conditions. Image quality is also greatly enhanced.



Print template forms such as notebook paper and graph paper

Gas Fastness Approx. 20 years

Original print



20 years later



No noticeable color change

Photo Printing



Photo Paper Pro Platinum (Super High Gloss)

- 4x6", 8x10", A4



Photo Paper Plus Glossy II

• 260g/m² • 4x6", A4

PS-101

Photo Stickers



Glossy Photo Paper





Photo Paper Plus Semi-Gloss

• 270g/m²

• 4x6", 8x10", A4

Special Projects



MP-101 Matte Photo Paper 170a/m²

• 4x6", A4

• 190a/m² 8888 Stickers 5555 (5 sheets/pack) 8555 (16 photo stickers/

Business Printing



HR-101N High Resolution Paper

 110g/m² • A4

Fine Art Printing



Fine Art Paper Museum Etchina

Ink Cartridges

















726



Dye Gray 726



CREATIVE PARK PREMIUM

EXCLUSIVE ACCESS!

As the owner of a PIXMA MG6270, you have privileged access to Creative Park Premium. This is an elite, online service that allows you to download a wide range of professional photos and illustrations from world-renowned artists premium content that is not available at Canon Creative Park. Use these FREE downloads to create extraordinary prints, posters, calendars, greeting cards and much more. This exclusive site can be accessed through Solution Menu EX.



NOTE: CREATIVE PARK PREMIUM is a premium content service available exclusively to users only when all of the colors of genuine Canon inks are installed.

CREATIVE PARK

Canon Creative Park -**Paper Was Never So Much Fun!**

Download FREE templates to create personalized gifts, cards, 3D paper art, calendars and scrapbooking materials. It's the fun way to get the most out of your PIXMA printer!



www.canon.com/c-park

PIXMA MG6270 SPECIFICATIONS

PRINT		
Maximum Printing Resolution		9600 (horizontal)*1 x 2400 (vertical) dpi
Print Head / Ink	Туре	Individual Ink Cartridge
Print Head / Ink	Total Number of Nozzles	6,144 nozzles
	Min. Ink Droplet Size	1pl
Drivet Out and	Ink Tank Document: Color*2 ESAT	PGI-725 Pigment Black, CLI-726 Cyan / Magenta / Yellow / Black / Gray
Print Speed		approx. 9.3ipm
	1111	approx. 12.5ipm
	Photo (4x6")*2 PP-201 / Borderless	
Printable Width	Dandadasa Drieticati	Up to 203.2mm (8 inches), Borderless: Up to 216mm (8.5 inches)
Printable Area	Borderless Printing ^{⋆3}	Top / Bottom / Right / Left margin: each 0mm (Supported Paper Size: A4 / LTR / 4x6" / 5x7" / 8x10")
	Bordered Printing	Top margin: 3mm, Bottom margin: 5mm,
	Bordered Frinking	Left / Right margin: each 3.4mm (LTR, LGL: Left: 6.4mm, Right: 6.3mm)
		When printing on Fine Art Paper: Top margin: 35mm / Bottom margin: 35mm
	Bordered Auto Duplex Printing	Top margin: 5mm, Bottom margin: 5mm,
		Left / Right margin: 3.4mm (LTR, LGL: Left: 6.4mm, Right: 6.3mm)
Recommended Printing Area		Top margin: 40.7mm / Bottom margin: 37.4mm
Paper Size ^{*4}	274 2	A4, A5, B5, LTR, LGL, 4x6", 5x7", 8x10", Envelopes (DL, COM10)
Paper Handling	Plain Paper	A4, A5, B5, LGL = 150
(Rear Tray)	High Resolution Paper (HR-101N)	A4 = 80
(Maximum Number)	Photo Paper Pro Platinum (PT-101)	4x6" = 20, A4 / 8x10" = 10
	Photo Paper Plus Glossy II (PP-201)	4x6" = 20, A4 = 10
	Photo Paper Plus Semi-Gloss (SG-201)	4x6" = 20, A4 / 8x10" = 10
	Glossy Photo Paper "Everyday Use" (GP-501)	4x6" = 20, A4 = 10
	Matte Photo Paper (MP-101)	4x6" = 20, A4 = 10
	Photo Stickers (PS-101)	1 harmonic and the second of t
- 1	T-Shirt Transfer (TR-301)	1 Control of the Cont
	Envelope	European DL / US Com. #10 = 10
	Other Fine Art Paper	A4 = 1
Paper Handling (Cassette)	Plain Paper	A4, A5, B5, LTR = 150
(Maximum Number)		
Disc Handling (CD-R Tray)	Printable Disc	1 (Manual handling by the CD-R Tray)
Support Media for	Туре	Plain Paper (Bordered)
Auto Duplex Printing	Size	A4, A5, B5, LTR
Paper Weight	Rear Tray	Plain Paper: 64-105 g/m², Canon specialty paper: max paper weight: approx. 300g/m²
		(Photo Paper Pro Platinum PT-101)
	Cassette	Plain Paper: 64-105g/m ²
Ink End Sensor		Optical sensor + Dot count
Print Head Alignment		Auto / Manual
SCAN		Charles of
Scanner Type		Flatbed
Scanning Method		CIS (Contact Image Sensor)
Optical Resolution*5		4800 x 4800dpi
Selectable Resolution	Ownersh	25 - 19200dpi
Scanning Bit Depth (Input / Output)	Grayscale	16bit / 8bit
	Color	48bit / 24bit (RGB each 16bit / 8bit) 1.4 ms/line (300dpi)
Line Scanning Speed*6		
Canada Canada		2.1 ms/line (300dpi)
Scanning Speed*7	Reflective A4 Color / 300dpi	
Maximum Document Size	Flatbed	A4, LTR (216 x 297mm)
Maximum Document Size		A4 TTR (216 v 297mm)
	Size	A4, LTR (216 x 297mm) A4, A5, B5, LTR, 4x6", 5x7"
Compatible Media		
	Туре	Plain Paper Photo Paper Pro Platinum (PT 101)
		Photo Paper Pro Platinum (PT-101) Photo Paper Plus Glossy II (PP-201)
		Photo Paper Plus Glossy II (PP-201) Photo Paper Plus Semi-Gloss (SG-201)
		Glossy Photo Paper "Everyday Use" (GP-501) Matte Photo Paper (MP-101)
		· · ·
		Photo Stickers (PS-101)
Imaga Quality		Printable Disc
Image Quality		3 positions (Fast, Standard, High)
Density Adjustment	Document: Color sFCOT / Simplex	9 positions, Auto intensity (AE copy)
Copy Speed*8	·	
Multiple Copy	sESAT / Simplex Black / Color	
матріе Сору	TDIACK 7-COIOI	max. 99 pages

NETWORK		
Protocol		TCP / IP
Wired LAN	Network Type	IEEE802.3u (100BASE-TX) / IEEE802.3 (10BASE-T)
	Data Rate	10M / 100Mbps (auto switchable)
Wireless LAN	Network Type	IEEE802.11n / IEEE802.11g / IEEE802.11b (infrastructure mode)
	Frequency Band	2.4GHz
	Data Rate	IEEE802.11n: Max. 150Mbps
		IEEE802.11g: Max. 54Mbps
		IEEE802.11b: Max. 11Mbps
	Range	Indoor 50m (depends on the transmission speed and conditions)
	Security	WEP (64 / 128bit)
		WPA-PSK (TKIP / AES)
		WPA2-PSK (TKIP / AES)
SYSTEM REQUIREMENTS		
Windows	(Please visit www.canon-asia.com to check OS	Windows XP SP2, XP SP3 / Windows Vista SP1, Vista SP2 / Windows 7, 7 SP1
Macintosh	compatibility and to download the latest driver updates)	Mac OS X v10.4.11 - 10.7
GENERAL SPECIFICATIONS		
Quick Start		approx. 6sec.
Operation Panel	Display	LCD (3.0 inch / 7.5cm TFT color)
Interface		Wireless LAN b/g/n, Ethernet 10/100, USB 2.0 Hi-Speed, PictBridge, Memory Card Slots Bluetooth v2.0 (Optional)
Self-Opening Paper Output Tray		Available
Operating Environment		Temperature: 5 - 35°C, Humidity: 10 - 90% RH (no dew condensation)
Storage Environment	THE LINE	Temperature: 0 - 40°C, Humidity: 5 - 95% RH (no dew condensation)
Acoustic Noise (PC Print)*9		approx. 46.5dB
Power	788	AC 100 - 240V, 50/60Hz
Power Consumption	Standby	approx. 1.0W
	Copying*10	approx. 25W
Environment	Regulation	RoHS (EU, China), WEEE (EU)
	Eco-Label	Energy Star
Dimension (WxDxH)		approx. 470 x 367 x 173mm
Weight		approx. 9.2kg

Specifications are subject to change without notice.

- *1 Ink droplets can be placed with a pitch of 1/9600 inch at minimum.
- *2 Document print speeds are the averages of ESAT in Office Category Test for the default simplex mode, ISO/IEC 24734.

Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used, etc.

- *3 Paper types NOT supported for borderless printing are as follows: Plain Paper, High Resolution Paper, Photo Stickers, T-Shirt Transfer, Envelope, Fine Art Paper (FA-ME1), Other Fine Art Paper.
- *4 The paper sizes that can be fed from the cassette are A4, A5, B5, LTR size.
- *5 Optical resolution is a measure of maximum hardware sampling resolution, based on
- *6 The fastest speed via Hi-Speed USB on Windows PC. Transfer time to computer is
- *7 Color document scan speed is measured with ISO/IEC 24735 Annex C Test Chart A. Film scan speed is measured with Canon Standard Chart.

Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turning off.

Scan speed may vary depending on system configuration, interface, software, scan mode settings, document size, etc.

- *8 Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used, etc., and does not take into account warm-up time.
- *9 When printing ISO/JIS-SCID N2 pattern on 4x6* Photo Paper Plus Glossy II using default settings.
- *10 When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.

CHROMALIFE100 PROPER STORAGE CONDITIONS

Only of the file in an album:

Official for estimation. The permanence presented above are made using an accelerated dark storage test designed for silver-haide photos (ISO/FDIS18909). Samples are printed with an optical density of 1.0 (each black, cyan, magenta, yellow) and kept in a controlled environment of high temperature and 50% relative humidity. The test environment is designed to accelerate color fating. The rate of the decrease in the optical density and the rate of yellow discoloration of the paper are measured. Finally, the results are extrapolated to the length of time that a printed image is kept in an environment of 23°C, 50% RH.

30-year lightfastness:

Criteria for estimation> When displayed in a glass frame in a typical indoor space (estimating 500lux / 10 hours per day) without direct sunlight. Estimates for lightfastness are made under the following test conditions. Light space: White fluore-cont light 7000 lux. Temperature: 2º Cr. Hundily, 26% IRI A. 2mm thick glass is placed on the sample with an air gap between the glass and the sample during accelerated testing.

20-year gas fastness:

-Cofferia for estimation> Estimates for gas fastness are made under the following test conditions: Temperature (24°C) and humidity (60% RH) are controlled in an environment of mixed gases of Oo, NOx and SOx. The ratio of the gases is typical to indoor air composition (Os: NOx: SOx = 3:19:1) with 100-times concentration in order to accelerate fading.

<Criteria for estimation of print longevity> Estimates for image permanance are made using the Wilhelm Imaging Research, Inc. Endpoint criteria: Accumulated illuminance causes a monochromatic / reflective optical density loss of 20-35% (figures set respectively for each color, starting density of 1.0). Accumulated illuminance causes a difference in color balance of yellow, magenta and cyan (each component in composite black) of 12-13%.

KIRLS.

Making your printed images last longer: Light, environmental gases, high temperature and humidity can accelerate color fading. When displaying your photographs, avoid high-intensity lighting and use glass-filtered frames. Photos stored in the dark, using archival quality albums or storage materials, will tend to last longer than photos that are exposed to light. Avoid high temperatures and high humidity to promote the image permanence of your photos. Note: The image permanence estimates presented above may vary depending on display / storage conditions. The expressed numbers of years estimates are the result of simulated, accelerated tests conducted by Canon Inc., and do not represent a product guarantee.



SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS:

CANON SINGAPORE PTE. LTD.

1 HarbourFront Avenue #04-01 Keppel Bay Tower Singapore 098632 Tel: 65-6799 8888 Fax: 65-6799 8882

www.canon-asia.com

CANON OFFICES

INDIA:

Canon India Pvt. Ltd. Tel: 91-124-4160 000 Fax: 91-124-4160 011 www.canon.co.in

MALAYSIA:

Canon Marketing (Malaysia) Sdn. Bhd. Tel: 603-7844 6000 Fax: 603-7845 0505 www.canon.com.my

SINGAPORE:

Canon Singapore Pte. Ltd. Tel: 65-6799 8888 Fax: 65-6221 7577 www.canon.com.sq

THAILAND:

Canon Marketing (Thailand) Co. Ltd. Tel: 66-2-3449 999 Fax: 66-2-3449 967-68 www.canon.co.th

VIETNAM:

Canon Singapore Pte. Ltd. Ho Chi Minh City Representative Office & Showroom Tel: 84-8-8200 466 Fax: 84-8-8200 477 www.canon.com.vn

Hanoi Representative Office Tel: 84-4-7711 677 Fax: 84-4-7711 678 www.canon.com.vn

CANON BUSINESS PARTNERS

BANGLADESH:

J.A.N. Associates Tel: 880-2-8611 444 Fax: 880-2-8610 410

BRUNEI:

Interhouse Company Tel: 673-2-653 001 Fax: 673-2-653 003

CAMBODIA:

i-Qlick (Cambodia) Pte. Ltd. Tel: 855-23-996 638 Fax: 855-23-996 639

INDONESIA:

P. T. Datascrip Tel: 62-21-2664 8999 Fax: 62-21-6544 811-13 www.canon.co.id

MALDIVES:

SIMDI Tel: 960-333 4421 Fax: 960-333 4424

MYANMAR:

Myanmar Golden Rock International Co. Ltd. Tel: 95-1-2020 92/3/4 Fax: 95-1-202 079

NEPAL:

International Electronics Concern (P) Ltd. Tel: 977-1-4421 991 Fax: 977-1-4421 909

PAKISTAN:

MBM International Tel: 92-21-3227 77093-4 Fax: 92-21-3438 6308

SRI LANKA:

Metropolitan Computers (Pvt.) Ltd. Tel: 94-11-2437 797 Fax: 94-11-2448 980

Dealer's Stamp