


Your business at your fingertips



## Effective

# control strategies

Retail premises are heavy energy consumers. They often have different zones, which have separate heating and cooling needs. In addition, they require fire and security systems for the premises as a whole. Our intelligent Tablet Controller with Daikin Cloud Service connection offers you the solution for controlling the different systems from one central point or via the cloud.

#### Easy and Central management

Intelligent Tablet Controller, our retail or small commercial management system gives you central control of your HVAC system. It's also intuitive and easy to use for you or your staff.

#### Zone by zone control


If you're looking for a total solution with zone by zone control of the climate and other building services, the Daikin Cloud Service is the answer. It maximises efficiency and reduces energy consumption and carbon emissions, while maintaining excellent levels of comfort.

#### Easy energy follow-up

You can also monitor your energy use in a highly visual way, and spot areas of energy waste and reduce your energy use thanks to the optional Daikin Cloud Service. What's more, you can benchmark different sites to further optimise your cost per square metre.

#### Remote access for multiple sites

Wherever you are, the optional Daikin Cloud Service gives you full control of one or more of your premises via your PC, tablet or smartphone.



# Why choose Daikin

# intelligent Tablet Controller?

#### User-friendly, intuitive control

- ✓ The intuitive touchscreen makes the interface very user-friendly
- Ensures optimum customer comfort and energy efficiency by limiting the staff's ability to change settings

#### Comfortable, cost-effective control

- ✓ The system schedules can be set to take account of different requirements at different times of day, namely pre-trade (before opening hours), trade (opening hours) and post-trade (after closing time). They ensure that only the essential heating or cooling is operating when required
- ✓ The system ensures maximum comfort during opening hours, as each indoor unit can be controlled individually according to shop zone to create a tailor-made climate for that zone
- Cost-effective, as you only need only one plug and play control for the whole building.






# Why choose

# Daikin Cloud Service?

## Remote control and multi-site monitoring for facility managers


- As an owner, you can be relaxed in the knowledge that you can control and monitor your premises whenever you want, wherever you are
- Key account/technical managers have the convenience of a single, centralised controller for controlling and monitoring all their premises
- ✓ Installers/facility managers can check any errors remotely without having to worry about going to the premises.

#### Multi-site monitoring



# Energy consumption follow-up and benchmarking

- You can spot and reduce energy waste by comparing different premises
- Complies with energy monitoring and legislation, reducing running costs



Daikin Cloud Service requires an annual subscription. Contact your local sales representative for more information.




# Flexible and secure

## management

## Flexible local solution


Manage your premises according to your needs, using a local, easy to use touchscreen control or remotely via Daikin Cloud Service, or a combination of both.





## Control, no matter where you are

The combination of the Daikin intelligent Tablet Controller and Daikin Cloud Services gives you full control of one or more premises wherever you are, using your PC, tablet or smartphone.






Intuitive control from the cloud



Easy follow up of energy consumption



Multi-site control



## Reduce your cost per square metre

- ✓ Detect sources of energy waste and reduce energy use
- ✓ Compare different sites to find heavy energy users and optimise their operation
- ▼ Central control of all devices eliminates any risk of simultaneous heating and cooling in situations where a separate heating device is installed
- ✓ Complies with energy follow-up and legislation, reducing running costs

#### Grows with your business


The optional Daikin Cloud Service has been designed to make building monitoring and management even easier, especially for smaller commercial premises. Not only can you control your system from wherever you are, Daikin Cloud Service also allows you to grow your control system as your business grows. Just add new functions or premises when needed.

#### Extra secure


The Daikin Cloud Service uses a secured communication (polling mechanism) to manage and control the building. This is highly secure, protecting your company's network. If required, the Daikin Cloud Service can even work outside your company's network using the Daikin supplied 3G/4G router.


# **Applications**


# Flexibility for different premises













#### DCC601A51



#### Specifications

				DCC601A51	
Power input kW			kW	0.015 (1)	
Maximum number of connectable indoor units				32	
Maximum number of connectable outdoor units				7	
Dimensions	Unit	HeightxWidthxDepth mm 136x384x92		136x384x92	
Ambient temperature	Operation	Min.	°C	-10	
		Max.	°C	50	
	Storage	Min.	°C	-20	
		Max.	°C	60	
	Relative humidity <		%	85	
Communication	DIII-NET	Quantity		1	
		Remark		DIII-NET (F1F2)	
	Ethernet	Quantity		1	
	Input terminal	Digital	Quantity	4	
	Frequency		Hz	50/60	
	Voltage		٧	110-240 AC	
Current	Maximum fuse am	nps (MFA)	Α	16	

(1) Includes the power input of the power supply, the CPU module and the I/O module | The dimensions include the power supply, the CPU module, the I/O module and the necessary space in between the different parts | The dimensions of the optional screen are: height: 209mm, width: 123mm, depth: 8.5mm

Functions overview		Local solution	Cloud solution	
Languages		Depends on local device	EN, DE, FR, NL, ES, IT, EL, PT, RU, TR, DA, SV, NO, FI, CS, HR, HU, PL, RO, SL, BG, SK	
System layout	N° of connectable indoor units	32	unlimited (depends on subscription)	
	Multiple sites control		•	
Monitoring & control	Basic control functions (ON/OFF, mode, filter sign, setpoint, fan speed, ventilation mode, room temperature,)	•	•	
	Remote control prohibition	•	•	
	All devices ON/OFF	•	•	
	Zone control		•	
	Group control	•	•	
	Weekly schedule	•	•	
	Yearly schedule		•	
	Interlock control	•	•	
	Set point limitation		•	
	Visualisation of energy use per operation mode		•	
Connectable to	DX split, Sky Air, VRV	•	•	
	VAM, VKM ventilation	•	•	
	Air curtains	•	•	

Options	Intelligent Controller			
		Options for local control	Cloud options	Software
Zenpad 8" Tablet for local control	Z380C	•	-	-
Asus 4G-N12 router	4G-N12	•	-	_
Online control - for remote montoring and control	DCC001A51	-	•	-
Multi site – for remote monitoring, control and comparison of multiple sites (needed for each site)	DCC002A51	-	•	-
Full – contains packs DCC001/002/003A51	DCC004A51	-	•	-
App for tablet – Application to run on Z380C tablet (download from Play store, Android only)	-	-	•	
Commissioning tool	-	-	•	
Software update tool	_	-	•	

 $Daik in \ Cloud \ Service \ requires \ an \ annual \ subscription. \ Contact \ your \ local \ sales \ representative \ for \ more \ information.$ 







- > Europe's first light commercial cassette system using R-32 refrigerant
- > Exclusive combination with Daikin original Auto-cleaning round flow cassette
- > 68% lower carbon footprint than R-410A equivalents
- > Highest seasonal efficiencies with a SEER rating of up to 7.35
- > 15% lower refrigerant charge than R-410A based systems
- > Does not require annual refrigerant containment check
- Packed with new features continuous low noise operation, 5-step fan speed control, extended piping length up to 85m
- > Available with the new Daikin intelligent Tablet controller

Look no further for unbeatable design, 360° comfort, highest energy efficiency, lowest environmental impact and reduced lifecycle costs

Join the mission today with Daikin.
Visit www.daikineurope.com/commercial/bluevolution










Daikin Europe N.V. Naamloze Vennootschap Zandvoordestraat 300 · 8400 Oostende · Belgium · www.daikin.eu · BE 0412 120 336 · RPR Oostende (Responsible Editor)



ECPEN17-303





The present publication is drawn up by way of information only and does not constitute an offer binding upon Daikin Europe N.V. Daikin Europe N.V. has compiled the content of this publication to the best of its knowledge. No express or implied warranty is given for the completeness, accuracy, reliability or fitness for particular purpose of its content and the products and services presented therein. Specifications are subject to change without prior notice. Daikin Europe N.V. explicitly rejects any liability for any direct or indirect damage, in the broadest sense, arising from or related to the use and/or interpretation of this publication. All content is copyrighted by Daikin Europe N.V.