

IPS Price List - Effective 8/2/21

Ductile Iron Fittings (Cat. A)
Page 4-11



Stainless Steel Fittings (Cat. A)
Page 12



Self-Restrained Fittings (Cat. B)
Page 13-15



Joint Restraint System (Cat. B)
Page 15-17



Angle Valve Connection (Cat. C)
Page 18-19



Lateral Connection (Cat. C)
Pages 19-20




Globe Valve Connection (Cat. C)
Page 20



Saddles (Cat. C)
Pages 21-22




L2 Quick Coupler Valves (Cat. C)
Page 22



Stainless Steel Valves (Cat. C)
Page 23



Mainline Gate Valves (Cat. D)
Page 24



HDPE Products (Cat. E)
Page 25




TABLE OF CONTENTSFor latest update and additions visit www.leemco.com

	Page	Discount Category
Ductile Iron Fittings		
Repair Couplings (No Pipe Stop)	4	A
Couplings	4	A
Adjustable Elbow (0-160 Degree Bend)	4	A
Flanged Fittings	4	A
Bends	5	A
Links (For SBR's, Caps & Plugs)	5	A
Service (Tapped) Tees	6	A
Tees (Bell x Bell x Bell)	6,7,8,9	A
Concentric (Bell x Bell) Reducers	9	A
SBR (Spigot x Bell) Reducers	10	A
Plugs	10	A
Tapped Plugs	10	A
Caps	11	A
Tapped Caps	11	A
Male Adapters (Bell x MPT)	11	A
ACME Adapters (MPT x ACME)	11	A
Valve Boxes (For Quick Coupling Valves)	12	A
Links, Gaskets & Saddle Parts	12	A
Stainless Steel Fittings		
Stainless Steel Fittings (FPT) & Nipples (MPT)	12	A
Self-Restrained Ductile Iron Fittings		
Bends	13	B
Flange x Spigot Adapters	13	B
Flange x Bell Adapters	13	B
Reducing 90 (Bell x Bell)	13	B
Tapped 90 (Bell x FPT)	14	B
Concentric (Bell x Bell) Reducers	14	B
Caps	14	B
Tapped Caps (FPT)	14	B
Tapped Caps (ACME outlet)	14	B
Repair Couplings	15	B
Male Adapters (Bell x MPT)	15	B
Adapters (Bell x FPT)	15	B
QCV Stabilizers		
Quick Coupling Valve Stabilizer	15	B
Joint Restraints		
LH-Series (Pipe to Fitting)	15	B
LH-Series C-Clamps (Pipe to Fitting)	15	B
LPP-Series (Pipe to Pipe)	16	B
LB-Series (Pipe to Pipe)	16	B
LG-Series (Pipe to Pipe) For Mainline Gate Valves	16	B
LGK-Series (Pipe to Fitting) For Mainline Gate Valves	16	B
LMJ-Series (Pipe to Valve) For MJ Fittings & Valves	16	B
Joint Restraint Parts (Tie-Bars & Links)	17	B

TABLE OF CONTENTSFor latest update and additions visit www.leemco.com

	Page	Discount Category
Joint Restraints		
C-Clamps for Bell Ends	17	B
Stainless Steel Hardware (Bolt, Nut, Washer Sets)	17	B
Tools		
Hole Saw (1-1/2" Saddle Port)	17	B
Hole Saw Pilot Bit	17	B
Torque Wrench (20 - 150 LBS.)	17	B
Deburring Tool	17	B
Lateral Connection System		
LV-Series Angle Valves	18	C
LV-Series Angle Valves Parts (Covers, Clamps)	18	C
LT-Series Tee for LV-Valves	19	C
LX-Series Riser Extensions For LV-Valves	19	C
LR90 Swivel (Spigot x Bell) Adapters	19	C
Adapters (LMA, FMA & LFA-Series)	19	C
LMN-Series Adapters (Spigot x MPT)	19	C
Inlet Adapters for LV-Series Valves (LXF & LXM)	19	C
LGV-Series Globe Valves	20	C
LX3-Series Riser Extensions For LGV-Valves	20	C
L90 & L180 (Spigot x Bell) Adapters	20	C
LF90 & LF180 (Spigot x FPT) LAT Adapters	20	C
L90 & L180 (Spigot x MPT) LAT Adapters	20	C
L90 Restrained LAT Adapters	20	C
Saddles		
RSLS-Series Saddles SS Single Strap for LV-Valves	21	C
RDLS-Series Saddles SS Double Strap for LV-Valves	21	C
RSST-Series FPT Saddles w/ SS Single Strap	21	C
RSDT-Series FPT Saddles w/ SS Double Strap	22	C
Stainless Steel Lateral Saddles (FPT & ACME)	22	C
Stainless Steel Valves		
L2 Stainless Steel Quick Coupler Valves	22	C
Ball Valves (FPT)	23	C
Gate Valves (FPT)	23	C
Mainline Resilient Wedge Gate Valves		
LMV (Bell x Bell)	24	D
LMV (Spigot x Bell)	24	D
LMV (Flange x Flange)	24	D
LMV (MJ x MJ)	25	D
HDPE Products		
Stainless Steel Internal Pipe Stiffeners	25	E
LMV-xxBBHDSS HDPE Mainline Gate Valve Kit	25	E

Specifications (Pages 26-27) Installation Guide (Pages 28-31) Conditions of Sale (Page 32)



Repair Couplings (no pipe stop)

Model No.	Description	Wt. lbs.	List Price
SB-300RC	3, Repair Coupling	10	\$110.00
SB-400RC	4, Repair Coupling	14	\$139.00
SB-600RC	6, Repair Coupling	26	\$217.00
SB-800RC	8, Repair Coupling	46	\$255.00
SB-1000RC	10, Repair Coupling	86	\$347.00
SB-1200RC	12, Repair Coupling	110	\$520.00



Gasket (for repair couplings only)

Model No.	Description	Wt. lbs.	List Price
RC-3G	3, Repair Coupling Gasket	0.2	\$11.00
RC-4G	4, Repair Coupling Gasket	0.3	\$13.00
RC-6G	6, Repair Coupling Gasket	0.4	\$19.00
RC-8G	8, Repair Coupling Gasket	0.6	\$22.00
RC-10G	10, Repair Coupling Gasket	1.2	\$37.00
RC-12G	12, Repair Coupling Gasket	1.7	\$49.00



SIDE VIEW

Adjustable Elbow (0-160 degree bend)

Model No.	Description	Wt. lbs.	List Price
SB-33ADJ-EL	3, Adjustable Elbow	48	\$281.00
SB-44ADJ-EL	4, Adjustable Elbow	68	\$343.00

NOTE: Elbow can be adjusted to make several types of bends (0-160 degrees). LH-Series joint restraints can be used.



Category A

Coupling (not suited for repairs)

Model No.	Description	Wt. lbs.	List Price
SB-11C	2, Coupling	6	\$83.00
SB-22C	2.5, Coupling	8	\$86.00
SB-33C	3, Coupling	10	\$164.00
SB-44C	4, Coupling	22	\$181.00
SB-66C	6, Coupling	39	\$202.00
SB-88C	8, Coupling	47	\$288.00
SB-1010C	10, Coupling	68	\$572.00
SB-1212C	12, Coupling	101	\$644.00
SBD-1414C	14, Coupling (DPS)	177	\$1,197.00
SBD-1616C	16, Coupling (DPS)	220	\$1,563.00



Ductile Iron Fittings (Flange x Flange)

Model No.	Description	Wt. lbs.	List Price
FF-390	3, 90 Bend, F x F	20	\$65.00
FF-490	4, 90 Bend, F x F	34	\$100.00
FF-333T	3, Tee F x F x F	28	\$94.00
FF-444T	4, Tee F x F x F	50	\$182.00
FF-390B	3, 90 Bend, F x F w/Base	27	\$99.00
FF-490B	4, 90 Bend, F x F w/Base	44	\$154.00
FF-333TB	3, Tee F x F x F w/Base	37	\$128.00
FF-444TB	4, Tee F x F x F w/Base	56	\$210.00
FF-312SPOOL	3 x 12 Spool, F x F	19	\$186.00
FF-412SPOOL	4 x 12 Spool, F x F	34	\$189.00
FF-348SPOOL	3 x 48 Spool, F x F	37	\$284.00
FF-448SPOOL	4 x 48 Spool, F x F	60	\$349.00

NOTE: Flange bolt, nut & gasket kits are sold separately. Please call Leemco for pricing.

14" and 16" are deep bell push-on DPS (C900) size



Tapered bell allows 80-100 degree pipe deflection

90-Degree Bend (1/4 Turn)...80-100 deflection

Model No.	Description	Wt. lbs.	List Price
SB-1590B	1.5, 90 Bend	4	\$48.00
SB-190B	2, 90 Bend	5	\$85.00
SB-290B	2.5, 90 Bend	8	\$92.00
SB-390B	3, 90 Bend	10	\$121.00
SB-490B	4, 90 Bend	22	\$142.00
SB-690B	6, 90 Bend	35	\$288.00
SB-890B	8, 90 Bend	62	\$366.00
SB-1090B	10, 90 Bend	97	\$699.00
SB-1290B	12, 90 Bend	137	\$738.00
SBD-1490B	14, 90 Bend (DPS)	220	\$1,242.00
SBD-1690B	16, 90 Bend (DPS)	300	\$1,647.00



Tapered bell allows 12-32 degree pipe deflection

22-Degree Bend (1/16 Turn)...12-32 deflection

Model No.	Description	Wt. lbs.	List Price
SB-1522B	1.5, 22 Bend	5	\$185.00
SB-222B	2.5, 22 Bend	6	\$86.00
SB-322B	3, 22 Bend	8	\$108.00
SB-422B	4, 22 Bend	18	\$130.00
SB-622B	6, 22 Bend	32	\$182.00
SB-822B	8, 22 Bend	48	\$327.00
SB-1022B	10, 22 Bend	66	\$608.00
SB-1222B	12, 22 Bend	100	\$627.00
SBD-1422B	14, 22 Bend (DPS)	178	\$1,149.00
SBD-1622B	16, 22 Bend (DPS)	238	\$1,563.00

14" and 16" are deep bell push-on DPS (C900) size



Tapered bell allows 35-55 degree pipe deflection

45-Degree Bend (1/8 Turn)...35-55 deflection

Model No.	Description	Wt. lbs.	List Price
SB-1545B	1.5, 45 Bend	4	\$165.00
SB-145B	2, 45 Bend	5	\$84.00
SB-245B	2.5, 45 Bend	6	\$86.00
SB-345B	3, 45 Bend	9	\$108.00
SB-445B	4, 45 Bend	19	\$134.00
SB-645B	6, 45 Bend	34	\$217.00
SB-845B	8, 45 Bend	50	\$337.00
SB-1045B	10, 45 Bend	75	\$508.00
SB-1245B	12, 45 Bend	103	\$729.00
SBD-1445B	14, 45 Bend (DPS)	224	\$1,197.00
SBD-1645B	16, 45 Bend (DPS)	255	\$1,609.00



Tapered bell allows 1-21 degree pipe deflection

11-Degree Bend (1/32 Turn)...1-21 deflection

Model No.	Description	Wt. lbs.	List Price
SB-611B	6, 11 Bend	25	\$231.00
SB-811B	8, 11 Bend	35	\$325.00
SB-1011B	10, 11 Bend	71	\$655.00
SB-1211B	12, 11 Bend	87	\$839.00
SBD-1411B	14, 11 Bend (DPS)	177	\$1,096.00
SBD-1611B	16, 11 Bend (DPS)	223	\$1,462.00



Links (Used with SBR, Cap & Plugs)

Model No.	Description	Wt. lbs.	List Price
SB-LK1	2-2.5 Link	0.4	\$21.00
SB-LK2	3-8 Link	1.2	\$22.00
SB-LK3	10-12 Link	2.5	\$31.00
SB-LK4	14-16 Link	3.2	\$36.00
SBLK-B1	1/4-20 x 7/8 Bolt	Nil	\$5.00
SBLK-B2	5/16-18 x 1.25 Bolt	Nil	\$5.00
SBLK-B3	3/8-16 x 1.25 Bolt	Nil	\$5.00

Category A



Taps are Female NPT

Service Tee (Tapped Tee)

Model No.	Description	Wt. lbs.	List Price
SB-1502ST	1.5 x 1 Service Tee	5	\$85.00
SB-102ST	2 x 1 Service Tee	6	\$70.00
SB-1025ST	2 x 1.25 Service Tee	6	\$72.00
SB-103ST	2 x 1.5 Service Tee	6	\$69.00
SB-104ST	2 x 2 Service Tee	14	\$159.00
SB-202ST	2.5 x 1 Service Tee	8	\$72.00
SB-2025ST	2.5 x 1.25 Service Tee	8	\$72.00
SB-203ST	2.5 x 1.5 Service Tee	8	\$72.00
SB-204ST	2.5 x 2 Service Tee	8	\$69.00
SB-302ST	3 x 1 Service Tee	10	\$141.00
SB-3025ST	3 x 1.25 Service Tee	10	\$141.00
SB-303ST	3 x 1.5 Service Tee	10	\$141.00
SB-304ST	3 x 2 Service Tee	10	\$141.00
SB-305ST	3 x 2.5 Service Tee	10	\$141.00
SB-402ST	4 x 1 Service Tee	22	\$156.00
SB-4025ST	4 x 1.25 Service Tee	22	\$156.00
SB-403ST	4 x 1.5 Service Tee	22	\$156.00
SB-404ST	4 x 2 Service Tee	22	\$153.00
SB-405ST	4 x 2.5 Service Tee	22	\$153.00
SB-406ST	4 x 3 Service Tee	22	\$153.00
SB-602ST	6 x 1 Service Tee	22	\$201.00
SB-603ST	6 x 1.5 Service Tee	29	\$201.00
SB-604ST	6 x 2 Service Tee	29	\$201.00
SB-605ST	6 x 2.5 Service Tee	29	\$201.00
SB-606ST	6 x 3 Service Tee	29	\$201.00
SB-802ST	8 x 1 Service Tee	47	\$285.00
SB-803ST	8 x 1.5 Service Tee	47	\$285.00
SB-804ST	8 x 2 Service Tee	47	\$285.00
SB-805ST	8 x 2.5 Service Tee	47	\$285.00
SB-806ST	8 x 3 Service Tee	47	\$285.00
SB-1002ST	10 x 1 Service Tee	68	\$572.00
SB-1003ST	10 x 1.5 Service Tee	68	\$572.00
SB-1004ST	10 x 2 Service Tee	68	\$572.00
SB-1005ST	10 x 2.5 Service Tee	68	\$572.00
SB-1006ST	10 x 3 Service Tee	68	\$572.00
SB-1202ST	12 x 1 Service Tee	101	\$644.00
SB-1203ST	12 x 1.5 Service Tee	101	\$644.00
SB-1204ST	12 x 2 Service Tee	101	\$644.00
SB-1205ST	12 x 2.5 Service Tee	101	\$644.00
SB-1206ST	12 x 3 Service Tee	101	\$644.00
SBD-1404ST	14 x 2 Service Tee (DPS)	176	\$1,197.00
SBD-1406ST	14 x 3 Service Tee (DPS)	176	\$1,197.00
SBD-1604ST	16 x 2 Service Tee (DPS)	219	\$1,563.00
SBD-1606ST	16 x 3 Service Tee (DPS)	219	\$1,563.00



The last digit is the branch outlet

Category A

Bell x Bell x Bell Tee

Model No.	Description	Wt. lbs.	List Price
SB-151515T	1.5 x 1.5 x 1.5 Tee	8	\$90.00
SB-15151T	1.5 x 1.5 x 2 Tee	8	\$197.00
SB-111T	2 x 2 x 2 Tee	9	\$90.00
SB-11515T	2 x 1.5 x 1.5 Tee	8	\$197.00
SB-1115T	2 x 2 x 1.5 Tee	8	\$149.00
SB-1151T	2 x 1.5 x 2 Tee	8	\$189.00
SB-112T	2 x 2 x 2.5 Tee	15	\$251.00
SB-113T	2 x 2 x 3 Tee	10	\$259.00
SB-114T	2 x 2 x 4 Tee	15	\$379.00
SB-211T	2.5 x 2 x 2 Tee	19	\$214.00
SB-212T	2.5 x 2 x 2.5 Tee	13	\$173.00
SB-213T	2.5 x 2 x 3 Tee	16	\$268.00
SB-2215T	2.5 x 2.5 x 1.5 Tee	13	\$223.00
SB-221T	2.5 x 2.5 x 2 Tee	13	\$141.00
SB-222T	2.5 x 2.5 x 2.5 Tee	11	\$99.00
SB-223T	2.5 x 2.5 x 3 Tee	13	\$195.00
SB-224T	2.5 x 2.5 x 4 Tee	16	\$384.00
SB-226T	2.5 x 2.5 x 6 Tee	30	\$692.00
SB-311T	3 x 2 x 2 Tee	10	\$275.00
SB-312T	3 x 2 x 2.5 Tee	17	\$288.00
SB-3153T	3 x 1.5 x 3 Tee	18	\$224.00
SB-313T	3 x 2 x 3 Tee	19	\$242.00
SB-314T	3 x 2 x 4 Tee	23	\$398.00
SB-321T	3 x 2.5 x 2 Tee	17	\$296.00
SB-322T	3 x 2.5 x 2.5 Tee	25	\$288.00
SB-323T	3 x 2.5 x 3 Tee	19	\$258.00
SB-324T	3 x 2.5 x 4 Tee	24	\$407.00
SB-3315T	3 x 3 x 1.5 Tee	18	\$241.00
SB-331T	3 x 3 x 2 Tee	19	\$205.00
SB-332T	3 x 3 x 2.5 Tee	19	\$208.00
SB-333T	3 x 3 x 3 Tee	13	\$172.00
SB-334T	3 x 3 x 4 Tee	18	\$379.00
SB-336T	3 x 3 x 6 Tee	26	\$672.00
SB-411T	4 x 2 x 2 Tee	26	\$311.00
SB-412T	4 x 2 x 2.5 Tee	22	\$324.00
SB-413T	4 x 2 x 3 Tee	32	\$315.00
SB-4154T	4 x 1.5 x 4 Tee	37	\$362.00
SB-414T	4 x 2 x 4 Tee	38	\$306.00
SB-416T	4 x 2 x 6 Tee	37	\$696.00
SB-422T	4 x 2.5 x 2.5 Tee	16	\$291.00
SB-423T	4 x 2.5 x 3 Tee	32	\$311.00
SB-424T	4 x 2.5 x 4 Tee	38	\$300.00

14" and 16" are deep bell push-on DPS (C900) size



The last digit is the branch outlet

Bell x Bell x Bell Tee (continued)

Model No.	Description	Wt. lbs.	List Price
SB-426T	4 x 2.5 x 6 Tee	38	\$729.00
SB-428T	4 x 2.5 x 8 Tee	138	\$936.00
SB-431T	4 x 3 x 2 Tee	32	\$303.00
SB-432T	4 x 3 x 2.5 Tee	33	\$303.00
SB-433T	4 x 3 x 3 Tee	33	\$296.00
SB-434T	4 x 3 x 4 Tee	40	\$306.00
SB-436T	4 x 3 x 6 Tee	40	\$691.00
SB-438T	4 x 3 x 8 Tee	139	\$929.00
SB-4415T	4 x 4 x 1.5 Tee	23	\$156.00
SB-441T	4 x 4 x 2 Tee	24	\$208.00
SB-442T	4 x 4 x 2.5 Tee	30	\$212.00
SB-443T	4 x 4 x 3 Tee	22	\$219.00
SB-444T	4 x 4 x 4 Tee	32	\$223.00
SB-446T	4 x 4 x 6 Tee	32	\$636.00
SB-448T	4 x 4 x 8 Tee	139	\$876.00
SB-614T	6 x 2 x 4 Tee	54	\$509.00
SB-616T	6 x 2 x 6 Tee	65	\$523.00
SB-618T	6 x 2 x 8 Tee	136	\$866.00
SB-623T	6 x 2.5 x 3 Tee	53	\$443.00
SB-624T	6 x 2.5 x 4 Tee	55	\$498.00
SB-626T	6 x 2.5 x 6 Tee	53	\$523.00
SB-628T	6 x 2.5 x 8 Tee	136	\$875.00
SB-631T	6 x 3 x 2 Tee	56	\$443.00
SB-632T	6 x 3 x 2.5 Tee	57	\$443.00
SB-633T	6 x 3 x 3 Tee	51	\$443.00
SB-634T	6 x 3 x 4 Tee	55	\$488.00
SB-636T	6 x 3 x 6 Tee	64	\$516.00
SB-638T	6 x 3 x 8 Tee	139	\$902.00
SB-641T	6 x 4 x 2 Tee	42	\$439.00
SB-642T	6 x 4 x 2.5 Tee	51	\$461.00
SB-643T	6 x 4 x 3 Tee	52	\$461.00
SB-644T	6 x 4 x 4 Tee	62	\$498.00
SB-646T	6 x 4 x 6 Tee	65	\$515.00
SB-648T	6 x 4 x 8 Tee	138	\$888.00
SB-661T	6 x 6 x 2 Tee	30	\$275.00
SB-662T	6 x 6 x 2.5 Tee	32	\$282.00
SB-663T	6 x 6 x 3 Tee	33	\$282.00
SB-664T	6 x 6 x 4 Tee	40	\$337.00
SB-666T	6 x 6 x 6 Tee	51	\$361.00
SB-668T	6 x 6 x 8 Tee	140	\$902.00
SB-6610T	6 x 6 x 10 Tee	200	\$1,490.00
SB-814T	8 x 2 x 4 Tee	68	\$655.00
SB-816T	8 x 2 x 6 Tee	89	\$672.00



The last digit is the branch outlet

Category A

Bell x Bell x Bell Tee (continued)

Model No.	Description	Wt. lbs.	List Price
SB-818T	8 x 2 x 8 Tee	111	\$680.00
SB-824T	8 x 2.5 x 4 Tee	71	\$706.00
SB-826T	8 x 2.5 x 6 Tee	92	\$710.00
SB-828T	8 x 2.5 x 8 Tee	114	\$716.00
SB-833T	8 x 3 x 3 Tee	72	\$637.00
SB-834T	8 x 3 x 4 Tee	74	\$706.00
SB-836T	8 x 3 x 6 Tee	92	\$710.00
SB-838T	8 x 3 x 8 Tee	114	\$718.00
SB-842T	8 x 4 x 2.5 Tee	76	\$582.00
SB-843T	8 x 4 x 3 Tee	72	\$682.00
SB-844T	8 x 4 x 4 Tee	74	\$695.00
SB-846T	8 x 4 x 6 Tee	91	\$699.00
SB-848T	8 x 4 x 8 Tee	113	\$708.00
SB-8410T	8 x 4 x 10 Tee	218	\$1,707.00
SB-8412T	8 x 4 x 12 Tee	302	\$2,151.00
SB-863T	8 x 6 x 3 Tee	72	\$556.00
SB-864T	8 x 6 x 4 Tee	74	\$699.00
SB-866T	8 x 6 x 6 Tee	92	\$704.00
SB-868T	8 x 6 x 8 Tee	110	\$710.00
SB-8610T	8 x 6 x 10 Tee	189	\$1,490.00
SB-8612T	8 x 6 x 12 Tee	235	\$1,984.00
SB-881T	8 x 8 x 2 Tee	40	\$379.00
SB-882T	8 x 8 x 2.5 Tee	54	\$384.00
SB-883T	8 x 8 x 3 Tee	47	\$364.00
SB-884T	8 x 8 x 4 Tee	49	\$509.00
SB-886T	8 x 8 x 6 Tee	71	\$512.00
SB-888T	8 x 8 x 8 Tee	89	\$522.00
SB-8810T	8 x 8 x 10 Tee	221	\$1,517.00
SB-8812T	8 x 8 x 12 Tee	304	\$2,012.00
SB-10210T	10 x 2.5 x 10 Tee	175	\$1,030.00
SB-1034T	10 x 3 x 4 Tee	117	\$1,084.00
SB-1036T	10 x 3 x 6 Tee	149	\$929.00
SB-1038T	10 x 3 x 8 Tee	161	\$1,013.00
SB-10310T	10 x 3 x 10 Tee	172	\$1,030.00
SB-10312T	10 x 3 x 12 Tee	298	\$2,113.00
SB-1043T	10 x 4 x 3 Tee	122	\$1,186.00
SB-1044T	10 x 4 x 4 Tee	117	\$1,462.00
SB-1046T	10 x 4 x 6 Tee	149	\$1,323.00
SB-1048T	10 x 4 x 8 Tee	161	\$1,343.00
SB-10410T	10 x 4 x 10 Tee	172	\$1,361.00
SB-10412T	10 x 4 x 12 Tee	303	\$2,167.00
SB-1063T	10 x 6 x 3 Tee	86	\$1,222.00
SB-1064T	10 x 6 x 4 Tee	122	\$1,247.00



The last digit is the branch outlet
I = Iron Pipe Size (IPS)
D = Ductile Pipe Size (DPS)

Category A

Bell x Bell x Bell Tee (continued)

Model No.	Description	Wt. lbs.	List Price
SB-1066T	10 x 6 x 6 Tee	154	\$1,112.00
SB-1068T	10 x 6 x 8 Tee	166	\$1,132.00
SB-10610T	10 x 6 x 10 Tee	177	\$1,148.00
SB-10612T	10 x 6 x 12 Tee	296	\$2,066.00
SB-1082T	10 x 8 x 2.5 Tee	120	\$1,278.00
SB-1083T	10 x 8 x 3 Tee	121	\$1,002.00
SB-1084T	10 x 8 x 4 Tee	123	\$1,233.00
SB-1086T	10 x 8 x 6 Tee	155	\$1,121.00
SB-1088T	10 x 8 x 8 Tee	167	\$1,141.00
SB-10810T	10 x 8 x 10 Tee	178	\$1,148.00
SB-10812T	10 x 8 x 12 Tee	310	\$2,040.00
SB-10101T	10 x 10 x 2 Tee	71	\$637.00
SB-10102T	10 x 10 x 2.5 Tee	74	\$644.00
SB-10103T	10 x 10 x 3 Tee	75	\$663.00
SB-10104T	10 x 10 x 4 Tee	77	\$875.00
SB-10106T	10 x 10 x 6 Tee	109	\$773.00
SB-10108T	10 x 10 x 8 Tee	110	\$792.00
SB-101010T	10 x 10 x 10 Tee	132	\$810.00
SB-101012T	10 x 10 x 12 Tee	300	\$2,151.00
SB-101014T	10 x 10 x 14 Tee	505	\$2,664.00
SB-101214T	10 x 12 x 14 Tee	510	\$3,434.00
SB-12310T	12 x 3 x 10 Tee	207	\$2,113.00
SB-12312T	12 x 3 x 12 Tee	236	\$1,701.00
SB-1246T	12 x 4 x 6 Tee	175	\$1,250.00
SB-1248T	12 x 4 x 8 Tee	181	\$1,379.00
SB-12410T	12 x 4 x 10 Tee	198	\$2,113.00
SB-12412T	12 x 4 x 12 Tee	227	\$1,809.00
SB-1261T	12 x 6 x 2 Tee	152	\$1,059.00
SB-1262T	12 x 6 x 2.5 Tee	152	\$1,047.00
SB-1263T	12 x 6 x 3 Tee	153	\$1,186.00
SB-1264T	12 x 6 x 4 Tee	155	\$1,058.00
SB-1266T	12 x 6 x 6 Tee	182	\$1,186.00
SB-1268T	12 x 6 x 8 Tee	188	\$1,976.00
SB-12610T	12 x 6 x 10 Tee	205	\$1,617.00
SB-12612T	12 x 6 x 12 Tee	234	\$1,653.00
SB-1281T	12 x 8 x 2 Tee	169	\$1,048.00
SB-1282T	12 x 8 x 2.5 Tee	169	\$1,058.00
SB-1283T	12 x 8 x 3 Tee	169	\$1,067.00
SB-1284T	12 x 8 x 4 Tee	171	\$1,086.00
SB-1286T	12 x 8 x 6 Tee	197	\$1,086.00
SB-1288T	12 x 8 x 8 Tee	203	\$1,186.00
SB-12810T	12 x 8 x 10 Tee	220	\$1,976.00

Bell x Bell x Bell Tee (continued)

Model No.	Description	Wt. lbs.	List Price
SB-12812T	12 x 8 x 12 Tee	250	\$1,663.00
SB-12101T	12 x 10 x 2 Tee	166	\$1,121.00
SB-12102T	12 x 10 x 2.5 Tee	169	\$1,132.00
SB-12103T	12 x 10 x 3 Tee	170	\$1,141.00
SB-12104T	12 x 10 x 4 Tee	172	\$1,271.00
SB-12106T	12 x 10 x 6 Tee	197	\$1,121.00
SB-12108T	12 x 10 x 8 Tee	203	\$1,233.00
SB-121010T	12 x 10 x 10 Tee	220	\$2,040.00
SB-121012T	12 x 10 x 12 Tee	250	\$1,737.00
SB-12121T	12 x 12 x 2 Tee	104	\$699.00
SB-12122T	12 x 12 x 2.5 Tee	106	\$709.00
SB-12123T	12 x 12 x 3 Tee	107	\$718.00
SB-12124T	12 x 12 x 4 Tee	109	\$866.00
SB-12126T	12 x 12 x 6 Tee	234	\$7,297.00
SB-12128T	12 x 12 x 8 Tee	248	\$846.00
SB-121210T	12 x 12 x 10 Tee	250	\$1,637.00
SB-121212T	12 x 12 x 12 Tee	187	\$1,224.00
SB-121214T	12 x 12 x 14 Tee (I-I-D)	640	\$3,490.00
SB-121216T	12 x 12 x 16 Tee (I-I-D)	680	\$4,297.00
SB-14102T	14 x 10 x 2.5 Tee (D-I-I)	280	\$1,695.00
SB-14103T	14 x 10 x 3 Tee (D-I-I)	280	\$1,705.00
SB-14104T	14 x 10 x 4 Tee (D-I-I)	282	\$1,719.00
SB-14106T	14 x 10 x 6 Tee (D-I-I)	535	\$3,765.00
SB-14108T	14 x 10 x 8 Tee (D-I-I)	536	\$3,765.00
SB-141010T	14 x 10 x 10 Tee (D-I-I)	504	\$3,381.00
SB-141012T	14 x 10 x 12 Tee (D-I-I)	511	\$3,435.00
SB-141014T	14 x 10 x 14 Tee (D-I-D)	407	\$2,655.00
SB-141016T	14 x 10 x 16 Tee (D-I-D)	762	\$4,738.00
SB-14122T	14 x 12 x 2.5 Tee (D-I-I)	283	\$1,756.00
SB-14123T	14 x 12 x 3 Tee (D-I-I)	286	\$1,764.00
SB-14124T	14 x 12 x 4 Tee (D-I-I)	288	\$1,775.00
SB-14126T	14 x 12 x 6 Tee (D-I-I)	542	\$3,775.00
SB-14128T	14 x 12 x 8 Tee (D-I-I)	544	\$3,775.00
SB-141210T	14 x 12 x 10 Tee (D-I-I)	511	\$3,434.00
SB-141212T	14 x 12 x 12 Tee (D-I-I)	513	\$3,489.00
SB-141214T	14 x 12 x 14 Tee (D-I-D)	414	\$2,710.00
SB-141216T	14 x 12 x 16 Tee (D-I-D)	700	\$4,352.00
SB-14142T	14 x 14 x 2.5 Tee (D-D-I)	177	\$971.00
SB-14143T	14 x 14 x 3 Tee (D-D-I)	180	\$979.00
SB-14144T	14 x 14 x 4 Tee (D-D-I)	182	\$1,172.00
SB-14146T	14 x 14 x 6 Tee (D-D-I)	438	\$2,995.00
SB-14148T	14 x 14 x 8 Tee (D-D-I)	440	\$2,995.00
SB-141410T	14 x 14 x 10 Tee (D-D-I)	407	\$2,655.00
SB-141412T	14 x 14 x 12 Tee (D-D-I)	414	\$2,710.00
SBD-141414T	14 x 14 x 14 Tee (D-D-D)	310	\$1,931.00
SBD-141416T	14 x 14 x 16 Tee (D-D-D)	720	\$4,407.00



The last digit is the branch outlet
I = Iron Pipe Size (IPS)
D = Ductile Pipe Size (DPS)

Bell x Bell x Bell Tee (continued)

Model No.	Description	Wt. lbs.	List Price
SB-16102T	16 x 10 x 2.5 Tee (D-I-I)	229	\$3,022.00
SB-16103T	16 x 10 x 3 Tee (D-I-I)	229	\$3,031.00
SB-16104T	16 x 10 x 4 Tee (D-I-I)	229	\$3,042.00
SB-16106T	16 x 10 x 6 Tee (D-I-I)	787	\$5,023.00
SB-16108T	16 x 10 x 8 Tee (D-I-I)	788	\$5,040.00
SB-161010T	16 x 10 x 10 Tee (D-I-I)	804	\$5,067.00
SB-161012T	16 x 10 x 12 Tee (D-I-I)	742	\$4,684.00
SB-161014T	16 x 10 x 14 Tee (D-I-D)	742	\$4,378.00
SB-161016T	16 x 10 x 16 Tee (D-I-D)	612	\$3,683.00
SB-16121T	16 x 12 x 2 Tee (D-I-I)	222	\$3,119.00
SB-16123T	16 x 12 x 3 Tee (D-I-I)	226	\$2,637.00
SB-16124T	16 x 12 x 4 Tee (D-I-I)	230	\$2,655.00
SB-16126T	16 x 12 x 6 Tee (D-I-I)	725	\$4,986.00
SB-16128T	16 x 12 x 8 Tee (D-I-I)	727	\$4,655.00
SB-161210T	16 x 12 x 10 Tee (D-I-I)	742	\$4,684.00
SB-161212T	16 x 12 x 12 Tee (D-I-I)	680	\$4,297.00
SB-161214T	16 x 12 x 14 Tee (D-I-D)	700	\$4,352.00
SB-161216T	16 x 12 x 16 Tee (D-I-D)	550	\$3,297.00
SB-16141T	16 x 14 x 2 Tee (D-D-I)	369	\$2,673.00
SB-16143T	16 x 14 x 3 Tee (D-D-I)	372	\$2,693.00
SB-16144T	16 x 14 x 4 Tee (D-D-I)	375	\$2,710.00
SB-16146T	16 x 14 x 6 Tee (D-D-I)	745	\$4,693.00
SB-16148T	16 x 14 x 8 Tee (D-D-I)	747	\$4,710.00
SB-161410T	16 x 14 x 10 Tee (D-D-I)	762	\$4,738.00
SB-161412T	16 x 14 x 12 Tee (D-D-I)	700	\$4,352.00
SBD-161414T	16 x 14 x 14 Tee (D-D-D)	720	\$4,407.00
SBD-161416T	16 x 14 x 16 Tee (D-D-D)	570	\$3,353.00
SB-16162T	16 x 16 x 2.5 Tee (D-D-I)	223	\$1,637.00
SB-16163T	16 x 16 x 3 Tee (D-D-I)	225	\$1,647.00
SB-16164T	16 x 16 x 4 Tee (D-D-I)	228	\$1,653.00
SB-16166T	16 x 16 x 6 Tee (D-D-I)	585	\$6,489.00
SB-16168T	16 x 16 x 8 Tee (D-D-I)	586	\$3,555.00
SB-161610T	16 x 16 x 10 Tee (D-D-I)	612	\$3,683.00
SB-161612T	16 x 16 x 12 Tee (D-D-I)	550	\$3,297.00
SBD-161614T	16 x 16 x 14 Tee (D-D-D)	570	\$3,353.00
SBD-161616T	16 x 16 x 16 Tee (D-D-D)	420	\$2,297.00

NOTE: Please refer to our DPS (C900) Price List for all DPS (C900) fitting sizes and pricing.

Available @ WWW.LEEMCO.COM



Category A

Links are included & attached to fitting.

Bell x Bell (Concentric) Reducer

Model No.	Description	Wt. lbs.	List Price
SB-115R	2 x 1.5 Bell x Bell	9	\$185.00
SB-21R	2.5 x 2 Bell x Bell	11	\$136.00
SB-31R	3 x 2 Bell x Bell	16	\$159.00
SB-32R	3 x 2.5 Bell x Bell	17	\$176.00
SB-41R	4 x 2 Bell x Bell	30	\$202.00
SB-42R	4 x 2.5 Bell x Bell	31	\$205.00
SB-43R	4 x 3 Bell x Bell	33	\$208.00
SB-61R	6 x 2 Bell x Bell	45	\$363.00
SB-62R	6 x 2.5 Bell x Bell	45	\$349.00
SB-63R	6 x 3 Bell x Bell	42	\$330.00
SB-64R	6 x 4 Bell x Bell	46	\$178.00
SB-83R	8 x 3 Bell x Bell	73	\$415.00
SB-84R	8 x 4 Bell x Bell	72	\$407.00
SB-86R	8 x 6 Bell x Bell	73	\$241.00
SB-103R	10 x 3 Bell x Bell	105	\$783.00
SB-104R	10 x 4 Bell x Bell	105	\$902.00
SB-106R	10 x 6 Bell x Bell	110	\$692.00
SB-108R	10 x 8 Bell x Bell	111	\$695.00
SB-123R	12 x 3 Bell x Bell	151	\$919.00
SB-124R	12 x 4 Bell x Bell	156	\$1,132.00
SB-126R	12 x 6 Bell x Bell	149	\$826.00
SB-128R	12 x 8 Bell x Bell	163	\$832.00
SB-1210R	12 x 10 Bell x Bell	164	\$913.00
SB-144R	14 x 4 Bell x Bell (D-I)	300	\$2,179.00
SB-146R	14 x 6 Bell x Bell (D-I)	303	\$2,261.00
SB-148R	14 x 8 Bell x Bell (D-I)	305	\$2,261.00
SB-1410R	14 x 10 Bell x Bell (D-I)	272	\$1,921.00
SB-1412R	14 x 12 Bell x Bell (D-I)	279	\$1,974.00
SB-166R	16 x 6 Bell x Bell (D-I)	394	\$2,901.00
SB-168R	16 x 8 Bell x Bell (D-I)	395	\$2,921.00
SB-1610R	16 x 10 Bell x Bell (D-I)	400	\$2,985.00
SB-1612R	16 x 12 Bell x Bell (D-I)	350	\$2,564.00
SBD-1614R	16 x 14 Bell x Bell (D-D)	370	\$2,619.00

14" and 16" are deep bell push-on DPS (C900) size



Links are included with fitting
I = Iron Pipe Size (IPS)
D = Ductile Pipe Size (DPS)

Spigot x Bell Reducer (SBR)

Model No.	Description	Wt. lbs.	List Price
SB-115SBR	2 x 1.5 Spig x Bell	4	\$56.00
SB-215SBR	2.5 x 1.5 Spig x Bell	5	\$143.00
SB-21SBR	2.5 x 2 Spig x Bell	5	\$76.00
SB-315SBR	3 x 1.5 Spig x Bell	7	\$125.00
SB-31SBR	3 x 2 Spig x Bell	7	\$76.00
SB-32SBR	3 x 2.5 Spig x Bell	8	\$85.00
SB-41SBR	4 x 2 Spig x Bell	9	\$92.00
SB-42SBR	4 x 2.5 Spig x Bell	9	\$95.00
SB-43SBR	4 x 3 Spig x Bell	11	\$97.00
SB-61SBR	6 x 2 Spig x Bell	16	\$165.00
SB-62SBR	6 x 2.5 Spig x Bell	16	\$168.00
SB-63SBR	6 x 3 Spig x Bell	13	\$150.00
SB-64SBR	6 x 4 Spig x Bell	17	\$165.00
SB-81SBR	8 x 2 Spig x Bell	22	\$159.00
SB-82SBR	8 x 2.5 Spig x Bell	25	\$197.00
SB-83SBR	8 x 3 Spig x Bell	25	\$202.00
SB-84SBR	8 x 4 Spig x Bell	24	\$191.00
SB-86SBR	8 x 6 Spig x Bell	25	\$194.00
SB-101SBR	10 x 2 Spig x Bell	37	\$278.00
SB-102SBR	10 x 2.5 Spig x Bell	38	\$288.00
SB-103SBR	10 x 3 Spig x Bell	40	\$219.00
SB-104SBR	10 x 4 Spig x Bell	40	\$332.00
SB-106SBR	10 x 6 Spig x Bell	45	\$341.00
SB-108SBR	10 x 8 Spig x Bell	46	\$343.00
SB-121SBR	12 x 2 Spig x Bell	47	\$475.00
SB-122SBR	12 x 2.5 Spig x Bell	47	\$475.00
SB-123SBR	12 x 3 Spig x Bell	49	\$461.00
SB-124SBR	12 x 4 Spig x Bell	54	\$461.00
SB-126SBR	12 x 6 Spig x Bell	47	\$332.00
SB-128SBR	12 x 8 Spig x Bell	61	\$343.00
SB-1210SBR	12 x 10 Spig x Bell	62	\$415.00
SBD-141SBR-A	14 x 2 Spig x Bell (D-I)	125	\$940.00
SBD-142SBR-A	14 x 2.5 Spig x Bell (D-I)	125	\$949.00
SBD-143SBR-A	14 x 3 Spig x Bell (D-I)	127	\$966.00
SBD-144SBR-A	14 x 4 Spig x Bell (D-I)	127	\$986.00
SBD-146SBR-A	14 x 6 Spig x Bell (D-I)	128	\$1,068.00
SBD-148SBR-A	14 x 8 Spig x Bell (D-I)	129	\$1,067.00
SBD-1410SBR-A	14 x 10 Spig x Bell (D-I)	97	\$729.00
SBD-1412SBR-A	14 x 12 Spig x Bell (D-I)	104	\$783.00
SBD-161SBR-A	16 x 2 Spig x Bell (D-I)	167	\$1,242.00
SBD-162SBR-A	16 x 2.5 Spig x Bell (D-I)	167	\$1,250.00
SBD-163SBR-A	16 x 3 Spig x Bell (D-I)	170	\$1,271.00
SBD-164SBR-A	16 x 4 Spig x Bell (D-I)	170	\$1,287.00

Category A

Spigot x Bell Reducer (SBR)

Model No.	Description	Wt. lbs.	List Price
SBD-166SBR-A	16 x 6 Spig x Bell (D-I)	175	\$1,343.00
SBD-168SBR-A	16 x 8 Spig x Bell (D-I)	176	\$1,361.00
SBD-1610SBR-A	16 x 10 Spig x Bell (D-I)	192	\$1,389.00
SBD-1612SBR-A	16 x 12 Spig x Bell (D-I)	130	\$1,003.00
SBD-1614SBR	16 x 14 Spig x Bell (D-D)	150	\$1,059.00

Plug



Model No.	Description	Wt. lbs.	List Price
SB-15P	1.5, Plug	2	\$62.00
SB-1P	2, Plug	3	\$62.00
SB-2P	2.5, Plug	4	\$63.00
SB-3P	3, Plug	8	\$65.00
SB-4P	4, Plug	10	\$78.00
SB-6P	6, Plug	13	\$95.00
SB-8P	8, Plug	19	\$116.00
SB-10P	10, Plug	33	\$150.00
SB-12P	12, Plug	43	\$180.00
SBD-14P	14, Plug (DPS)	120	\$956.00
SBD-16P	16, Plug (DPS)	173	\$1,176.00

Tapped Plug



Model No.	Description	Wt. lbs.	List Price
SB-1502TP	1.5 x 1 NPT Plug	2	\$84.00
SB-102TP	2 x 1 NPT Plug	3	\$84.00
SB-103TP	2 x 1.5 NPT Plug	3	\$84.00
SB-202TP	2.5 x 1 NPT Plug	4	\$84.00
SB-203TP	2.5 x 1.5 NPT Plug	4	\$84.00
SB-204TP	2.5 x 2 NPT Plug	4	\$84.00
SB-303TP	3 x 1.5 NPT Plug	8	\$86.00
SB-304TP	3 x 2 NPT Plug	8	\$86.00
SB-305TP	3 x 2.5 NPT Plug	8	\$86.00
SB-404TP	4 x 2 NPT Plug	10	\$98.00
SB-406TP	4 x 3 NPT Plug	10	\$98.00
SB-604TP	6 x 2 NPT Plug	13	\$102.00
SB-606TP	6 x 3 NPT Plug	13	\$102.00
SB-804TP	8 x 2 NPT Plug	19	\$136.00
SB-806TP	8 x 3 NPT Plug	19	\$136.00
SB-1004TP	10 x 2 NPT Plug	33	\$172.00
SB-1006TP	10 x 3 NPT Plug	33	\$172.00
SB-1204TP	12 x 2 NPT Plug	43	\$195.00
SB-1206TP	12 x 3 NPT Plug	43	\$195.00
SBD-1404TP	14 x 2 NPT Plug	120	\$976.00
SBD-1406TP	14 x 3 NPT Plug (DPS)	120	\$976.00
SBD-1606TP	16 x 3 NPT Plug (DPS)	173	\$1,197.00



Cap

Model No.	Description	Wt. lbs.	List Price
SB-15C	1.5, Cap	8	\$190.00
SB-1C	2, Cap	9	\$110.00
SB-2C	2.5, Cap	12	\$116.00
SB-3C	3, Cap	18	\$150.00
SB-4C	4, Cap	32	\$186.00
SB-6C	6, Cap	52	\$252.00
SB-8C	8, Cap	66	\$307.00
SB-10C	10, Cap	101	\$472.00
SB-12C	12, Cap	144	\$692.00
SBD-14C	14, Cap (DPS)	292	\$2,167.00
SBD-16C	16, Cap (DPS)	393	\$2,754.00



Tapped Cap

Model No.	Description	Wt. lbs.	List Price
SB-1TC	2, Tapped Cap	9	\$109.00
SB-2TC	2.5, Tapped Cap	12	\$112.00
SB-3TC	3, Tapped Cap	18	\$159.00
SB-4TC	4, Tapped Cap	32	\$186.00
SB-6TC	6, Tapped Cap	52	\$252.00
SB-8TC	8, Tapped Cap	66	\$306.00
SB-10TC	10, Tapped Cap	101	\$472.00
SB-12TC	12, Tapped Cap	144	\$692.00
SBD-14TC	14, Tapped Cap (DPS)	292	\$2,167.00
SBD-16TC	16, Tapped Cap (DPS)	393	\$2,754.00

Tapped Cap with Side Outlet

Model No.	Description	Wt. lbs.	List Price
SB-1STC	2, Side Outlet Cap	9	\$139.00
SB-2STC	2.5, Side Outlet Cap	12	\$143.00
SB-3STC	3, Side Outlet Cap	18	\$159.00
SB-4STC	4, Side Outlet Cap	32	\$195.00
SB-6STC	6, Side Outlet Cap	52	\$252.00
SB-8STC	8, Side Outlet Cap	66	\$306.00
SB-10STC	10, Side Outlet Cap	101	\$718.00
SB-12STC	12, Side Outlet Cap	144	\$819.00
SBD-14STC	14, Side Outlet Cap (DPS)	292	\$2,151.00
SBD-16STC	16, Side Outlet Cap (DPS)	393	\$2,738.00

14" and 16" are deep bell push-on DPS (C900) size

Category A

Swivel Cross (Bell Gasketed)

Model No.	Description	Wt. lbs.	List Price
SB-3311X	3 x 3 x 2 x 2 Cross	23	\$295.00
SB-3322X	3 x 3 x 2.5 x 2.5 Cross	25	\$306.00
SB-4411X	4 x 4 x 2 x 2 Cross	32	\$343.00
SB-4422X	4 x 4 x 2.5 x 2.5 Cross	34	\$355.00
SB-4433X	4 x 4 x 3 x 3 Cross	36	\$363.00
SB-6611X	6 x 6 x 2 x 2 Cross	43	\$407.00
SB-6622X	6 x 6 x 2.5 x 2.5 Cross	45	\$417.00
SB-6633X	6 x 6 x 3 x 3 Cross	47	\$425.00
SB-8811X	8 x 8 x 2 x 2 Cross	57	\$489.00
SB-8822X	8 x 8 x 2.5 x 2.5 Cross	59	\$501.00
SB-8833X	8 x 8 x 3 x 3 Cross	61	\$510.00
SB-101011X	10 x 10 x 2 x 2 Cross	85	\$788.00
SB-101022X	10 x 10 x 2.5 x 2.5 Cross	87	\$800.00
SB-101033X	10 x 10 x 3 x 3 Cross	89	\$806.00
SB-121211X	12 x 12 x 2 x 2 Cross	117	\$844.00
SB-121222X	12 x 12 x 2.5 x 2.5 Cross	119	\$854.00
SB-121233X	12 x 12 x 3 x 3 Cross	121	\$863.00
SB-141411X	14 x 14 x 2 x 2 Cross	190	\$1,104.00
SB-141422X	14 x 14 x 2.5 x 2.5 Cross	192	\$1,116.00
SB-141433X	14 x 14 x 3 x 3 Cross	194	\$1,121.00
SB-161611X	16 x 16 x 2 x 2 Cross	235	\$1,771.00
SB-161622X	16 x 16 x 2.5 x 2.5 Cross	237	\$1,780.00
SB-161633X	16 x 16 x 3 x 3 Cross	239	\$1,789.00



Picture of Male Adapter



Picture of Acme Adapter

Male Adapter (Bell X Male... MPT)

Model No.	Description	Wt. lbs.	List Price
SB-14MA	2 Bell x 2 MPT	3	\$62.00
SB-24MA	2.5 Bell x 2 MPT	3	\$69.00
SB-25MA	2.5 Bell x 2.5 MPT	5	\$71.00
SB-26MA	2.5 Bell x 3 MPT	6	\$76.00
SB-34MA	3 Bell x 2 MPT	5	\$85.00
SB-36MA	3 Bell x 3 MPT	7	\$85.00
SB-43MA	4 Bell x 3 MPT	10	\$95.00

ACME Adapters (MPT X ACME female)

Model No.	Description	Wt. lbs.	List Price
LMC-1510	1.5 MPT x 1 ACME	1	\$43.00
LMC-1512	1.5 MPT x 1.25 ACME	1	\$43.00
LMC-1515	1.5 MPT x 1.5 ACME	1	\$43.00
LMC-2015	2 MPT x 1.5 ACME	1	\$57.00



Stainless Steel Fittings (FPT), Nipples (MPT)

Model No.	Description	Wt. lbs.	List Price
010-90-304	1, 90 Elbow, 304 Stainless	0.57	\$9.00
015-90-304	1.5, 90 Elbow, 304 Stainless	1.18	\$15.00
020-90-304	2, 90 Elbow, 304 Stainless	1.90	\$22.00
010-45-304	1, 45 Elbow, 304 Stainless	0.49	\$9.00
015-45-304	1.5, 45 Elbow, 304 Stainless	1.00	\$15.00
020-45-304	2, 45 Elbow, 304 Stainless	1.55	\$20.00
010-TEE-304	1, Tee, 304 Stainless	0.78	\$11.00
015-TEE-304	1.5, Tee, 304 Stainless	1.64	\$21.00
020-TEE-304	2, Tee, 304 Stainless	2.55	\$29.00
010-CAP-304	1, Cap, 304 Stainless	0.27	\$6.00
015-CAP-304	1.5, Cap, 304 Stainless	0.54	\$11.00
020-CAP-304	2, Cap, 304 Stainless	0.87	\$15.00
010-COUP-304	1, Coupling, 304 Stainless	0.45	\$7.00
015-COUP-304	1.5, Coupling, 304 Stainless	0.82	\$12.00
020-COUP-304	2, Coupling, 304 Stainless	1.26	\$18.00
010-UNION-304	1, Union, 304 Stainless	0.91	\$19.00
015-UNION-304	1.5, Union, 304 Stainless	1.80	\$31.00
020-UNION-304	2, Union, 304 Stainless	2.66	\$47.00
010-020-NIP-304	1 x 2 Nipple, 304 Stainless	0.30	\$5.00
010-040-NIP-304	1 x 4 Nipple, 304 Stainless	0.50	\$7.00
010-060-NIP-304	1 x 6, Nipple, 304 Stainless	0.80	\$10.00
010-080-NIP-304	1 x 8, Nipple, 304 Stainless	1.10	\$14.00
010-100-NIP-304	1 x 10, Nipple, 304 Stainless	1.40	\$17.00
010-120-NIP-304	1 x 12, Nipple, 304 Stainless	1.70	\$19.00
015-020-NIP-304	1.5 x 2, Nipple, 304 Stainless	0.40	\$6.00
015-040-NIP-304	1.5 x 4, Nipple, 304 Stainless	0.90	\$10.00
015-060-NIP-304	1.5 x 6, Nipple, 304 Stainless	1.50	\$15.00
015-080-NIP-304	1.5 x 8, Nipple, 304 Stainless	1.80	\$18.00
015-100-NIP-304	1.5 x 10, Nipple, 304 Stainless	2.00	\$19.00
015-120-NIP-304	1.5 x 12, Nipple, 304 Stainless	2.80	\$21.00
020-020-NIP-304	2 x 2, Nipple, 304 Stainless	0.70	\$7.00
020-040-NIP-304	2 x 4, Nipple, 304 Stainless	1.30	\$14.00
020-060-NIP-304	2 x 6, Nipple, 304 Stainless	1.90	\$18.00
020-080-NIP-304	2 x 8, Nipple, 304 Stainless	2.50	\$21.00
020-100-NIP-304	2 x 10, Nipple, 304 Stainless	2.80	\$27.00
020-120-NIP-304	2 x 12, Nipple, 304 Stainless	3.80	\$32.00

NOTE: 316 stainless steel is "Special Order".

Please allow 60-90 days.




NOTE: For sealing all stainless steel FPT & MPT threads, IPS WELD-ON White Seal Plus is recommended. (SOLD BY OTHERS)



Category A

Ductile Iron Valve Box (For QC valve)

Model No.	Description	Wt. lbs.	List Price
LVB-12R	12, Ductile Iron Valve Box	75	\$1,004.00



Gaskets (Fittings & Valves)

Model No.	Description	Wt. lbs.	List Price
SB-15G	1.5, Gasket	0.1	\$10.00
SB-1G	2, Gasket	0.1	\$10.00
SB-2G	2.5, Gasket	0.1	\$11.00
SB-3G	3, Gasket	0.2	\$12.00
SB-4G	4, Gasket	0.3	\$17.00
SB-6G	6, Gasket	0.4	\$21.00
SB-8G	8, Gasket	0.6	\$26.00
SB-10G	10, Gasket	1.2	\$37.00
SB-12G	12, Gasket	1.7	\$49.00
SBD-14G	14, Gasket (DPS)	2.1	\$85.00
SBD-16G	16, Gasket (DPS)	2.8	\$116.00

14" and 16" gaskets are for DPS (C900) sizes




Gaskets (Saddle Boss)

Model No.	Description	Wt. lbs.	List Price
SG-1G	TS & LTS Gasket	0.1	\$10.00
SG-6MMG	RSST & RSDT Gasket	0.1	\$10.00
SG-9MMG	RSLS & RDLS Gasket	0.1	\$10.00

Saddle Parts (Old style TS & LTS-Series)

Model No.	Description	Wt. lbs.	List Price
SC-300	3, Lower Saddle Clamp	0.2	\$17.00
SC-400	4, Lower Saddle Clamp	0.3	\$20.00
SC-600	6, Lower Saddle Clamp	0.4	\$26.00
SC-800	8, Lower Saddle Clamp	0.6	\$33.00
SC-1000	10, Lower Saddle Clamp	0.8	\$42.00
SC-1200	12, Lower Saddle Clamp	1.0	\$49.00
TSB-1	3-10, Saddle SS Bolt, Nut	0.1	\$6.00
TSB-2	12, Saddle SS Bolt, Nut	0.1	\$6.00




Self-Restrained Fittings

Model No.	Description	Wt. lbs.	List Price
Self-Restrained 90-Bend			
RF-1590B	1.5, 90 Restrained Bend	5	\$110.00
RF-190B	2, 90 Restrained Bend	5	\$136.00
RF-290B	2.5, 90 Restrained Bend	7	\$156.00
RF-390B	3, 90 Restrained Bend	11	\$205.00
RF-490B	4, 90 Restrained Bend	16	\$256.00
RF-690B	6, 90 Restrained Bend	37	\$431.00
RF-890B	8, 90 Restrained Bend	72	\$564.00
Self-Restrained 45-Bend			
RF-1545B	1.5, 45 Restrained Bend	5	\$134.00
RF-145B	2, 45 Restrained Bend	5	\$146.00
RF-245B	2.5, 45 Restrained Bend	7	\$145.00
RF-345B	3, 45 Restrained Bend	11	\$199.00
RF-445B	4, 45 Restrained Bend	16	\$247.00
RF-645B	6, 45 Restrained Bend	35	\$369.00
RF-845B	8, 45 Restrained Bend	61	\$542.00
Self-Restrained 22-Bend			
RF-1522B	1.5, 22 Restrained Bend	5	\$247.00
RF-422B	4, 22 Restrained Bend	15	\$247.00
RF-622B	6, 22 Restrained Bend	33	\$329.00
RF-822B	8, 22 Restrained Bend	63	\$524.00
Self-Restrained 11-Bend			
RF-611B	6, 11 Restrained Bend	34	\$319.00
RF-811B	8, 11 Restrained Bend	60	\$502.00

Reducing 90 bend (Bell X Bell)


Model No.	Description	Wt. lbs.	List Price
RF90-31B	3 x 2 Bell x Bell, 90	15	\$264.00
RF90-32B	3 x 2.5 Bell x Bell, 90	15	\$282.00
RF90-41B	4 x 2 Bell x Bell, 90	22	\$306.00
RF90-42B	4 x 2.5 Bell x Bell, 90	22	\$312.00
RF90-43B	4 x 3 Bell x Bell, 90	22	\$401.00
RF90-61B	6 x 2 Bell x Bell, 90	34	\$488.00
RF90-62B	6 x 2.5 Bell x Bell, 90	34	\$488.00
RF90-63B	6 x 3 Bell x Bell, 90	34	\$488.00
RF90-64B	6 x 4 Bell x Bell, 90	39	\$507.00
RF90-81B	8 x 2 Bell x Bell, 90	47	\$534.00
RF90-82B	8 x 2.5 Bell x Bell, 90	49	\$538.00
RF90-83B	8 x 3 Bell x Bell, 90	49	\$568.00
RF90-84B	8 x 4 Bell x Bell, 90	54	\$610.00



Category B

Flange x Spigot Adapters (Class 150)

Model No.	Description	Wt. lbs.	List Price
RF-3F3S	3 x 3 Flg x Spig	11	\$110.00
RF-4F4S	4 x 4 Flg x Spig	15	\$130.00
RF-6F6S	6 x 6 Flg x Spig	24	\$190.00
RF-8F8S	8 x 8 Flg x Spig	43	\$219.00
RF-10F10S	10 x 10 Flg x Spig	64	\$436.00
RF-12F12S	12 x 12 Flg x Spig	86	\$459.00



Flange x Bell Adapters (Class 150)

Model No.	Description	Wt. lbs.	List Price
RF-3F3B	3 x 3 Flg x Bell	11	\$263.00
RF-3F4B	3 x 4 Flg x Bell	20	\$387.00
RF-3F6B	3 x 6 Flg x Bell	27	\$505.00
RF-4F4B	4 x 4 Flg x Bell	19	\$317.00
RF-4F6B	4 x 6 Flg x Bell	31	\$542.00
RF-4F8B	4 x 8 Flg x Bell	48	\$602.00
RF-6F6B	6 x 6 Flg x Bell	32	\$459.00
RF-6F8B	6 x 8 Flg x Bell	53	\$669.00
RF-6F10B	6 x 10 Flg x Bell	69	\$1,044.00
RF-6F12B	6 x 12 Flg x Bell	84	\$1,307.00
RF-8F8B	8 x 8 Flg x Bell	55	\$564.00
RF-8F10B	8 x 10 Flg x Bell	73	\$1,017.00
RF-8F12B	8 x 12 Flg x Bell	94	\$1,354.00
RF-8F14B	8 x 14 Flg x Bell	185	\$1,520.00
RF-10F10B	10 x 10 Flg x Bell	116	\$940.00
RF-10F12B	10 x 12 Flg x Bell	201	\$1,569.00
RF-10F14B	10 x 14 Flg x Bell	398	\$2,186.00
RF-10F16B	10 x 16 Flg x Bell	540	\$2,900.00
RF-12F12B	12 x 12 Flg x Bell	186	\$1,508.00
RF-12F14B	12 x 14 Flg x Bell	427	\$2,079.00
RF-12F16B	12 x 16 Flg x Bell	500	\$2,417.00

NOTE: Flange bolt, nut & gasket kits are sold separately. Please contact Leemco for pricing. 14" and 16" are deep bell push-on DPS (C900) size



Tapped 90 bend (Bell X FPT)

Model No.	Description	Wt. lbs.	List Price
RF-1590-1FNPT	1.5 Bell x 1 FPT 90	9	\$212.00
RF90-304	3 Bell x 2 FPT 90	13	\$178.00
RF90-305	3 Bell x 2.5 FPT 90	13	\$225.00
RF90-404	4 Bell x 2 FPT 90	18	\$225.00
RF90-405	4 Bell x 2.5 FPT 90	18	\$225.00
RF90-406	4 Bell x 3 FPT 90	18	\$292.00
RF90-604	6 Bell x 2 FPT 90	30	\$292.00
RF90-605	6 Bell x 2.5 FPT 90	30	\$292.00
RF90-606	6 Bell x 3 FPT 90	30	\$356.00
RF90-804	8 Bell x 2 FPT 90	45	\$356.00
RF90-805	8 Bell x 2.5 FPT 90	45	\$356.00
RF90-806	8 Bell x 3 FPT 90	45	\$356.00



Reducers (Bell X Bell)

Model No.	Description	Wt. lbs.	List Price
RF-215R	2.5 x 1.5 Bell x Bell	13	\$185.00
RF-31R	3 x 2 Bell x Bell	15	\$240.00
RF-32R	3 x 2.5 Bell x Bell	15	\$256.00
RF-41R	4 x 2 Bell x Bell	22	\$256.00
RF-42R	4 x 2.5 Bell x Bell	22	\$284.00
RF-43R	4 x 3 Bell x Bell	22	\$365.00
RF-61R	6 x 2 Bell x Bell	34	\$444.00
RF-62R	6 x 2.5 Bell x Bell	34	\$444.00
RF-63R	6 x 3 Bell x Bell	34	\$444.00
RF-64R	6 x 4 Bell x Bell	39	\$461.00
RF-81R	8 x 2 Bell x Bell	47	\$486.00
RF-82R	8 x 2.5 Bell x Bell	49	\$489.00
RF-83R	8 x 3 Bell x Bell	49	\$517.00
RF-84R	8 x 4 Bell x Bell	54	\$555.00
RF-86R	8 x 6 Bell x Bell	58	\$593.00

Joint Restraint Torque Settings:

2 - 3" Sizes: 20 LBS.

4 - 8" Sizes: 50 LBS.

10 - 24" Sizes: 100 LBS.



Category B

Restrained Cap

Model No.	Description	Wt. lbs.	List Price
RF-20C	2 Restrained Cap	4	\$134.00
RF-25C	2.5 Restrained Cap	6	\$138.00
RF-30C	3 Restrained Cap	14	\$154.00
RF-40C	4 Restrained Cap	19	\$194.00
RF-60C	6 Restrained Cap	31	\$253.00
RF-80C	8 Restrained Cap	46	\$310.00

Restrained Tapped Cap (FPT)

Model No.	Description	Wt. lbs.	List Price
RF-304TC	3 Bell x 2 FPT	13	\$154.00
RF-305TC	3 Bell x 2.5 FPT	13	\$154.00
RF-404TC	4 Bell x 2 FPT	18	\$194.00
RF-405TC	4 Bell x 2.5 FPT 90	18	\$194.00
RF-406TC	4 Bell x 3 FPT 90	18	\$194.00
RF-604TC	6 Bell x 2 FPT 90	30	\$253.00
RF-605TC	6 Bell x 2.5 FPT 90	30	\$253.00
RF-606TC	6 Bell x 3 FPT 90	30	\$253.00
RF-804TC	8 Bell x 2 FPT 90	45	\$310.00
RF-805TC	8 Bell x 2.5 FPT 90	45	\$310.00
RF-806TC	8 Bell x 3 FPT 90	45	\$310.00

Restrained Tapped Cap (ACME outlet)

Model No.	Description	Wt. lbs.	List Price
RF-102AC	2 x 1 F-ACME Cap	8	\$99.00
RF-1025AC	2 x 1.25 F-ACME Cap	8	\$99.00
RF-103AC	2 x 1.5 F-ACME Cap	8	\$99.00
RF-202AC	2.5 x 1 F-ACME Cap	8	\$110.00
RF-2025AC	2.5 x 1.25 F-ACME Cap	8	\$110.00
RF-203AC	2.5 x 1.5 F-ACME Cap	8	\$110.00
RF-302AC	3 x 1 F-ACME Cap	10	\$142.00
RF-3025AC	3 x 1.25 F-ACME Cap	10	\$142.00
RF-303AC	3 x 1.5 F-ACME Cap	10	\$142.00
RF-402AC	4 x 1 F-ACME Cap	19	\$220.00
RF-4025AC	4 x 1.25 F-ACME Cap	19	\$220.00
RF-403AC	4 x 1.5 F-ACME Cap	19	\$242.00
RF-602AC	6 x 1 F-ACME Cap	31	\$302.00
RF-6025AC	6 x 1.25 F-ACME Cap	31	\$302.00
RF-603AC	6 x 1.5 F-ACME Cap	31	\$302.00
RF-802AC	8 x 1 F-ACME Cap	46	\$359.00
RF-8025AC	8 x 1.25 F-ACME Cap	46	\$359.00
RF-803AC	8 x 1.5 F-ACME Cap	46	\$359.00



Restrained Repair Couplings

Model No.	Description	Wt. lbs.	List Price
RF-200RC	2, Repair Coupling	6	\$129.00
RF-250RC	2.5, Repair Coupling	8	\$167.00
RF-300RC	3, Repair Coupling	12	\$229.00
RF-400RC	4, Repair Coupling	16	\$304.00




Restrained Male Adapters (Bell x MPT)

Model No.	Description	Wt. lbs.	List Price
RF-15MA	1.5 Bell x 2 MPT	2	\$122.00
RF-105MA	2 Bell x 1.5 MPT	2	\$68.00
RF-11MA	2 Bell x 2 MPT	5	\$72.00
RF-21MA	2.5 Bell x 2 MPT	6	\$78.00
RF-22MA	2.5 Bell x 2.5 MPT	6	\$91.00
RF-31MA	3 Bell x 2 MPT	6	\$110.00
RF-43MA	4 Bell x 3 MPT	10	\$152.00
RF-43SBR	4 Bell x 3 Spig	10	\$122.00

Restrained Male Adapters (Bell x FPT)

Model No.	Description	Wt. lbs.	List Price
RF-115FPT	2 Bell x 1.5 FPT	5	\$72.00
RF-215FPT	2.5 Bell x 1.5 FPT	6	\$78.00
RF-315FPT	3 Bell x 1.5 FPT	8	\$110.00



QCV Stabilizers

Model No.	Description	Wt. lbs.	List Price
LS-120	3/4-1, QC Stabilizer	1	\$24.00
LS-150	1.5, QC Stabilizer	1	\$25.00

Category B



LH-Series (Pipe to Fitting) Restraints

Model No.	Description	Wt. lbs.	List Price
LH-150	1.5, Pipe - Ftg JR	3	\$64.00
LH-200	2, Pipe - Ftg JR	3	\$64.00
LH-250	2.5, Pipe - Ftg JR	3	\$70.00
LH-300	3, Pipe - Ftg JR	4	\$77.00
LH-400	4, Pipe - Ftg JR	6	\$99.00
LH-600	6, Pipe - Ftg JR	11	\$136.00
LH-800	8, Pipe - Ftg JR	14	\$185.00
LH-1000	10, Pipe - Ftg JR	25	\$246.00
LH-1200	12, Pipe - Ftg JR	39	\$329.00
LHD-1400	14, Pipe - Ftg JR (DPS)	76	\$490.00
LHD-1600	16, Pipe - Ftg JR (DPS)	84	\$594.00



LH-Series C-Clamps are designed to link together in tandem for higher pressures and HDPE applications.

LH-Series C-Clamp (Pipe to Fitting) Restraints

Model No.	Description	Wt. lbs.	List Price
LH-200-C	2, Pipe - Ftg JR	3	\$76.00
LH-250-C	2.5, Pipe - Ftg JR	3	\$84.00
LH-300-C	3, Pipe - Ftg JR	4	\$90.00
LH-400-C	4, Pipe - Ftg JR	6	\$116.00
LH-600-C	6, Pipe - Ftg JR	11	\$151.00
LH-800-C	8, Pipe - Ftg JR	14	\$205.00
LH-1000-C	10, Pipe - Ftg JR	25	\$275.00
LH-1200-C	12, Pipe - Ftg JR	39	\$365.00
LHD-1400-C	14, Pipe - Ftg JR (DPS)	76	\$546.00
LHD-1600-C	16, Pipe - Ftg JR (DPS)	84	\$663.00



For HDPE pipe applications, two joint restraints linked together in tandem are required, along with using internal pipe stiffeners.

NOTE: For HDPE applications and pressures exceeding 125 PSI require two joint restraints linked together in tandem as pictured above.



**LG-Series (Pipe to Pipe) Restraints
For Push-On Gate Valves**

Model No.	Description	Wt. lbs.	List Price
LG-200	2, Pipe-Pipe, Gate Valve JR	12	\$217.00
LG-250	2.5, Pipe-Pipe, Gate Valve JR	13	\$238.00
LG-300	3, Pipe-Pipe, Gate Valve JR	15	\$246.00
LG-400	4, Pipe-Pipe, Gate Valve JR	19	\$288.00
LG-600	6, Pipe-Pipe, Gate Valve JR	33	\$361.00
LG-800	8, Pipe-Pipe, Gate Valve JR	39	\$451.00
LG-1000	10, Pipe-Pipe, Gate Valve JR	73	\$605.00
LG-1200	12, Pipe-Pipe, Gate Valve JR	103	\$758.00
LGD-1400	14, Pipe-Pipe, Gate Valve JR	180	\$1,156.00
LGD-1600	16, Pipe-Pipe, Gate Valve JR	195	\$1,368.00



**LGK-Series (Pipe to Fitting) Restraints
For Push-On Gate Valves**

Model No.	Description	Wt. lbs.	List Price
LGK-200	2, Pipe-Ftg, Gate Valve JR	11	\$187.00
LGK-250	2.5, Pipe-Ftg, Gate Valve JR	11	\$194.00
LGK-300	3, Pipe-Ftg, Gate Valve JR	13	\$201.00
LGK-400	4, Pipe-Ftg, Gate Valve JR	15	\$219.00
LGK-600	6, Pipe-Ftg, Gate Valve JR	27	\$268.00
LGK-800	8, Pipe-Ftg, Gate Valve JR	30	\$308.00
LGK-1000	10, Pipe-Ftg, Gate Valve JR	55	\$400.00
LGK-1200	12, Pipe-Ftg, Gate Valve JR	68	\$484.00
LGKD-1400	14, Pipe-Ftg, Gate Valve JR	105	\$744.00
LGKD-1600	16, Pipe-Ftg, Gate Valve JR	113	\$1,035.00

NOTE: Joint Restraints include necessary hardware

Joint Restraint Torque Settings:

2 - 3" Sizes: 20 LBS.

4 - 8" Sizes: 50 LBS.

10 - 24" Sizes: 100 LBS.

14" and 16" are deep bell push-on DPS (C900) size



Category B

**LMJ-Series (Pipe to Valve) Restraints
for MJ or Flange Valve (one end only)**

Model No.	Description	Wt. lbs.	List Price
LMJ-200	2, Pipe-MJ Gate Valve JR	6	\$124.00
LMJ-250	2.5, Pipe-MJ Gate Valve JR	6	\$134.00
LMJ-300	3, Pipe-MJ Gate Valve JR	7	\$138.00
LMJ-400	4, Pipe-MJ Gate Valve JR	9	\$161.00
LMJ-600	6, Pipe-MJ Gate Valve JR	14	\$202.00
LMJ-800	8, Pipe-MJ Gate Valve JR	17	\$246.00
LMJ-1000	10, Pipe-MJ Gate Valve JR	28	\$313.00
LMJ-1200	12, Pipe-MJ Gate Valve JR	42	\$391.00
LMJD-1400	14, Pipe-MJ Gate Valve JR	78	\$628.00
LMJD-1600	16, Pipe-MJ Gate Valve JR	86	\$745.00




LPP-Series (Pipe to Pipe) Restraints

Model No.	Description	Wt. lbs.	List Price
LPP-200	2, Pipe-Pipe Compact JR	3	\$77.00
LPP-250	2.5, Pipe-Pipe Compact JR	4	\$98.00
LPP-300	3, Pipe-Pipe Compact JR	6	\$149.00
LPP-400	4, Pipe-Pipe Compact JR	10	\$179.00
LPP-600	6, Pipe-Pipe Compact JR	20	\$246.00
LPP-800	8, Pipe-Pipe Compact JR	32	\$308.00
LPP-1000	10, Pipe-Pipe Compact JR	74	\$462.00
LPP-1200	12, Pipe-Pipe Compact JR	83	\$588.00



LB-Series (Pipe to Pipe) Restraints

Model No.	Description	Wt. lbs.	List Price
LB-200	2, Pipe-Pipe JR	9	\$172.00
LB-250	2.5, Pipe-Pipe JR	9	\$187.00
LB-300	3, Pipe-Pipe JR	11	\$201.00
LB-400	4, Pipe-Pipe JR	15	\$244.00
LB-600	6, Pipe-Pipe JR	25	\$313.00
LB-800	8, Pipe-Pipe JR	31	\$400.00
LB-1000	10, Pipe-Pipe JR	54	\$581.00
LB-1200	12, Pipe-Pipe JR	84	\$735.00
LBD-1400	14, Pipe-Pipe JR (DPS)	166	\$1,117.00
LBD-1600	16, Pipe-Pipe JR (DPS)	179	\$1,329.00



**Tie-Bars & Links
(Individual Parts, Not Sets)**

Model No.	Description	Wt. lbs.	List Price
LTB-100	2-8, LB-Series Tie Bar	2	\$21.00
LTB-200	10-12, LB-Series Tie Bar	3	\$39.00
LTB-224	2-4, Gate Valve Tie Bar	3	\$39.00
LTB-228	6-8, Gate Valve Tie Bar	6	\$48.00
LTB-1012	10-12, Gate Valve Tie Bar	12	\$68.00
LS-MJ	Link, MJ-Series	2	\$31.00
SB-LK6	2- 3 Link, LGK-Series	1	\$25.00
SB-LK7	4-12 Link, LGK-Series	2	\$33.00

**Hardware: Bolt, Nut, Washer Sets
(304 Series Stainless Steel)**

Model No.	Description	Wt. lbs.	List Price
HD-J1-S	3/8-16 x 2.5, SS Hex	0.1	\$6.00
HD-J2-S	1/2-13 x 3, SS Hex	0.1	\$9.00
HD-J3-S	1/2-13 x 3.5, SS Hex	0.1	\$10.00
HD-J4-S	1/2-13 x 4, SS Hex	0.1	\$11.00
HD-J5-S	5/8-11 x 5.5, SS Hex	0.3	\$20.00
HD-J6-S	1/4-20 x 7/8, SS Hex	0.1	\$6.00
HD-J7-S	7/16-18 x 1, SS Hex	0.2	\$9.00
HD-J8-S	3/8-16 x 2.5, SS CR	0.1	\$11.00
HD-J9-S	1/2-13 x 3.5, SS CR	0.1	\$12.00
HD-J10-S	5/8-11 x 5.5, SS CR	0.3	\$22.00
HD-J11-S	5/16-18 x 2, HSLA Hex	0.1	\$6.00

**NOTE: 316 stainless steel is available.
Please contact Leemco for pricing.**

14" and 16" are deep bell push-on DPS (C900) size



Category B

**Clamp for Bell Ends
(Individual Part, Not Sets)**

Model No.	Description	Wt. lbs.	List Price
C-200-C	2, C-clamp	1	\$31.00
C-250-C	2.5, C-clamp	2	\$33.00
C-300-C	3, C-clamp	2	\$39.00
C-400-C	4, C-clamp	3	\$50.00
C-600-C	6, C-clamp	5	\$68.00
C-800-C	8, C-clamp	9	\$85.00
C-1000-C	10, C-clamp	13	\$120.00
C-1200-C	12, C-clamp	14	\$153.00
C-1400-C	14, C-clamp (DPS)	37	\$223.00
C-1600-C	16, C-clamp (DPS)	41	\$275.00

TOOLS



Hole Saw (1-1/2" Saddle Port)

Model No.	Description	Wt. lbs.	List Price
HOLESAW15	1-1/2, Bi-Metal Hole Saw	1	\$58.00
PILOTBIT	1/4, Pilot Bit (required)	1	\$22.00
DEBURTOOL	Deburring Tool	1	\$73.00



Torque Wrench (20-150 LBS.)

Model No.	Description	Wt. lbs.	List Price
TWRENCH	Torque Wrench 20-150 LBS, 1/2 Drive	4	\$217.00



**Torque Rating
Outlet Clamp:**
2" (5-10 LB)
2.5" (10-15 LB)
3" (10-15 LB)

LV-Series Angle Valves (Ductile Iron Body)

Model No.	Description	Wt. lbs.	List Price
LV-200	2x9 Valve, SP, SxG, X	9	\$128.00
LV-200-SON	2x9 Valve, SP, SxG, SON	9	\$150.00
LV-212	2x12 Valve, SP, SxG, X	10	\$208.00
LV-212-SON	2x12 Valve, SP, SxG, SON	10	\$230.00
LV-218	2x18 Valve, SP, SxG, X	16	\$225.00
LV-218-SON	2x18 Valve, SP, SxG, SON	16	\$246.00
LV-220	2x9 Valve, SP, GxF, X	10	\$136.00
LV-220-SON	2x9 Valve, SP, GxF, SON	10	\$154.00
LV-250	2.5x12 Valve, SP, SxG, X	19	\$273.00
LV-250-SON	2.5x12 Valve, SP, SxG, SON	19	\$295.00
LV-300	3x12 Valve, SP, SxG, X	20	\$311.00
LV-300-SON	3x12 Valve, SP, SxG, SON	20	\$333.00
LV-400	4x12 Valve, SP, SxG, X	30	\$432.00
LV-400-SON	4x12 Valve, SP, SxG, SON	30	\$453.00
LV-202	2x12 Valve, FP, GxG, X	22	\$360.00
LV-202-SON	2x12 Valve, FP, GxG, SON	22	\$382.00
LV-210	2x12 Valve, FP, SxG, X	22	\$361.00
LV-210-SON	2x12 Valve, FP, SxG, SON	22	\$383.00

LV-Series Angle Valves (Stainless Steel Body)

Model No.	Description	Wt. lbs.	List Price
LV-200S	2x9 Valve, SP, SxG, X	9	\$290.00
LV-200S-SON	2x9 Valve, SP, SxG, SON	9	\$311.00
LV-212S	2x12 Valve, SP, SxG, X	10	\$371.00
LV-212S-SON	2x12 Valve, SP, SxG, SON	10	\$391.00
LV-220S	2x9 Valve, SP, GxF, X	10	\$299.00
LV-220S-SON	2x9 Valve, SP, GxF, SON	10	\$320.00
LV-300S	3x12 Valve, FP, SxG, X	20	\$456.00
LV-300S-SON	3x12 Valve, FP, SxG, SON	20	\$476.00
LV-400S	4x12 Valve, FP, SxG, X	30	\$576.00
LV-400S-SON	4x12 Valve, FP, SxG, SON	30	\$598.00
LV-202S	2x12 Valve, FP, GxG, X	22	\$410.00
LV-202S-SON	2x12 Valve, FP, GxG, SON	22	\$432.00
LV-210S	2x12 Valve, FP, SxG, X	22	\$396.00
LV-210S-SON	2x12 Valve, FP, SxG, SON	22	\$418.00

SP=Standard Port, FP=Full Port, S=Spigot, F=FPT, G=Gasket, X=Cross Top Handle, SON=Square Operating Nut

Category C



Valve Parts & Covers (LV & LGV-Series)

Model No.	Description	Wt. lbs.	List Price
LVC-200	2, Cover Assy, Standard	1.2	\$87.00
LVC-300	3, Cover Assy, Standard	2.1	\$108.00
LVC-200FP	2, Cover Assy, Full Port	2.9	\$195.00
LVO-200	2, Cover O-RING Standard	Nil	\$6.00
LVO-300	3, Cover O-RING Standard	Nil	\$6.00
LVO-200FP	2, Cover O-RING Full Port	Nil	\$7.00
SON-SS	Square Operating Nut, SS	1	\$22.00
LV-CLIP	Clip for LV-Series	0.3	\$18.00



Valve Clamps (LV & LGV-Series)

Model No.	Description	Wt. lbs.	List Price
C-200	2, Clamp, Ductile Iron	0.3	\$9.00
C-200S	2, Clamp, Stainless Steel	0.3	\$17.00
C-250	2.5, Clamp, Ductile Iron	0.4	\$10.00
C-300	3, Clamp, Ductile Iron	0.5	\$11.00
C-300S	3, Clamp, Stainless Steel	0.5	\$21.00
HC-200	2, Wide Clamp, Ductile Iron	1.1	\$21.00
HC-200S	2, Wide Clamp, Stainless Steel	1.1	\$42.00
HC-250	2.5, Wide Clamp, Ductile Iron	1.3	\$21.00
HC-300	3, Wide Clamp, Ductile Iron	1.5	\$21.00
HC-300S	3, Wide Clamp, Stainless Steel	1.5	\$42.00



Collars (L90 & L180 Adapters)

Model No.	Description	Wt. lbs.	List Price
C-360-3	3, Collar, L90 & L180 Adapters	3.6	\$39.00

NOTE: Collars include hardware. Collars are compatible with L90 & L180 spigot x bell adapters. (Page 20)

NOTE: Valves used with HDPE pipe require SS internal pipe stiffeners, sold separately. (Page 25)



LT-Series, Lateral Tee for LV-Valves

Model No.	Description	Wt. lbs.	List Price
LT-200T	2 x 2 x 2 LAT Tee	7	\$90.00
LT-250T	2.5 x 2.5 x 2 LAT Tee	8	\$94.00
LT-300T	3 x 3 x 2 LAT Tee	10	\$122.00
LT-400T	4 x 4 x 2 LAT Tee	18	\$150.00
LT-600T	6 x 6 x 2 LAT Tee	26	\$182.00
LT-800T	8 x 8 x 2 LAT Tee	39	\$241.00
LT-1000T	10 x 10 x 2 LAT Tee	61	\$428.00
LT-1200T	12 x 12 x 2 LAT Tee	103	\$479.00
LT-1400T	14 x 14 x 2 LAT Tee (DPS)	178	\$1,076.00
LT-1600T	16 x 16 x 2 LAT Tee (DPS)	221	\$1,397.00



LR90-Series, Swivel, Spigot x Bell

**Torque Rating
Outlet Clamp:**
2" (5-10 LB)
2.5" (10-15 LB)
3" (10-15 LB)

Model No.	Description	Wt. lbs.	List Price
LR90-11SB	2 x 2 Spigot x Bell 90	5	\$55.00
LR90-22SB	2.5 x 2.5 Spigot x Bell 90	8	\$72.00
LR90-33SB	3 x 3 Spigot x Bell 90	10	\$92.00



LMA-200 FMA-200 LFA-200 LFA-300

Adapters

Model No.	Description	Wt. lbs.	List Price
LMA-200	2 x 2, MPT x Bell Adapter	2	\$58.00
LMA-200S	2 x 2, MPT x Bell Adapter, SS	2	\$59.00
FMA-200	2 x 2, FPT x Bell Adapter	3	\$58.00
LFA-200	2 x 2, Spig x FPT Adapter	3	\$58.00
LFA-300	2 x 3, Spig x FPT Adapter	4	\$83.00

NOTE: LFA-Series adapters compatible with lateral saddles or lateral tees.

Category C



LX Riser Extensions for LV-Valves

Model No.	Description	Wt. lbs.	List Price
LX-6	2 x 6 Extension	3	\$71.00
LX-12	2 x 12 Extension	4	\$95.00



LMN-Series Spigot x Male Adapters

Model No.	Description	Wt. lbs.	List Price
LMN-10	2 Spig x 1 MPT	4	\$49.00
LMN-12	2 Spig x 1.25 MPT	4	\$49.00
LMN-15	2 Spig x 1.5 MPT	4	\$39.00
LMN-20	2 Spig x 2 MPT	4	\$43.00
LMN-25	2.5 Spig x 2.5 MPT	5	\$58.00
LMN-31	3 Spig x 2 MPT	4	\$69.00
LMN-30	3 Spig x 3 MPT	5	\$69.00



Inlet Adapters for Lateral Angle Valves

Model No.	Description	Wt. lbs.	List Price
LXF-4	2 LAT x 2 MPT (4" length)	3	\$49.00
LXF-10	2 LAT x 2 MPT (10" length)	6	\$63.00
LXM-4	2 Spig x 2 MPT (4" length)	3	\$39.00
LXM-10	2 Spig x 2 MPT (10" length)	6	\$53.00

NOTE: LXF-Series adapters compatible with LV-220 & LV-202 series angle valves. Adapters designed for FPT saddles or FPT service tees.

NOTE: LXM-Series adapters compatible with LV-222 series angle valves. Adapters designed for lateral saddles and lateral tees.



**Torque Rating
Outlet Clamp:**
2" (5-10 LB)
2.5" (10-15 LB)
3" (10-15 LB)

LGV-Series, Riser Extensions

Model No.	Description	Wt. lbs.	List Price
LGV-200SB	2 x 2, Spig x Bell Globe	16	\$282.00
LGV-250SB	2.5 x 2.5, Spig x Bell Globe	19	\$347.00
LGV-300SB	3 x 3, Spig x Bell Globe	21	\$385.00
LGV-3490	3 x 4, Spig x Bell Globe	43	\$577.00
LGV-200BB	2 x 2, Bell x Bell Globe	17	\$297.00
LGV-250BB	2.5 x 2.5, Bell x Bell Globe	21	\$363.00
LGV-300BB	3 x 3, Bell x Bell Globe	22	\$405.00
LGV-400BB	4 x 4, Bell x Bell Globe	42	\$641.00
SON-SS	Square Operating Nut, SS	1	\$22.00



Riser extension spigot end inserts into 3" gasket fitting outlet.

LX3-Series Riser Extensions

Model No.	Description	Wt. lbs.	List Price
LX3-6	3 x 6 Extension	15	\$71.00
LX3-12	3 x 12 Extension	20	\$95.00



L90 and L180 Spigot x Bell Adapters

Model No.	Description	Wt. lbs.	List Price
L90-31SB	3 x 2, Spig x Bell 90	9	\$81.00
L90-32SB	3 x 2.5, Spig x Bell 90	10	\$92.00
L90-33SB	3 x 3, Spig x Bell 90	11	\$105.00
L180-311SB	3 x 2 x 2, Spig x Bell Tee	10	\$128.00
L180-322SB	3 x 2.5 x 2.5, Spig x Bell Tee	12	\$139.00
L180-333SB	3 x 3 x 3, Spig x Bell Tee	14	\$145.00

NOTE: L90 & L180 adapter spigot end inserts into 3" gasket fitting outlet.



Category C

L90 & L180 Spigot x MPT Adapter

Model No.	Description	Wt. lbs.	List Price
L90-325	3 x 2.5, Spig x MPT 90	10	\$145.00
L90-330	3 x 3, Spig x MPT 90	10	\$156.00
L180-320	3 x 2, Spig x MPT Tee	10	\$156.00
L180-325	3 x 2.5, Spig x MPT Tee	11	\$166.00
L180-330	3 x 3, Spig x MPT Tee	12	\$176.00



L90 & L180 LAT Spigot x MPT Adapter

Model No.	Description	Wt. lbs.	List Price
L90-215	2 x 1.5 MPT LAT 90	4	\$65.00
L90-220	2 x 2 MPT LAT 90	5	\$69.00
L90-225	2 x 2.5 MPT LAT 90	6	\$72.00
L90-230	2 x 3 MPT LAT 90	7	\$76.00
L180-215	2 x 1.5 MPT LAT TEE	5	\$95.00
L180-220	2 x 2 MPT LAT TEE	6	\$105.00



L90 LAT
Restrained
Adapter

LF90 & LF180 LAT Spigot x FPT Adapters

Model No.	Description	Wt. lbs.	List Price
LF90-215	2 x 1.5 FPT LAT 90	10	\$72.00
LF90-220	2 x 2 FPT LAT 90	9	\$73.00
LF180-215	2 x 1.5 FPT LAT TEE	11	\$85.00
LF180-220	2 x 2 FPT LAT TEE	10	\$90.00

L90-Series LAT Restrained Adapters

Model No.	Description	Wt. lbs.	List Price
L90-200	2, Spig LAT Inlet x Bell	6	\$55.00
L90-250	2.5 Spig LAT Inlet x Bell	8	\$72.00
L90-300	3, Spig LAT Inlet x Bell	10	\$92.00

NOTE: L90-Series LAT restrained adapters insert into lateral saddles or lateral tees.



Torque Rating for Saddles: 20-25 LBS.

**RCLS-Series, Lateral Saddle for LV-valves
2" IPS Bell Outlet w/ Stainless Steel Single Strap**

Model No.	Description	Wt. lbs.	List Price
RCLS-300	3 x 2 LAT Saddle	4	\$95.00
RCLS-400	4 x 2 LAT Saddle	4	\$97.00
RCLS-600	6 x 2 LAT Saddle	5	\$110.00
RCLS-800	8 x 2 LAT Saddle	7	\$122.00
RCLS-1000	10 x 2 LAT Saddle	8	\$142.00
RCLS-1200	12 x 2 LAT Saddle	9	\$158.00

**RCLS-Series Saddles, Single Strap
1.5" IPS Bell Outlet w/ Stainless Steel Single Strap**

Model No.	Description	Wt. lbs.	List Price
RCLS-303	3 x 1.5 IPS Bell Outlet	6	\$107.00
RCLS-403	4 x 1.5 IPS Bell Outlet	6	\$108.00
RCLS-603	6 x 1.5 IPS Bell Outlet	8	\$122.00
RCLS-803	8 x 1.5 IPS Bell Outlet	8	\$134.00
RCLS-1003	10 x 1.5 IPS Bell Outlet	9	\$153.00
RCLS-1203	12 x 1.5 IPS Bell Outlet	10	\$168.00



Torque Rating for Saddles: 20-25 LBS.

**RSST-Series, Threaded Range Saddles
Stainless Steel SINGLE Strap**

Model No.	Description	Wt. lbs.	List Price
RSST-302	3 x 1 FPT Saddle	4	\$69.00
RSST-303	3 x 1.5 FPT Saddle	4	\$69.00
RSST-304	3 x 2 FPT Saddle	4	\$57.00
RSST-402	4 x 1 FPT Saddle	5	\$77.00
RSST-403	4 x 1.5 FPT Saddle	5	\$77.00
RSST-404	4 x 2 FPT Saddle	5	\$65.00
RSST-602	6 x 1 FPT Saddle	6	\$85.00
RSST-603	6 x 1.5 FPT Saddle	6	\$85.00
RSST-604	6 x 2 FPT Saddle	6	\$73.00
RSST-802	8 x 1 FPT Saddle	7	\$94.00

Category C



Torque Rating for Saddles: 20-25 LBS.

**RCLS-Series, Lateral Saddle for LV-valves
2" IPS Bell Outlet w/ Stainless Steel Double Straps**

Model No.	Description	Wt. lbs.	List Price
RCLS-300	3 x 2 LAT Saddle	5	\$141.00
RCLS-400	4 x 2 LAT Saddle	5	\$142.00
RCLS-600	6 x 2 LAT Saddle	6	\$165.00
RCLS-800	8 x 2 LAT Saddle	8	\$181.00
RCLS-1000	10 x 2 LAT Saddle	9	\$212.00
RCLS-1200	12 x 2 LAT Saddle	10	\$238.00
RCLS-1400	14 x 2 LAT Saddle (DPS)	11	\$251.00
RCLS-1600	16 x 2 LAT Saddle (DPS)	13	\$282.00

**RCLS-Series Saddles, Double Strap
1.5" IPS Bell Outlet w/ Stainless Steel Double Strap**

Model No.	Description	Wt. lbs.	List Price
RCLS-303	3 x 1.5 IPS Bell Outlet	6	\$152.00
RCLS-403	4 x 1.5 IPS Bell Outlet	6	\$153.00
RCLS-603	6 x 1.5 IPS Bell Outlet	8	\$176.00
RCLS-803	8 x 1.5 IPS Bell Outlet	8	\$193.00
RCLS-1003	10 x 1.5 IPS Bell Outlet	9	\$225.00
RCLS-1203	12 x 1.5 IPS Bell Outlet	10	\$249.00



Torque Rating for Saddles: 20-25 LBS.

**RSST-Series (continued)
Stainless Steel SINGLE Strap**

Model No.	Description	Wt. lbs.	List Price
RSST-803	8 x 1.5 FPT Saddle	7	\$94.00
RSST-804	8 x 2 FPT Saddle	7	\$83.00
RSST-1002	10 x 1 FPT Saddle	8	\$101.00
RSST-1003	10 x 1.5 FPT Saddle	8	\$101.00
RSST-1004	10 x 2 FPT Saddle	8	\$90.00
RSST-1202	12 x 1 FPT Saddle	8	\$117.00
RSST-1203	12 x 1.5 FPT Saddle	8	\$117.00
RSST-1204	12 x 2 FPT Saddle	8	\$107.00



Torque Rating for Saddles: 20-25 LBS.

**RSDT-Series, Threaded Range Saddles
Stainless Steel DOUBLE Straps**

Model No.	Description	Wt. lbs.	List Price
RSDT-302	3 x 1 FPT Saddle	6	\$101.00
RSDT-303	3 x 1.5 FPT Saddle	6	\$101.00
RSDT-304	3 x 2 FPT Saddle	6	\$90.00
RSDT-402	4 x 1 FPT Saddle	6	\$108.00
RSDT-403	4 x 1.5 FPT Saddle	6	\$108.00
RSDT-404	4 x 2 FPT Saddle	6	\$97.00
RSDT-602	6 x 1 FPT Saddle	8	\$127.00
RSDT-603	6 x 1.5 FPT Saddle	8	\$127.00
RSDT-604	6 x 2 FPT Saddle	8	\$115.00
RSDT-802	8 x 1 FPT Saddle	8	\$141.00
RSDT-803	8 x 1.5 FPT Saddle	8	\$141.00
RSDT-804	8 x 2 FPT Saddle	8	\$129.00
RSDT-1002	10 x 1 FPT Saddle	9	\$153.00
RSDT-1003	10 x 1.5 FPT Saddle	9	\$153.00
RSDT-1004	10 x 2 FPT Saddle	9	\$142.00
RSDT-1202	12 x 1 FPT Saddle	10	\$181.00
RSDT-1203	12 x 1.5 FPT Saddle	10	\$181.00
RSDT-1204	12 x 2 FPT Saddle	10	\$169.00
RSDT-1206	12 x 3 FPT Saddle	10	\$178.00
RSDT-1404D	14 x 2 FPT Saddle (DPS)	12	\$201.00
RSDT-1406D	14 x 3 FPT Saddle (DPS)	12	\$194.00
RSDT-1604D	16 x 2 FPT Saddle (DPS)	14	\$226.00
RSDT-1606D	16 x 3 FPT Saddle (DPS)	14	\$233.00



NOTE: For sealing all stainless steel FPT threads, IPS WELD-ON White Seal Plus is recommended. (SOLD BY OTHERS)

Category C



L2 Stainless Steel Quick Coupling Valves

Model No.	Description	Wt. lbs.	List Price
L2QCV-FPT-Y	1" FPT Inlet, Yellow Cap	1	\$87.00
L2QCV-FPT-P	1" FPT Inlet, Purple Cap	1	\$87.00
L2QCV-ACME-Y	1" ACME Inlet, Yellow Cap	1	\$87.00
L2QCV-ACME-P	1" FPT ACME, Purple Cap	1	\$87.00
L2QCV-KEY	Bell gasket inlet, 1.25" FPT	3	\$493.00
L2QCV-SWIVEL-007	1.25"MPT Inlet, 3/4" MGHT	1	\$65.00
L2QCV-SWIVEL-010	1.25"MPT Inlet, 1" MGHT	1	\$71.00



Stainless Steel Lateral Saddles

Model No.	Description	Wt. lbs.	List Price
RSST-215	2 x 1.5 FPT SS Saddle	4	\$65.00
RSST-215A	2 x 1.5 ACME SS Saddle	4	\$59.00
RSST-2515	2.5 x 1.5 FPT SS Saddle	5	\$87.00
RSST-2515A	2.5 x 1.5 ACME SS Saddle	5	\$81.00
RSST-315	3 x 1.5 FPT SS Saddle	6	\$109.00
RSST-315A	3 x 1.5 ACME SS Saddle	6	\$102.00

NOTE: Stainless steel lateral saddles require 1-1/2" port hole. Hole saws are sold on Page 17.

NOTE: Stainless steel lateral saddles do not require a torque wrench.



Stainless Steel FPT Ball Valves (2-Piece)

Model No.	Description	Wt. lbs.	List Price
LBT0505SS304	1/2, Ball Valve, 304 SS	1	\$22.00
LBT0505SS316	1/2, Ball Valve, 316 SS	1	\$31.00
LBT075075SS304	3/4, Ball Valve, 304 SS	1	\$34.00
LBT075075SS316	3/4, Ball Valve, 316 SS	1	\$46.00
LBT11SS304	1, Ball Valve, 304 SS	1	\$44.00
LBT11SS316	1, Ball Valve, 316 SS	1	\$58.00
LBT125125SS304	1.25, Ball Valve, 304 SS	2	\$73.00
LBT125125SS316	1.25, Ball Valve, 316 SS	2	\$98.00
LBT1515SS304	1.5, Ball Valve, 304 SS	3	\$94.00
LBT1515SS316	1.5, Ball Valve, 316 SS	3	\$125.00
LBT22SS304	2, Ball Valve, 304 SS	4	\$125.00
LBT22SS316	2, Ball Valve, 316 SS	4	\$166.00
LBT2525SS304	2.5, Ball Valve, 304 SS	8	\$361.00
LBT2525SS316	2.5, Ball Valve, 316 SS	8	\$482.00
LBT33SS304	3, Ball Valve, 304 SS	13	\$518.00
LBT33SS316	3, Ball Valve, 316 SS	13	\$692.00
LBT44SS304	4, Ball Valve, 304 SS	22	\$1,007.00
LBT44SS316	4, Ball Valve, 316 SS	22	\$1,343.00

**NOTE: 316 stainless steel is "Special Order".
Please allow 60-90 days.**

**Ball valve (FPT) pressure rating:
1000 PSI CWP (cold working pressure), WOG
500 PSI SWP (steam working pressure)**



NOTE: For sealing all stainless steel FPT threads, IPS WELD-ON White Seal Plus is recommended. (SOLD BY OTHERS)



Category C

Stainless Steel FPT Gate Valves

Model No.	Description	Wt. lbs.	List Price
LGT11SS304X	1, Gate Valve, 304 SS, X	2	\$81.00
LGT11SS304W	1, Gate Valve, 304 SS, W	2	\$81.00
LGT11SS316X	1, Gate Valve, 316 SS, X	2	\$108.00
LGT11SS316W	1, Gate Valve, 316 SS, W	2	\$108.00
LGT1515SS304X	1.5, Gate Valve, 304 SS, X	3	\$138.00
LGT1515SS304W	1.5, Gate Valve, 304 SS, W	3	\$138.00
LGT1515SS316X	1.5, Gate Valve, 316 SS, X	3	\$185.00
LGT1515SS316W	1.5, Gate Valve, 316 SS, W	3	\$185.00
LGT22SS304X	2, Gate Valve, 304 SS, X	4	\$166.00
LGT22SS304W	2, Gate Valve, 304 SS, W	5	\$166.00
LGT22SS316X	2, Gate Valve, 316 SS, X	4	\$223.00
LGT22SS316W	2, Gate Valve, 316 SS, W	5	\$223.00
LGT2525SS304X	2.5, Gate Valve, 304 SS, X	9	\$468.00
LGT2525SS304W	2.5, Gate Valve, 304 SS, W	10	\$468.00
LGT2525SS316X	2.5, Gate Valve, 316 SS, X	9	\$625.00
LGT2525SS316W	2.5, Gate Valve, 316 SS, W	10	\$625.00
LGT33SS304X	3, Gate Valve, 304 SS, X	16	\$576.00
LGT33SS304W	3, Gate Valve, 304 SS, W	16	\$576.00
LGT33SS316X	3, Gate Valve, 316 SS, X	16	\$768.00
LGT33SS316W	3, Gate Valve, 316 SS, W	16	\$768.00
LGT44SS304X	4, Gate Valve, 304 SS, X	20	\$1,417.00
LGT44SS304W	4, Gate Valve, 304 SS, W	21	\$1,417.00
LGT44SS316X	4, Gate Valve, 316 SS, X	20	\$1,888.00
LGT44SS316W	4, Gate Valve, 316 SS, W	21	\$1,888.00

X=Cross top, W=Wheel handle

**NOTE: 316 stainless steel is "Special Order".
Please allow 60-90 days.**

**Gate valve (FPT) pressure rating:
200 PSI CWP (cold working pressure)
100 PSI SWP (steam working pressure)**



Mainline Gate Valve (Spigot x Bell)

Model No.	Description	Wt. lbs.	List Price
LMV-11SB	2 x 2 Spigot x Bell	29	\$355.00
LMV-13SB	2 x 3 Spigot x Bell	32	\$364.00
LMV-22SB	2.5 x 2.5 Spigot x Bell	33	\$380.00
LMV-23SB	2.5 x 3 Spigot x Bell	37	\$371.00
LMV-33SB	3 x 3 Spigot x Bell	50	\$384.00
LMV-34SB	3 x 4 Spigot x Bell	54	\$446.00
LMV-44SB	4 x 4 Spigot x Bell	62	\$567.00
LMV-66SB	6 x 6 Spigot x Bell	104	\$697.00
LMV-88SB	8 x 8 Spigot x Bell	172	\$1,011.00
LMV-1010SB	10 x 10 Spigot x Bell	264	\$1,557.00
LMV-1212SB	12 x 12 Spigot x Bell	353	\$1,928.00

NOTE: Spigot end of valve is designed to insert into a Leemco gasket fitting as pictured above.

NOTE: Gasket bell end of valve have cast on self-restrained joint restraint system.



Mainline Gate Valve (Flange x Flange)

Model No.	Description	Wt. lbs.	List Price
LMV-11FF	2 x 2 Flange x Flange	35	\$517.00
LMV-22FF	2.5 x 2.5 Flange x Flange	50	\$587.00
LMV-33FF	3 x 3 Flange x Flange	58	\$663.00
LMV-44FF	4 x 4 Flange x Flange	76	\$896.00
LMV-66FF	6 x 6 Flange x Flange	128	\$1,136.00
LMV-88FF	8 x 8 Flange x Flange	205	\$1,371.00
LMV-1010FF	10 x 10 Flange x Flange	395	\$2,189.00
LMV-1212FF	12 x 12 Flange x Flange	605	\$2,671.00
LMV-1414FF	14 x 14 Flange x Flange	890	\$7,570.00
LMV-1616FF	16 x 16 Flange x Flange	1250	\$9,565.00

NOTE: Flange bolt, nut & gasket kits are sold separately. Please contact Leemco for pricing.



Category D

Mainline Gate Valve (Bell x Bell)

Model No.	Description	Wt. lbs.	List Price
LMV-11BB	2 x 2 Bell x Bell	30	\$418.00
LMV-22BB	2.5 x 2.5 Bell x Bell	33	\$439.00
LMV-33BB	3 x 3 Bell x Bell	49	\$475.00
LMV-34BB	3 x 4 Bell x Bell	59	\$594.00
LMV-44BB	4 x 4 Bell x Bell	67	\$662.00
LMV-66BB	6 x 6 Bell x Bell	115	\$835.00
LMV-88BB	8 x 8 Bell x Bell	194	\$1,106.00
LMV-1010BB	10 x 10 Bell x Bell	294	\$1,743.00
LMV-1212BB	12 x 12 Bell x Bell	382	\$2,158.00
LMV-1414BB	14 x 14 Bell x Bell (DPS)	470	\$5,048.00
LMV-1616BB	16 x 16 Bell x Bell (DPS)	553	\$6,376.00

NOTE: Gasket bell ends of valve have cast on self-restrained joint restraint system.

NOTE: 14" & 16" Bell x Bell valves do not include joint restraints. (sold separately)



UL/FM LISTED

Mainline Gate Valve (Flange x Flange)

Model No.	Description	Wt. lbs.	List Price
LMV-11FF-ULFM	2 x 2 Flange x Flange	35	\$545.00
LMV-22FF-ULFM	2.5 x 2.5 Flange x Flange	50	\$618.00
LMV-33FF-ULFM	3 x 3 Flange x Flange	58	\$698.00
LMV-44FF-ULFM	4 x 4 Flange x Flange	76	\$944.00
LMV-66FF-ULFM	6 x 6 Flange x Flange	128	\$1,196.00
LMV-88FF-ULFM	8 x 8 Flange x Flange	205	\$1,444.00
LMV-1010FF-ULFM	10 x 10 Flange x Flange	395	\$2,305.00
LMV-1212FF-ULFM	12 x 12 Flange x Flange	605	\$2,812.00
LMV-1414FF-ULFM	14 x 14 Flange x Flange	890	\$7,969.00
LMV-1616FF-ULFM	16 x 16 Flange x Flange	1250	\$10,069.00


NOTE: Flange bolt, nut & gasket kits are sold separately. Please contact Leemco for pricing.



Mainline Gate Valve (MJ x MJ)

Model No.	Description	Wt. lbs.	List Price
LMV-33MM	3 x 3 MJ x MJ	48	\$471.00
LMV-44MM	4 x 4 MJ x MJ	72	\$550.00
LMV-66MM	6 x 6 MJ x MJ	128	\$929.00
LMV-88MM	8 x 8 MJ x MJ	170	\$1,386.00
LMV-1010MM	10 x 10 MJ x MJ	257	\$1,975.00
LMV-1212MM	12 x 12 MJ x MJ	383	\$3,204.00
LMV-1414MM	14 x 14 MJ x MJ (DPS)	575	\$7,256.00
LMV-1616MM	16 x 16 MJ x MJ (DPS)	768	\$9,622.00
LMV-WH3-4	Round Wheel Handle, 3-4"	18	\$53.00
LMV-WH6-8	Round Wheel Handle, 6-8"	25	\$79.00
LMV-WH10-16	Round Wheel Handle, 10-16"	35	\$105.00

NOTE: Mechanical joint accessory kits are sold separately. Please contact Leemco for pricing.



UL/FM LISTED

Mainline Gate Valve (MJ x MJ)

Model No.	Description	Wt. lbs.	List Price
LMV-33MM-ULFM	3 x 3 MJ x MJ	48	\$496.00
LMV-44MM-ULFM	4 x 4 MJ x MJ	72	\$579.00
LMV-66MM-ULFM	6 x 6 MJ x MJ	128	\$978.00
LMV-88MM-ULFM	8 x 8 MJ x MJ	170	\$1,459.00
LMV-1010MM-ULFM	10 x 10 MJ x MJ	257	\$2,079.00
LMV-1212MM-ULFM	12 x 12 MJ x MJ	383	\$3,373.00
LMV-1414MM-ULFM	14 x 14 MJ x MJ (DPS)	575	\$7,638.00
LMV-1616MM-ULFM	16 x 16 MJ x MJ (DPS)	768	\$10,129.00
LMV-WH3-4	Round Wheel Handle, 3-4"	18	\$53.00
LMV-WH6-8	Round Wheel Handle, 6-8"	25	\$79.00
LMV-WH10-16	Round Wheel Handle, 10-16"	35	\$105.00

NOTE: Mechanical joint accessory kits are sold separately. Please contact Leemco for pricing.

Category E



Mainline Gate Valve, Bell x Bell (for HDPE)

Model No.	Description	Wt. lbs.	List Price
LMV-11BBHDSS	2, Bell x Bell Valve Kit	35	\$729.00
LMV-33BBHDSS	3, Bell x Bell Valve Kit	40	\$905.00
LMV-44BBHDSS	4, Bell x Bell Valve Kit	60	\$1,209.00
LMV-66BBHDSS	6, Bell x Bell Valve Kit	125	\$1,514.00
LMV-88BBHDSS	8, Bell x Bell Valve Kit	215	\$1,969.00
LMV-1010BBHDSS	10, Bell x Bell Valve Kit	310	\$2,946.00
LMV-1212BBHDSS	12, Bell x Bell Valve Kit	400	\$3,659.00

NOTE: Mainline valve kit includes: Gate valve, double restraints & internal pipe stiffeners, as shown above.

NOTE: When ordering, please specify the HDPE DR rating. Leemco manufactures SDR17, 13.5 and 11 sizes.

Category E

For HDPE Pipe



Stainless Steel Internal Pipe Stiffeners

Model No.	Description	Wt. lbs.	List Price
SSS-26	2 x 6 SS Pipe Stiffener IPS	1	\$35.00
SSS-36	3 x 6 SS Pipe Stiffener IPS	2	\$72.00
SSS-46	4 x 6 SS Pipe Stiffener IPS	2	\$80.00
SSS-66	6 x 6 SS Pipe Stiffener IPS	3	\$100.00
SSS-86	8 x 6 SS Pipe Stiffener IPS	5	\$124.00
SSS-106	10 x 6 SS Pipe Stiffener IPS	5	\$153.00
SSS-126	12 x 6 SS Pipe Stiffener IPS	6	\$179.00

NOTE: When ordering, please specify the HDPE DR rating. Leemco manufactures SDR17, 13.5 and 11 sizes.

Specifications**Fitting Specification:**

Fittings shall be ductile iron, slanted, deep bell, gasket style made in accordance with ASTM A-536, Grade 65-45-12 & AWWA C153. Fittings shall have four lugs to accommodate joint restraints and other fittings. Bell section shall allow 5-degree freedom of pipe deflection within the bell end. All gaskets shall be manufactured of high grade EPDM rubber and shall be rib-enforced "U-Cup" design to seal and assist in restraining pipe at all pressures. All IPS, DPS & DIN fittings shall have Epoxy Coating as standard finish. Epoxy Coating on interior & exterior surfaces of fittings shall be fusion bonded epoxy, 10-12 mil thickness. The epoxy coated fittings shall pass 90-Day immersion tests per CSA Z245.20-98. All fittings shall be manufactured by Leemco, Inc., U.S.A.

Self Restrained Fitting Specification:

Fittings shall ductile iron, slanted, deep bell, gasket style made in accordance with ASTM A-536, Grade 65-45-12 & AWWA C153. Fittings shall have joint restraint system cast within the fitting. Joint restraints shall have blunt cast serrations, so damage of the outer pipe surface will not occur. Machined threaded restraints shall not be allowed. All gaskets shall be manufactured of high grade EPDM rubber and shall be rib-enforced "U-Cup" design to seal and assist in restraining pipe at all pressures. Epoxy Coating on interior & exterior surfaces of fittings shall be fusion bonded epoxy, 10-12 mil thickness. The epoxy coated fittings shall pass 90-Day immersion tests per CSA Z245.20-98. All fittings shall be manufactured by Leemco, Inc., U.S.A.

Joint Restraint Specification:

All changes of directions and reductions shall be mechanically restrained. Additional adjacent joints shall also be restrained as per manufactures recommendations. Joint Restraints shall be ductile iron and made in accordance with ASTM A-536, Grade 65-45-12 & AWWA C153. All Restraints shall have blunt cast serrations. Machine threaded restraints shall not be allowed. All restraints shall have Epoxy Coating as standard finish. Epoxy Coating shall be fusion bonded epoxy, 10-12 mil thickness. The epoxy coated restraints shall pass 90-Day immersion tests per CSA Z245.20-98. All Joint Restraints shall be manufactured by Leemco, Inc., U.S.A.

Ductile Iron Lateral Angle Valve Specification:

Lateral to mainline connection shall be made with ductile iron, resilient seated angle valve. Valve body and restraint clamps shall be fusion bonded epoxy, 10-12 mil thickness. Valve mechanism and hardware shall be made of 100% stainless steel. The valve stem shall be fine threaded stainless steel, O-Ring sealed for ease of operation. Valve connection to the mainline fitting shall be spigot x bell, mechanically attached and swivel about the base 360 degrees to allow positioning of valve outlet to any desired direction. Valve outlet shall be deep bell, gasket and equipped with integrally cast joint restraint clamps to securely fasten pipe to the valve. Restraint shall have blunt cast serrations. Machined threaded restraints will not be allowed. Swivel style extensions shall be stackable. Valve shall have a shroud around the valve stem to accept IPS PVC sleeve. All lateral to mainline transitions shall be as manufactured by Leemco, Inc., U.S.A.

Stainless Steel Lateral Angle Valve Specification:

Lateral to mainline connection shall be made with stainless steel, resilient seated angle valve. Valve body and restraint clamps shall be 316 stainless steel. Valve mechanism and hardware shall be made of 100% stainless steel. The valve stem shall be fine threaded double O-Ring sealed for ease of operation. Outlet restraint shall have blunt cast serrations. Machine threaded restraints will not be allowed. Valve shall have a shroud around the valve stem to accept IPS PVC sleeve. All lateral to mainline transitions shall be as manufactures by Leemco, Inc. U.S.A.

Globe Valve Specification:

Lateral to mainline connection shall be made with ductile iron, resilient seated globe valve. Valve body and restraint clamps shall be constructed of ductile iron per ASTM A-536, Grade 65-45-12. Epoxy coating on all interior and exterior surfaces shall be fusion bonded epoxy, 10-12 mil thickness. Valve mechanism and hardware shall be made of 100% stainless steel. The valve stem shall be fine threaded stainless steel, O-Ring sealed for ease of operation. Valve connection to the mainline fitting shall be spigot x bell, mechanically attached and swivel about the base 360 degrees to allow positioning of valve outlet to any desired direction. Valve outlet shall be deep bell, gasket and equipped with integrally cast joint restraint clamps to securely fasten pipe to the valve. Restraint shall have blunt cast serrations. Machine threaded restraints will not be allowed. Riser extensions shall be stackable. Valve shall have a shroud around the stem to accept IPS PVC sleeve. All lateral to mainline transitions shall be as manufactured by Leemco, Inc., U.S.A.

Specifications**Mainline Gate Valve Specification:**

All mainline valves shall be resilient wedge and conform to AWWA C153 standards. Material shall be ductile iron per ASTM A-536, Grade 65-45-12. Epoxy coating on all interior and exterior surfaces shall be fusion bonded epoxy, 12-14 mil thickness. The epoxy coating shall pass 90-Day immersion tests per CSA Z245.20-98. Gate valves shall be available in spigot x bell, bell x bell, flanged and mechanical joint models to mechanically connect to fittings or plastic pipe. Restraints shall have blunt cast serrations. Machine threaded restraints will not be allowed. Valves shall have a shroud around the 2" operating nut to accept IPS PVC sleeve which provides dirt free access to actuate the valve. All mainline gate valves shall be as manufactured by Leemco, Inc., U.S.A.

Ductile Iron Saddle Specification:

All Saddle bodies shall be constructed of ductile iron per ASTM A-536, Grade 65-45-12, AWWA C153 standards. RSST, RSDT RSLs & RDLs-Series straps and hardware shall be 304 stainless steel. Saddle gaskets shall be constructed of high grade EPDM rubber per ANSI/AWWA C111/A21.11 standards. Epoxy coating shall be 10-12 mil thickness to protect against corrosive soils. 2" LAT Bell outlet accepts Leemco lateral connections. All saddles shall be manufactured by Leemco, Inc. U.S.A.

Quick Coupling Valve Stabilizer Specification:

All quick coupling valves shall be secured by utilizing a Leemco stabilizer to prevent bodily harm due to slowly disengaging the valve from its base by normal operation and also prevent vandalism. All quick coupling valve stabilizers shall be as manufactured by Leemco, Inc., U.S.A.

Stainless Steel Lateral Saddle Specification:

All lateral saddles shall be made of 316 stainless steel and have cast-on joint restraint system. Gasket is made of high grade EPDM rubber and the saddle has a built-in anti-rotation device to accept 1-1/2" round hole. Bolt hex heads shall be encapsulated within the saddle body for easy installation. Saddles come in 2", 2.5" and 3" sizes with ACME and FPT (NPT) outlets. ACME outlets will accept 1-1/2" male ACME fitting provided by most swing joint manufactures. All lateral saddles shall be as manufactured by Leemco, Inc. U.S.A.

Stainless Steel Ball & Gate Valve Specification:

All threaded gate and ball valves shall be constructed of 304 or 316 stainless steel. Ball valves are rated for 1000psi CWP and Gate Valves are rated for 200psi. Bronze or brass gate and ball valves will not be approved. All gate and ball valves shall be manufactured by Leemco, Inc. U.S.A.

Stainless Steel Internal Pipe Stiffener Specification:

All internal pipe stiffeners shall be constructed of high grade 304 stainless steel. Pipe stiffeners shall be one piece with self adjusting design for secure connection to the inside of the HDPE pipe. All internal pipe stiffeners shall be manufactured by Leemco, Inc. U.S.A.

Stainless Steel Fittings:

All threaded 1", 1.5" and 2" fittings shall be constructed of 100% 304 or 316 stainless steel. Fittings are rated at 300 PSI CWP, and 150 PSI SWP. Brass, bronze, Galvanized or plastic fittings will not be approved. All stainless steel fittings shall be manufactured by Leemco, Inc. U.S.A.

Epoxy Coating Specification:

All interior and exterior surfaces of fittings and valves shall be fusion bonded Leem-Guard epoxy, consisting of thermoplastic powder formulated specifically for underground piping components and shall conform to the requirements of CSA Z245.20-20 and NSF 61 for water services. The average mil thickness shall be 10-12; the minimum thickness shall be 5 mils. The epoxy coat shall be electro-statically applied to chemically etch and heated (460 degree F) substrate surfaces, cured and quenched. The epoxy coated products shall pass 90-Day Immersion tests per CSA Z245.20-98. Care must be taken not to chip or damage coated products, prior to, during and after installation.

Installation Guide

Before you begin...

- Inspect all products to insure rubber gaskets are installed properly
- Inspect all products to insure correct amount of bolts, nuts and washers are included
- Inspect all products for any noticeable cracks, pinholes or visual defects before installing

Tools required...

- Torque wrench
- Socket wrenches and open end wrenches
- Pipe beveller
- Seal Lube or gasket lubricant
- W-D 40 or steel thread lubricant



Installation Guide

Fitting and Push-on Valve Installation**Gasket Insertion**

Leemco gaskets are ribbed (U-Cup) design. The gasket nests in the recess (gasket groove) of the bell end with the front of the gasket smooth. The back of the gasket has series of notches or ribs.

Field Cut Pipe

The outside edge of the cut pipe must be beveled and smoothed as any sharp corner may cause gasket damage. Straight alignment is especially important when assembling field cut pipe.

Spigot x Bell Joints

Lubricant must be applied to the installed gasket to reduce friction and avoid gasket damage. Also apply a thin coat of lubricant to the beveled portion of the plain end of pipe or the spigot end of the fitting. Commercially available push-on joint lubricants are non-toxic, odorless, tasteless and do not support bacteria. "Seal Lube" SK#87710, offered by IPS Weldon Corp. is one such lubricant.

Joining

Small diameter pipe can be inserted by pushing the plain end into bell socket of fitting with a long bar. Larger diameter pipe require the use of a backhoe, jack or come-a-long tool.

Saddle Installation

Clean pipe surface where saddle gasket will seat against pipe. Inspect saddle to insure that the saddle gasket is not ripped or damaged. Install saddle boss (top) of saddle onto the pipe and install bottom stainless steel strap and tighten nuts to 20-25 ft-lbs of torque. Make sure to tighten nuts evenly so stainless steel strap is not crooked. Drill hole through the pipe (access is through the saddle outlet). The port size is determined by the Irrigation Consultant or the pipe manufacture. With 2" outlet saddles, the port size is in the range of 1" to 1.25" diameter. With smaller diameter pipe (3" and 4"), larger port sizes will take away too much pipe material and weaken the pipe at the port location. Please contact your Irrigation Consultant on proper port sizes.



Please refer to our website @ www.Leemco.com for complete Installation Guides.


Guides are available in English, Spanish and Mandarin languages.

Installation Guide

Design Criteria...

All tees, Bends, Reducers and End Caps should be restrained using LH-Series restraints. A certain number of joints before and after a restrained fitting may also require joint restraints as set forth in Tables below.


Below Tables establish values for the minimum length of pipe ("L") within which other joints must be restrained. Values (in feet) are based on 125 PSI line pressure, 24" of cover, Sandy-Clay type soil, and a safety factor of 2. For other line pressures, multiply the "L" values by 125.



Minimum Restrained Length (L) in feet

NOTE: Step Reduction Example:
1 Step (8x6), 2 Step (8x4), 3 Step (8x3)

Pipe-Pipe Restraints for IPS & DPS pipe... minimum restrained length ("L") in feet											
Pipe Size	Pipe OD IPS	Pipe OD DPS	Bends				Step Reduction			Dead End	Gate Valve
			11	22	45	90	1	2	3		
2"	2.38		1	1	2	6				19	10
2.5"	2.88		1	2	4	9	4			23	12
3"	3.50		2	3	6	11	8	10		30	15
4"	4.50	4.80	2	4	9	20	14	20	31	45	23
6"	6.63	6.90	3	6	13	29	30	40	53	63	31
8"	8.63	9.05	4	8	15	38	33	55	63	75	38
10"	10.75	11.10	5	9	19	45	36	56	75	96	48
12"	12.75	13.20	5	10	21	53	38	60	83	112	56
14"		15.30	6	11	24	58	40	62	86	130	62
16"		17.40	6	13	27	65	42	64	88	146	73
18"		19.50	7	14	29	69	44	70	90	162	81
20"		21.60	8	15	32	76	46	80	92	178	89
24"		25.80	9	18	37	88	63	90	114	209	105



Installation Guide

Joint Restraint - Hardware Size and Torque Requirements							LPP-Series Restraints Only			
Pipe Size	Pipe OD IPS	Pipe OD DPS	No. of Bolts	Bolt Size	Torque Ft-Lb	LB-Series OD (Inches)	LPP-Series OD (Inches)	LPP-Series No. of Bolts	LPP-Series Bolt Size	Torque Ft-Lb
2"	2.38		2	3/8 - 16 x 2.5	20	5.0	5.0	2	3/8 - 16 x 2.5	20
2.5"	2.88		2	3/8 - 16 x 2.5	20	5.5	5.5	2	3/8 - 16 x 2.5	20
3"	3.50		2	3/8 - 16 x 2.5	20	6.5	6.5	2	3/8 - 16 x 2.5	20
4"	4.50	4.80	2	1/2 - 13 x 3.5	50	7.5	7.5	2	1/2 - 13 x 3.5	50
6"	6.63	6.90	2	1/2 - 13 x 3.5	50	10.0	10.5	2	1/2 - 13 x 3.5	50
8"	8.63	9.05	4	1/2 - 13 x 4.0	50	12.5	15.0	2	1/2 - 13 x 4.0	50
10"	10.75	11.10	4	5/8 - 11 x 5.5	100	15.0	17.0	2	1/2 - 13 x 4.0	50
								2	5/8 - 11 x 5.5	100
12"	12.75	13.20	4	5/8 - 11 x 5.5	100	17.0	19.5	2	1/2 - 13 x 4.0	50
								4	5/8 - 11 x 5.5	100
14"		15.30	4	5/8 - 11 x 5.5	100	29.0				
16"		17.40	4	5/8 - 11 x 5.5	100	31.0				
18"		19.50	2	1/2 - 13 x 4.0	50					
			4	5/8 - 11 x 5.5	100					
20"		21.60	2	1/2 - 13 x 4.0	50					
			4	5/8 - 11 x 5.5	100					
24"		25.80	2	1/2 - 11 x 4.0	50					
			4	5/8 - 11 x 5.5	100					

Parts...



LTB-Bars

- LTB-100... used with 2" - 8" LB-Series (9"L x 1"H)
- LTB-200... used with 10" - 24" LB-Series (16"L x 1"H)
- LTB-224... used with 2" - 4" LGK/LG-Series (18"L x 3.5"H)
- LTB-228... used with 6" - 8" LGK/LG-Series (24"L x 3.5"H)
- LTB-1012... used with 10" - 12" LGK/LG-Series (32"L x 3.5"H)



SB-LK6 and SB-LK7

- SB-LK6... used with 2" - 8" LGK-Series
- SB-LK7... used with 10" - 12" LGK-Series



LS-MJ

- LS-MJ... used with 2" - 12" LMJ-Series

TERMS:

Net 30 days

Conditions of Sale**FREIGHT:**

FOB Leemco warehouses; Prepaid freight \$2,000 net (United States only)

CLAIMS:

Shipping errors must be reported to Leemco within 15 days of receipt. Claims for damages or shortages in transit should be handled with the carrier by the consignee.

RETURN POLICY:

All product returns must have an approved RGA (Returned Goods Authorization) form signed by a Leemco Representative. This form can be downloaded from the Leemco website @ www.Leemco.com. No credit shall be issued for returns without this information. Leemco will not issue a check or cash refund for the returned goods amount. Credit will be issued to the Distributors account and this dollar amount will be deducted from all future purchases, until a zero balance is achieved.

All product returns shall be subject to a twenty percent (20%) refurbishing charge. The Purchaser shall be responsible for shipment of all Leemco returned goods; freight prepaid to Leemco factory located at 360 S. Mount Vernon Ave, Colton, CA. 92324. This shall include, but not limited to all packing, handling, shipping and the cost thereof for all Leemco products. In the event of any portion of the original order had been shipped freight allowed by Leemco is returned, the Purchaser shall be responsible for the cost of the outgoing freight charges, as well as handling charges related to the returned goods. The handling charges shall be calculated as the sale ability and refurbishing cost of the returned product.

Fittings returned without links, gaskets, bolts, etc. shall be charged for the cost of the missing items and associated labor including a handling charge. It is the responsibility of the Distributor, Dealer or Contractor to inspect all received goods and immediately notify Leemco of any defects or deficiencies. The Distributor Dealer or Contractor has 30 days from the date of the original Leemco invoice to report missing items and seek remedies immediately. Goods badly damaged or construed to have excessive rust, and mud deposits shall be charged a refurbishing fee.

Suitability:

Ductile iron products are not suitable for exposure to saline (ocean) water or injection of chemical fertilizers with acidity lower than 6.3 PH. Although Epoxy coatings will protect ductile iron products against chemical attacks, care must be taken during installation of Epoxy coated products not to nick the coating and expose bare metal. Leemco, Inc. shall not warrant its products for exposure to acetic and aggressive soils without carefully applied and installed protective coating. The following warranty applies only to products that comply with Leemco, Inc. application and requirements as stated herein.

Warranty:

Leemco, Inc. warrants its products to be free of defects in materials and workmanship when purchased from an authorized distributor for a period of five (5) years and used for normal use. (refer to Suitability stipulations above) If the constituent becomes defective during the Limited Warranty period, Leemco shall replace it at no charge to the customer. Seller shall not be liable for the costs of any repairs or work done or materials purchased by the Buyer because of defective items, unless in writing by the seller. IN NO EVENT SHALL SELLER BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES unless applicable federal law forbids exclusions of incidental or consequential damages. Under special purchase agreements, Leemco offers extended warranty programs; for details please contact the factory. View complete Leemco Warranty Information @ www.Leemco.com

Disclaimer:

ALL PRIOR IMPLIED OR WRITTEN WARRANTIES ARE NO LONGER IN EFFECT. NO PERSON, AGENT, DISTRIBUTOR, DEALER, SERVICE FACILITY OR COMPANY IS AUTHORIZED TO CHANGE, MODIFY OR AMEND THE TERMS OF THIS LIMITED WARRANTY. LEEMCO SHALL NOT BE LIABLE TO THE PURCHASER, CONTRACTOR, AND OWNER OF ANY OTHER PERSON FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES OR LOSS OF PROFIT RESULTING FROM ANY DEFECT IN OR MALFUNCTION OF A LEEMCO PRODUCT. REFER TO "SUITABILITY", ABOVE FOR CLARIFICATIONS.

Price/Offer:

Price subject to change without notice. Possession of price sheet does not constitute an obligation to sell. Offer to sell at the sole discretion of LEEMCO, INC. and is not implied by possession of this or other LEEMCO price lists.