



**RESPACK**  
PACKAGING • PROMISED • DELIVERED

# PRODUCT CATALOGUE



# IT'S EASIER TO DO BUSINESS WITH US !



**[www.respack.com.my](http://www.respack.com.my)**

Browse our website to know more about our products.



**+604-423 9885**

9.00am to 6.00pm Monday to Friday.  
Our friendly, professional staff are ready to help.



**[sales@respack.com.my](mailto:sales@respack.com.my)**

Anytime! 24 hours-5 days a week. We will confirm your order by return email within an hour.



**+604-423 9886**

You'll get your order confirmed via an email from us within minutes of placing your order via fax.

# AWARD WINNING SUPPLIER



# CONTENTS

**AIRMAX VENTILATED REINFORCED**

**XFORCE FIBER REINFORCED**

**HAND STRETCH FILM**

**MACHINE STRETCH FILM**

**SEMI AUTO PALLET WRAPPING**

**SPECIALITY FILM**

**PACKAGING MATERIAL**

**FLEXIBLE PACKAGING**

**HYGIENE & SAFETY**

# 6 GREAT REASONS TO WORK WITH RESPACK



## 1. BUY DIRECT FROM MANUFACTURER

Buy direct from manufacturer to access specialized expertise in customizing the best solution for you. Reliability, consistency and competitiveness assured.



## 2. INNOVATIVE PACKAGING SOLUTION

Our experts consistently enhance their knowledge and information on the latest and most updated technology in the packaging industry.



## 3. FAST EXPRESS DELIVERY

Your order will be delivered on time and your product will be secured with us.



## 4. GREAT CUSTOMER SERVICE

Our commitment to 'Extreme Customer Service' guarantees the right products will be despatched to you - every time!



## 5. 100% QUALITY GUARANTEED

Any stock items your purchase from Respack are 100% covered for 100 days!

## 6. LOWEST PRICE GUARANTEED

If you find a price lower than Respack's published price on any stock product, we'll surely beat that price 100%.

# WE'LL BEAT ANY OTHER PRICE 100%

# TAILORED TO YOUR REQUIREMENTS

As a manufacturer we understand your needs for cost competitive and guaranteed product performance. Talk to us for our tailored solution.





010880

**AIRMAX**<sup>TM</sup>

VENTILATED REINFORCED

**XFORCE**<sup>TM</sup>

FIBER REINFORCED

# AIRMAX™

## VENTILATED REINFORCED STRETCH FILM



PATENTED TECHNOLOGY




WINNER  
DESIGN AWARD & TECHNOLOGY




FIRST IN ASIA

AIRMAX VENTILATED REINFORCED




**TO PROVIDE AERATION  
FRESH PRODUCE**

Vegetables, fruit, flowers, plants, eggs,  
cheese, etc.



**TO AVOID CONDENSATION  
HOT-FILL PRODUCTS**

Carbonated drinks soft drinks, breweries  
& cooked foods caterer, canned food, etc.



-30°C

**FOR FAST COOLING  
CHILLED & DEEP-FROZEN PRODUCTS**

Dairy products, ice cream, meat, fish, frozen  
food etc.





FOOD & BEVERAGE INDUSTRY



PET FOOD



DAIRY PRODUCTS



AGRICULTURAL MARKET



PHARMACEUTICAL PRODUCTS



FLOWER MARKET

IMPROVES PLANT EFFICIENCY AND FRESHNESS

PROLONG PRODUCT SHELF LIFE

EXCELLENT LOAD STABILIZATION

OFFER MAXIMUM AERATION



AIRMAX VENTILATED REINFORCED

**AIRMAX™** products are high performance breathable stretch film. Airmax is perfect for transporting products likely to get damaged by ripening gases, humidity, rust, mold or condensation, as well as products that need to chill or to freeze quickly. All products can be applied to pallet wrapping of various load types (light or heavy) for Machine & Manual applications.

Airmax™	Film Width	Film Length	Film Weight	Core ID	Core Width	Features
Hand wrap (2 inch)	420 mm	480 m	2 kg	2"	515 mm	pre-stretched, 6 reinforcing stripes, oscillation
Machine wrap (Core Break)	420 mm	1900 m	9 kg	3"	515 mm	pre-stretch <100%, 6 reinforcing stripes, oscillation
Machine wrap (PPS)	480 mm	1360 m	10 kg	3"	515 mm	pre-stretch <250%, 6 reinforcing stripes, oscillation

# XFORCE™

## FIBER REINFORCED STRETCH FILM



PATENTED TECHNOLOGY




PIDA 2020 COMMENDATION AWARD



FIRST IN ASIA


XFORCE FIBER REINFORCED



PUNCTURE RESISTANCE



ZERO TEAR PROPAGATION



ROLL DAMAGE RESISTANCE

## FIBER REINFORCED STRETCH FILMS GUARANTEE ZERO BREAKS DURING THE WRAPPING PROCESS


- Wrapping security, load stability
- Reduce costs by minimizing your cost per pallet up to 40%
- Tear resistant - high stretchability (elasticity)
- Unique, novel & ergonomic design
- Patent protected
- At least 50% less plastic waste - 100% recyclable - less co2 Footprint




XFORCE™  
STRAPPING  
BAND EFFECT  
LESS WRAPPING  
REVOLUTIONS



NO BREAKAGES  
DURING  
PALLETIZATION



FIBER  
REINFORCEMENT  
STRAPPING  
BAND EFFECT

**Xforce™** fiber reinforced is a unique high-efficiency stretch film with reinforcement elements (fibers) that increase tear resistance. This reinforced stretch film combines high elongation, exceptional puncture resistance and excellent pallet stability

Xforce™	Film Width	Film Length	Film Weight	Core ID	Core Width	Features
Hand Wrap	410 mm	500 m	1.4 kg	2"	515 mm	pre-stretched, 2 reinforcing stripes, oscillation
Machine Wrap (Core Break)	450 mm	1800 m	9.0 kg	3"	515 mm	pre-stretch <100%, 4 reinforcing stripes, oscillation
Machine Wrap (PPS)	480 mm	1070 m	8.0 kg	3"	515 mm	pre-stretch <250%, 4 reinforcing stripes, oscillation





# HAND STRETCH FILM

**UNIVERSAL™** Conventional hand film, for general manual use.

	Thickness (um)	Max. Stretch %	Length (m)	Weight (Net/Gross) per Roll
<b>UNIVERSAL - HUE</b>	17	120	255	2.0/2.3 kg
	20	110	220	2.0/2.3 kg
	● 23	110	190	2.0/2.3 kg
	25	100	175	2.0/2.3 kg



**XCEL™**

Superior performance: Better puncture and tear resistance, stretches less than conventional films for a higher load retention.

	Thickness (um)	Max. Stretch %	Length (m)	Weight (Net/Gross) per Roll
<b>XCEL™ - HH</b>	● 12	80	400	2.2/2.5 kg
	15	80	290	2.0/2.3 kg
	● 17	70	255	2.0/2.3 kg
	20	70	220	2.0/2.3 kg
	23	70	190	2.0/2.3 kg



**XTREME EDGE™**

High memory, super stiff film with ultra-low gauge. Offers optimum containment force with minimum efforts at lowest cost of wrapping. (Load A&B)

**XTREME™**

Similar low gauge stiff film with high puncture resistance, high cling and excellent load retention.



	Thickness (um)	Max. Stretch %	Length (m)	Weight (Net/Gross) per Roll
<b>XTREME EDGE™ - HY</b>	8	50	545	2.0/2.3 kg
	10	50	435	2.0/2.3 kg
	12	50	365	2.0/2.3 kg
<b>XTREME™ - HP</b>	15	50	290	2.0/2.3 kg
	17	50	255	2.0/2.3 kg

● Best selling product


# XTRALITE PRO™ & XTRALITE™ PRE-STRETCH STRETCH FILM




**LOWEST COST  
WRAPPING**




**OCCUPATIONAL  
HEALTH & SAFETY  
COMPLIANCE**



**Extreme strength**  
Few times stronger than  
conventional film.



**Extreme Performance**  
Reinforced edge to increase  
holding force and tear resistance.



**Zero breakages film**

**HAND  
STRETCH WRAP**

- Price - Significant cost savings to wrap a pallet.
- Film memory - Superior load retention for better load stability.
- Damage-proof reels - Oscillation adds roll's edges protection for zero wasted rolls.

Xtralite Pro™ offers folded edge technology and protecting the film for less breaks and creates superior roping effect.

	Thickness (um)	Max. Stretch %	Length (m) Handroll	Length (m) Machine roll
<b>XTRALITE™ &amp; XTRALITE PRO™</b>	● 6	5-10	680	2000

● **Best selling product**







RES  
PACKAGING + PROTECT

# MACHINE STRETCH FILM

## UNIVERSAL™

General purpose wrapping from medium to heavy loads with sharp protruding corners/edges.



=



**1 ROLL  
12/KG**

**UP TO 38 PALLETS**



	Thickness (um)	Ultimate Stretch %	Guaranteed Pre-stretch %	Stretch at Break	Length (m)	Weight (Net/Gross) per Roll
<b>UNIVERSAL™ - MU</b>	17	200	180	210	1535	12/13 kg
	20	215	200	230	1305	12/13 kg
	● 23	220	200	245	1135	12/13 kg
	25	220	200	250	1045	12/13 kg
	30	235	200	255	870	12/13 kg
Recommended Wrapping System	Standard manual wrappers with core brake, semi-auto wrappers, orbital and vertical rotating ring wrappers					

## XTEND™

High performance film with good balance between cost vs performance suitable for low to medium duty wrapping machine.



=



**1 ROLL  
12/KG**

**UP TO 40 PALLETS**



	Thickness (um)	Ultimate Stretch %	Guaranteed Pre-stretch %	Stretch at Break	Length (m)	Weight (Net/Gross) per Roll
<b>XTEND™ - MH</b>	15	225	200	250	1740	12/13 kg
	17	260	240	260	1535	12/13 kg
	20	265	250	285	1305	12/13 kg
	23	270	250	295	1135	12/13 kg
Recommended Wrapping System	Semi-automatic turntable or rotary tower wrapping systems with medium prestretch					

● Best selling product



**INDUSTRY LEADING PERFORMANCE**



**LOWEST COST WRAPPING**

## XPERT™

Xpert™ Pallet Wrap film utilizes the latest technology in film formulation and multilayer cast extrusion to give a stronger, thinner, lighter film with exceptional holding force and puncture resistance.



**1 ROLL  
12/KG**

=




**UP TO 65 PALLETS**



**high holding force**



**super stretch effect**



**strong puncture**

	Thickness (um)	Ultimate Stretch %	Guaranteed Pre-stretch %	Stretch at Break	Length (m)	Weight (Net/Gross) per Roll
<b>XPERT™ - ML</b>	● 12	330	300	400	2175	12/13 kg
	● 15	350	300	440	1740	12/13 kg
<b>Recommended Wrapping System</b>	All wrapping systems, including high speed fully automatic lines up to 40 RPM with high PPS					

## XCEED™

Premium stretch film, runs on most of wrapping systems with low necking – the best cost per pallet wrapped.



**1 ROLL  
12/KG**

=



**UP TO 59 PALLETS**

	Thickness (um)	Ultimate Stretch %	Guaranteed Pre-stretch %	Stretch at Break	Length (m)	Weight (Net/Gross) per Roll
<b>XCEED™ - MP</b>	● 12	210	200	280	2175	12/13 kg
	● 16	250	240	330	1800	13.2 kg
	● 17	270	250	355	1535	12/13 kg
	● 20	335	300	390	1305	12/13 kg
	● 23	340	300	405	1135	12/13 kg
<b>Recommended Wrapping System</b>	Semi and fully automatic wrapping systems up to 30 RPM with power pre-stretch <300%					

● **Best selling product**



# PALLET WRAPPING MACHINE

# SEMI-AUTO PALLET WRAPPER HEAVY DUTY 2020 NEW TYPE

Pallet Wrapper HP – 1500mm  
Turntable x 2100mm Mast – PPS  
Touchscreen / Scale / Printer



SEMI-AUTO PALLET WRAPPER

## TECHNICAL PARAMETER

- Voltage: 1 phase ac 220v 50hz
- Turntable diameter: 1500mm
- Turntable speed: 3-15 rpm adjustable
- Stand column material: 2mm thickness cold rolled plate
- Wrapping height: 2100mm
- Loading weight: 1500kg
- Film carriage mode: constant tension powered pre-stretch film carriage ratio: 300%
- Film tension can adjustable
- Film carriage speed: 3m/min adjustable
- Plc: Delixi
- Touch screen HMI: Delixi
- Inverters: Delixi
- Motors: liming/taiwan
- Gear boxes: Liming/Taiwan
- Photocell: Fotek/Taiwan
- Proximity switch: Fotek /Taiwan
- Safety door for safety to assemble roller film
- Safety bottom plate to keep safety when people under the film carriage when the film carriage Down
- Soft start and soft stop
- Overload protection, over voltage protection over current protection



A close-up photograph of a person's hand holding a roll of material with a fine, woven texture. The material is light-colored, possibly white or light blue, and is being unrolled or held in place. The background is a solid, dark grey or black color. The lighting is soft, highlighting the texture of the material and the skin of the hand.

# SPECIALITY FILM

# COLOURED

## HAND PALLET WRAP

- Allows for easy pallet identification
- Available in white, green, blue, yellow, and red
- Facilitates stock rotation
- See-through wrap so palletised goods can be seen



# MINI BUNDLING

## ROLL STRETCH FILM

- Handy dispenser available
- Smaller roll for efficient storage
- Quick, lightweight and easy to use
- Ideal for use on site or for carrying throughout warehouse



CODE	DESCRIPTION	CTN QTY
2001	24 ROLLS + 1 HANDLE	24 ROLLS / 1 CTN
2002	1 ROLL + 1 HANDLE	1 CTN





## BIOBASED GREEN PE

What differentiates this product made from sugarcane from fossil-based products is the use of renewable feedstock, which is derived from the biogenic carbon found in the green polyethylene that is captured during the sugarcane development phase.



Carbon neutral



Plant based renewable



Green Polyethylene is 100% recyclable



Green Ethylene and Green Polyethylene production

## VCI STRETCH

The VCI Anti-Tarnish Film helps to protect the precious and silver-plated metals from tarnish due to sulfide vapor and oxidation and eliminate the risk of discoloration, staining, and corrosion.



SPECIALITY FILM

## BIODEGRADABLE STRETCH FILM

Our compostable bags are made from a natural polymer with bio-based content, a high-quality and versatile bioplastic of German company BASF, and printing is made with soy water-based inks.



## ANTI STATIC STRETCH FILM

Recommended for applications sensitive to static electricity, an impregnated antistatic agent protects against the build-up of charges.







ESSENTIAL  
PACKAGING  
MATERIAL

## PALLET COVER

- Great dust and rain protection for the top of pallets
- Available in natural and black
- Puncture resistance HDPE
- Perforated on a 850mm wide centerfold roll



CODE	DESCRIPTION	CTN QTY
2003	1680MM X 1680MM	250PCS/ROLL

## PALLET BAGS HEAT SHRINK/ NON SHRINK

- Bag comes 600mm down the side of pallet to protect and secure your load
- UV resistant supplied on roll
- Fits neatly over standard 1165x 1165 pallets





## OPP TAPE


CODE	DESCRIPTION	CTN QTY
2004	48MM X 80METER	96

## STRAPPING BAND

CODE	DESCRIPTION	CTN QTY
2005	(AUTO)12MM X 0.6MM X 3000M	50
2006	(MANUAL) 12MM X 8KG MIX COLOUR	50



PACKAGING MATERIAL



## PLASTIC PALLET

CODE	DESCRIPTION	CTN QTY
2007	1200 X 1100 X 120MM	20

## KRAFT EDGE PROTECTOR

CODE	DESCRIPTION	QTY PCS
2008	70 X 70 X 4 X 2080MM	200
2009	75 X 75 X 4 X 2850MM	200





A close-up photograph of a person's hand holding a woven basket. The basket is filled with several plastic-wrapped items, likely fresh produce like lettuce. The person is wearing a blue denim shirt and a dark wristband. The text 'FLEXIBLE PACKAGING' is overlaid in white, bold, sans-serif font in the center-right of the image.

# FLEXIBLE PACKAGING

## Food

Packaging for the transport of fruits and vegetables, seafood, meat & poultry, bread or dairy products. For direct food contact or lamination base, these products made from virgin resin comply to international food safety standards.



• Deep Frozen Food



• Bread Bags




• Ice bags



• Food Graded Carton Liners



• Collation Heat Shrink Film



• Wicketed Bags



• Produce Bags



• Glove

## Industrial / Manufacturing

From semi-finished products like lamination base to form-fill-seal (FFS) bags, and mining bags to vapor corrosion inhibitors (VCI) bags, these products protect your manufactured goods or raw materials.



• Form Fill & Seal (FFS)



• Printed Bag



• Drum Liners



• Machinery & Equipment Shrink Protection



• Lamination Base Film



• Pallet Shrink Bag



• Mining Bags

## Specialty

Products with special value added that can be used in electronics manufacturing, medical sector or emergencies support.



• Anti Corrosion - Vapor Corrosion Inhibitor (VCI)



• Anti Static ESD Protection



• Barrier Tape



• Biohazard, Cytotoxic Waste Autoclavable Bags



• Flame Retardant Sheets



• Biodegradable & Compostable Bags



• Clean Room Sheets



• Apron




## Construction

Bags and liners used by the building industry. They offer high resistance to stress and weatherability (impact resistance, heavy duty, humidity, heat, cold, UV, vapor barrier).



• Asbestos Removal Bags



• Builders Film



• Concrete Curation Film



• Floor Protection Sheet



• Pond Liners



• Scaffold or Containment Shrink Wrap



• Heavy Duty Rubble, Sand and Gravel Bags

## Agriculture

Products used in fields or orchards, to protect and transport crops, fruits, vegetables, or wood, made to perform even under harsh weather conditions.



• Banana Bags



• Fertilizer Bags



• Green House & Covers Film



• Mulch Film



• Grape Cover



• Tree & Vine Guards



• Plant Nursery Bags

## Consumer / Retail

Bags and liners for the final consumers or commonly used in the retail or service industry.



• Checkout, Shopping & T-shirt Bags



• Fresh Produce Bags



• Garbage Bags & Bin Liners



• Laundry Bags



• Umbrella Bags




• Newspaper Bags

## Construction

Bags and liners used by the building industry. They offer high resistance to stress and weatherability (impact resistance, heavy duty, humidity, heat, cold, UV, vapor barrier).



• Asbestos Removal Bags



• Builders Film



• Concrete Curation Film



• Floor Protection Sheet



• Pond Liners



• Scaffold or Containment Shrink Wrap



• Heavy Duty Rubble, Sand and Gravel Bags

## Agriculture

Products used in fields or orchards, to protect and transport crops, fruits, vegetables, or wood, made to perform even under harsh weather conditions.



• Banana Bags



• Fertilizer Bags



• Green House & Covers Film



• Mulch Film



• Grape Cover



• Tree & Vine Guards



• Plant Nursery Bags

## Consumer / Retail

Bags and liners for the final consumers or commonly used in the retail or service industry.



• Checkout, Shopping & T-shirt Bags



• Fresh Produce Bags



• Garbage Bags & Bin Liners



• Laundry Bags




• Umbrella Bags



• Newspaper Bags

# SAFETY & HYGIENE





## DISPOSABLE 3 PLY SURGICAL MASK

CODE	DESCRIPTION	CTN QTY
2010	175MM X 95MM 3 PLY EARLOOP SURGICAL MASK, SINGLE USE, NON STERILE	50 10

## KN95 4 PLY MEDICAL MASK

CODE	DESCRIPTION	CTN QTY
2011	175MM X 95MM 4 PLY EARLOOP MEDICAL MASK,	5



HYGIENE SAFETY



## KIDS PREMIUM FACE MASK

CODE	DESCRIPTION	CTN QTY
2012	155MM X 95MM 3 PLY EARLOOP SURGICAL MASK, SINGLE USE, NON STERILE	50 10

## PREMIUM HEADLOOP SURGICAL FACE MASK

CODE	DESCRIPTION	CTN QTY
2013	155MM X 95MM 3 PLY EARLOOP SURGICAL MASK, SINGLE USE, NON STERILE	50 10





## SURGICAL COLOUR FACE MASK

HYGIENE SAFETY

CODE	DESCRIPTION	COLOUR	CTN QTY
2014	175MM X 95MM 3 PLY EARLOOP SURGICAL MASK, SINGLE USE, NON STERILE BFE 95% PFE 95%	PINK BLUE GREY YELLOW TIFFANY BLUE	50



## PREMIUM DISPOSABLE HDPE GLOVE

CODE	DESCRIPTION	CTN QTY
2015	28.5 INC FOOD PROCESSING AND GENERAL HYGIENE USE L SIZE	100



## PPE SUIT

CODE	DESCRIPTION	TYPES	CTN QTY
2016	BLUE DISPOSABLE ISOLATION GOWN	40 G	
2017	WHITE DISPOSABLE ISOLATION GOWN	55 G	
2018	DISPOSABLE PROTECTIVE COVERALL SUIT	65 G	



## HEAD AND SHOES COVER

CODE	DESCRIPTION	TYPES	CTN QTY
2019	HEAD COVER	-	100
2020	SHOES COVER	-	100



## DISPOSABLE APRON

CODE	DESCRIPTION	TYPES	CTN QTY
2021	DISPOSABLE POLYTHENE APRON	40 G	
2022	SHORT HAIR SALON CAPE APRON	55 G	
2023	LONG HAIR SALON CAPE APRON	65 G	

HYGIENE SAFETY



## COURIER BAG

CODE	DESCRIPTION	TYPES	CTN QTY
2024	180MM (W) X 260MM (L) X 40MM	S SIZE	100
2025	300MM (W) X 430MM (L) X 40MM	M SIZE	100
2026	430MM (W) X 500MM (L) X 40MM	L SIZE	100



**RESPACK**  
PACKAGING • PROMISED • DELIVERED

**RESPACK INDUSTRIES SDN BHD (939072-X)**

LOT 85 BAKAR ARANG INDUSTRIAL PARK,  
08000 SUNGAI PETANI,  
KEDAH, MALAYSIA.

Tel : +604-423 9885

Fax : +604-423 9886

Website : [www.respack.com.my](http://www.respack.com.my)

Email : [sales@respack.com.my](mailto:sales@respack.com.my)

Linked: [https://www.linkedin.com/in/  
respackgroupofcompanies](https://www.linkedin.com/in/respackgroupofcompanies)

Facebook : <https://www.facebook.com/respack>

