

Contact information:

---

Name  
Title  
Department

Phone  
Web/Fax  
E-mail

---

Name  
Title  
Department

Phone  
Web/Fax  
E-mail

---

COMPATIBILITY OVERVIEW FOR  
AVAYA



**DEVCONNECT**  
TECHNOLOGY PARTNER

[jabra.com/avaya](http://jabra.com/avaya)



**JABRA - AVAYA  
COMPATIBILITY GUIDE**



**Jabra**<sup>®</sup>  
YOU'RE ON

# PROFESSIONAL HEADSETS

STAY IN TOUCH THROUGHOUT THE OFFICE

## JABRA BIZ™ 2400 SERIES – 10X BETTER

- Superior audio with Neodymium speakers
- Gold contacts for crystal-clear voice transmission
- Break-proof boom with 360-degree rotation
- Kevlar reinforced cord
- Supersoft ear cushions and a choice of three wearing styles
- Clothing clip with ID tag
- 3-year warranty

## JABRA MOTION™ OFFICE – STAY IN TOUCH WHEREVER YOU GO

- One headset for all your phones
- Touch screen/touch sensors for optimum call control
- Multiuse connectivity: mobile phone, softphone and desk phone
- Easy installation with SmartSetup wizard
- Wideband sound and Digital Signal Processing for clearer calls
- Dual microphone Noise Blackout™
- Easy call-handling with PC Call Manager, keyboard shortcuts and dial pad for mobile and softphones
- Up to 100 m / 300 ft wireless Bluetooth® range (25 m / 80 ft for mobile phone)\*

## JABRA PRO™ 9400 SERIES – STAY IN TOUCH AROUND THE OFFICE

- One headset for all your phones
- Touch screen/touch sensors for optimum call control
- Multiuse connectivity: desk phone, softphone and mobile phone
- Easy installation with SmartSetup wizard
- Wideband sound and Digital Signal Processing for clearer calls
- Dual microphone Noise Blackout™ or Noise-cancelling microphone variants
- Easy call-handling with PC Call Manager, keyboard shortcuts and dial pad for mobile and softphones
- Up to 150 m / 450 ft wireless range\*


### DID YOU KNOW?

Ready for Unified Communications (UC). Jabra UC-ready headsets offer true wideband sound and plug-and-play capability with UC systems from leading Jabra suppliers. Learn more at: [www.jabra.com/uc](http://www.jabra.com/uc)



# CUSTOMIZED

FOUR SIMPLE STEPS TO THE BEST HEADSET SELECTION FOR YOUR CUSTOMERS



\* Range varies according to the environment in which the headset is used

### HEADSETS WITH SEAL OF APPROVAL

Certifications are a recognised quality feature for all products. They not only guarantee compliance with manufacturer-specific standards, but also ensure the availability of additional functionality

### PARTNERSHIP AND TECHNOLOGY PARTNER STATUS



### AS INDIVIDUAL AS YOU ARE

Three different wearing styles offer flexibility and comfort

### HEADBAND



### NECKBAND



### EARHOOK



## WIRELESS SOLUTIONS FOR AVAYA PHONES

<b>1</b> SELECT AN EXISTING PHONE	1608 / 1616 96x0 series	1408 / 1416 94xx Series 95xx Series 96x1 Series <sup>3</sup>	6416D+M / 6424D+M 2410 / 5410	2420 / 4610 / 4610SW / 4620 / 4620SW 4621 / 4621SW / 4622 / IP4622SW / 4625 / 4625SW / 4630 / IP4630SW / 5420 / 5610 / 5620 / 5621	1210 IP 1220 IP 1230 IP 1403 1603 9610	Callmaster III Callmaster IV	Callmaster V and VI	Avaya IP Office Video Softphone	ACM IP Softphone	Avaya IP Agent	Avaya one-X Communicator	Avaya one-X Agent	Avaya Aura Agent Desktop	i2050 softphone	Avaya 1120E, Nortel 1120E Avaya 1140E, Nortel 1140E Avaya 1150E, Nortel 1150E Avaya 1165E, Nortel 1165E
<b>2</b> LINK OPTIONS AND RHL/EHS/RCC REQUIREMENTS								From version 3.2.3.13	Version R6 or higher on Windows Xp Remote Call Control from Jabra PC Suite 2.2.9	Version R6 or higher on Windows Xp Remote Call Control from Jabra PC Suite 2.2.9	Version 5.2 or higher on Windows Xp/ Vista/7 in 32/64 bit Remote Call Control from Jabra PC Suite 2.2.9	Version 2 or higher Remote Call Control from Jabra PC Suite 2.2.9	Remote call control from Jabra PC Suite 2.9.2525		 EHS possible. This connection is via the phones USB port. From Nortel phone UNISim 5.2 firmware or SIP 4.0 and higher
<b>3</b> MATCHING HEADSET	<b>1</b> Jabra PRO 9470, NB <b>2</b> Jabra PRO 9465, NC <b>3</b> Jabra PRO 9460 Mono, NC <b>4</b> Jabra PRO 9460 Duo, NC <b>5</b> <b>6</b> <b>7</b> Jabra PRO 9450, NC <b>78</b> Jabra SPEAK 510 <sup>4</sup>	<b>10</b> Jabra PRO 920, NC <b>8</b> Jabra PRO 925, NC <b>16</b> Jabra GN9120 EHS Flex Mono <b>17</b> Jabra GN9120 EHS Flex Duo <b>20</b> Jabra GN9120 EHS Midi <b>15</b> Jabra MOTION Office	<b>1</b> Jabra PRO 9470, NB <b>2</b> Jabra PRO 9465, NC <b>3</b> Jabra PRO 9460 Mono, NC <b>4</b> Jabra PRO 9460 Duo, NC <b>5</b> <b>6</b> <b>7</b> Jabra PRO 9450, NC <b>10</b> Jabra PRO 920, NC <b>8</b> Jabra PRO 925, NC <b>18</b> Jabra GN9120 Flex Mono <b>19</b> Jabra GN9120 Flex Duo <b>21</b> Jabra GN9120 Midi <b>15</b> Jabra MOTION Office	<b>11</b> Jabra PRO 930, NC <b>9</b> Jabra PRO 935 NC <b>12</b> Jabra SUPREME UC <sup>2</sup> <b>13</b> Jabra MOTION UC <b>14</b> Jabra MOTION UC with travel and charge kit <b>15</b> Jabra MOTION Office <b>78</b> Jabra SPEAK 510 <b>79</b> Jabra SPEAK 510+	<b>1</b> Jabra PRO 9470, NB <b>2</b> Jabra PRO 9465, NC <b>3</b> Jabra PRO 9460 Mono, NC <b>4</b> Jabra PRO 9460 Duo, NC <b>5</b> <b>6</b> <b>7</b> Jabra PRO 9450, NC <b>10</b> Jabra PRO 920, NC <b>8</b> Jabra PRO 925, NC <b>18</b> Jabra GN9120 Flex Mono <b>19</b> Jabra GN9120 Flex Duo <b>21</b> Jabra GN9120 Midi <b>15</b> Jabra MOTION Office										<b>1</b> Jabra PRO 9470, NB <b>2</b> Jabra PRO 9465, NC <b>3</b> Jabra PRO 9460 Mono, NC <b>4</b> Jabra PRO 9460 Duo, NC <b>5</b> <b>6</b> <b>7</b> Jabra PRO 9450, NC <b>10</b> Jabra PRO 920, NC <b>8</b> Jabra PRO 925, NC <b>15</b> Jabra MOTION Office

**MEANING OF ARROW COLOURS**

- EHS HEADSET**  
Call acceptance is possible directly from the headset (Electronic Hook Switch)
- STANDARD HEADSET**  
The phone doesn't support electronic call acceptance, EHS (Electronic Hook Switch)
- VOIP**  
Softphone. Headsets for use with computers or VoIP softphones

## CORDED SOLUTIONS FOR AVAYA PHONES


<b>1</b> SELECT AN EXISTING PHONE	Avaya / Nortel 1120E Avaya / Nortel 1140E Avaya / Nortel 1150E Avaya / Nortel 1165E	1210 IP 1220 IP 1230 IP	Callmaster V Callmaster VI	Callmaster III	Callmaster IV	1408/1416 24xx Series 46xx Series 54xx Series	56xx Series 6416D+M 6424D+M 94xx Series 95xx Series	96xx Series 1608/1616	DECT-Series: WT 9610 WT 9620	Avaya IP Office Video Softphone	ACM IP Softphone	Avaya IP Agent	Avaya one-X Communicator	Avaya one-X Agent	Avaya Aura Agent Desktop	i2050 softphone Flare Experience
<b>2</b> LINK OPTIONS AND RHL/EHS/RCC REQUIREMENTS											From version 3.2.3.13	Version R6 or higher on Windows Xp Remote Call Control from Jabra PC Suite 2.2.9	Version R6 or higher on Windows XP Remote Call Control from Jabra PC Suite 2.2.9	Version 2 or higher Remote Call Control from Jabra PC Suite 2.2.9	Version 5.2 or higher on Windows Xp/ Vista/7 in 32/64 bit Remote Call Control from Jabra PC Suite 2.2.9	Remote call control from Jabra PC Suite 2.9.2525
<b>3</b> MATCHING HEADSET	<b>27</b> Jabra BIZ 2400 Mono, OD <b>29</b> Jabra BIZ 2400 Duo, OD <b>28</b> Jabra BIZ 2400 Mono, NC <b>30</b> Jabra BIZ 2400 Duo, NC <b>35</b> Jabra GN2100 Mono, OD	<b>36</b> Jabra GN2100 Duo, OD <b>37</b> Jabra GN2100 Mono, NC <b>38</b> Jabra GN2100 Duo, NC <b>39</b> Jabra GN2000 Mono, OD <b>40</b> Jabra GN2000 Duo, OD	<b>41</b> Jabra GN2000 Mono, NC <b>42</b> Jabra GN2000 Duo, NC <b>49</b> Jabra BIZ 1900 Mono, NC <b>50</b> Jabra BIZ 1900 Duo, NC <b>130</b> <b>131</b> Jabra BIZ 2300	<b>31</b> Jabra BIZ 2400 USB Mono, NC <b>32</b> Jabra BIZ 2400 USB Duo, NC <b>43</b> Jabra GN2000 USB Mono, NC <b>44</b> Jabra GN2000 USB Duo, NC <b>51</b> Jabra BIZ1900 USB Mono <sup>1</sup> , NC <b>52</b> Jabra BIZ1900 USB Duo <sup>1</sup> , NC	<b>61</b> <b>62</b> <b>63</b> <b>64</b> Jabra UC VOICE 750a <sup>2</sup> <b>65</b> Jabra UC VOICE 550a Mono, NC <b>66</b> Jabra UC VOICE 550a Duo, NC <b>67</b> Jabra UC VOICE 250a Mono, NC <b>68</b> Jabra UC VOICE 150a Duo, NC <b>69</b> Jabra UC VOICE 150a Mono, NC	<b>74</b> Jabra DIAL 520, OD <b>75</b> Jabra SPEAK 410, OD <b>78</b> Jabra SPEAK 510 <b>79</b> Jabra SPEAK 510+ <b>136</b> <b>137</b> Jabra BIZ 2300 USB										

**MEANING OF ARROW COLOURS**


- EHS HEADSET**  
Call acceptance is possible directly from the headset (Electronic Hook Switch)
- STANDARD HEADSET**  
The phone doesn't support electronic call acceptance, EHS (Electronic Hook Switch)
- VOIP**  
Softphone. Headsets for use with computers or VoIP softphones

<sup>1</sup> The 1140E, 1150E and 1165E all have bluetooth connection. EHS possible with Jabra Bluetooth headsets no adapter cord required  
<sup>2</sup> Avaya IP Office Video Softphone 8.1 does not support Jabra SUPREME UC  
<sup>3</sup> For 96X1 H.323 phones use LINK 14201-33. For 96X1 SIP phones, use LINK 14201-35  
<sup>4</sup> Will connect via Bluetooth. Only for 9641G and 9670

## WIRELESS SOLUTIONS FOR TENOVIS PHONES



## CORDED SOLUTIONS FOR TENOVIS PHONES



## WIRELESS SOLUTIONS FOR AVAYA PHONES



JABRA MODEL	<b>1</b> Jabra PRO™ 9470	<b>2</b> Jabra PRO™ 9465	<b>3</b> Jabra PRO™ 9460 Mono <b>4</b> Jabra PRO™ 9460 Duo	<b>5</b> Jabra PRO™ 9450	<b>6</b> Jabra PRO™ 9450 Mono <b>7</b> Jabra PRO™ 9450 Duo
CONNECTIVITY/ NOISE ENVIRONMENT					
MICROPHONE/ BOOM ARM	Noise Blackout™/ MidiBoom	Noise Cancelling/ FlexBoom	Noise Cancelling/ FlexBoom	Noise Cancelling/ MidiBoom	Noise Cancelling/ FlexBoom
SPEAKERS	Mono	Duo	Mono/Duo	Mono	Mono/Duo



JABRA MODEL	<b>10</b> Jabra PRO™ 920	<b>8</b> Jabra PRO™ 925	<b>11</b> Jabra PRO™ 930	<b>9</b> Jabra PRO™ 935	<b>16</b> Jabra GN9120 Mono, EHS <b>17</b> Jabra GN9120 Duo, EHS
CONNECTIVITY/ NOISE ENVIRONMENT					
MICROPHONE/ BOOM ARM	Noise Cancelling/ Fixed	Noise Cancelling/ Fixed	Noise Cancelling/ Fixed	Noise Cancelling/ Fixed	Noise Cancelling/ FlexBoom
SPEAKERS	Mono	Mono	Mono	Mono	Mono/Duo



JABRA MODEL	<b>18</b> Jabra GN9120 Mono <b>19</b> Jabra GN9120 Duo	<b>20</b> Jabra GN9120, EHS	<b>21</b> Jabra GN9120	<b>23</b> Jabra GN9120	<b>12</b> Jabra SUPREME UC
CONNECTIVITY/ NOISE ENVIRONMENT					
MICROPHONE/ BOOM ARM	Noise Cancelling/ FlexBoom	Noise Filtering/ MidiBoom	Noise Filtering/ MidiBoom	Omni Directional/ MicroBoom	Noise Blackout™
SPEAKERS	Mono/Duo	Mono	Mono	Mono	Mono



JABRA MODEL	<b>13</b> Jabra MOTION UC	<b>14</b> Jabra MOTION UC with Travel & charge kit	<b>15</b> Jabra MOTION OFFICE
CONNECTIVITY/ NOISE ENVIRONMENT			
MICROPHONE/ BOOM ARM	Noise Blackout™	Noise Blackout™	Noise Blackout™
SPEAKERS	Mono	Mono	Mono

## CORDED SOLUTIONS FOR AVAYA PHONES



JABRA MODEL	<b>27</b> Jabra BIZ™ 2400 Mono <b>29</b> Jabra BIZ™ 2400 Duo	<b>28</b> Jabra BIZ™ 2400 Mono <b>30</b> Jabra BIZ™ 2400 Duo	<b>31</b> Jabra BIZ™ 2400 USB Mono <b>32</b> Jabra BIZ™ 2400 USB Duo	<b>136</b> Jabra BIZ™ 2300 USB <b>137</b> Jabra BIZ™ 2300 USB	<b>130</b> Jabra BIZ™ 2300 Mono <b>131</b> Jabra BIZ™ 2300 Duo
CONNECTIVITY/ NOISE ENVIRONMENT					
MICROPHONE/ BOOM ARM	Omni Directional/ FreeSpin	Noise Cancelling/ FreeSpin	Noise Cancelling/ FreeSpin	Noise Cancelling/ FreeSpin	Noise Cancelling/ FlexBoom
SPEAKERS	Mono/Duo	Mono/Duo	Mono/Duo	Mono/Duo	Mono/Duo



JABRA MODEL	<b>39</b> Jabra GN2000 Mono <b>40</b> Jabra GN2000 Duo	<b>41</b> Jabra GN2000 Mono <b>42</b> Jabra GN2000 Duo	<b>43</b> Jabra GN2000 USB Mono <b>44</b> Jabra GN2000 USB Duo	<b>49</b> Jabra BIZ™ 1900 Mono <b>50</b> Jabra BIZ™ 1900 Duo	<b>51</b> Jabra BIZ™ 1900 USB Mono <b>52</b> Jabra BIZ™ 1900 USB Duo
CONNECTIVITY/ NOISE ENVIRONMENT					
MICROPHONE/ BOOM ARM	Omni Directional/ SoundTube	Noise Cancelling/ FlexBoom	Noise Cancelling/ FlexBoom	Noise Cancelling	Noise Cancelling
SPEAKERS	Mono/Duo	Mono/Duo	Mono/Duo	Mono/Duo	Mono/Duo



JABRA MODEL	<b>61</b> Jabra UC VOICE™ 750a Mono Light <b>64</b> Jabra UC VOICE™ 750a Duo Light	<b>62</b> Jabra UC VOICE™ 750a Mono Dark <b>63</b> Jabra UC VOICE™ 750a Duo Dark	<b>65</b> Jabra UC VOICE™ 550a Mono <b>66</b> Jabra UC VOICE™ 550a Duo	<b>67</b> Jabra UC VOICE™ 250a	<b>68</b> Jabra UC VOICE™ 150a Mono <b>69</b> Jabra UC VOICE™ 150a Duo
CONNECTIVITY/ NOISE ENVIRONMENT					
MICROPHONE/ BOOM ARM	Noise Cancelling	Noise Cancelling	Noise Cancelling	Noise Cancelling	Noise Cancelling
SPEAKERS	Mono/Duo	Mono/Duo	Mono/Duo	Duo	Mono/Duo



JABRA MODEL	<b>35</b> Jabra GN2100 Mono <b>36</b> Jabra GN2100 Duo	<b>37</b> Jabra GN2100 Mono <b>38</b> Jabra GN2100 Duo	<b>75</b> Jabra SPEAK™ 410	<b>78</b> Jabra SPEAK™ 510	<b>79</b> Jabra SPEAK™ 510+
CONNECTIVITY/ NOISE ENVIRONMENT					
MICROPHONE/ BOOM ARM	Omni Directional/ MicroBoom	Noise Cancelling/ FlexBoom	Omni Directional	Omni Directional	Noise Cancelling/ FreeSpin
SPEAKERS	Mono/Duo	Mono/Duo	Mono	Mono	Mono/Duo



JABRA MODEL	<b>71</b> Jabra DIAL™ 550
CONNECTIVITY/ NOISE ENVIRONMENT	
MICROPHONE/ BOOM ARM	Omni Directional
SPEAKERS	Mono/Duo

<sup>1</sup> Connects to IP desk phone via USB

# ORDERING INFORMATION

WIRELESS SOLUTIONS		EMEA ITEM NO#	UK ITEM NO#	NA ITEM NO#	APAC ITEM NO#	
Jabra PRO™ 9470	NB	1	9470-26-904-101	9470-26-904-102	9470-66-904-105	9470-26-904-102 or -103
Jabra PRO™ 9465	NC Duo	2	9465-29-804-101	9465-29-804-102	9465-69-804-105	9465-29-804-102 or -103
Jabra PRO™ 9460	NC Mono	3	9460-25-707-101	9460-25-707-102	9460-65-707-105	9460-25-707-102 or -103
Jabra PRO™ 9460 Duo	NC Duo	4	9460-29-707-101	9460-29-707-102	9460-69-707-105	9460-29-707-102 or -103
Jabra PRO™ 9450	NC Mono Midi	5	9450-25-507-101	9450-25-507-102	9450-65-507-105	9450-25-507-102 or -103
Jabra PRO™ 9450 Flex	NC Mono Flex	6	9450-25-707-101	9450-25-707-102	9450-65-707-105	9450-25-707-102 HK/SG; -103 AU/NZ; -106 JP
Jabra PRO™ 9450 Duo	NC Duo Flex	7	9450-29-707-101	9450-29-707-102	9450-69-707-105	9450-29-707-102 or -103
Jabra PRO™ 920	NC	10	920-25-508-101	920-25-508-102	920-55-508-105	920-25-508-102 or -103
Jabra PRO™ 925	NC	8	925-15-508-201	925-15-508-202	925-15-508-205	925-15-508-202 HK/SG; -203 AU/NZ
Jabra PRO™ 925 2G4	NC		N/A	N/A	925-15-508-185	925-15-508-185 or 182
Jabra PRO™ 930	NC	11	930-25-509-101	930-25-509-102	930-65-509-105	930-25-509-102 or -103
Jabra PRO™ 935	NC	9	935-15-509-201	935-15-509-202	935-15-509-205	935-15-509-202 HK/SG; -203 AU/NZ
Jabra PRO™ 935 2G4	NC		N/A	N/A	935-15-509-185	935-15-509-182 or 185
Jabra SUPREME UC	NB	12	5078-230-301	5078-230-302	5078-230-305	5078-230-303 AU/NZ; 385 HK/SG
Jabra MOTION UC	NB	13	6630-900-101	6630-900-102	6630-900-105	6630-900-102 HK/SG; -103 AU/NZ
Jabra MOTION UC with Travel & charge kit	NB	14	6640-906-101	6640-906-102	6640-906-105	6640-906-102 HK/SG; -103 AU/NZ
Jabra MOTION Office	NC	15	6670-904-101	6670-904-102	6670-904-105	6670-904-103
Jabra GN9120 FLEX	NC Mono EHS (cable incl.)	16	9120-28-11	9120-28-11	9125-28-15	N/A
Jabra GN9120 FLEX	NC Duo EHS (cable incl.)	17	9129-808-111	N/A	9129-808-215	N/A
Jabra GN9120 FLEX	NC Mono	18	9120-28-01	9120-28-02	9125-28-15	N/A
Jabra GN9120 FLEX	NC Duo	19	9129-808-101	9129-808-101	9129-808-215	N/A
Jabra GN9120 MIDI	OD EHS (cable incl.)	20	9120-48-11	9120-48-11	9125-48-15	N/A
Jabra GN9120 MIDI	OD	21	9120-48-01	9120-48-02	9125-48-15	N/A

CORDED SOLUTIONS		EMEA ITEM NO#	UK ITEM NO#	NA ITEM NO#	APAC ITEM NO#	
Jabra BIZ™ 2400	OD Mono	27	2406-320-104	2406-320-104	2403-320-105	2403-320-105
Jabra BIZ™ 2400	NC Mono	28	2406-820-104	2406-820-104	2403-820-105	2403-820-105
Jabra BIZ™ 2400	OD Duo	29	2409-320-104	2409-320-104	2409-320-105	2409-320-105
Jabra BIZ™ 2400	NC Duo	30	2409-820-104	2409-820-104	2409-820-105	2409-820-105
Jabra BIZ™ 2400 USB	NC Mono	31	2496-829-104	2496-829-104	2496-829-105	2496-829-105
Jabra BIZ™ 2400 USB	NC Duo	32	2499-829-104	2499-829-104	2499-829-105	2499-829-105
Jabra BIZ™ 2300	NC Mono	130	2303-820-104	2303-820-104	2303-820-105	2303-820-105
Jabra BIZ™ 2300	NC Duo	131	2309-820-104	2309-820-104	2309-820-105	2309-820-105
Jabra BIZ™ 2300 USB	USB NC Mono	136	2393-829-109	2393-829-109	2393-829-109	2393-829-109
Jabra BIZ™ 2300 USB	USB NC Duo	137	2399-829-109	2399-829-109	2399-829-109	2399-829-109
Jabra GN2000	OD Mono	39	2003-320-104	2003-320-104	2003-320-105	2003-320-103
Jabra GN2000	OD Duo	40	2009-320-104	2009-320-104	2009-320-105	2009-320-103
Jabra GN2000	NC Mono	41	2003-820-104	2003-820-104	2003-820-105	2003-820-103
Jabra GN2000	NC Duo	42	2009-820-104	2009-820-104	2009-820-105	2009-820-103
Jabra GN2000 USB	NC Mono	43	20001-432	20001-432	20001-432	20001-432
Jabra GN2000 USB	NC Duo	44	20001-492	20001-492	20001-492	20001-492
Jabra BIZ™ 1900	NC Mono	49	1983-820-104	1983-820-104	1983-820-105	1983-820-105
Jabra BIZ™ 1900	NC Duo	50	1989-820-104	1989-820-104	1989-820-105	1989-820-105
Jabra BIZ™ 1900 USB	NC Mono	51	1983-829-104	1983-829-104	1983-829-107	1983-829-107
Jabra BIZ™ 1900 USB	NC Duo	52	1989-829-104	1989-829-104	1989-829-107	1989-829-107

CORDED SOLUTIONS		EMEA ITEM NO#	UK ITEM NO#	NA ITEM NO#	APAC ITEM NO#	
Jabra GN2100	OD Mono	35	2126-02-04	2126-02-04	01-0241	N/A
Jabra GN2100	OD Duo	36	2129-02-04	2129-02-04	01-0245	N/A
Jabra GN2100	NC Mono	37	2126-82-04	2126-82-04	01-0243	N/A
Jabra GN2100	NC Duo	38	2129-82-04	2129-82-04	01-0247	N/A
Jabra UC VOICE™ 750a	NC Mono Light	61	7593-829-209	7593-829-209	7593-829-209	7593-829-209
Jabra UC VOICE™ 750a	NC Mono Dark	62	7593-829-409	7593-829-409	7593-829-409	7593-829-409
Jabra UC VOICE™ 750a	NC Duo Dark	63	7599-829-409	7599-829-409	7599-829-409	7599-829-409
Jabra UC VOICE™ 750a	NC Duo Light	64	7599-829-209	7599-829-209	7599-829-209	7599-829-209
Jabra UC VOICE™ 550a	NC Mono	65	5593-829-209	5593-829-209	5593-829-209	5593-829-209
Jabra UC VOICE™ 550a	NC Duo	66	5599-829-209	5599-829-209	5599-829-209	5599-829-209
Jabra UC VOICE™ 250a	NC Mono	67	2507-829-209	2507-829-209	2507-829-209	2507-829-209
Jabra UC VOICE™ 150a	NC Mono	68	1593-829-209	1593-829-209	1593-829-209	1593-829-209
Jabra UC VOICE™ 150a	NC Duo	69	1599-829-209	1599-829-209	1599-829-209	1599-829-209
Jabra DIAL™ 550	OD	74	7550-09	7550-09	7550-09	7550-09
Jabra SPEAK™ 410	OD	75	7410-209	7410-209	7410-209	7410-209
Jabra SPEAK™ 510		78	7510-209	7510-209	7510-209	7510-209
Jabra SPEAK™ 510+		79	7510-409	7510-409	7510-409	7510-409

ADAPTERS		EMEA ITEM NO#	UK ITEM NO#	NA ITEM NO#	APAC ITEM NO#	
Jabra LINK™ 14201-11	EHS Adapter	82	14201-11	14201-11	14201-11	14201-11
Jabra LINK™ 14201-19	EHS Adapter	85	14201-19	14201-19	14201-19	14201-19
Jabra LINK™ 14201-20	EHS Adapter	86	14201-20	14201-20	14201-20	14201-20
Jabra LINK™ 14201-32	EHS Adapter	90	14201-32	14201-32	14201-32	14201-32
Jabra LINK™ 14201-33	EHS Adapter	91	14201-33	14201-33	14201-33	14201-33
Jabra LINK™ 14201-35	EHS Adapter	92	14201-35	14201-35	14201-35	14201-35
Jabra LINK™ 220		95	220-19	220-19	220-19	220-19
Jabra LINK™ 280		96	280-09	280-09	280-09	280-09
Jabra LINK™ 850		97	850-09	850-09	850-09	850-09
Jabra GN8210		101	82102-01	82102-02	82102-05	82102-03
Jabra GN1210		103	88001-98	88001-98	88001-98	88001-98
Jabra GN1200		104	88011-99	88011-99	88011-99	88011-99
Jabra GN1216		105	88001-04	88001-04	88001-04	88001-04
Jabra GN DanaSwitch		106	1600-719	1600-719	1600-719	1600-719
PJ327 Adapter		109	0220-649	0220-649	0220-649	0220-649

CONNECTOR CABLES		EMEA ITEM NO#	UK ITEM NO#	NA ITEM NO#	APAC ITEM NO#	
Connector cable (QD-Jack 2,5mm)		110	8800-00-46	8800-00-46	1005143	1005143

NC = Noise-cancelling  
 OD = Omni Directional  
 NB = NoiseBlackout™

N/A = Not available