
JMAP REGENTS AT RANDOM

NY Geometry CCSS Regents Exam Questions from Fall 2014-August 2015

www.jmap.org

Geometry Common Core State Standards Regents at Random


- 1 A quadrilateral has vertices with coordinates (-3,1), (0,3), (5,2), and (-1,-2). Which type of quadrilateral is this?
 - 1) rhombus
 - 2) rectangle
 - 3) square
 - 4) trapezoid
- 2 In the diagram of circle A shown below, chords \overline{CD} and \overline{EF} intersect at G, and chords \overline{CE} and \overline{FD} are drawn.



Which statement is *not* always true?


- 1) $\overline{CG} \cong \overline{FG}$
- 2) $\angle CEG \cong \angle FDG$
- 3) $\frac{CE}{EG} = \frac{FD}{DG}$
- 4) $\triangle CEG \sim \triangle FDG$
- 3 If $\triangle ABC$ is dilated by a scale factor of 3, which statement is true of the image $\triangle A'B'C'$?
 - 1) 3A'B' = AB
 - 2) B'C' = 3BC
 - 3) $m\angle A' = 3(m\angle A)$
 - 4) $3(m\angle C') = m\angle C$

4 As shown in the diagram below, the angle of elevation from a point on the ground to the top of the tree is 34°.



If the point is 20 feet from the base of the tree, what is the height of the tree, to the *nearest tenth of a foot*?

- 1) 29.7
- 2) 16.6
- 3) 13.5
- 4) 11.2
- 5 In the diagram below, $\triangle ABC \sim \triangle ADE$.




Which measurements are justified by this similarity?

- 1) AD = 3, AB = 6, AE = 4, and AC = 12
- 2) AD = 5, AB = 8, AE = 7, and AC = 10
- 3) AD = 3, AB = 9, AE = 5, and AC = 10
- 4) AD = 2, AB = 6, AE = 5, and AC = 15


Geometry CCSS Regents Exam Questions at Random www.jmap.org

6 As shown in the diagram below, \overline{AB} and \overline{CD} intersect at E, and $\overline{AC} \parallel \overline{BD}$.




Given $\triangle AEC \sim \triangle BED$, which equation is true?

- 1) $\frac{CE}{DE} = \frac{EB}{EA}$
- $2) \quad \frac{AE}{BE} = \frac{AC}{BD}$
- 3) $\frac{EC}{AE} = \frac{BE}{ED}$
- 4) $\frac{ED}{EC} = \frac{AC}{BD}$
- 7 In the diagram below of circle O, diameter \overline{AB} and radii \overline{OC} and \overline{OD} are drawn. The length of \overline{AB} is 12 and the measure of $\angle COD$ is 20 degrees.




If $\widehat{AB} \cong \widehat{BD}$, find the area of sector BOD in terms of π .

8 In parallelogram ABCD shown below, diagonals \overline{AC} and \overline{BD} intersect at E.



Prove: $\angle ACD \cong \angle CAB$

9 Given \overline{MN} shown below, with M(-6,1) and N(3,-5), what is an equation of the line that passes through point P(6,1) and is parallel to \overline{MN} ?




1)
$$y = -\frac{2}{3}x + 5$$

2)
$$y = -\frac{2}{3}x - 3$$

3)
$$y = \frac{3}{2}x + 7$$

4)
$$y = \frac{3}{2}x - 8$$


- 10 Which expression is always equivalent to $\sin x$ when $0^{\circ} < x < 90^{\circ}$?
 - 1) $\cos(90^{\circ} x)$
 - 2) $\cos(45^{\circ} x)$
 - 3) cos(2x)
 - 4) $\cos x$
- 11 In the diagram below, the line of sight from the park ranger station, *P*, to the lifeguard chair, *L*, on the beach of a lake is perpendicular to the path joining the campground, *C*, and the first aid station, *F*. The campground is 0.25 mile from the lifeguard chair. The straight paths from both the campground and first aid station to the park ranger station are perpendicular.



If the path from the park ranger station to the campground is 0.55 mile, determine and state, to the *nearest hundredth of a mile*, the distance between the park ranger station and the lifeguard chair. Gerald believes the distance from the first aid station to the campground is at least 1.5 miles. Is Gerald correct? Justify your answer.

A contractor needs to purchase 500 bricks. The dimensions of each brick are 5.1 cm by 10.2 cm by 20.3 cm, and the density of each brick is
 1920 kg/m³. The maximum capacity of the contractor's trailer is 900 kg. Can the trailer hold the weight of 500 bricks? Justify your answer.


- 13 The line y = 2x 4 is dilated by a scale factor of $\frac{3}{2}$ and centered at the origin. Which equation represents the image of the line after the dilation?
 - 1) y = 2x 4
 - 2) y = 2x 6
 - 3) y = 3x 4
 - 4) y = 3x 6
- In the diagram below, \overline{EF} intersects \overline{AB} and \overline{CD} at \overline{G} and \overline{H} , respectively, and \overline{GI} is drawn such that $\overline{GH} \cong \overline{IH}$.



If $m\angle EGB = 50^{\circ}$ and $m\angle DIG = 115^{\circ}$, explain why $\overline{AB} \parallel \overline{CD}$.

15 After a reflection over a line, $\triangle A'B'C'$ is the image of $\triangle ABC$. Explain why triangle ABC is congruent to triangle $\triangle A'B'C'$.


16 Two stacks of 23 quarters each are shown below. One stack forms a cylinder but the other stack does not form a cylinder.




Use Cavelieri's principle to explain why the volumes of these two stacks of quarters are equal.

17 The coordinates of the endpoints of \overline{AB} are A(-6,-5) and B(4,0). Point P is on \overline{AB} . Determine and state the coordinates of point P, such that AP:PB is 2:3.

[The use of the set of axes below is optional.]




18 The image of $\triangle ABC$ after a rotation of 90° clockwise about the origin is $\triangle DEF$, as shown below.




Which statement is true?

- 1) $\overline{BC} \cong \overline{DE}$
- 2) $\overline{AB} \cong \overline{DF}$
- 3) $\angle C \cong \angle E$
- 4) $\angle A \cong \angle D$
- 19 To find the distance across a pond from point *B* to point *C*, a surveyor drew the diagram below. The measurements he made are indicated on his diagram.




Use the surveyor's information to determine and state the distance from point B to point C, to the *nearest yard*.

- 20 The Great Pyramid of Giza was constructed as a regular pyramid with a square base. It was built with an approximate volume of 2,592,276 cubic meters and a height of 146.5 meters. What was the length of one side of its base, to the *nearest meter*?
 - 1) 73
 - 2) 77
 - 3) 133
 - 4) 230
- 21 Using a straightedge and compass, construct a square inscribed in circle *O* below. [Leave all construction marks.]




Determine the measure of the arc intercepted by two adjacent sides of the constructed square. Explain your reasoning.

- 22 A parallelogram must be a rectangle when its
 - 1) diagonals are perpendicular
 - 2) diagonals are congruent
 - 3) opposite sides are parallel
 - 4) opposite sides are congruent
- 23 A man who is 5 feet 9 inches tall casts a shadow of 8 feet 6 inches. Assuming that the man is standing perpendicular to the ground, what is the angle of elevation from the end of the shadow to the top of the man's head, to the *nearest tenth of a degree*?
 - 1) 34.1
 - 2) 34.5
 - 3) 42.6
 - 4) 55.9
- 24 Which figure can have the same cross section as a sphere?




Geometry CCSS Regents Exam Questions at Random $\underline{www.jmap.org}$

25 In the diagram below, secant \overline{ACD} and tangent \overline{AB} are drawn from external point A to circle O.




Prove the theorem: If a secant and a tangent are drawn to a circle from an external point, the product of the lengths of the secant segment and its external segment equals the length of the tangent segment squared. $(AC \cdot AD = AB^2)$

- 26 The center of circle Q has coordinates (3,-2). If circle Q passes through R(7,1), what is the length of its diameter?
 - 1) 50
 - 2) 25
 - 3) 10
 - 4) 5
- 27 In the diagram below of circle O, the area of the shaded sector AOC is 12π in and the length of \overline{OA} is 6 inches. Determine and state m $\angle AOC$.




28 Steve drew line segments ABCD, EFG, BF, and CF as shown in the diagram below. Scalene $\triangle BFC$ is formed.




Which statement will allow Steve to prove $\overline{ABCD} \parallel \overline{EFG}$?


- 1) $\angle CFG \cong \angle FCB$
- 2) $\angle ABF \cong \angle BFC$
- 3) $\angle EFB \cong \angle CFB$
- 4) $\angle CBF \cong \angle GFC$
- 29 Triangle ABC has vertices with A(x,3), B(-3,-1), and C(-1,-4). Determine and state a value of x that would make triangle ABC a right triangle. Justify why $\triangle ABC$ is a right triangle. [The use of the set of axes below is optional.]



30 Prove the sum of the exterior angles of a triangle is 360° .




31 A circle with a radius of 5 was divided into 24 congruent sectors. The sectors were then rearranged, as shown in the diagram below.



To the *nearest integer*, the value of x is

- 1) 31
- 2) 16
- 3) 12
- 4) 10
- 32 Trees that are cut down and stripped of their branches for timber are approximately cylindrical. A timber company specializes in a certain type of tree that has a typical diameter of 50 cm and a typical height of about 10 meters. The density of the wood is 380 kilograms per cubic meter, and the wood can be sold by mass at a rate of \$4.75 per kilogram. Determine and state the minimum number of whole trees that must be sold to raise at least \$50,000.

33 Triangles *RST* and *XYZ* are drawn below. If RS = 6, ST = 14, XY = 9, YZ = 21, and $\angle S \cong \angle Y$, is $\triangle RST$ similar to $\triangle XYZ$? Justify your answer.




- 34 A triangle is dilated by a scale factor of 3 with the center of dilation at the origin. Which statement is true?
 - 1) The area of the image is nine times the area of the original triangle.
 - 2) The perimeter of the image is nine times the perimeter of the original triangle.
 - 3) The slope of any side of the image is three times the slope of the corresponding side of the original triangle.
 - 4) The measure of each angle in the image is three times the measure of the corresponding angle of the original triangle.
- 35 If the rectangle below is continuously rotated about side *w*, which solid figure is formed?




- 1) pyramid
- 2) rectangular prism
- 3) cone
- 4) cylinder

36 Which statement is sufficient evidence that $\triangle DEF$ is congruent to $\triangle ABC$?




- 1) AB = DE and BC = EF
- 2) $\angle D \cong \angle A, \angle B \cong \angle E, \angle C \cong \angle F$
- There is a sequence of rigid motions that maps \overline{AB} onto \overline{DE} , \overline{BC} onto \overline{EF} , and \overline{AC} onto \overline{DF} .
- 4) There is a sequence of rigid motions that maps point A onto point D, \overline{AB} onto \overline{DE} , and $\angle B$ onto $\angle E$.
- 37 Given right triangles \overline{ABC} and \overline{DEF} where $\angle C$ and $\angle F$ are right angles, $\overline{AC} \cong \overline{DF}$ and $\overline{CB} \cong \overline{FE}$.

 Describe a precise sequence of rigid motions which would show $\triangle ABC \cong \triangle DEF$.



- 38 Linda is designing a circular piece of stained glass with a diameter of 7 inches. She is going to sketch a square inside the circular region. To the *nearest tenth of an inch*, the largest possible length of a side of the square is
 - 1) 3.5
 - 2) 4.9
 - 3) 5.0
 - 4) 6.9


39 The water tower in the picture below is modeled by the two-dimensional figure beside it. The water tower is composed of a hemisphere, a cylinder, and a cone. Let *C* be the center of the hemisphere and let *D* be the center of the base of the cone.



If AC = 8.5 feet, BF = 25 feet, and m $\angle EFD = 47^{\circ}$, determine and state, to the *nearest cubic foot*, the volume of the water tower. The water tower was constructed to hold a maximum of 400,000 pounds of water. If water weighs 62.4 pounds per cubic foot, can the water tower be filled to 85% of its volume and *not* exceed the weight limit? Justify your answer.

- 40 Explain why cos(x) = sin(90 x) for x such that 0 < x < 90.
- 41 The equation of a circle is $x^2 + y^2 + 6y = 7$. What are the coordinates of the center and the length of the radius of the circle?
 - 1) center (0,3) and radius 4
 - 2) center (0,-3) and radius 4
 - 3) center (0,3) and radius 16
 - 4) center (0,-3) and radius 16


- 42 If $\triangle A'B'C'$ is the image of $\triangle ABC$, under which transformation will the triangles *not* be congruent?
 - 1) reflection over the *x*-axis
 - 2) translation to the left 5 and down 4
 - 3) dilation centered at the origin with scale factor 2
 - 4) rotation of 270° counterclockwise about the origin
- Which regular polygon has a minimum rotation of 45° to carry the polygon onto itself?
 - 1) octagon
 - 2) decagon
 - 3) hexagon
 - 4) pentagon
- 44 The image of $\triangle ABC$ after a dilation of scale factor k centered at point A is $\triangle ADE$, as shown in the diagram below.




Which statement is always true?

- 1) 2AB = AD
- 2) $\overline{AD} \perp \overline{DE}$
- 3) AC = CE
- 4) $\overline{BC} \parallel \overline{DE}$


45 Which object is formed when right triangle *RST* shown below is rotated around $leg \overline{RS}$?



- 1) a pyramid with a square base
- 2) an isosceles triangle
- 3) a right triangle
- 4) a cone
- 46 In right triangle *ABC* with the right angle at *C*, $\sin A = 2x + 0.1$ and $\cos B = 4x 0.7$. Determine and state the value of *x*. Explain your answer.
- 47 Use a compass and straightedge to construct an inscribed square in circle *T* shown below. [Leave all construction marks.]




48 Walter wants to make 100 candles in the shape of a cone for his new candle business. The mold shown below will be used to make the candles. Each mold will have a height of 8 inches and a diameter of 3 inches. To the *nearest cubic inch*, what will be the total volume of 100 candles?



Walter goes to a hobby store to buy the wax for his candles. The wax costs \$0.10 per ounce. If the weight of the wax is 0.52 ounce per cubic inch, how much will it cost Walter to buy the wax for 100 candles? If Walter spent a total of \$37.83 for the molds and charges \$1.95 for each candle, what is Walter's profit after selling 100 candles?

49 The diagram below shows a ramp connecting the ground to a loading platform 4.5 feet above the ground. The ramp measures 11.75 feet from the ground to the top of the loading platform.




Determine and state, to the *nearest degree*, the angle of elevation formed by the ramp and the ground.

50 A wooden cube has an edge length of 6 centimeters and a mass of 137.8 grams. Determine the density of the cube, to the *nearest thousandth*. State which type of wood the cube is made of, using the density table below.

Type of Wood	Density (g/cm ³)
Pine	0.373
Hemlock	0.431
Elm	0.554
Birch	0.601
Ash	0.638
Maple	0.676
Oak	0.711

51 In the diagram below, $\triangle DEF$ is the image of $\triangle ABC$ after a clockwise rotation of 180° and a dilation where AB = 3, BC = 5.5, AC = 4.5, DE = 6, FD = 9, and EF = 11.



Which relationship must always be true?

$$1) \quad \frac{\mathbf{m}\angle A}{\mathbf{m}\angle D} = \frac{1}{2}$$


$$2) \quad \frac{\mathsf{m}\angle C}{\mathsf{m}\angle F} = \frac{2}{1}$$

3)
$$\frac{\text{m}\angle A}{\text{m}\angle C} = \frac{\text{m}\angle F}{\text{m}\angle D}$$

4)
$$\frac{\text{m}\angle B}{\text{m}\angle E} = \frac{\text{m}\angle C}{\text{m}\angle F}$$

Geometry CCSS Regents Exam Questions at Random $\underline{www.jmap.org}$

52 In the diagram below, \overline{CD} is the image of \overline{AB} after a dilation of scale factor k with center E.




Which ratio is equal to the scale factor k of the dilation?

- 1) $\frac{EC}{EA}$
- 2) $\frac{BA}{EA}$
- 3) $\frac{EA}{BA}$
- 4) $\frac{EA}{EC}$
- 53 In isosceles $\triangle MNP$, line segment *NO* bisects vertex $\angle MNP$, as shown below. If MP = 16, find the length of \overline{MO} and explain your answer.




54 In the diagram shown below, \overline{AC} is tangent to circle O at A and to circle P at C, \overline{OP} intersects \overline{AC} at B, OA = 4, AB = 5, and PC = 10.



What is the length of \overline{BC} ?

- 1) 6.4
- 2) 8
- 3) 12.5
- 4) 16
- 55 In the diagram of $\triangle ADC$ below, $\overline{EB} \parallel \overline{DC}$, AE = 9, ED = 5, and AB = 9.2.




What is the length of \overline{AC} , to the *nearest tenth*?


- 1) 5.1
- 2) 5.2
- 3) 14.3
- 4) 14.4

Geometry CCSS Regents Exam Questions at Random $\underline{www.jmap.org}$

56 Using a compass and straightedge, construct an altitude of triangle *ABC* below. [Leave all construction marks.]




57 Triangle FGH is inscribed in circle O, the length of radius \overline{OH} is 6, and $\overline{FH} \cong \overline{OG}$.



What is the area of the sector formed by angle *FOH*?


- 1) 2π
- 2) $\frac{3}{2}\pi$
- 3) 6π
- 4) 24π

58 In the diagram of parallelogram FRED shown below, \overline{ED} is extended to A, and \overline{AF} is drawn such that $\overline{AF} \cong \overline{DF}$.




If $m\angle R = 124^{\circ}$, what is $m\angle AFD$?

- 1) 124°
- 2) 112°
- 3) 68°
- 4) 56°
- 59 In the diagram of $\triangle LAC$ and $\triangle DNC$ below, $\overline{LA} \cong \overline{DN}$, $\overline{CA} \cong \overline{CN}$, and $\overline{DAC} \perp \overline{LCN}$.




- a) Prove that $\triangle LAC \cong \triangle DNC$.
- b) Describe a sequence of rigid motions that will map $\triangle LAC$ onto $\triangle DNC$.

60 The diagram below shows parallelogram *LMNO* with diagonal \overline{LN} , m $\angle M = 118^{\circ}$, and m $\angle LNO = 22^{\circ}$.




Explain why m∠NLO is 40 degrees.

61 In the diagram below, $\overline{AC} \cong \overline{DF}$ and points A, C, D, and F are collinear on line ℓ .




Let $\triangle D'E'F'$ be the image of $\triangle DEF$ after a translation along ℓ , such that point D is mapped onto point A. Determine and state the location of F'. Explain your answer. Let $\triangle D''E''F''$ be the image of $\triangle D'E'F'$ after a reflection across line ℓ . Suppose that E'' is located at B. Is $\triangle DEF$ congruent to $\triangle ABC$? Explain your answer.

62 Given: $\triangle XYZ$, $\overline{XY} \cong \overline{ZY}$, and \overline{YW} bisects $\angle XYZ$ Prove that $\angle YWZ$ is a right angle.




63 In the diagram below, quadrilateral *ABCD* is inscribed in circle *P*.



What is $m\angle ADC$?

- 1) 70°
- 2) 72°
- 3) 108°
- 4) 110°
- 64 As shown below, a canoe is approaching a lighthouse on the coastline of a lake. The front of the canoe is 1.5 feet above the water and an observer in the lighthouse is 112 feet above the water.



At 5:00, the observer in the lighthouse measured the angle of depression to the front of the canoe to be 6°. Five minutes later, the observer measured and saw the angle of depression to the front of the canoe had increased by 49°. Determine and state, to the *nearest foot per minute*, the average speed at which the canoe traveled toward the lighthouse.

Geometry CCSS Regents Exam Questions at Random www.jmap.org

65 Which equation represents a line that is perpendicular to the line represented by 2x - y = 7?


1)
$$y = -\frac{1}{2}x + 6$$

2)
$$y = \frac{1}{2}x + 6$$

3)
$$y = -2x + 6$$

4)
$$y = 2x + 6$$

- 66 The endpoints of \overline{DEF} are D(1,4) and F(16,14). Determine and state the coordinates of point E, if DE:EF = 2:3.
- 67 A shipping container is in the shape of a right rectangular prism with a length of 12 feet, a width of 8.5 feet, and a height of 4 feet. The container is completely filled with contents that weigh, on average, 0.25 pound per cubic foot. What is the weight, in pounds, of the contents in the container?
 - 1,632 1)
 - 2) 408
 - 3) 102
 - 4) 92
- 68 Given: Quadrilateral ABCD is a parallelogram with diagonals \overline{AC} and \overline{BD} intersecting at E




Prove: $\triangle AED \cong \triangle CEB$

Describe a single rigid motion that maps $\triangle AED$


onto \triangle *CEB*.

69 In the diagram below, $\triangle ABC \sim \triangle DEC$.



If AC = 12, DC = 7, DE = 5, and the perimeter of $\triangle ABC$ is 30, what is the perimeter of $\triangle DEC$?


- 12.5 1)
- 2) 14.0
- 3) 14.8
- 17.5
- 70 In the diagram below, a square is graphed in the coordinate plane.




A reflection over which line does not carry the square onto itself?

- x = 51)
- y = 2
- y = x
- x + y = 4


- 71 A hemispherical tank is filled with water and has a diameter of 10 feet. If water weighs 62.4 pounds per cubic foot, what is the total weight of the water in a full tank, to the *nearest pound*?
 - 1) 16,336
 - 2) 32,673
 - 3) 130,690
 - 4) 261,381
- 72 In the coordinate plane, the vertices of $\triangle RST$ are R(6,-1), S(1,-4), and T(-5,6). Prove that $\triangle RST$ is a right triangle. State the coordinates of point P such that quadrilateral RSTP is a rectangle. Prove that your quadrilateral RSTP is a rectangle. [The use of the set of axes below is optional.]



- 73 The line 3y = -2x + 8 is transformed by a dilation centered at the origin. Which linear equation could be its image?
 - 1) 2x + 3y = 5
 - 2) 2x 3y = 5
 - 3) 3x + 2y = 5
 - 4) 3x 2y = 5
- 74 Construct an equilateral triangle inscribed in circle *T* shown below. [Leave all construction marks.]



75 In scalene triangle *ABC* shown in the diagram below, $m\angle C = 90^{\circ}$.




Which equation is always true?

- 1) $\sin A = \sin B$
- 2) $\cos A = \cos B$
- 3) $\cos A = \sin C$
- 4) $\sin A = \cos B$


Geometry CCSS Regents Exam Questions at Random $\underline{www.jmap.org}$

76 A sequence of transformations maps rectangle *ABCD* onto rectangle *A"B"C"D"*, as shown in the diagram below.



Which sequence of transformations maps ABCD onto A'B'C'D' and then maps A'B'C'D' onto A''B''C''D''?


- 1) a reflection followed by a rotation
- 2) a reflection followed by a translation
- 3) a translation followed by a rotation
- 4) a translation followed by a reflection
- 77 In circle O shown below, diameter \overline{AC} is \overline{PC} , \overline{AE} , and \overline{CE} are drawn.




Which statement is *not* always true?

- 1) $\angle ACB \cong \angle BCD$
- 2) $\angle ABC \cong \angle ACD$
- 3) $\angle BAC \cong \angle DCB$
- 4) $\angle CBA \cong \angle AEC$

78 In the diagram below, which single transformation was used to map triangle *A* onto triangle *B*?




- 1) line reflection
- 2) rotation
- 3) dilation
- 4) translation
- 79 A regular pentagon is shown in the diagram below.



If the pentagon is rotated clockwise around its center, the minimum number of degrees it must be rotated to carry the pentagon onto itself is

- 1) 54°
- 2) 72°
- 3) 108°
- 4) 360°


80 The map below shows the three tallest mountain peaks in New York State: Mount Marcy, Algonquin Peak, and Mount Haystack. Mount Haystack, the shortest peak, is 4960 feet tall. Surveyors have determined the horizontal distance between Mount Haystack and Mount Marcy is 6336 feet and the horizontal distance between Mount Marcy and Algonquin Peak is 20,493 feet.




The angle of depression from the peak of Mount Marcy to the peak of Mount Haystack is 3.47 degrees. The angle of elevation from the peak of Algonquin Peak to the peak of Mount Marcy is 0.64 degrees. What are the heights, to the *nearest foot*, of Mount Marcy and Algonquin Peak? Justify your answer.

- 81 If $x^2 + 4x + y^2 6y 12 = 0$ is the equation of a circle, the length of the radius is
 - 1) 25
 - 2) 16
 - 3) 5
 - 4) 4

82 In rhombus MATH, the coordinates of the endpoints of the diagonal \overline{MT} are M(0,-1) and T(4,6). Write an equation of the line that contains diagonal \overline{AH} . [Use of the set of axes below is optional.] Using the given information, explain how you know that your line contains diagonal \overline{AH} .




As shown in the diagram below, a ship is heading directly toward a lighthouse whose beacon is 125 feet above sea level. At the first sighting, point *A*, the angle of elevation from the ship to the light was 7°. A short time later, at point *D*, the angle of elevation was 16°.



To the *nearest foot*, determine and state how far the ship traveled from point *A* to point *D*.


- 84 Line y = 3x 1 is transformed by a dilation with a scale factor of 2 and centered at (3, 8). The line's image is
 - 1) y = 3x 8
 - 2) y = 3x 4
 - 3) y = 3x 2
 - 4) y = 3x 1
- 85 In the diagram below, $\triangle ABE$ is the image of $\triangle ACD$ after a dilation centered at the origin. The coordinates of the vertices are A(0,0), B(3,0), C(4.5,0), D(0,6), and E(0,4).



The ratio of the lengths of \overline{BE} to \overline{CD} is


- 1) $\frac{2}{3}$
- 2) $\frac{3}{2}$
- 3) $\frac{3}{4}$
- 4) $\frac{4}{3}$

- 86 A flagpole casts a shadow 16.60 meters long. Tim stands at a distance of 12.45 meters from the base of the flagpole, such that the end of Tim's shadow meets the end of the flagpole's shadow. If Tim is 1.65 meters tall, determine and state the height of the flagpole to the *nearest tenth of a meter*.
- 87 The vertices of $\triangle JKL$ have coordinates J(5,1), K(-2,-3), and L(-4,1). Under which transformation is the image $\triangle J'K'L'$ not congruent to $\triangle JKL$?
 - 1) a translation of two units to the right and two units down
 - 2) a counterclockwise rotation of 180 degrees around the origin
 - 3) a reflection over the *x*-axis
 - 4) a dilation with a scale factor of 2 and centered at the origin
- 88 In the diagram of parallelogram *ABCD* below, $\overline{BE} \perp \overline{CED}$, $\overline{DF} \perp \overline{BFC}$, $\overline{CE} \cong \overline{CF}$.




Prove *ABCD* is a rhombus.

89 In the diagram below, triangles XYZ and UVZ are drawn such that $\angle X \cong \angle U$ and $\angle XZY \cong \angle UZV$.



Describe a sequence of similarity transformations that shows $\triangle XYZ$ is similar to $\triangle UVZ$.


90 In the diagram below, congruent figures 1, 2, and 3 are drawn.



Which sequence of transformations maps figure 1 onto figure 2 and then figure 2 onto figure 3?

- 1) a reflection followed by a translation
- 2) a rotation followed by a translation
- 3) a translation followed by a reflection
- 4) a translation followed by a rotation

- 91 Quadrilateral *ABCD* has diagonals \overline{AC} and \overline{BD} . Which information is *not* sufficient to prove *ABCD* is a parallelogram?
 - 1) \overline{AC} and \overline{BD} bisect each other.
 - 2) $\overline{AB} \cong \overline{CD}$ and $\overline{BC} \cong \overline{AD}$
 - 3) $\overline{AB} \cong \overline{CD}$ and $\overline{AB} \parallel \overline{CD}$
 - 4) $\overline{AB} \cong \overline{CD}$ and $\overline{BC} \parallel \overline{AD}$
- 92 A gallon of paint will cover approximately 450 square feet. An artist wants to paint all the outside surfaces of a cube measuring 12 feet on each edge. What is the *least* number of gallons of paint he must buy to paint the cube?
 - 1) 1
 - 2) 2
 - 3) 3
 - 4) 4
- 93 In the diagram below, the circle shown has radius 10. Angle *B* intercepts an arc with a length of 2π .





What is the measure of angle B, in radians?

- 1) $10 + 2\pi$
- 2) 20π
- 3) $\frac{\pi}{5}$
- 4) $\frac{5}{\pi}$

Geometry CCSS Regents Exam Questions at Random $\underline{www.jmap.org}$

- 94 The equation of line h is 2x + y = 1. Line m is the image of line h after a dilation of scale factor 4 with respect to the origin. What is the equation of the line m?
 - 1) y = -2x + 1
 - 2) y = -2x + 4
 - 3) y = 2x + 4
 - 4) y = 2x + 1
- 95 Triangles ABC and DEF are drawn below.






If AB = 9, BC = 15, DE = 6, EF = 10, and $\angle B \cong \angle E$, which statement is true?


- 1) $\angle CAB \cong \angle DEF$
- $2) \quad \frac{AB}{CB} = \frac{FE}{DE}$
- 3) $\triangle ABC \sim \triangle DEF$
- 4) $\frac{AB}{DE} = \frac{FE}{CB}$
- 96 What are the coordinates of the point on the directed line segment from K(-5,-4) to L(5,1) that partitions the segment into a ratio of 3 to 2?
 - 1) (-3,-3)
 - 2) (-1,-2)
 - 3) $\left(0,-\frac{3}{2}\right)$
 - 4) (1,-1)

97 In the diagram below, $\triangle ABC$ and $\triangle XYZ$ are graphed.



Use the properties of rigid motions to explain why $\triangle ABC \cong \triangle XYZ$.

98 As shown in the diagram below, circle *A* has a radius of 3 and circle *B* has a radius of 5.



Use transformations to explain why circles *A* and *B* are similar.

Geometry Common Core State Standards Regents at Random **Answer Section**

1 ANS: 4 $\frac{-2-1}{-1-3} = \frac{-3}{2} \quad \frac{3-2}{0-5} = \frac{1}{-5} \quad \frac{3-1}{0-3} = \frac{2}{3} \quad \frac{2--2}{5--1} = \frac{4}{6} = \frac{2}{3}$

PTS: 2

REF: 081522geo

NAT: G.GPE.4

TOP: Coordinate Proofs

2 ANS: 1

PTS: 2

REF: 061508geo

NAT: G.SRT.5

TOP: Triangle Similarity

3 ANS: 2

PTS: 2

REF: 061516geo

NAT: G.SRT.5

TOP: Dilations

4 ANS: 3

$$\tan 34 = \frac{T}{20}$$

$$T \approx 13.5$$

PTS: 2

REF: 061505geo

NAT: G.SRT.8

TOP: Using Trigonometry to Find a Side

5 ANS: 4

$$\frac{2}{6} = \frac{5}{15}$$

PTS: 2

REF: 081517geo

NAT: G.SRT.2

TOP: Similarity

6 ANS: 2

REF: 081519geo

NAT: G.SRT.5

TOP: Triangle Similarity

7 ANS:

$$\frac{\left(\frac{180 - 20}{2}\right)}{360} \times \pi(6)^2 = \frac{80}{360} \times 36\pi = 8\pi$$

PTS: 4

REF: spr1410geo NAT: G.C.5

TOP: Sectors

8 ANS:

Parallelogram ABCD, diagonals AC and BD intersect at E (given). $DC \parallel AB$; $DA \parallel CB$ (opposite sides of a parallelogram are parallel). $\angle ACD \cong \angle CAB$ (alternate interior angles formed by parallel lines and a transversal are congruent).

PTS: 2

REF: 081528geo

NAT: G.CO.11

TOP: Quadrilateral Proofs

9 ANS: 1

$$m = -\frac{2}{3} \quad 1 = \left(-\frac{2}{3}\right)6 + b$$
$$1 = -4 + b$$

5 = h

PTS: 2

REF: 081510geo

NAT: G.GPE.5

TOP: Parallel and Perpendicular Lines

10 ANS: 1 PTS: 2 REF: 081504geo NAT: G.SRT.7

TOP: Cofunctions

11 ANS:

$$x = \sqrt{.55^2 - .25^2} \cong 0.49 \text{ No}, .49^2 = .25y .9604 + .25 < 1.5$$

.9604 = y

PTS: 4 REF: 061534geo NAT: G.SRT.8 TOP: Similarity

12 ANS:

No, the weight of the bricks is greater than 900 kg. $500 \times (5.1 \text{ cm} \times 10.2 \text{ cm} \times 20.3 \text{ cm}) = 528,003 \text{ cm}^3$.

$$528,003 \text{ cm}^3 \times \frac{1 \text{ m}^3}{100 \text{ cm}^3} = 0.528003 \text{ m}^3. \frac{1920 \text{ kg}}{\text{m}^3} \times 0.528003 \text{ m}^3 \approx 1013 \text{ kg}.$$

PTS: 2 REF: fall1406geo NAT: G.MG.3 TOP: Volume

13 ANS: 2

The line y = 2x - 4 does not pass through the center of dilation, so the dilated line will be distinct from y = 2x - 4. Since a dilation preserves parallelism, the line y = 2x - 4 and its image will be parallel, with slopes of 2. To obtain the *y*-intercept of the dilated line, the scale factor of the dilation, $\frac{3}{2}$, can be applied to the *y*-intercept, (0,4).

Therefore, $\left(0 \cdot \frac{3}{2}, -4 \cdot \frac{3}{2}\right) \to (0, -6)$. So the equation of the dilated line is y = 2x - 6.

PTS: 2 REF: fall1403geo NAT: G.SRT.1 TOP: Dilations

14 ANS:

Since linear angles are supplementary, $\text{m}\angle GIH = 65^{\circ}$. Since $\overline{GH} \cong \overline{IH}$, $\text{m}\angle GHI = 50^{\circ}$ (180 – (65 + 65)). Since $\angle EGB \cong \angle GHI$, the corresponding angles formed by the transversal and lines are congruent and $\overline{AB} \parallel \overline{CD}$.

PTS: 4 REF: 061532geo NAT: G.CO.9 TOP: Parallel Lines and Transversals

15 ANS:


Reflections are rigid motions that preserve distance.

PTS: 2 REF: 061530geo NAT: G.CO.7 TOP: Triangle Congruency

16 ANS:

Each quarter in both stacks has the same base area. Therefore, each corresponding cross-section of the stacks will have the same area. Since the two stacks of quarters have the same height of 23 quarters, the two volumes must be the same.

PTS: 2 REF: spr1405geo NAT: G.GMD.1 TOP: Cavelieri's Principle



 $-6 + \frac{2}{5}(4 - -6) -5 + \frac{2}{5}(0 - -5) (-2, -3)$

$$-6 + \frac{2}{5}(10) \qquad -5 + \frac{2}{5}(5)$$

$$-6 + 4 \qquad -5 + 2$$

$$-2 \qquad -3$$

PTS: 2

REF: 061527geo

NAT: G.GPE.6

TOP: Directed Line Segments

18 ANS: 4

The measures of the angles of a triangle remain the same after all rotations because rotations are rigid motions which preserve angle measure.

PTS: 2

REF: fall1402geo NAT: G.CO.6

TOP: Properties of Transformations

19 ANS:

$$\frac{120}{230} = \frac{x}{315}$$

$$x = 164$$

PTS: 2

REF: 081527geo

NAT: G.SRT.5

TOP: Similarity

20 ANS: 4

$$2592276 = \frac{1}{3} \cdot s^2 \cdot 146.5$$


$$230 \approx s$$

PTS: 2

REF: 081521geo

NAT: G.GMD.3

TOP: Volume



Since the square is inscribed, each vertex of the square is on the circle and the diagonals of the square are diameters of the circle. Therefore, each angle of the square is an inscribed angle in the circle that intercepts the circle at the endpoints of the diameters. Each angle of the square, which is an inscribed angle, measures 90 degrees. Therefore, the measure of the arc intercepted by two adjacent sides of the square is 180 degrees because it is twice the measure of its inscribed angle.

PTS: 4 REF: fall1412geo NAT: G.CO.13 TOP: Constructions 22 ANS: 2 PTS: 2 REF: 081501geo NAT: G.CO.11

TOP: Parallelograms

23 ANS: 1

The man's height, 69 inches, is opposite to the angle of elevation, and the shadow length, 102 inches, is adjacent to the angle of elevation. Therefore, tangent must be used to find the angle of elevation. $\tan x = \frac{69}{102}$

 $x \approx 34.1$

PTS: 2 REF: fall1401geo NAT: G.SRT.8 TOP: Using Trigonometry to Find an Angle

24 ANS: 2 PTS: 2 REF: 061506geo NAT: G.GMD.4

TOP: Cross-Sections of Three-Dimensional Objects

25 ANS:

Circle O, secant \overline{ACD} , tangent \overline{AB} (Given). Chords \overline{BC} and \overline{BD} are drawn (Auxiliary lines). $\angle A \cong \angle A$, $\widehat{BC} \cong \widehat{BC}$ (Reflexive property). $m\angle BDC = \frac{1}{2} \, m\widehat{BC}$ (The measure of an inscribed angle is half the measure of the intercepted arc). $m\angle CBA = \frac{1}{2} \, m\widehat{BC}$ (The measure of an angle formed by a tangent and a chord is half the measure of the intercepted arc). $\angle BDC \cong \angle CBA$ (Angles equal to half of the same arc are congruent). $\triangle ABC \sim \triangle ADB$ (AA). $\frac{AB}{AC} = \frac{AD}{AB}$ (Corresponding sides of similar triangles are proportional). $AC \cdot AD = AB^2$ (In a proportion, the product of the means equals the product of the extremes).

PTS: 6 REF: spr1413geo NAT: G.SRT.5 TOP: Similarity Proofs

26 ANS: 3 $r = \sqrt{(7-3)^2 + (1-2)^2} = \sqrt{16+9} = 5$

PTS: 2 REF: 061503geo NAT: G.GPE.4 TOP: Properties of Circles

$$A = 6^{2} \pi = 36\pi \ 36\pi \cdot \frac{x}{360} = 12\pi$$

$$x = 360 \cdot \frac{12}{36}$$

$$x = 120$$

PTS: 2

REF: 061529geo

NAT: G.C.5

TOP: Sectors

28 ANS: 1

Alternate interior angles

PTS: 2


REF: 061517geo

NAT: G.CO.9

TOP: Parallel Lines and Transversals

29 ANS:

The slopes of perpendicular line are opposite reciprocals. Since the lines are perpendicular, they form right angles



and a right triangle. $m_{BC} = -\frac{3}{2} - 1 = \frac{2}{3} (-3) + b$ or $-4 = \frac{2}{3} (-1) + b$

$$m_{\perp} = \frac{2}{3} \qquad -1 = -2 + b \qquad \frac{-12}{3} = \frac{-2}{3} + b$$

$$3 = \frac{2}{3}x + 1 \qquad -\frac{10}{3} = b$$

$$2 = \frac{2}{3}x \qquad 3 = \frac{2}{3}x - \frac{10}{3}$$

$$3 = x \qquad 9 = 2x - 10$$

$$19 = 2x$$

$$9.5 = x$$

PTS: 4

REF: 081533geo

NAT: G.GPE.5

TOP: Triangles in the Coordinate Plane

30 ANS:

As the sum of the measures of the angles of a triangle is 180° , $m\angle ABC + m\angle BCA + m\angle CAB = 180^{\circ}$. Each interior angle of the triangle and its exterior angle form a linear pair. Linear pairs are supplementary, so $m\angle ABC + m\angle FBC = 180^{\circ}$, $m\angle BCA + m\angle DCA = 180^{\circ}$, and $m\angle CAB + m\angle EAB = 180^{\circ}$. By addition, the sum of these linear pairs is 540°. When the angle measures of the triangle are subtracted from this sum, the result is 360°, the sum of the exterior angles of the triangle.

PTS: 4

REF: fall1410geo NAT: G.CO.10

TOP: Interior and Exterior Angles of Triangles

x is
$$\frac{1}{2}$$
 the circumference. $\frac{C}{2} = \frac{10\pi}{2} \approx 16$

PTS: 2

REF: 061523geo NAT: G.GMD.1 TOP: Properties of Circles

32 ANS:

$$r = 25 \text{ cm} \left(\frac{1 \text{ m}}{100 \text{ cm}} \right) = 0.25 \text{ m} \quad V = \pi (0.25 \text{ m})^2 (10 \text{ m}) = 0.625 \pi \text{ m}^3 \quad W = 0.625 \pi \text{ m}^3 \left(\frac{380 \text{ K}}{1 \text{ m}^3} \right) \approx 746.1 \text{ K}$$

$$n = \frac{\$50,000}{\left(\frac{\$4.75}{\text{K}} \right) (746.1 \text{ K})} = 14.1 \quad 15 \text{ trees}$$

PTS: 4

REF: spr1412geo NAT: G.MG.1

TOP: Volume

33 ANS:

$$\frac{6}{14} = \frac{9}{21} \quad SAS$$

$$126 = 126$$

PTS: 2

REF: 081529geo

NAT: G.SRT.2

TOP: Similarity

34 ANS: 1

$$3^2 = 9$$

PTS: 2

REF: 081520geo

NAT: G.SRT.2

TOP: Dilations

35 ANS: 4

PTS: 2

REF: 081503geo

NAT: G.GMD.4

TOP: Rotations of Two-Dimensional Objects

36 ANS: 3

PTS: 2

REF: 061524geo

NAT: G.CO.7

TOP: Triangle Congruency

37 ANS:

Translate $\triangle ABC$ along \overline{CF} such that point C maps onto point F, resulting in image $\triangle A'B'C'$. Then reflect $\triangle A'B'C'$ over DF such that $\triangle A'B'C'$ maps onto $\triangle DEF$.

Reflect $\triangle ABC$ over the perpendicular bisector of \overline{EB} such that $\triangle ABC$ maps onto $\triangle DEF$.

PTS: 2

REF: fall1408geo NAT: G.CO.6

TOP: Compositions of Transformations

38 ANS: 2

$$s^2 + s^2 = 7^2$$

$$2s^2 = 49$$

$$s^2 = 24.5$$

$$s \approx 4.9$$

PTS: 2

REF: 081511geo NAT: G.SRT.8

TOP: Pythagorean Theorem

$$\tan 47 = \frac{x}{8.5}$$
 Cone: $V = \frac{1}{3} \pi (8.5)^2 (9.115) \approx 689.6$ Cylinder: $V = \pi (8.5)^2 (25) \approx 5674.5$ Hemisphere:

$$x$$
 ≈ 9.115

$$V = \frac{1}{2} \left(\frac{4}{3} \pi (8.5)^3 \right) \approx 1286.3 \ 689.6 + 5674.5 + 1286.3 \approx 7650 \ \text{No, because } 7650 \cdot 62.4 = 477,360$$

 $477,360 \cdot .85 = 405,756$, which is greater than 400,000.

PTS: 6

REF: 061535geo

NAT: G.MG.3

TOP: Volume

40 ANS:

The acute angles in a right triangle are always complementary. The sine of any acute angle is equal to the cosine of its complement.

PTS: 2

REF: spr1407geo

NAT: G.SRT.7

TOP: Cofunctions

41 ANS: 2

$$x^2 + y^2 + 6y + 9 = 7 + 9$$

$$x^2 + (y+3)^2 = 16$$

PTS: 2

REF: 061514geo

NAT: G.GPE.1

TOP: Equations of Circles

42 ANS: 3

PTS: 2

REF: 081502geo

NAT: G.CO.6

TOP: Properties of Transformations

43 ANS: 1

$$\frac{360^{\circ}}{45^{\circ}} = 8$$

PTS: 2

REF: 061510geo

NAT: G.CO.3

TOP: Mapping a Polygon onto Itself

44 ANS: 4

PTS: 2

REF: 081506geo

NAT: G.SRT.2

TOP: Similarity

45 ANS: 4

PTS: 2

REF: 061501geo

NAT: G.GMD.4

TOP: Rotations of Two-Dimensional Objects

46 ANS:

4x - .07 = 2x + .01 SinA is the ratio of the opposite side and the hypotenuse while cos B is the ratio of the adjacent

$$2x = 0.8$$


$$x = 0.4$$

side and the hypotenuse. The side opposite angle A is the same side as the side adjacent to angle B. Therefore, $\sin A = \cos B$.

PTS: 2

REF: fall1407geo NAT: G.SRT.7

TOP: Cofunctions



PTS: 2

REF: 061525geo

NAT: G.CO.13 TOP: Constructions

48 ANS:

ANS:
$$V = \frac{1}{3} \pi \left(\frac{3}{2}\right)^2 \cdot 8 \approx 18.85 \cdot 100 = 1885 \cdot 1885 \cdot 0.52 \cdot 0.10 = 98.02 \cdot 1.95(100) - (37.83 + 98.02) = 59.15$$

PTS: 6

REF: 081536geo

NAT: G.MG.2

TOP: Density

49 ANS:

$$\sin x = \frac{4.5}{11.75}$$

$$x \approx 23$$

PTS: 2

REF: 061528geo NAT: G.SRT.8

TOP: Using Trigonometry to Find an Angle

50 ANS:

$$\frac{137.8}{6^3} \approx 0.638$$
 Ash

PTS: 2

REF: 081525geo

NAT: G.MG.2

TOP: Density

51 ANS: 4

PTS: 2

REF: 081514geo

NAT: G.SRT.5

TOP: Triangle Similarity

52 ANS: 1

PTS: 2

REF: 061518geo

NAT: G.SRT.1

TOP: Dilations

53 ANS:

 $\triangle MNO$ is congruent to $\triangle PNO$ by SAS. Since $\triangle MNO \cong \triangle PNO$, then $\overline{MO} \cong \overline{PO}$ by CPCTC. So \overline{NO} must divide \overline{MP} in half, and MO = 8.

PTS: 2

REF: fall1405geo NAT: G.SRT.5

TOP: Isosceles Triangles

54 ANS: 3

$$5 \cdot \frac{10}{4} = \frac{50}{4} = 12.5$$

PTS: 2

REF: 081512geo NAT: G.C.1 TOP: Properties of Circles

$$\frac{9}{5} = \frac{9.2}{x}$$
 5.1 + 9.2 = 14.3

$$9x = 46$$

$$x \approx 5.1$$


PTS: 2

REF: 061511geo

NAT: G.SRT.5

TOP: Side Splitter Theorem

56 ANS:



PTS: 2

REF: fall1409geo NAT: G.CO.12

TOP: Constructions

57 ANS: 3


$$\frac{60}{360} \cdot 6^2 \pi = 6\pi$$

PTS: 2

REF: 081518geo NAT: G.C.5

TOP: Sectors

58 ANS: 3



PTS: 2

REF: 081508geo 1

NAT: G.CO.11

TOP: Parallelograms

59 ANS:

 $\overline{LA} \cong \overline{DN}$, $\overline{CA} \cong \overline{CN}$, and $\overline{DAC} \perp \overline{LCN}$ (Given). $\angle LCA$ and $\angle DCN$ are right angles (Definition of perpendicular lines). $\triangle LAC$ and $\triangle DNC$ are right triangles (Definition of a right triangle). $\triangle LAC \cong \triangle DNC$ (HL). $\triangle LAC$ will map onto $\triangle DNC$ after rotating $\triangle LAC$ counterclockwise 90° about point C such that point C maps onto point C.

PTS: 4 REF: spr1408geo NAT: G.SRT.5 | G.CO.5

TOP: Triangle Congruency | Identifying Transformations

Opposite angles in a parallelogram are congruent, so $m\angle O = 118^{\circ}$. The interior angles of a triangle equal 180° . 180 - (118 + 22) = 40.

PTS: 2

REF: 061526geo

NAT: G.CO.11

TOP: Parallelograms

61 ANS:

Translations preserve distance. If point *D* is mapped onto point *A*, point *F* would map onto point *C*. $\triangle DEF \cong \triangle ABC$ as $\overline{AC} \cong \overline{DF}$ and points are collinear on line ℓ and a reflection preserves distance.


PTS: 4

REF: 081534geo

NAT: G.CO.6

TOP: Properties of Transformations

62 ANS:



 $\triangle XYZ$, $\overline{XY} \cong \overline{ZY}$, and \overline{YW} bisects $\angle XYZ$ (Given). $\triangle XYZ$ is isosceles

(Definition of isosceles triangle). YW is an altitude of $\triangle XYZ$ (The angle bisector of the vertex of an isosceles triangle is also the altitude of that triangle). $\overline{YW} \perp \overline{XZ}$ (Definition of altitude). $\angle YWZ$ is a right angle (Definition of perpendicular lines).

PTS: 4

REF: spr1411geo

NAT: G.CO.10

TOP: Triangle Proofs

63 ANS: 3

PTS: 2

REF: 081515geo

NAT: G.C.3

TOP: Inscribed Quadrilaterals

64 ANS:

x represents the distance between the lighthouse and the canoe at 5:00; y represents the distance between the lighthouse and the canoe at 5:05. $\tan 6 = \frac{112 - 1.5}{x}$ $\tan(49 + 6) = \frac{112 - 1.5}{y}$ $\frac{1051.3 - 77.4}{5} \approx 195$

$$x \approx 1051.3 \qquad \qquad y \approx 77.4$$

PTS: 4

REF: spr1409geo NAT: G.SRT.8

TOP: Using Trigonometry to Find a Side

65 ANS: 1

$$m = \frac{-A}{B} = \frac{-2}{-1} = 2$$

$$m_{\perp} = -\frac{1}{2}$$

PTS: 2

REF: 061509geo

NAT: G.GPE.5

TOP: Parallel and Perpendicular Lines

$$\frac{2}{5} \cdot (16-1) = 6 \frac{2}{5} \cdot (14-4) = 4 \quad (1+6,4+4) = (7,8)$$

PTS: 2

REF: 081531geo

NAT: G.GPE.6

TOP: Directed Line Segments

67 ANS: 3

$$V = 12 \cdot 8.5 \cdot 4 = 408$$

$$W = 408 \cdot 0.25 = 102$$

PTS: 2

REF: 061507geo

NAT: G.MG.2

TOP: Density

68 ANS:

Quadrilateral ABCD is a parallelogram with diagonals \overline{AC} and \overline{BD} intersecting at E (Given). $\overline{AD} \cong \overline{BC}$ (Opposite sides of a parallelogram are congruent. $\angle AED \cong \angle CEB$ (Vertical angles are congruent). $\overline{BC} \parallel \overline{DA}$ (Definition of parallelogram). $\angle DBC \cong \angle BDA$ (Alternate interior angles are congruent). $\triangle AED \cong \triangle CEB$ (AAS). 180° rotation of $\triangle AED$ around point E.

PTS: 4

REF: 061533geo

NAT: G.CO.11

TOP: Quadrilateral Proofs

69 ANS: 4

$$\frac{7}{12} \cdot 30 = 17.5$$

PTS: 2

REF: 061521geo

NAT: G.SRT.5

TOP: Similarity

70 ANS: 1

PTS: 2

REF: 081505geo

NAT: G.CO.3

TOP: Mapping a Polygon onto Itself

71 ΔNS· 1

$$V = \frac{\frac{4}{3}\pi\left(\frac{10}{2}\right)^3}{2} \approx 261.8 \cdot 62.4 = 16,336$$

PTS: 2

REF: 081516geo


NAT: G.MG.2

TOP: Density

 $m_{\overline{TS}} = \frac{-10}{6} = -\frac{5}{3}$ $m_{\overline{SR}} = \frac{3}{5}$ Since the slopes of \overline{TS} and \overline{SR} are opposite reciprocals, they are perpendicular and

form a right angle. $\triangle RST$ is a right triangle because $\angle S$ is a right angle. P(0,9) $m_{\overline{RP}} = \frac{-10}{6} = -\frac{5}{3}$ $m_{\overline{PT}} = \frac{3}{5}$

Since the slopes of all four adjacent sides (\overline{TS} and \overline{SR} , \overline{SR} and \overline{RP} , \overline{PT} and \overline{TS} , \overline{RP} and \overline{PT}) are opposite reciprocals, they are perpendicular and form right angles. Quadrilateral RSTP is a rectangle because it has four right angles.




PTS: 6 REF: 061536geo NAT: G.GPE.4 **TOP:** Coordinate Proofs

73 ANS: 1

The line 3y = -2x + 8 does not pass through the center of dilation, so the dilated line will be distinct from 3y = -2x + 8. Since a dilation preserves parallelism, the line 3y = -2x + 8 and its image 2x + 3y = 5 are parallel, with slopes of $-\frac{2}{3}$.

PTS: 2 REF: 061522geo NAT: G.SRT.1 TOP: Dilations

74 ANS:



PTS: 2 REF: 081526geo NAT: G.CO.13 **TOP:** Constructions PTS: 2 REF: 061512geo NAT: G.SRT.7

75 ANS: 4

TOP: Cofunctions

76 ANS: 1 NAT: G.CO.5 PTS: 2 REF: 081507geo

TOP: Identifying Transformations


77 ANS: 1 PTS: 2 REF: 061520geo NAT: G.C.2

TOP: Arcs Determined by Angles

78 ANS: 2 PTS: 2 REF: 081513geo NAT: G.CO.5

TOP: Identifying Transformations

Segments drawn from the center of the regular pentagon bisect each angle of the pentagon, and create five isosceles triangles as shown in the diagram below. Since each exterior angle equals the angles formed by the segments drawn from the center of the regular pentagon, the minimum degrees necessary to carry a regular polygon onto itself are equal to the measure of an exterior angle of the regular polygon.




PTS: 2

REF: spr1402geo

NAT: G.CO.3

TOP: Mapping a Polygon onto Itself

80 ANS:



 $\tan 3.47 = \frac{M}{6336}$

$$M \approx 384$$

$$4960 + 384 = 5344$$

 $\tan 0.64 = \frac{A}{20,493}$

$$5344 - 229 = 5115$$

PTS: 6

REF: fall1413geo

NAT: G.SRT.8

TOP: Using Trigonometry to Find a Side

81 ANS: 3

$$x^2 + 4x + 4 + y^2 - 6y + 9 = 12 + 4 + 9$$

$$(x+2)^2 + (y-3)^2 = 25$$

PTS: 2

REF: 081509geo

NAT: G.GPE.1

TOP: Equations of Circles

82 ANS:

$$M\left(\frac{4+0}{2}, \frac{6-1}{2}\right) = M\left(2, \frac{5}{2}\right) \quad m = \frac{6--1}{4-0} = \frac{7}{4} \quad m_{\perp} = -\frac{4}{7} \quad y - 2.5 = -\frac{4}{7}(x-2) \quad \text{The diagonals, } \overline{MT} \text{ and } \overline{AH}, \text{ of } \overline{MT} = -\frac{4}{7}(x-2) \quad \text{The diagonals, } \overline{MT} = -\frac{4}{7}(x-2) \quad \text{$$

rhombus MATH are perpendicular bisectors of each other.

PTS: 4

REF: fall1411geo NAT: G.GPE.5

TOP: Quadrilaterals in the Coordinate Plane

83 ANS:

$$\tan 7 = \frac{125}{x} \quad \tan 16 = \frac{125}{y} \quad 1018 - 436 \approx 582$$

$$x \approx 1018$$
 $y \approx 436$

PTS: 4

REF: 081532geo

NAT: G.SRT.8

TOP: Using Trigonometry to Find a Side

84 ANS: 4

The line y = 3x - 1 passes through the center of dilation, so the dilated line is not distinct.

PTS: 2

REF: 081524geo

NAT: G.SRT.1

TOP: Dilations

$$\frac{4}{6} = \frac{3}{4.5} = \frac{2}{3}$$


PTS: 2

REF: 081523geo

NAT: G.SRT.2

TOP: Dilations

86 ANS:



 $\frac{1.65}{4.15} = \frac{x}{16.6}$

4.15x = 27.39

$$x = 6.6$$

PTS: 2

REF: 061531geo

NAT: G.SRT.5

TOP: Similarity

87 ANS: 4

PTS: 2

REF: 061502geo

NAT: G.CO.6

TOP: Properties of Transformations

88 ANS:

Parallelogram ABCD, $BE \perp CED$, $DF \perp BFC$, $CE \cong CF$ (given). $\angle BEC \cong \angle DFC$ (perpendicular lines form right angles, which are congruent). $\angle FCD \cong \angle BCE$ (reflexive property). $\triangle BEC \cong \triangle DFC$ (ASA). $BC \cong CD$ (CPCTC). ABCD is a rhombus (a parallelogram with consecutive congruent sides is a rhombus).

PTS: 6

REF: 081535geo

NAT: G.CO.11

TOP: Quadrilateral Proofs

89 ANS:

Triangle X' Y' Z' is the image of $\triangle XYZ$ after a rotation about point Z such that \overline{ZX} coincides with \overline{ZU} . Since rotations preserve angle measure, ZY coincides with ZV, and corresponding angles X and Y, after the rotation, remain congruent, so $\overline{XY} \parallel \overline{UV}$. Then, dilate $\triangle X'YZ'$ by a scale factor of $\frac{ZU}{ZX}$ with its center at point Z. Since dilations preserve parallelism, XY maps onto UV. Therefore, $\triangle XYZ \sim \triangle UVZ$.

PTS: 2

REF: spr1406geo

NAT: G.SRT.2

TOP: Similarity

90 ANS: 4

PTS: 2

REF: 061504geo

NAT: G.CO.5

TOP: Identifying Transformations

91 ANS: 4

PTS: 2

REF: 061513geo

NAT: G.CO.11

TOP: Parallelograms

92 ANS: 2

$$SA = 6 \cdot 12^2 = 864$$

$$\frac{864}{450} = 1.92$$

PTS: 2

REF: 061519geo

NAT: G.MG.3

TOP: Surface Area and Lateral Area

$$\theta = \frac{s}{r} = \frac{2\pi}{10} = \frac{\pi}{5}$$

PTS: 2

REF: fall1404geo NAT: G.C.5

TOP: Arc Length

94 ANS: 2

The given line h, 2x + y = 1, does not pass through the center of dilation, the origin, because the y-intercept is at (0,1). The slope of the dilated line, m, will remain the same as the slope of line h, 2. All points on line h, such as (0,1), the y-intercept, are dilated by a scale factor of 4; therefore, the y-intercept of the dilated line is (0,4) because the center of dilation is the origin, resulting in the dilated line represented by the equation y = -2x + 4.

PTS: 2

REF: spr1403geo

NAT: G.SRT.1

TOP: Dilations

95 ANS: 3

$$\frac{AB}{BC} = \frac{DE}{EF}$$

$$\frac{9}{15} = \frac{6}{10}$$

$$90 = 90$$

PTS: 2

REF: 061515geo

NAT: G.SRT.5

TOP: Similarity

96 ANS: 4

$$-5 + \frac{3}{5}(5 - -5) - 4 + \frac{3}{5}(1 - -4)$$

$$-5 + \frac{3}{5}(10)$$
 $-4 + \frac{3}{5}(5)$

$$-5+6$$
 $-4+3$

-1

PTS: 2

REF: spr1401geo

NAT: G.GPE.6

TOP: Directed Line Segments

97 ANS:

The transformation is a rotation, which is a rigid motion.

PTS: 2

REF: 081530geo

NAT: G.CO.6

TOP: Properties of Transformations

98 ANS:

Circle A can be mapped onto circle B by first translating circle A along vector AB such that A maps onto B, and then dilating circle A, centered at A, by a scale factor of $\frac{5}{3}$. Since there exists a sequence of transformations that maps circle A onto circle B, circle A is similar to circle B.

PTS: 2

REF: spr1404geo

NAT: G.C.1

TOP: Similarity