

**JTC-1122 PANEL WEDGE TOOL**

- Application: BENZ all models.
- Used to remove the door panels, and timbers or plastic on the dashboard.

**JTC-1321 12 PCS TWIST SOCKET SET**

- Use on the damaged screws and nuts.
- Special spiral design for easier to remove the damaged screws.
- Size:
  - 3/8" Dr. 8, 10, 12, 13mm (Length: 32mm)
  - 1/2" Dr. 14, 15, 16, 17, 19, 21mm (Length: 34mm)
  - 2 pcs pin punches 72, 80mm

**JTC-1534 PANEL WEDGE TOOL**

- Length: 250mm
- Holder size: 22x22mm
- Used to remove panel and decoration in plastic.
- Made by stronger plastic-steel, solid and not easy out of shape.

**JTC AUTO TOOLS USA**

678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-1545 10 PCS HEX TWIST SOCKET SET**

- Use on the damaged screws and nuts.
- Special spiral design for easier to remove the damaged screws.
- Hex design for deep nut of shaft.
- Size: 8, 10, 11, 12, 13, 14, 15, 16, 17, 19mm



**JTC-1906 EXTERNAL & INTERNAL RESTORER FILES**

- Restore tool for renewing damaged thread on any diameter bolt, stud, axle or shaft file both right and left hand thread.
- Design use in hide and narrow area.
- Description pitch sizes metric file: 0.80, 1.00, 1.25, 1.50, 1.75, 2.00, 2.50, and 3.00.



**JTC-2511 DOOR UPHOLSTERY REM OVER**

- Well-designed tool removes upholstery clips in just a few seconds.
- Place the tool under the edge of door panel & insert in fastener then pry up.



**JTC AUTO TOOLS USA**

678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-2526 3 PCS WINDOW SCRAPPERS**

- To easily scrape off emblems and pasters.
- Hard plastic and poly razor blade prevent damaging the surface.
- Contents:
  - Super scraper – 25261
  - 10" super razor scraper – 25262
  - Replacement poly razor blades x 100 pcs – 25263



**JTC-3004 TRIM CLIP PLIERS**

- Removes and saves all types of clips.
- The front of the tools is tapered will fit easily under a clip, spread the jaws lightly so they will go under and around the clip, Then, close the jaws and the clip saver removes the clip without damage to the clip.
- Gear for removing door panels.



**JTC-3023 MAGNETIC BAR TOOL HOLDERS**

- Heavy duty magnet hold tools for convenient purpose.
- Total length: 600mm



**JTC AUTO TOOLS USA**

678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-3105 HEAVY DUTY CREEPERS**

- Design for 6 wheels to make it stronger.
- Easy and cozy to lie on the creepers.
- The creeper with foam inside and concave design to make you easy and cozy to lie on.
- W x D x H: 1020 x 430 x 111 m



**JTC-3108 FLEXIBLE METAL FUNNEL**

- Used when refueling containers.
- Works in hard-to-reach places.
- Material: galvanized iron.
- Tube length: 370mm (short)



**JTC-3109 FLEXIBLE METAL FUNNEL**

- Used when refueling containers.
- Works in hard-to-reach places.
- Material: galvanized iron.
- Tube length: 630mm (long)



**JTC AUTO TOOLS USA**

678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-3111 BRUSH**

- Length: 310mm
- Head size:  $\varnothing 25 / \varnothing 20-45$ .
- Special plastic material made, it is not easy to come off.
- One side use the vertical brush, another side use the sidelong brush for easier washing.



**JTC-3118 WINDOW HOLDER**

- Holds up the window glasses while working on regulator.
- Durable rubber can hold article over 12kgs / per piece.
- The disc dimension is 56mm.



**JTC-3119 4 PCS STUD PULLER WRENCH**

- Made of chrome vanadium.
- Special designed for using on screw damaged or without head to screw up and pull up.
- Size: 6, 8, 10, 12mm.



**JTC AUTO TOOLS USA**

678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-3120 CAST STEEL BENCH VISE**

- Jaws made with the body for economy cost.
- Jaw width: 6"
- Maximum opening: 6"



**JTC-3216 REPLACEABLE PUNCH SET**

- Replaceable design is more convenience.
- Sizes: 2, 3, 4, 5, 6, 7, 8, 9, 10.



**JTC-3223 CLIP REM OVAL PLIERS**

- Use the head of the plier to insert the plastic button of the plate.
- Then push the tool and remove the plastic button.
- It is save manpower with pull straight.



**JTC AUTO TOOLS USA**

678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-3305 HAND GREASE GUN**

- With release valve for easier operation.
- Large handle with rubber for labor saving.
- Special oval-shaped design on tank puller.
- Capacity: 400 c.c.
- Lubrication pressure at the outlet:  
About 3200psi (217atm).



**JTC-3307 FLEXIBLE GREASE TUBE 12"**

- The tube designed for using when the space limited.
- Length: 12" (300mm)
- Working pressure: 4500psi
- Burst pressure: 10000psi



**JTC-3308 FLEXIBLE GREASE TUBE 18"**

- The tube designed for using when the space limited.
- Length: 18" (450mm)
- Working pressure: 4500psi
- Burst pressure: 10000psi



**JTC AUTO TOOLS USA**

678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-3315 ZERK GREASE FITTING TOOL**

- Clears grease fitting of hardened matter.
- Fits both straight and angles zerk-style fittings.
- Fill with oil or grease, hold against zerk fitting, and simply strike with hammer to clear fitting.



**JTC-3322 5 PCS HANDY REM OVER SET**

- For plastic upholstery fasteners.
- Place tool under edge of door panel and insert into fastener as fast as possible, and then simply pry up.
- Large support area to protect clips and pad.



**JTC-3408 ONE-PIECE BALL PEIN HAMMER**

- Head material: CR-V
- Polished: Mat finish
- Grip material: TPR
- Spec: 2P
- Length: 370mm
- Packing: 16 / 116.6kgs / 17.7kgs / 0.71Cu`ft



**JTC AUTO TOOLS USA**

678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-3409 ONE-PIECE BALL PEIN HAMMER**

- Head material: CR-V
- Polished: Mat finish
- Grip material: TPR
- Spec: 1-1/2P
- Length: 345mm
- Packing: 16 / 19.1kgs / 20.3kgs / 0.87Cu`ft

**JTC-3410 HAND CLUB HAMMER**

- Head material: CR-V
- Polished: Mat finish
- Grip material: TPR
- Spec: 2-1/2P
- Length: 278mm
- Packing: 16 / 21.4kgs / 22.3 kgs / 0.58'

**JTC-3411 HAND CLUB HAMMER**

- Head material: CR-V
- Polished: Mat finish
- Grip material: TPR
- Spec: 4P
- Length: 279mm
- Packing: 12 / 26.1kgs / 26.9kgs / 0.55'

**JTC AUTO TOOLS USA**


678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-3437 RIVETER**

- Range: 3/32", 1/8", 5/32", 3/16"
- Jaws are made by alloy steel.
- Applicable to stainless, iron, aluminum rivet.
- Rubber covered could place a wrench to prevent it missing.



**JTC-3461 5 PCS COLD CHISEL SET**

- High quality Chrome Molybdenum steel.
- Contents:  
10 x 140L, 12 x 150L, 16 x 170L, 19 x 200L, 22 x 200L.



**JTC-3532 PORTABLE MULTI-FUNCTION SOLDER**

- Multi-function for soldering iron, heat, flame.
- Approximate Temperature: Up to 480°C
- Operating Time: 90 minutes (80% w/fuel)
- Secure switch.




**JTC AUTO TOOLS USA**

678 - 876 - 3470  
2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-3533 35° TRIM CLIP PLIERS**

- Special designed 35° clipper to use in deep space.



**JTC-3611 8 PCS PIN PUNCH SET**

- The cylindrical shank, with ultra-fine tolerances, is perfectly smooth to ensure a high degree of toughness.
- Contents: 1.6, 2.3, 3.2, 4.0, 4.8, 5.5, 6.4 and 8.0mm.



**JTC-3639 FLEXIBLE MAGNETIC BAR**

- Flexible shaft bends and holds in all position.
- Long and slender shaft for easy access to confined areas.
- Comfort-grip handle.
- 20" (510mm) OAL.



**JTC AUTO TOOLS USA**

678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024




**JTC-3904 FLEXIBLE ROD WITH MAGNETIC TIP**

- Strong shaft bends & hold in all position.
- Magnetic capacity: 1.6 kgs (3.5lbs).
- Comfortable handle 23-1/2" (600mm) OAL.



**JTC-4455 ADJUSTABLE PIN & HOOK SPANNER SET**

- The Range from 3/4" to 6-1/2".
- Special ratchet structure handle, allowed for better movement in tight space.
- Two types: Pin and Hook for operating.



**JTC-4658 TWO ARMS UNIVERSAL PULLER SET**

- With pulling legs for narrow spaces in different lengths.
- Particularly well suited to be hung up on workshop walls
- All required clamping depths available at any time.
- Size:  
Width: 130mm  
Arms Height: 100, 200, 250mm / 2pcs



**JTC AUTO TOOLS USA**

678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-4659 SPECIAL TRIPLE-ARM PULLER SET**

- With pulling legs for narrow spaces in different lengths.
- Particularly well suited to be hung up on workshop walls
- All required clamping depths available at any time.
- Size:  
Width: 130mm  
Arms Height: 100, 200, 250mm / each 3pcs



**JTC-4733 25 PCS SCREW EXTRACTOR / DRILL & GUIDE SET**

- Used to extract broken stud screws inside the hold.
- Equipped with 5 different dimension removers. (1/8", 3/16", 1/4", 5/16", 11/32")
- Applicable screw size: 5 ~ 16mm (3/16" ~ 9/16")



**JTC-4875 ENGINE CLEAN GUN**

- Working pressure : 12 kg/cm<sup>2</sup>
- The capacity of inhaling and spray shape could be adjusted by front side.
- Length : 290mm
- Hose length : 1040mm



**JTC AUTO TOOLS USA**

678 - 876 - 3470  
2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-5004 4 PCS INFLATABLE HAND PUMPER**

- Special designed hand pump to expand the gasbag and then expand the narrow working space.
- Content :  
 3 sizes gasbags: 7" (180mm) x 1-1/2" (38 mm)  
 7-1/2" (190mm) x 2-3/8" (60mm)  
 6-3/8" (160mm) x 6-3/8" (60mm)



**JTC-5020 WORKING CHAIR**

- Made by steel frame.
- The cushion made by movable foam rubber.
- With 4 swivel wheels.
- SIZE : 350 x 300 x 310mm




**JTC-5032 OILER WITH TUBE**

- With a tube for easier refuel into deeper working area.
- With a dust cover.
- Height: 330mm, Tube length: 170mm
- Volume: 5L




**JTC AUTO TOOLS USA**

678 - 876 - 3470  
 2600 NORTHLAKE DR., SUITE F,  
 SUWANEE, GA, 30024



**JTC-5058 TWO-WAY PICK-UP TOOL**

- Special designed two way for picking up purpose, inside with 4 claws and outside with magnet.
- The outside magnet is movable for easier operation.
- Total length: 600mm.



**JTC-5059 DISPLAY BOARD FOR CHEST**

- Suitable for JTC-5021.
- Square holes for JTC-3218 series hanger.
- Size: 692 x 334 x 30mm.



**JTC-5060 WORKING BOARD FOR CHEST**

- Suitable for JTC-5021.
- For storage diagnostic equipment, computer, or repairing information.
- Size: 402 x 301 x 221mm.



**JTC AUTO TOOLS USA**

678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-5061 SIDE PLATFORM FOR CHEST**

- Suitable for JTC-5021, 3931, 5640.
- Extension working space like a table
- Size: 406 x 334 x 178mm.



**JTC-5062 WIPE PAPER HANGER FOR CHEST**

- Suitable for JTC-5021.
- For hanging the wipe paper.
- Size: 340 x 254mm.



**JTC-5063 SIDE CONTAINER FOR CHEST**

- Suitable for JTC-5021.
- For trash can or paper case.
- Size: 340 x 200 x 101mm.



**JTC AUTO TOOLS USA**

678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024





**JTC-5102 SHARP PANEL WEDGE TOOL**

- Length: 130mm
- Material: Plastic
- Special sharp design in the front for easier to remove the door panels and timbers on dashboard.



**JTC-5113 17 PCS CLEAN BRUSH SET**

- Combine all different angle small brush in a set.
- The biggest brush dimension is 11mm.
- Material: Nylon / PVC



**JTC-5201 WHEEL STUD THREAD RESTORER KIT**

- Unique design allows for the two halves of the thread restorer to be fitted on the good thread and wound back over the damaged thread, normally at the end of the stud.
- Traditional thread restorers rely on luck for the restored and undamaged threads to align.
- Three sizes of product a set of capacity: M12 x 1.25, M12 x 1.5, M14 x 1.5



**JTC AUTO TOOLS USA**

678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-5229 RECHARGABLE 10W LED TORCH**

- With 10W CREE USA T6 LED.
- Up to 1000 lumens.
- Size:  $\phi 36 \times 125L$  (mm).
- 5 function switch:
  1. Strong light
  2. Safe power light
  3. Flash light
  4. SOS light
  5. Off
- With 1pc 186500# Sanyo 2600ma (Li- Lon) rechargeable battery and charger.



**JTC-5309 LARGE BLOWING AIR DUSTER**

- With 8mm tube and tapered outlet for infinitely variable flow.
- With power saving designed press handle, and metal socket at the air inlet area.
- Working pressure:  $15\text{kg}/\text{cm}^2$ .
- Tube head: rubber
- Tube length: 110mm
- Inlet:  $1/4''$



**JTC-5326 8PCS PLASTIC HANDY REM OVER SET**

- Including in the form of eight different shapes. A balance of flat and angled pry tools allows most clips, panels, or covers to be gently lifted while minimizing the likelihood of damage to the base materials.
- Material: Glass-filled Nylon.



**JTC AUTO TOOLS USA**

678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-5327 TAPER GAUGE**

- Special designed for bearing work and for gauging slots.
- With laser-engraved scale, with knurled handle.
- Made from plastic.



**JTC-5336 10 PCS WHEEL STUD THREAD RESTORER KIT – TRUCK**

- The same function as JTC-5201
- Use with 32 or 41mm wrench.
- With 2 special sockets.
- Capacity:  
 Clockwise thread: M20 x 1.5, M22 x 1.5, M24 x 1.5, and M30 x 1.5.  
 Counter clockwise thread: M20 x 1.5(L), M22 x 1.5(L), M24 x 1.5(L), and M30 x 1.5(L).



**JTC-5337 DISPLAY STAND WITH 2 SHELVES (230L)**

- Designed with round hanging hole to use with JTC-3520 series hooks.
- Each set with 2 shelves.
- Size: 945mmL x 490mmD x 2300mmH
- Lamp signboard is optional.



OPTIONAL



**JTC AUTO TOOLS USA**

678 - 876 - 3470  
 2600 NORTHLAKE DR., SUITE F,  
 SUWANEE, GA, 30024



**JTC-5347 LED LIGHT WITH MOBILE POWER PACK**

- With SMD5630 LED x 6pcs
- Light can be disassembled from mobile power pack, also can be extended by connecting with a USB extender cable.
- Includes two magnet holders, can adjust illuminate angle.
- Mobile power pack: 3.7V/2600ma (Li-Ion) LG battery.
- Input: 5V/1A (micro USB connector; doesn't include battery charger).
- Output: 5V/1A (standard-A USB connector).
- 3 hours charging time for 3 working hours.
- Size: 300 x 24 x 24 mm.



**JTC-5348 SWIVEL CHARGEABLE WORKING LIGHT**

- Rechargeable, SAMSUNG Li-ion battery, 3.7v/2600mA
- 2 steps:  
About 300 Lumens for front light, 3 hours continue use.  
About 60 Lumens for top 1W touch, 9 hours continue use.
- The working light has a strong magnet on the bottom.
- The head can rotate right to left for 180°, up and down for 120°.
- Contents: 1 pc 1 A charger; charging time is around 4 hours.
- Protection: Over charge, Over Discharge and Auto shut off function.
- Indicator: Red for charging, Green for fully charged.



**JTC-5349 PENTYPE 5W LED LIGHT**

- Lamp: 5W COB LED light
- Brightness: 450LUX
- Size: 165 x 25 x 30mm
- Attached with hook and strong magnet.
- Contents: 3 pcs of TOSHIBA #AAA batteries.



**JTC AUTO TOOLS USA**

678 - 876 - 3470  
2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-5413 5 PCS SCREW EXTRACTOR SET (SQUARE)**

- Made from Chrome Molybdenum.
- Square head design can be solid fixed on the screw.
- Size: 1/8", 3/16", 15/64", 5/16", 3/8".



**JTC-5429 FOLDABLE LED LIGHT (48 LAMP)**

- The LED light can fold 180°, provides convenient storage and carrying.
- Lamp: 48pcs high efficacy LED lamp, provides 120° illumination angle.
- Battery: 4.2V/5200 mAh
- 5 hours charging time can provide 5 working hours.
- USB charging indicator; during charging shows in red, charging complete show in green.
- Option: 5V/1000ma charger; can choose USB or general type charger.



**JTC-5502 10 PCS SCREW EXTRACTOR AND DRILL SET**

- Capable to remove damaged bolts and screws up to 5/8".
- Contents:  
5 pcs screw extractor: 7/64", 9/64", 5/32", 1/4", 19/64"  
5 pcs HSS drill: 7/64", 9/64", 5/32", 1/4", and 19/64".



**JTC AUTO TOOLS USA**


678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-5504 2 WAY NEEDLE CLEANER**

- Dual head design:  
A 0.6mm flat head for cleaning the blowhole or adjusting its angle.  
A peak head for drawing the line on the plate.
- Length: 97mm.



**JTC-5601 5 PCS SCREW EXTRACTOR SET**

- Made of chrome molybdenum.
- Heat treated.
- Quick and Easy way to remove broken screws, pipes, bolts and studs.
- Size: 7/64", 9/64", 5/32", 1/4", 19/64"




**JTC-5613 RECHARGEABLE 45 DEGREES SWIVEL LED LIGHT**

- The battery body could be disassembled from the lamp for another lamp.
- 45° Swivel lamp body for better operation angle.
- With power magnet in the bottom of lamp and hinged in the top of lamp.
- With 30 pcs LED inside and electronic switch for easier operation.
- Battery: 3.7V/2600ma (Li-Ion) x 1 pc
- 4 hours charge time for 4 ~ 5 working hours.



**JTC AUTO TOOLS USA**

678 - 876 - 3470  
2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024




**JTC-5625 6 PCS MINI PANEL REM OVER SET**

- Special design with an extra slim profile and unique shape for the delicate task of removing small or fine fascia trim and bezels.
- Made from impact resistant high quality nylon to prevent scratch or mar fascia like metal tools made.
- Applicable: Air vents, door panels, door locks, electronic seat controls, seat levers, center counsels, gear shifters, etc.



**JTC-5641 LARGE 8 DRAWERS TOOL SET**

- The drawer size suitable for all JTC serious tool sets.
- All drawers with quick lock systems to reduce accidental opening.
- Heavy duty 5" x 2" TPR shake-reduce caster, 2-straight and 2 swivel.
- Ball bearing slide with quick disconnect.
- Electro-Powder coating to resist scratch and solvent markings.
- Double heavy duty metal side handle per side.
- 10mm top mat attached.
- 1.2mm back plate thickness, and 1.0mm for other plate
- Drawer capacity: 40kgs/each



**JTC-5811 HIGH QUALITY PLASTIC CREEPERS**

- Curve shape and plastic board designed with high quality.
- 6 pcs PE wheel in 3" which is more helpful for activity in unhindered.
- Capacity : 400 lbs. / 181kgs
- L x W x H : 1030 x 470 x 120mm



**JTC AUTO TOOLS USA**

678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-5823 MULTI POSITION PRY BAR 10"**

- Ideal for prying seals, bearings, manifolds, oil pans, axles, drive shafts, fuel injectors.
- Indexing head can adjust 14 fixed angles
- Push design for quick release pry head and easy lock to fixed angles.
- Total length: 10" (250mm)
- Head length: 70mm



**JTC-5824 MULTI POSITION PRY BAR 15"**

- Ideal for prying seals, bearings, manifolds, oil pans, axles, drive shafts, fuel injectors.
- Indexing head can adjust 14 fixed angles
- Push design for quick release pry head and easy lock to fixed angles.
- Total length: 15" (380mm)
- Head length: 70mm



**JTC-5907 8MM HIGH PRESSURE AIR BLOW GUN – 580mm**

- With 8mm tube and tapered outlet for infinitely variable flow.
- Working pressure : under 15kg/c m<sup>2</sup>
- The handle made from Special harden plastic.
- Tube length: 580mm
- Inlet: 1/4"



**JTC AUTO TOOLS USA**

678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024





**JTC-533108 NON-SPARK DOUBLE TIP HAMMER**

- The handle made from metal.
- Hammer material: COPPER/SURLYN
- Head weight: 0.5lbs.
- Head size: 25 – 27mm
- Length: 89 x 250mm



**JTC-533116 NON-SPARK DOUBLE TIP HAMMER**

- The handle made from metal.
- Hammer material: COPPER/SURLYN
- Head weight: 1lbs.
- Head size: 30 – 35mm
- Length: 108 x 300mm



**JTC-1321S 15 PCS TWIST SOCKET SET**

- Use on the damaged screws & nuts.
- Special spiral design for easier to remove the damaged screws.
- Size:
  - 3/8" Dr. 8, 9, 10, 11, 12, 13mm (Length: 32mm).
  - 1/2" Dr. 14, 15, 16, 17, 18, 19, 21mm (Length: 34mm).
  - 2 pcs pin punches 72, 80mm.
- Complete size for all you need.



**JTC AUTO TOOLS USA**

678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-3106B 2W RECHARGEABLE WORKING LAMP WITH MAGNET**     **JTC-3106F RECHARGEABLE 48 LED WORKING LAMP WITH MAGNET**

- Battery: 6V/4AH without add water.
- With 2W LED lamps.
- Use the auto-disconnection switch on charger.
- The bottom has the magnet for attaching to iron parts when you are working.
- Special designed for the flexible neck is easy to get into the confined space.
- The lamp head could turn 360°.



- Lamp : 48 flat LED (made in Taiwan)-20000mcd
- Battery : 6V/4AH w/o add water
- Charging time: 5 hours for working 6~7 hours.
- The lamp with large lighting area and super bright.
- Material: plastic ABS
- Suitable for working in large area.



**JTC-3107A MAGNETIC TRAY**

- Special metal cap with screw on design for the middle magnetic to avoid slopping.
- Magnetic enhanced by heavy duty magnet.
- Size: 365mmx 165mm.
- With 3 pcs of magnets.
- Patented.



**JTC AUTO TOOLS USA**

678 - 876 - 3470  
 2600 NORTHLAKE DR., SUITE F,  
 SUWANEE, GA, 30024

**JTC-3422A STAINLESS SCISSORS**

- Material: Stainless steel
- Overall length: 8" (204mm)
- Sharp toothed blade has non-slip and save manpower function.
- The tool equipped with a safe lock for safe operation.

**JTC-3432A 40 PCS TAP AND DIE SET**

- 34 pcs Tap and Die:
  - m3 x 0.5, m3 x 0.6, m4 x 0.7, m4 x 0.75, m5 x 0.8, m5x0.9, m6 x 0.75, m6 x 1.0, m7 x 0.75, m7 x 1.0, m8 x 1.0, m8 x 1.25, m10 x 1.25, m10 x 1.5, m12 x 1.25, m12 x 1.5, 1/8NPT27
- Material: Alloy Steel
- 1 pc. Tap Wrench (m3-m12)
- 1 pc. "T" Type Tap Wrench
- 1 pc. Die Stock 25mm
- 1 pc. Screw Driver
- 1 pc. Screw Pitch Gauge


**JTC-3475A LIFT SUPPORT FIXING CLAMP**

- Use to fix the engine compartment, luggage area, and back door lift support.
- To prevent the lift slip and make damage.
- Place the tool on lift rod next to cylinder body. Tighten with knob until it is secure on lift rod when finished.
- Capacity: max. 14mm.

**JTC AUTO TOOLS USA**


678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024




**JTC-3520A 2" SINGLE HOOK**

- Hang on the display board with round holes, such as JTC-3519.



**JTC-3520B 4" SINGLE HOOK**

- Hang on the display board with round holes, such as JTC-3519.



**JTC-3520C 6" SINGLE HOOK**

- Hang on the display board with square holes, such as JTC-3519.



**JTC AUTO TOOLS USA**

678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-3725A MAGNETIC TRAY**

- Ideal for retaining nuts, bolts and washers. Excellent for sockets and small tools.
- Can be used in any position even upside down.
- Magnetic base with non-marking coating.
- Prevents the loss of parts.
- 6" Stainless steel tray.



**JTC-3726A MAGNETIC TRAY**

- Special metal cap with screw on design for the middle magnetic to avoid slopping.
- Magnetic enhanced by heavy duty magnet.
- Size : 240mm x 140mm
- With 2 pcs of magnets.
- Patented.



**JTC-3727A MAGNETIC TRAY**

- Special metal cap with screw on design for the middle magnetic to avoid slipping.
- Magnetic enhanced by heavy duty magnet.
- Size: 290mm x 270mm.
- With 4 pcs of magnets.
- Patented.



**JTC AUTO TOOLS USA**

678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-5218N 10MM INDUSTRIAL NUT RIVETER  
(POWER SAVING)**

- The size are the same as JTC-5218.
- Overall length: 325mm.
- Capacity: 5, 6, 8, 10mm.



**JTC-5225A 45° SUPER BRIGHT SWIVEL LED LIGHT (2 BATTERY)**

- With 3 pcs super bright 3W CREE U.S.A. LED light.
- Lumen: 1107 (LUX)/ 80cm.
- With 2 pcs of 3.7V / 2600mA (Li-Ion) SANYO battery, and 1 pc 2000mA charger.
- With heavy magnetic in the bottom.
- 4 ~ 5 hours charging time for 8 working hours.



**JTC-AM 12 FENDER COVERS**

- Heavy, long wearing foam vinyl!
- Protects the car.
- With three special magnetic in the covers.
- Size: 89 x 58mm
- Master: PVC sponge



**JTC AUTO TOOLS USA**

678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-AM 13 DOUBLE LAYERS FENDER COVERS**

- Outside layer made from PVC SPONGE for preventing abrasion.
- Inside layer made from soft PVC with 3 heavy duty magnets for better absorbability.
- Size: 910 x 580mm



**JTC-AM 44A DRAIN PAN (SMALL)**

- Volume: 8L.
- SIZE: 490 X 385 X 125mm.
- Material: PE.
- 20 pcs / 20.8kgs / 12.3kgs / 5.7'.



**JTC-AM 45 DRAIN PAN 16L**

- Volume: 16L
- Dish to save the shop oil.
- Special design on rim for prevent the oil comes out.
- And the producing hole also has special design on pour out the oil.
- Molded handles and 45° spout permit easy handling and pouring.



**JTC AUTO TOOLS USA**

678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024



**JTC-AM 46 DRAIN PAN 24L**

- Size: 820 x 540 x 190mm
- Material: PE
- Volume: 24L
- 5pcs / 9kgs / 11dgs / 5.6'



**JTC AUTO TOOLS USA**

678 - 876 - 3470

2600 NORTHLAKE DR., SUITE F,  
SUWANEE, GA, 30024