



Proactive by Design

GEOTECHNICAL

ENVIRONMENTAL

ECOLOGICAL

WATER

CONSTRUCTION  
MANAGEMENT

249 Vanderbilt Avenue

Norwood, MA 02062

T: 781.278.3700

F: 781.278.5701

F: 781.278.5702

www.gza.com



June 27, 2017  
File No. 01.0015522.17

United States Environmental Protection Agency – Region 1  
1 Congress Street, Suite 1100  
Boston, Massachusetts 02114-2023

Re: Submittal of Notice of Intent (NOI)  
Remediation General Permit - Authorization #MAG910002  
175 Wyman Street  
Waltham, Massachusetts

To Whom It May Concern:

GZA GeoEnvironmental, Inc. (GZA), on behalf of our client, HP, Inc. (HP), is submitting the attached Notice of Intent (NOI) form (Appendix A) for a Remediation General Permit (RGP) for the 175 Wyman Street project (the Site). A groundwater containment and treatment system (GCTS) was installed at the Site in 1997 to treat trichloroethene (TCE)-affected groundwater associated with the Site. Coverage under the National Pollutant Discharge Elimination System (NPDES) RGP was initially issued by the United States Environmental Protection Agency (EPA) on September 22, 2005 for discharges associated with the treatment system. With submission of this NOI, we are proposing the continued operation of the GCTS and associated discharge.

## BACKGROUND

The Site consists primarily of an approximately 27.5-acre parcel located on the easterly side of Route 128 (Interstate Route 95) at 175 Wyman Street, in the north central section of Waltham (Figure 1 - Locus Plan). HP used the Site from 1959 to 1995 for the manufacture of medical equipment. New owners of the property undertook a significant redevelopment of the property in 2008 with demolition of prior buildings, construction of two new buildings, with other associated improvements consisting of parking, landscaping, and a stormwater retention basin.

As indicated previously, a GCTS designed to remove volatile organic compounds (VOCs) from the groundwater has been operating at the Site since September 19, 1997. The Site is governed under the Massachusetts Contingency Plan (MCP; 310 CMR 40.0000) under Release Tracking Number 3-13311. The GCTS consists of six groundwater recovery wells, a flow equalization tank, a tray aerator, a bag filtration system, liquid-phase granular activated carbon/ion exchange adsorption unit and two vapor-phase granular activated carbon adsorption units, and associated instrumentation and controls. A process flow diagram is illustrated in Figure 2.

Treated groundwater is discharged to an on-property storm drain which eventually flows into an off-property storm water retention area, which in turn discharges to the Cambridge Reservoir as shown on Figure 3. This discharge is currently performed in accordance with the following permits and approvals: coverage under the NPDES Remediation General Permit (Authorization #MAG910002); approval from the City of Cambridge Water Department; and a Massachusetts Highway Department (MHD) access permit (for discharge to the stormwater retention pond). Copies of these permits and approvals are included in Appendix B. In addition, copies of semi-annual status reports, including operational status of the GCTS and water quality monitoring of



the influent and effluent, are provided to the City of Cambridge Water Department and the Massachusetts Department of Environmental Protection.

## NOTICE OF INTENT

This NOI application also includes the following items:

- Summary of historically believed present parameters of the influent groundwater is included in Table 1 and laboratory analytical results of the source water are included as Appendix C (note: because of the high concentration of some volatile organic compounds the detection limit of other compounds is elevated to above applicable effluent limits);
- Laboratory analytical results for the receiving water area are included as Appendix D;
- Calculation sheets for establishing effluent limitations are included as Appendix E;
- Review of Areas of Critical Environmental Concern indicate that the proposed discharge is not to an ACEC and a review of Federally Listed Endangered and Threatened Species in Massachusetts indicated that the Northern Long-eared Bat is located state-wide. However, this species is not likely to be present at the Site additionally the discharge does not impact habitat. In addition, review of the US Fish and Wildlife's online Information for Planning and Consultation (IPaC) service, indicated that federally listed species were not likely to be present within the action area of site activities (see Appendix F);
- Review of the Massachusetts Geographic Information Systems (MassGIS) DEP Priority Resources Map of Waltham shows that there are no ACECs and no habitats for Species of Special Concern or Threatened or Endangered Species within 500 feet of the subject site (Figure 4). Therefore, permit eligibility meets "Criterion A"; and
- Review of the electronic Massachusetts Cultural Resource Information System database, made available through Massachusetts Historical Commission, found that there are no properties listed or eligible for listing on the National Registry of Historic Places under the National Historic Preservation Act. Therefore, there will be no impact associated with this discharge to such properties. The documentation of this review can be found in Appendix G.

Please do not hesitate to contact the undersigned at (781) 278-3700 if you have any questions or require further information.

Very truly yours,

GZA GEOENVIRONMENTAL, INC.

A handwritten signature in blue ink, appearing to read 'John A. Colbert'.

John A. Colbert, P.E.  
Senior Project Manager

A handwritten signature in blue ink, appearing to read 'Patrick F. Sheehan'.

Patrick F. Sheehan, P.E.  
Consultant/Reviewer

A handwritten signature in blue ink, appearing to read 'William R. Norman'.

William R. Norman, LSP  
Principal



**Enclosures:**

**Table:** Table 1 – Summary of Historically Believed Present Parameters - Influent Groundwater Analytical Results

**Figures:** Figure 1 - Site Locus Map  
Figure 2 - Groundwater Containment and Treatment System Process Flow Diagram  
Figure 3 – Site Plan  
Figure 4 – Site Scoring Map Showing 500 Foot & ½ Mile Radii

**Appendices:** Appendix A - Notice of Intent Form  
Appendix B – Discharge Approval Letters  
Appendix C – Influent Laboratory Analytical Report  
Appendix D – Receiving Water Laboratory Analytical Report  
Appendix E – Calculation Sheets for Effluent Limitations  
Appendix F - ACEC and Federally Listed Endangered and Threatened Species in Massachusetts Evaluation  
Appendix G – MACRIS Search Results



## **TABLES**

**TABLE 1**  
**SUMMARY OF HISTORICALLY BELIEVED PRESENT PARAMETERS**  
**INFLUENT GROUNDWATER ANALYTICAL RESULTS**

Notice of Intent Application  
175 Wyman Street, Waltham, Massachusetts

Sample Collection Date	System Influent Samples							
	TCE (ppb)	PCE (ppb)	DCE (ppb)	Fe (ppb)	Zn (ppb)	Cu (ppb)	Pb (ppb)	Se (ppb)
7/14/2016	6,600	50	25	343	53.1	52.4	7.6	2.5
8/11/2016	5,400	25	25	162	11.5	10.2	1.3	5.0
9/9/2016	4,600	25	25	144	11.0	8.5	1.2	2.5
10/6/2016	6,400	25	25	1,300	57.3	55	7.8	2.5
11/10/2016	8,200	59	25	1,410	78.6	38	6.9	2.5
12/8/2016	7,800	52	25	765	56.2	33	4.4	2.5
1/13/2017	9,300	65	25	3,690	25.5	51.4	25.3	2.5
2/8/2017	8,100	25	25	58	5.0	8	0.5	2.5
3/9/2017	6,400	25	25	538	43.1	17	1.6	2.5
4/7/2017	7,300	55	25	494	13.0	9	0.5	2.5
5/4/2017	7,400	59	25	95	11.3	7	0.25	2.5
5/4/2017	7,200	57	<u>25</u>	107	<u>6.73</u>	5.16	0.25	2.5
6/8/2017	7,400	47	25	116	16.3	8	0.5	2.5
Average	7,085	44	25	709	29.9	23	4.5	2.7
95th percentile	9,027	<b>69</b>	25	<b>2295</b>	<b>68.7</b>	<b>54.2</b>	<b>15.4</b>	3.8


**Notes:**

1. Samples analyzed for VOCs via EPA Method 8260 and samples analyzed for metals via EPA Method 3005/6020 or 200.7.
2. Concentrations in *italics* represent half of the reported detection limit and concentrations with *italics* and underline are reported as estimated.
3. TCE = Trichloroethylene; PCE = Tetrachloroethylene; DCE = cis-1,2-Dichloroethylene; Fe = iron; Zn = zinc; Cu = copper; Pb = Lead; Se = Selenium.
4. For a complete list of target analytes and detection limits, see attached laboratory data sheets.
5. Two sets of samples were collected on May 4, 2017 to satisfy the NOI application and compliance with the existing RGP permit.
6. Calculated concentrations in bold have been used to represent influent concentrations to calculate water quality effluent standards.




## FIGURES





175 Wyman Street

SW-6  
SW-8



SOURCE : SCANNED USGS TOPOGRAPHIC QUADRANGLES  
SCANNED BY THE MASSACHUSETTS EXECUTIVE OFFICE OF  
ENVIRONMENTAL AFFAIRS, MASSGIS. DISTRIBUTED JUNE, 2001.

Data Supplied by :




PROJ. MGR.: JAC  
DESIGNED BY: WAD  
REVIEWED BY: WRN  
OPERATOR: EMD  
DATE: 06-21-2017

**LOCUS PLAN**  
**175 WYMAN STREET**  
**WALTHAM, MASSACHUSETTS**

JOB NO.  
**15522.17**  
FIGURE NO.  
**1**



© 2017 - GZA GeoEnvironmental, Inc. GZA-\\GZANOR\jobs\15,000-16,999\15522.1HE\15522-17\_GW-Process-Flow.dwg [FIG2] June 23, 2017 - 11:49am




UNLESS SPECIFICALLY STATED BY WRITTEN AGREEMENT, THIS DRAWING IS THE SOLE PROPERTY OF GZA GEOENVIRONMENTAL, INC. (GZA). THE INFORMATION SHOWN ON THE DRAWING IS SOLELY FOR USE BY GZA'S CLIENT OR THE CLIENT'S DESIGNATED REPRESENTATIVE FOR THE SPECIFIC PROJECT AND LOCATION IDENTIFIED ON THE DRAWING. THE DRAWING SHALL NOT BE TRANSFERRED, REUSED, COPIED, OR ALTERED IN ANY MANNER FOR USE AT ANY OTHER LOCATION OR FOR ANY OTHER PURPOSE WITHOUT THE PRIOR WRITTEN CONSENT OF GZA. ANY TRANSFER, REUSE, OR MODIFICATION TO THE DRAWING BY THE CLIENT OR OTHERS, WITHOUT THE PRIOR WRITTEN EXPRESS CONSENT OF GZA, WILL BE AT THE USER'S SOLE RISK AND WITHOUT ANY RISK OR LIABILITY TO GZA.

REMEDIAL GENERAL PERMIT - NOTICE OF INTENT  
 175 WYMAN STREET  
 WALTHAM, MASSACHUSETTS  
 GROUNDWATER CONTAINMENT  
 AND TREATMENT SYSTEM  
 PROCESS FLOW DIAGRAM

PREPARED BY: GZA GeoEnvironmental, Inc. Engineers and Scientists www.gza.com		PREPARED FOR: HEWLETT-PACKARD COMPANY	
PROJ MGR: JAC	REVIEWED BY: WRN	CHECKED BY: JAC	FIGURE
DESIGNED BY: WAD	DRAWN BY: WAD	SCALE: N.T.S.	2
DATE: 06-21-2017	PROJECT NO. 01.0015522.17	REVISION NO.	



© 2017 - GZA GeoEnvironmental, Inc. J:\15.000-16.999\15522.17\HE\15522-17\_JAC\Figures\GIS\MXD\15522-17\_RGNOL\_SitePlan\_FIG3.mxd, 6/23/2017, 11:18:05 AM, elaine.donohue



**SOURCE**

1) THE COLOR ORTHO IMAGERY WAS ACQUIRED FOR THE U. S. GEOLOGICAL SURVEY IN APRIL 2013 BY FUGRO EARTHDATA, INC. TERRASURV, INC. WAS CONTRACTED BY FUGRO TO PROVIDE GROUND CONTROL SURVEY TO SUPPORT PHOTOGRAMMETRIC MAPPING AND BLIND QC POINTS. THE DATALAYER IS PRODUCED AND MAINTAINED BY THE USGS EARTH RESOURCES OBSERVATION AND SCIENCE CENTER IN SIOUX CITY, SD. THE IMAGERY SHOWN HEREIN WAS DOWNLOADED FROM MASSGIS ON MARCH 11, 2014.

USGS TerraSurv INC MASS GIS

0 40 80 160  
SCALE IN FEET

Cambridge Reservoir

128

DISCHARGE TO CAMBRIDGE RESERVOIR MA 72014

DISCHARGE TO STORM WATER RETENTION BASIN

DISCHARGE TO STORM DRAIN

GROUNDWATER CONTAINMENT AND TREATMENT SYSTEM


UNLESS SPECIFICALLY STATED BY WRITTEN AGREEMENT, THIS DRAWING IS THE SOLE PROPERTY OF GZA GEOENVIRONMENTAL, INC. (GZA). THE INFORMATION SHOWN ON THE DRAWING IS SOLELY FOR THE USE BY GZA'S CLIENT OR THE CLIENT'S DESIGNATED REPRESENTATIVE FOR THE SPECIFIC PROJECT AND LOCATION IDENTIFIED ON THE DRAWING. THE DRAWING SHALL NOT BE TRANSFERRED, REUSED, COPIED, OR ALTERED IN ANY MANNER FOR USE AT ANY OTHER LOCATION OR FOR ANY OTHER PURPOSE WITHOUT THE PRIOR WRITTEN CONSENT OF GZA. ANY TRANSFER, REUSE, OR MODIFICATION TO THE DRAWING BY THE CLIENT OR OTHERS, WITHOUT THE PRIOR WRITTEN EXPRESS CONSENT OF GZA, WILL BE AT THE USER'S SOLE RISK AND WITHOUT ANY RISK OR LIABILITY TO GZA.

REMEDIAL GENERAL PERMIT - NOTICE OF INTENT  
175 WYMAN STREET  
WALTHAM, MASSACHUSETTS

SITE PLAN

PREPARED BY: GZA GeoEnvironmental, Inc. Engineers and Scientists www.gza.com		PREPARED FOR: HEWLETT-PACKARD COMPANY	
PROJ MGR: JAC	REVIEWED BY: WRN	CHECKED BY: JAC	FIGURE <b>3</b>
DESIGNED BY: WAD	DRAWN BY: EMD	SCALE: 1" = 80 FEET	
DATE: 06/23/2017	PROJECT NO: 01.0015522.17	REVISION NO.	





### DEP MCP 21e LEGEND

- Public Water Supply Well: Community GW, Community SW, Emergency SW, Non-Community
- Zone II's
- Interim Wellhead Protection Areas (IWPA's) Zone A
- Sole Source Aquifers
- Solid Waste Sites
- Protected Openspace
- Areas of Critical Environmental Concern
- NHESP Estimated Habitats of Rare Wildlife: Use with MA Wetlands Protection Act (310 CMR 10.12)
- NHESP Priority Habitats of State-Listed Rare Species: Use with MA Wetlands Protection Act (310 CMR 10.12)
- NHESP Vernal Pools: Certified, Potential
- Drainage Subbasins
- Massachusetts Major Basins
- MassDEP Regions
- Town Boundaries
- County Boundaries

### Aquifers, By Yield

- High Yield - Potential Source
- Medium Yield - Potential Source
- Low Yield - Potential Source

### Non-Potential Drinking Water Source Area

- High Yield - Non Potential Source
- Medium Yield - Non Potential Source

### FEMA Floodplains

- 100 Year Floodplain

### Hydrography

- Lake, Pond, Wide River, Impoundment
- Reservoir (with PWSID)
- Wetlands: Marsh, Wooded Swamp
- Saltwater Wetlands; Cranberry Bog
- Tidal Flats, Shoals


### Rivers and Streams

- Stream
- Intermittent Stream
- Shoreline
- Man-Made Shoreline
- Dam

### EOT-OTP Roads, Transmission Lines

- Limited Access Highway
- Multi-Lane Highway, Unlimited Access
- Other Numbered Highway
- Major Road - Connector
- Minor Street or Road
- Railroad Lines
- Aqueducts
- Powerline
- Pipeline
- Airport
- Track
- Trail

Source Data Supplied by  
MassGIS (June 2017)



**SITE SCORING MAP SHOWING 500 FOOT & 1/2 MILE RADII**  
 (RTN 3-13311)  
 175 WYMAN STREET  
 WALTHAM, MASSACHUSETTS

**GZA** GeoEnvironmental, Inc.  
 Engineers and Scientists  
 www.gza.com

PROJ. MGR.: JAC  
 DESIGNED BY.: SJB  
 REVIEWED BY.: WRN  
 OPERATOR.: EMD  
 DATE: 06-23-2017

JOB NO.  
 15522.17

FIGURE NO.  
 4



## **APPENDIX A**

### **NOTICE OF INTENT FORM**

**II. Suggested Format for the Remediation General Permit Notice of Intent (NOI)**

**A. General site information:**

1. Name of site:	Site address:		
	Street:		
	City:	State:	Zip:
2. Site owner  Owner is (check one): <input type="checkbox"/> Federal <input type="checkbox"/> State/Tribal <input type="checkbox"/> Private <input type="checkbox"/> Other; if so, specify:	Contact Person:		
	Telephone:	Email:	
	Mailing address:		
	Street:		
	City:	State:	Zip:
3. Site operator, if different than owner	Contact Person:		
	Telephone:	Email:	
	Mailing address:		
	Street:		
	City:	State:	Zip:
4. NPDES permit number assigned by EPA:  NPDES permit is (check all that apply): <input type="checkbox"/> RGP <input type="checkbox"/> DGP <input type="checkbox"/> CGP <input type="checkbox"/> MSGP <input type="checkbox"/> Individual NPDES permit <input type="checkbox"/> Other; if so, specify:	5. Other regulatory program(s) that apply to the site (check all that apply):		
	<input type="checkbox"/> MA Chapter 21e; list RTN(s):  <input type="checkbox"/> NH Groundwater Management Permit or Groundwater Release Detection Permit:	<input type="checkbox"/> CERCLA <input type="checkbox"/> UIC Program <input type="checkbox"/> POTW Pretreatment <input type="checkbox"/> CWA Section 404	



**B. Receiving water information:**

1. Name of receiving water(s):	Waterbody identification of receiving water(s):	Classification of receiving water(s):
Receiving water is (check any that apply): <input type="checkbox"/> Outstanding Resource Water <input type="checkbox"/> Ocean Sanctuary <input type="checkbox"/> territorial sea <input type="checkbox"/> Wild and Scenic River		
2. Has the operator attached a location map in accordance with the instructions in B, above? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No Are sensitive receptors present near the site? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, specify:		
3. Indicate if the receiving water(s) is listed in the State’s Integrated List of Waters (i.e., CWA Section 303(d)). Include which designated uses are impaired, and any pollutants indicated. Also, indicate if a final TMDL is available for any of the indicated pollutants. For more information, contact the appropriate State as noted in Part 4.6 of the RGP.		
4. Indicate the seven day-ten-year low flow (7Q10) of the receiving water determined in accordance with the instructions in Appendix V for sites located in Massachusetts and Appendix VI for sites located in New Hampshire.		
5. Indicate the requested dilution factor for the calculation of water quality-based effluent limitations (WQBELs) determined in accordance with the instructions in Appendix V for sites in Massachusetts and Appendix VI for sites in New Hampshire.		
6. Has the operator received confirmation from the appropriate State for the 7Q10 and dilution factor indicated? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, indicate date confirmation received:		
7. Has the operator attached a summary of receiving water sampling results as required in Part 4.2 of the RGP in accordance with the instruction in Appendix VIII? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No		

**C. Source water information:**

1. Source water(s) is (check any that apply):			
<input type="checkbox"/> Contaminated groundwater  Has the operator attached a summary of influent sampling results as required in Part 4.2 of the RGP in accordance with the instruction in Appendix VIII? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Contaminated surface water  Has the operator attached a summary of influent sampling results as required in Part 4.2 of the RGP in accordance with the instruction in Appendix VIII? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> The receiving water  <input type="checkbox"/> A surface water other than the receiving water; if so, indicate waterbody:	<input type="checkbox"/> Potable water; if so, indicate municipality or origin:  <input type="checkbox"/> Other; if so, specify:

2. Source water contaminants:	
a. For source waters that are contaminated groundwater or contaminated surface water, indicate are any contaminants present that are not included in the RGP? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, indicate the contaminant(s) and the maximum concentration present in accordance with the instructions in Appendix VIII.	b. For a source water that is a surface water other than the receiving water, potable water or other, indicate any contaminants present at the maximum concentration in accordance with the instructions in Appendix VIII? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No
3. Has the source water been previously chlorinated or otherwise contains residual chlorine? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No	

**D. Discharge information**

1.The discharge(s) is a(n) (check any that apply): <input type="checkbox"/> Existing discharge <input type="checkbox"/> New discharge <input type="checkbox"/> New source	
Outfall(s):	Outfall location(s): (Latitude, Longitude)
Discharges enter the receiving water(s) via (check any that apply): <input type="checkbox"/> Direct discharge to the receiving water <input type="checkbox"/> Indirect discharge, if so, specify:  <input type="checkbox"/> A private storm sewer system <input type="checkbox"/> A municipal storm sewer system If the discharge enters the receiving water via a private or municipal storm sewer system: Has notification been provided to the owner of this system? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No Has the operator has received permission from the owner to use such system for discharges? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No, if so, explain, with an estimated timeframe for obtaining permission: Has the operator attached a summary of any additional requirements the owner of this system has specified? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No	
Provide the expected start and end dates of discharge(s) (month/year):	
Indicate if the discharge is expected to occur over a duration of: <input type="checkbox"/> less than 12 months <input type="checkbox"/> 12 months or more <input type="checkbox"/> is an emergency discharge	
Has the operator attached a site plan in accordance with the instructions in D, above? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No	

2. Activity Category: (check all that apply)	3. Contamination Type Category: (check all that apply)	
<input type="checkbox"/> I – Petroleum-Related Site Remediation <input type="checkbox"/> II – Non-Petroleum-Related Site Remediation <input type="checkbox"/> III – Contaminated Site Dewatering <input type="checkbox"/> IV – Dewatering of Pipelines and Tanks <input type="checkbox"/> V – Aquifer Pump Testing <input type="checkbox"/> VI – Well Development/Rehabilitation <input type="checkbox"/> VII – Collection Structure Dewatering/Remediation <input type="checkbox"/> VIII – Dredge-Related Dewatering	a. If Activity Category I or II: (check all that apply)  <input type="checkbox"/> A. Inorganics <input type="checkbox"/> B. Non-Halogenated Volatile Organic Compounds <input type="checkbox"/> C. Halogenated Volatile Organic Compounds <input type="checkbox"/> D. Non-Halogenated Semi-Volatile Organic Compounds <input type="checkbox"/> E. Halogenated Semi-Volatile Organic Compounds <input type="checkbox"/> F. Fuels Parameters	
	b. If Activity Category III, IV, V, VI, VII or VIII: (check either G or H)	
	<input type="checkbox"/> G. Sites with Known Contamination	<input type="checkbox"/> H. Sites with Unknown Contamination
	c. If Category III-G, IV-G, V-G, VI-G, VII-G or VIII-G: (check all that apply)  <input type="checkbox"/> A. Inorganics <input type="checkbox"/> B. Non-Halogenated Volatile Organic Compounds <input type="checkbox"/> C. Halogenated Volatile Organic Compounds <input type="checkbox"/> D. Non-Halogenated Semi-Volatile Organic Compounds <input type="checkbox"/> E. Halogenated Semi-Volatile Organic Compounds <input type="checkbox"/> F. Fuels Parameters	d. If Category III-H, IV-H, V-H, VI-H, VII-H or VIII-H Contamination Type Categories A through F apply

4. Influent and Effluent Characteristics

Parameter	Known or believed absent	Known or believed present	# of samples	Test method (#)	Detection limit (µg/l)	Influent		Effluent Limitations	
						Daily maximum (µg/l)	Daily average (µg/l)	TBEL	WQBEL
<b>A. Inorganics</b>									
Ammonia								Report mg/L	---
Chloride								Report µg/l	---
Total Residual Chlorine								0.2 mg/L	
Total Suspended Solids								30 mg/L	---
Antimony								206 µg/L	
Arsenic								104 µg/L	
Cadmium								10.2 µg/L	
Chromium III								323 µg/L	
Chromium VI								323 µg/L	
Copper								242 µg/L	
Iron								5,000 µg/L	
Lead								160 µg/L	
Mercury								0.739 µg/L	
Nickel								1,450 µg/L	
Selenium								235.8 µg/L	
Silver								35.1 µg/L	
Zinc								420 µg/L	
Cyanide								178 mg/L	
<b>B. Non-Halogenated VOCs</b>									
Total BTEX								100 µg/L	---
Benzene								5.0 µg/L	---
1,4 Dioxane								200 µg/L	---
Acetone								7.97 mg/L	---
Phenol								1,080 µg/L	







**E. Treatment system information**

<p>1. Indicate the type(s) of treatment that will be applied to effluent prior to discharge: (check all that apply)</p> <p><input type="checkbox"/> Adsorption/Absorption <input type="checkbox"/> Advanced Oxidation Processes <input type="checkbox"/> Air Stripping <input type="checkbox"/> Granulated Activated Carbon (“GAC”)/Liquid Phase Carbon Adsorption  <input type="checkbox"/> Ion Exchange <input type="checkbox"/> Precipitation/Coagulation/Flocculation <input type="checkbox"/> Separation/Filtration <input type="checkbox"/> Other; if so, specify:</p>	
<p>2. Provide a written description of all treatment system(s) or processes that will be applied to the effluent prior to discharge.</p> <p>Identify each major treatment component (check any that apply):</p> <p><input type="checkbox"/> Fractionation tanks <input type="checkbox"/> Equalization tank <input type="checkbox"/> Oil/water separator <input type="checkbox"/> Mechanical filter <input type="checkbox"/> Media filter  <input type="checkbox"/> Chemical feed tank <input type="checkbox"/> Air stripping unit <input type="checkbox"/> Bag filter <input type="checkbox"/> Other; if so, specify:</p> <p>Indicate if either of the following will occur (check any that apply):</p> <p><input type="checkbox"/> Chlorination <input type="checkbox"/> De-chlorination</p>	
<p>3. Provide the <b>design flow capacity</b> in gallons per minute (gpm) of the most limiting component.          Indicate the most limiting component:          Is use of a flow meter feasible? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No, if so, provide justification:</p>	
<p>Provide the proposed maximum effluent flow in gpm.</p>	
<p>Provide the average effluent flow in gpm.</p>	
<p>If Activity Category IV applies, indicate the estimated total volume of water that will be discharged:</p>	
<p>4. Has the operator attached a schematic of flow in accordance with the instructions in E, above? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No</p>	

### F. Chemical and additive information

<p>1. Indicate the type(s) of chemical or additive that will be applied to effluent prior to discharge or that may otherwise be present in the discharge(s): (check all that apply)</p> <p><input type="checkbox"/> Algaecides/biocides <input type="checkbox"/> Antifoams <input type="checkbox"/> Coagulants <input type="checkbox"/> Corrosion/scale inhibitors <input type="checkbox"/> Disinfectants <input type="checkbox"/> Flocculants <input type="checkbox"/> Neutralizing agents <input type="checkbox"/> Oxidants <input type="checkbox"/> Oxygen <input type="checkbox"/> scavengers <input type="checkbox"/> pH conditioners <input type="checkbox"/> Bioremedial agents, including microbes <input type="checkbox"/> Chlorine or chemicals containing chlorine <input type="checkbox"/> Other; if so, specify:</p>
<p>2. Provide the following information for each chemical/additive, using attachments, if necessary:</p> <p>a. Product name, chemical formula, and manufacturer of the chemical/additive; b. Purpose or use of the chemical/additive or remedial agent; c. Material Safety Data Sheet (MSDS) and Chemical Abstracts Service (CAS) Registry number for each chemical/additive; d. The frequency (hourly, daily, etc.), duration (hours, days), quantity (maximum and average), and method of application for the chemical/additive; e. Any material compatibility risks for storage and/or use including the control measures used to minimize such risks; and f. If available, the vendor's reported aquatic toxicity (NOAEL and/or LC50 in percent for aquatic organism(s)).</p>
<p>3. Has the operator attached an explanation which demonstrates that the addition of such chemicals/additives may be authorized under this general permit in accordance with the instructions in F, above? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No; if no, has the operator attached data that demonstrates each of the 126 priority pollutants in CWA Section 307(a) and 40 CFR Part 423.15(j)(1) are non-detect in discharges with the addition of the proposed chemical/additive? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No</p>

### G. Endangered Species Act eligibility determination

<p>1. Indicate under which criterion the discharge(s) is eligible for coverage under this general permit:</p> <p><input type="checkbox"/> <b>FWS Criterion A:</b> No endangered or threatened species or critical habitat are in proximity to the discharges or related activities or come in contact with the "action area".</p> <p><input type="checkbox"/> <b>FWS Criterion B:</b> Formal or informal consultation with the FWS under section 7 of the ESA resulted in either a no jeopardy opinion (formal consultation) or a written concurrence by FWS on a finding that the discharges and related activities are "not likely to adversely affect" listed species or critical habitat (informal consultation). Has the operator completed consultation with FWS? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No; if no, is consultation underway? (check one): <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p><input type="checkbox"/> <b>FWS Criterion C:</b> Using the best scientific and commercial data available, the effect of the discharges and related activities on listed species and critical habitat have been evaluated. Based on those evaluations, a determination is made by EPA, or by the operator and affirmed by EPA, that the discharges and related activities will have "no effect" on any federally threatened or endangered listed species or designated critical habitat under the jurisdiction of the FWS. This determination was made by: (check one) <input type="checkbox"/> the operator <input type="checkbox"/> EPA <input type="checkbox"/> Other; if so, specify:</p>
---



**NMFS Criterion:** A determination made by EPA is affirmed by the operator that the discharges and related activities will have “no effect” or are “not likely to adversely affect” any federally threatened or endangered listed species or critical habitat under the jurisdiction of NMFS and will not result in any take of listed species. Has the operator previously completed consultation with NMFS? (check one):  Yes  No

2. Has the operator attached supporting documentation of ESA eligibility in accordance with the instructions in Appendix I, and G, above? (check one):  Yes  No

Does the supporting documentation include any written concurrence or finding provided by the Services? (check one):  Yes  No; if yes, attach.

### H. National Historic Preservation Act eligibility determination

1. Indicate under which criterion the discharge(s) is eligible for coverage under this general permit:

- Criterion A:** No historic properties are present. The discharges and discharge-related activities (e.g., BMPs) do not have the potential to cause effects on historic properties.
- Criterion B:** Historic properties are present. Discharges and discharge related activities do not have the potential to cause effects on historic properties.
- Criterion C:** Historic properties are present. The discharges and discharge-related activities have the potential to have an effect or will have an adverse effect on historic properties.

2. Has the operator attached supporting documentation of NHPA eligibility in accordance with the instructions in H, above? (check one):  Yes  No

Does the supporting documentation include any written agreement with the State Historic Preservation Officer (SHPO), Tribal Historic Preservation Officer (TPHO), or other tribal representative that outlines measures the operator will carry out to mitigate or prevent any adverse effects on historic properties? (check one):  Yes  No

### I. Supplemental information

Describe any supplemental information being provided with the NOI. Include attachments if required or otherwise necessary.

Has the operator attached data, including any laboratory case narrative and chain of custody used to support the application? (check one):  Yes  No

Has the operator attached the certification requirement for the Best Management Practices Plan (BMPP)? (check one):  Yes  No

**J. Certification requirement**

*I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I have no personal knowledge that the information submitted is other than true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.*

A BMPP meeting the requirements of this general permit will be implemented upon initiation of the  
BMPP certification statement: **discharge.**

Notification provided to the appropriate State, including a copy of this NOI, if required. Check one: Yes  No


Notification provided to the municipality in which the discharge is located, including a copy of this NOI, if requested. Check one: Yes  No

Notification provided to the owner of a private or municipal storm sewer system, if such system is used for site discharges, including a copy of this NOI, if requested. Check one: Yes  No  NA

Permission obtained from the owner of a private or municipal storm sewer system, if such system is used for site discharges. If yes, attach additional conditions. If no, attach explanation and timeframe for obtaining permission. Check one: Yes  No  NA

Notification provided to the owner/operator of the area associated with activities covered by an additional discharge permit(s). Additional discharge permit is (check one):  RGP  DGP  CGP  MSGP  Individual NPDES permit  Other; if so, specify:  Other; if so, specify: \_\_\_\_\_ Check one: Yes  No  NA

Signature:



Date:

6/27/17

Print Name and Title:

William R. Norman, Principal, LSP, GZA Geo Environmental, Inc.



## **APPENDIX B**

### **DISCHARGE APPROVAL LETTERS**



# CITY OF CAMBRIDGE

MASSACHUSETTS

WATER DEPARTMENT  
250 FRESH POND PARKWAY  
CAMBRIDGE, MASS. 02139

617-349-4770

September 15, 1997

William Norman, L.S.P.  
Principal  
GZA GeoEnvironmental, Inc.  
320 Needham Street  
Newton Upper Falls, MA 02164

Re: Request for Approval  
Groundwater Treatment System Discharge  
175 Wyman Street  
Waltham, Massachusetts

Dear Mr. Norman:

*Bill*

The Cambridge Water Department (CWD) would like to acknowledge the tremendous efforts that you and your staff have made in the development and implementation of the groundwater remediation program for the above referenced site. Your early inclusion of the CWD in the design process, as well as your efforts to address our water quality concerns are very much appreciated.

As requested in your letter of April 28, 1997, the CWD does approve the discharge of treated groundwater into Hobbs Brook Reservoir as part of the implementation of the Immediate Response Action Plan for this site. As part of this approval the CWD would like to receive copies of all analytical test results for water quality samples collected and be notified within 24 hours of a controller-initiated shutdown of the system and any corrective actions that are being taken or considered.

Please call me if you have any questions regarding this approval.

Very truly yours,

*Chip Norton*

Chip Norton  
Watershed Manager

cc: Michael Nicoloro, CWD  
Cambridge Water Board  
Paul Dadak, Hewlett Packard  
Kyle MacAfee, DEP-NERO



**MASS****HIGHWAY**William F. Weld  
GovernorArgeo Paul Cellucci  
Lieutenant GovernorJames J. Kerasiotes  
SecretaryLaurinda T. Bed  
Commissioner

Permit No. 496-0271

## PERMIT - WALTHAM

Subject to all the terms, conditions, and restrictions printed or written below, and on the reverse side hereof, permission is hereby granted to GZA Geoenvironmental, Inc. to enter upon the State Highway known as northbound Route 128/ Interstate 95 at the Wyman Street interchange for the purpose of discharging treated groundwater from the aquifer surrounding the Hewlett Packard Facility on Wyman Street into the State owned drainage system and detention pond via an on-site stormwater catch basin.

This Permit requires periodic inspection of the detention pond to ensure conformance with the National Pollution Discharge Elimination System Permit Exclusion.

Any and all technical data derived from the afore-mentioned operation shall be forwarded to the MHD District Four Environmental Engineer.

WORK HOURS: 9:00 A.M. thru 3:00 P.M. Monday thru Friday

Provisions shall be made for the safety and protection of any Pedestrian Traffic during the work period.

The work will be performed as per plans on file at the Massachusetts Highway Department District Four Permits Office.

The Grantee shall notify the District Permits Engineer at (617) 648-6100, two (2) days prior to the start of work.

The Grantee shall make contact with the Area Contract Specialist III via Pager Telephone Number #617-644-3602, forty-eight hours prior to start of work. No work shall be authorized without said notification.

A copy of this permit must be on the job site at all times for inspection. Failure to have this permit available will result in suspension of the rights granted by this permit.

This permit is issued with the stipulation that it may be modified or revoked at any time at the discretion of the District Four Highway Director or his representative without rendering said Department or the Commonwealth of Massachusetts liable in any way.

Free flow of traffic shall be maintained at all times.

When in the opinion of the Engineer, this operation constitutes a hazard to traffic in any area, the Grantee may be required to suspend operations during certain hours and to remove his equipment from the roadway.

The Grantee will be responsible for any damage caused by his operation to curbing, structures, roadway, etc..

The Grantee shall be responsible for any ponding of water which may develop within the State Highway Layout, caused by this work.

No work shall be authorized during snow, sleet, or ice storms and subsequent snow removal operations. No bituminous concrete shall be installed between November 15, 199 and April 15, 199 .

The Highway surface shall be kept clean of debris at all times and shall be thoroughly cleaned at the completion of this permit.

At the completion of this permit, all disturbed areas shall be restored to a condition equal or similar to that which existed prior to the work.

The Grantee shall indemnify and save harmless the Commonwealth and its Highway Department against all suits, claims or liability of every name and nature arising at any time out of or in consequence of the acts of the Grantee in the performance of the work covered by this permit and or failure to comply with terms and conditions of the permit whether by themselves or their employees or subcontractors.

APPLICANT'S REPRESENTATIVE: Pat Sheehan  
TELEPHONE NUMBER: 617-630-6190

(SEE OTHER SIDE FOR ADDITIONAL CONDITIONS)

No work shall be done under this permit until the Grantee shall have communicated with and received instructions from the District Highway Director of the Massachusetts Highway Department at 519 Appleton Street, Arlington, Ma. 02174.

This permit shall be void unless the work herein contemplated shall have been completed before June 11, 1997.

Dated at Arlington this 11th day of June, 1996.

Massachusetts Highway Department,

By




Sherman Eidelman, P.E.  
District Highway Director

WJD




(optional)



10' FT MIN

Truck Mounted Attenuator (optional)



(optional)



Figure TA-6. Shoulder work with minor encroachment.



## **APPENDIX C**

### **INFLUENT LABORATORY ANALYTICAL REPORT**



## ANALYTICAL REPORT

Lab Number:	L1621793
Client:	GZA GeoEnvironmental, Inc. 249 Vanderbilt Ave Norwood, MA 02062
ATTN:	Bill Davis
Phone:	(781) 278-5769
Project Name:	HP WALTHAM
Project Number:	01.0015522.16
Report Date:	07/22/16

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NY (11148), CT (PH-0574), NH (2003), NJ NELAP (MA935), RI (LAO00065), ME (MA00086), PA (68-03671), VA (460195), MD (348), IL (200077), NC (666), TX (T104704476), DOD (L2217), USDA (Permit #P-330-11-00240).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1621793  
**Report Date:** 07/22/16

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L1621793-01	INF	WATER	WALTHAM, MA	07/14/16 09:30	07/14/16
L1621793-02	MID	WATER	WALTHAM, MA	07/14/16 09:30	07/14/16
L1621793-03	EFF	WATER	WALTHAM, MA	07/14/16 09:30	07/14/16



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1621793  
**Report Date:** 07/22/16

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

#### HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Melissa Cripps

Title: Technical Director/Representative

Date: 07/22/16

# ORGANICS

# VOLATILES

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1621793  
**Report Date:** 07/22/16

**SAMPLE RESULTS**

Lab ID: L1621793-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA  
 Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 07/18/16 13:15  
 Analyst: PD

Date Collected: 07/14/16 09:30  
 Date Received: 07/14/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatiles Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	300	--	100
1,1-Dichloroethane	ND		ug/l	75	--	100
Chloroform	ND		ug/l	75	--	100
Carbon tetrachloride	ND		ug/l	50	--	100
1,2-Dichloropropane	ND		ug/l	180	--	100
Dibromochloromethane	ND		ug/l	50	--	100
1,1,2-Trichloroethane	ND		ug/l	75	--	100
Tetrachloroethene	50		ug/l	50	--	100
Chlorobenzene	ND		ug/l	50	--	100
Trichlorofluoromethane	ND		ug/l	250	--	100
1,2-Dichloroethane	ND		ug/l	50	--	100
1,1,1-Trichloroethane	ND		ug/l	50	--	100
Bromodichloromethane	ND		ug/l	50	--	100
trans-1,3-Dichloropropene	ND		ug/l	50	--	100
cis-1,3-Dichloropropene	ND		ug/l	50	--	100
Bromoform	ND		ug/l	200	--	100
1,1,2,2-Tetrachloroethane	ND		ug/l	50	--	100
Benzene	ND		ug/l	50	--	100
Toluene	ND		ug/l	75	--	100
Ethylbenzene	ND		ug/l	50	--	100
Chloromethane	ND		ug/l	250	--	100
Bromomethane	ND		ug/l	100	--	100
Vinyl chloride	ND		ug/l	100	--	100
Chloroethane	ND		ug/l	100	--	100
1,1-Dichloroethene	ND		ug/l	50	--	100
trans-1,2-Dichloroethene	ND		ug/l	75	--	100
Trichloroethene	6600		ug/l	50	--	100
1,2-Dichlorobenzene	ND		ug/l	250	--	100
1,3-Dichlorobenzene	ND		ug/l	250	--	100
1,4-Dichlorobenzene	ND		ug/l	250	--	100

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1621793  
**Report Date:** 07/22/16

**SAMPLE RESULTS**

Lab ID: L1621793-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA

Date Collected: 07/14/16 09:30  
 Date Received: 07/14/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	100	--	100
p/m-Xylene	ND		ug/l	100	--	100
o-Xylene	ND		ug/l	100	--	100
cis-1,2-Dichloroethene	ND		ug/l	50	--	100
Dichlorodifluoromethane	ND		ug/l	500	--	100
Naphthalene	ND		ug/l	250	--	100

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	97		70-130
Toluene-d8	105		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	97		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1621793  
**Report Date:** 07/22/16

**SAMPLE RESULTS**

**Lab ID:** L1621793-02  
**Client ID:** MID  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 07/18/16 13:52  
**Analyst:** PD

**Date Collected:** 07/14/16 09:30  
**Date Received:** 07/14/16  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	0.63		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1621793  
**Report Date:** 07/22/16

**SAMPLE RESULTS**

Lab ID: L1621793-02  
 Client ID: MID  
 Sample Location: WALTHAM, MA

Date Collected: 07/14/16 09:30  
 Date Received: 07/14/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	92		70-130
Dibromofluoromethane	97		70-130



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1621793  
**Report Date:** 07/22/16

**SAMPLE RESULTS**

**Lab ID:** L1621793-03  
**Client ID:** EFF  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 07/18/16 14:29  
**Analyst:** PD

**Date Collected:** 07/14/16 09:30  
**Date Received:** 07/14/16  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1621793  
**Report Date:** 07/22/16

**SAMPLE RESULTS**

Lab ID: L1621793-03  
 Client ID: EFF  
 Sample Location: WALTHAM, MA

Date Collected: 07/14/16 09:30  
 Date Received: 07/14/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	99		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	97		70-130
Dibromofluoromethane	97		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1621793  
**Report Date:** 07/22/16

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 07/18/16 12:02  
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG914991-5					
Methylene chloride	ND		ug/l	3.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1621793  
**Report Date:** 07/22/16

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 07/18/16 12:02  
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG914991-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Naphthalene	ND		ug/l	2.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	95		70-130
Dibromofluoromethane	99		70-130

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1621793  
**Report Date:** 07/22/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG914991-3 WG914991-4								
Methylene chloride	95		100		70-130	5		20
1,1-Dichloroethane	100		110		70-130	10		20
Chloroform	93		98		70-130	5		20
Carbon tetrachloride	79		84		63-132	6		20
1,2-Dichloropropane	110		110		70-130	0		20
Dibromochloromethane	100		100		63-130	0		20
1,1,2-Trichloroethane	120		120		70-130	0		20
Tetrachloroethene	100		110		70-130	10		20
Chlorobenzene	110		110		75-130	0		25
Trichlorofluoromethane	81		83		62-150	2		20
1,2-Dichloroethane	93		96		70-130	3		20
1,1,1-Trichloroethane	80		85		67-130	6		20
Bromodichloromethane	93		93		67-130	0		20
trans-1,3-Dichloropropene	84		88		70-130	5		20
cis-1,3-Dichloropropene	89		88		70-130	1		20
1,1-Dichloropropene	92		97		70-130	5		20
Bromoform	98		99		54-136	1		20
1,1,2,2-Tetrachloroethane	120		130		67-130	8		20
Benzene	100		100		70-130	0		25
Toluene	110		120		70-130	9		25
Ethylbenzene	110		110		70-130	0		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1621793

Report Date: 07/22/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG914991-3 WG914991-4								
Chloromethane	90		89		64-130	1		20
Bromomethane	49		50		39-139	2		20
Vinyl chloride	98		98		55-140	0		20
Chloroethane	120		120		55-138	0		20
1,1-Dichloroethene	84		92		61-145	9		25
trans-1,2-Dichloroethene	93		100		70-130	7		20
Trichloroethene	94		98		70-130	4		25
1,2-Dichlorobenzene	120		120		70-130	0		20
1,3-Dichlorobenzene	120		120		70-130	0		20
1,4-Dichlorobenzene	120		120		70-130	0		20
Methyl tert butyl ether	86		92		63-130	7		20
p/m-Xylene	110		115		70-130	4		20
o-Xylene	115		120		70-130	4		20
cis-1,2-Dichloroethene	99		110		70-130	11		20
Dibromomethane	100		100		70-130	0		20
1,4-Dichlorobutane	130		130		70-130	0		20
1,2,3-Trichloropropane	120		120		64-130	0		20
Styrene	115		125		70-130	8		20
Dichlorodifluoromethane	60		60		36-147	0		20
Acetone	130		120		58-148	8		20
Carbon disulfide	95		100		51-130	5		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Lab Number: L1621793

Project Number: 01.0015522.16

Report Date: 07/22/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG914991-3 WG914991-4								
2-Butanone	120		130		63-138	8		20
Vinyl acetate	93		100		70-130	7		20
4-Methyl-2-pentanone	120		140	Q	59-130	15		20
2-Hexanone	120		120		57-130	0		20
Ethyl methacrylate	99		110		70-130	11		20
Acrylonitrile	130		140	Q	70-130	7		20
Bromochloromethane	100		110		70-130	10		20
Tetrahydrofuran	130		130		58-130	0		20
2,2-Dichloropropane	62	Q	67		63-133	8		20
1,2-Dibromoethane	100		110		70-130	10		20
1,3-Dichloropropane	110		120		70-130	9		20
1,1,1,2-Tetrachloroethane	100		100		64-130	0		20
Bromobenzene	110		120		70-130	9		20
n-Butylbenzene	120		120		53-136	0		20
sec-Butylbenzene	120		120		70-130	0		20
tert-Butylbenzene	110		110		70-130	0		20
o-Chlorotoluene	120		110		70-130	9		20
p-Chlorotoluene	110		110		70-130	0		20
1,2-Dibromo-3-chloropropane	110		110		41-144	0		20
Hexachlorobutadiene	100		100		63-130	0		20
Isopropylbenzene	110		120		70-130	9		20

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1621793  
**Report Date:** 07/22/16

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG914991-3 WG914991-4								
p-Isopropyltoluene	120		120		70-130	0		20
Naphthalene	130		140	Q	70-130	7		20
n-Propylbenzene	120		120		69-130	0		20
1,2,3-Trichlorobenzene	130		130		70-130	0		20
1,2,4-Trichlorobenzene	120		120		70-130	0		20
1,3,5-Trimethylbenzene	110		120		64-130	9		20
1,2,4-Trimethylbenzene	110		110		70-130	0		20
trans-1,4-Dichloro-2-butene	110		110		70-130	0		20
Ethyl ether	100		110		59-134	10		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	98		96		70-130
Toluene-d8	106		109		70-130
4-Bromofluorobenzene	98		98		70-130
Dibromofluoromethane	95		97		70-130



## METALS

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1621793  
**Report Date:** 07/22/16

**SAMPLE RESULTS**

Lab ID: L1621793-01  
 Client ID: INF  
 Sample Location: WALTHAM, MA  
 Matrix: Water

Date Collected: 07/14/16 09:30  
 Date Received: 07/14/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.0524		mg/l	0.0020	--	1	07/19/16 11:40	07/19/16 16:35	EPA 3005A	1,6020A	AM
Iron, Total	0.343		mg/l	0.050	--	1	07/19/16 11:40	07/19/16 18:36	EPA 3005A	19,200.7	AB
Lead, Total	0.0076		mg/l	0.0020	--	1	07/19/16 11:40	07/19/16 16:35	EPA 3005A	1,6020A	AM
Selenium, Total	ND		mg/l	0.010	--	1	07/19/16 11:40	07/19/16 16:35	EPA 3005A	1,6020A	AM
Zinc, Total	0.0531		mg/l	0.0200	--	1	07/19/16 11:40	07/19/16 16:35	EPA 3005A	1,6020A	AM



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1621793  
**Report Date:** 07/22/16

**SAMPLE RESULTS**

Lab ID: L1621793-03  
 Client ID: EFF  
 Sample Location: WALTHAM, MA  
 Matrix: Water

Date Collected: 07/14/16 09:30  
 Date Received: 07/14/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.0028		mg/l	0.0010	--	1	07/19/16 11:40	07/19/16 16:48	EPA 3005A	1,6020A	AM
Iron, Total	ND		mg/l	0.050	--	1	07/19/16 11:40	07/19/16 20:08	EPA 3005A	19,200.7	AB
Lead, Total	ND		mg/l	0.0010	--	1	07/19/16 11:40	07/19/16 16:48	EPA 3005A	1,6020A	AM
Selenium, Total	ND		mg/l	0.005	--	1	07/19/16 11:40	07/19/16 16:48	EPA 3005A	1,6020A	AM
Zinc, Total	ND		mg/l	0.0100	--	1	07/19/16 11:40	07/19/16 16:48	EPA 3005A	1,6020A	AM



Project Name: HP WALTHAM

Lab Number: L1621793

Project Number: 01.0015522.16

Report Date: 07/22/16

## Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG914908-1									
Iron, Total	ND	mg/l	0.050	--	1	07/19/16 11:40	07/19/16 18:24	19,200.7	AB

### Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG914909-1									
Copper, Total	ND	mg/l	0.0010	--	1	07/19/16 11:40	07/19/16 17:07	1,6020A	AM
Lead, Total	ND	mg/l	0.0010	--	1	07/19/16 11:40	07/19/16 17:07	1,6020A	AM
Selenium, Total	ND	mg/l	0.005	--	1	07/19/16 11:40	07/19/16 17:07	1,6020A	AM
Zinc, Total	ND	mg/l	0.0100	--	1	07/19/16 11:40	07/19/16 17:07	1,6020A	AM

### Prep Information

Digestion Method: EPA 3005A

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1621793

Report Date: 07/22/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG914908-2								
Iron, Total	93		-		85-115	-		
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG914909-2								
Copper, Total	98		-		80-120	-		
Lead, Total	110		-		80-120	-		
Selenium, Total	111		-		80-120	-		
Zinc, Total	102		-		80-120	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1621793  
**Report Date:** 07/22/16

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03    QC Batch ID: WG914908-4    QC Sample: L1621793-01    Client ID: INF												
Iron, Total	0.343	1	1.25	91		-	-		75-125	-		20
Total Metals - Mansfield Lab Associated sample(s): 01,03    QC Batch ID: WG914909-4    QC Sample: L1621793-01    Client ID: INF												
Copper, Total	0.0524	0.25	0.2909	95		-	-		75-125	-		20
Lead, Total	0.0076	0.51	0.5358	104		-	-		75-125	-		20
Selenium, Total	ND	0.12	0.121	101		-	-		75-125	-		20
Zinc, Total	0.0531	0.5	0.4935	88		-	-		75-125	-		20

## Lab Duplicate Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1621793

Report Date: 07/22/16

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG914908-3 QC Sample: L1621793-01 Client ID: INF						
Iron, Total	0.343	0.369	mg/l	7		20
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG914909-3 QC Sample: L1621793-01 Client ID: INF						
Copper, Total	0.0524	0.0491	mg/l	6		20
Lead, Total	0.0076	0.0080	mg/l	5		20
Selenium, Total	ND	ND	mg/l	NC		20
Zinc, Total	0.0531	0.0468	mg/l	13		20

# **INORGANICS & MISCELLANEOUS**



Project Name: HP WALTHAM

Lab Number: L1621793

Project Number: 01.0015522.16

Report Date: 07/22/16

## SAMPLE RESULTS

Lab ID: L1621793-01

Date Collected: 07/14/16 09:30

Client ID: INF

Date Received: 07/14/16

Sample Location: WALTHAM, MA

Field Prep: Not Specified

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	590		mg/l	10	--	10	-	07/15/16 19:30	1,9251	LA



Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1621793

Report Date: 07/22/16

## SAMPLE RESULTS

Lab ID: L1621793-03

Client ID: EFF

Sample Location: WALTHAM, MA

Matrix: Water

Date Collected: 07/14/16 09:30

Date Received: 07/14/16

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	590		mg/l	10	--	10	-	07/15/16 19:32	1,9251	LA



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1621793  
**Report Date:** 07/22/16

**Method Blank Analysis**  
**Batch Quality Control**

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01,03 Batch: WG914063-1									
Chloride	ND	mg/l	1.0	--	1	-	07/15/16 19:11	1,9251	LA

## Lab Control Sample Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1621793

Report Date: 07/22/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 Batch: WG914063-2								
Chloride	100		-		90-110	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1621793  
**Report Date:** 07/22/16

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG914063-4 QC Sample: L1621675-03 Client ID: MS Sample												
Chloride	5.8	20	26	101		-	-		58-140	-		7

**Lab Duplicate Analysis**  
Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1621793

Report Date: 07/22/16

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG914063-3 QC Sample: L1621675-03 Client ID: DUP Sample						
Chloride	5.8	6.1	mg/l	5		7



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1621793  
**Report Date:** 07/22/16

### Sample Receipt and Container Information

Were project specific reporting limits specified? YES

#### Cooler Information Custody Seal

##### Cooler

A Absent

#### Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1621793-01A	Vial HCl preserved	A	N/A	2.5	Y	Absent	8260(14)
L1621793-01B	Vial HCl preserved	A	N/A	2.5	Y	Absent	8260(14)
L1621793-01C	Vial HCl preserved	A	N/A	2.5	Y	Absent	8260(14)
L1621793-01D	Plastic 120ml HNO3 preserved	A	<2	2.5	Y	Absent	SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1621793-01E	Plastic 60ml unpreserved	A	7	2.5	Y	Absent	CL-9251(28)
L1621793-02A	Vial HCl preserved	A	N/A	2.5	Y	Absent	8260(14)
L1621793-02B	Vial HCl preserved	A	N/A	2.5	Y	Absent	8260(14)
L1621793-02C	Vial HCl preserved	A	N/A	2.5	Y	Absent	8260(14)
L1621793-03A	Vial HCl preserved	A	N/A	2.5	Y	Absent	8260(14)
L1621793-03B	Vial HCl preserved	A	N/A	2.5	Y	Absent	8260(14)
L1621793-03C	Vial HCl preserved	A	N/A	2.5	Y	Absent	8260(14)
L1621793-03D	Plastic 120ml HNO3 preserved	A	<2	2.5	Y	Absent	SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1621793-03E	Plastic 60ml unpreserved	A	8	2.5	Y	Absent	CL-9251(28)

\*Values in parentheses indicate holding time in days

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1621793  
**Report Date:** 07/22/16

## GLOSSARY

### Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the

Report Format: Data Usability Report



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1621793  
**Report Date:** 07/22/16

#### Data Qualifiers

- reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
  - D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
  - E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
  - G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
  - H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
  - I** - The lower value for the two columns has been reported due to obvious interference.
  - M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
  - NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
  - P** - The RPD between the results for the two columns exceeds the method-specified criteria.
  - Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
  - R** - Analytical results are from sample re-analysis.
  - RE** - Analytical results are from sample re-extraction.
  - S** - Analytical results are from modified screening analysis.
  - J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
  - ND** - Not detected at the reporting limit (RL) for the sample.

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1621793  
**Report Date:** 07/22/16

## REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.
- 19 Inductively Coupled Plasma Atomic Emission Spectrometric Method for Trace Element Analysis of Water and Wastes. Appendix C, Part 136, 40 CFR (Code of Federal Regulations). July 1, 1999 edition.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



## Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

### Westborough Facility

**EPA 524.2:** 1,2-Dibromo-3-chloropropane, 1,2-Dibromoethane, m/p-xylene, o-xylene  
**EPA 624:** 2-Butanone (MEK), 1,4-Dioxane, tert-Amylmethyl Ether, tert-Butyl Alcohol, m/p-xylene, o-xylene  
**EPA 625:** Aniline, Benzoic Acid, Benzyl Alcohol, 4-Chloroaniline, 3-Methylphenol, 4-Methylphenol.  
**EPA 1010A:** NPW: Ignitability  
**EPA 6010C:** NPW: Strontium; SCM: Strontium  
**EPA 8151A:** NPW: 2,4-DB, Dicamba, Dichloroprop, MCPA, MCPP; SCM: 2,4-DB, Dichloroprop, MCPA, MCPP  
**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene, Isopropanol; SCM: Iodomethane (methyl iodide), Methyl methacrylate (soil); 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.  
**EPA 8270D:** NPW: Pentachloronitrobenzene, 1-Methylnaphthalene, Dimethylnaphthalene, 1,4-Diphenylhydrazine; SCM: Pentachloronitrobenzene, 1-Methylnaphthalene, Dimethylnaphthalene, 1,4-Diphenylhydrazine.  
**EPA 9010:** NPW: Amenable Cyanide Distillation, Total Cyanide Distillation  
**EPA 9038:** NPW: Sulfate  
**EPA 9050A:** NPW: Specific Conductance  
**EPA 9056:** NPW: Chloride, Nitrate, Sulfate  
**EPA 9065:** NPW: Phenols  
**EPA 9251:** NPW: Chloride  
**SM3500:** NPW: Ferrous Iron  
**SM4500:** NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.  
**SM5310C:** DW: Dissolved Organic Carbon

### Mansfield Facility

**EPA 8270D:** NPW: Biphenyl; SCM: Biphenyl, Caprolactam  
**EPA 8270D-SIM Isotope Dilution:** SCM: 1,4-Dioxane  
**SM 2540D:** TSS  
**SM2540G:** SCM: Percent Solids  
**EPA 1631E:** SCM: Mercury  
**EPA 7474:** SCM: Mercury  
**EPA 8081B:** NPW and SCM: Mirex, Hexachlorobenzene.  
**EPA 8082A:** NPW: PCB: 1, 5, 31, 87, 101, 110, 141, 151, 153, 180, 183, 187.  
**EPA 8270-SIM:** NPW and SCM: Alkylated PAHs.  
**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene, n-Butylbenzene, n-Propylbenzene, sec-Butylbenzene, tert-Butylbenzene.  
**Biological Tissue Matrix:** **8270D-SIM; 3050B; 3051A; 7471B; 8081B; 8082A; 6020A:** Lead; **8270D:** bis(2-ethylhexyl)phthalate, Butylbenzylphthalate, Diethyl phthalate, Dimethyl phthalate, Di-n-butyl phthalate, Di-n-octyl phthalate, Fluoranthene, Pentachlorophenol.

The following analytes are included in our Massachusetts DEP Scope of Accreditation, Westborough Facility:

### Drinking Water

**EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, Ti; **EPA 200.7:** Ba, Be, Ca, Cd, Cr, Cu, Na; **EPA 245.1:** Mercury;  
**EPA 300.0:** Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**  
**EPA 332:** Perchlorate.  
**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, Enterolert-QT.**

### Non-Potable Water

**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, Ti, Zn;  
**EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, Ti, Tl, V, Zn;  
**EPA 245.1, SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2340B, SM2320B, SM4500CL-E, SM4500F-BC, SM426C, SM4500NH3-BH, EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F,**  
**EPA 353.2:** Nitrate-N, **SM4500NH3-BC-NES, EPA 351.1, SM4500P-E, SM4500P-B, E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, SM14 510AC, EPA 420.1, SM4500-CN-CE, SM2540D.**  
**EPA 624:** Volatile Halocarbons & Aromatics,  
**EPA 608:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs  
**EPA 625:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.  
**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9222D-MF.**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.









## ANALYTICAL REPORT

Lab Number:	L1625352
Client:	GZA GeoEnvironmental, Inc. 249 Vanderbilt Ave Norwood, MA 02062
ATTN:	Bill Davis
Phone:	(781) 278-5769
Project Name:	HP WALTHAM
Project Number:	1552216
Report Date:	08/19/16

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NY (11148), CT (PH-0574), NH (2003), NJ NELAP (MA935), RI (LAO00065), ME (MA00086), PA (68-03671), VA (460195), MD (348), IL (200077), NC (666), TX (T104704476), DOD (L2217), USDA (Permit #P-330-11-00240).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** HP WALTHAM  
**Project Number:** 1552216

**Lab Number:** L1625352  
**Report Date:** 08/19/16

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L1625352-01	INF	WATER	WALTHAM, MA	08/11/16 10:20	08/12/16
L1625352-02	MID	WATER	WALTHAM, MA	08/11/16 10:27	08/12/16
L1625352-03	EFF	WATER	WALTHAM, MA	08/11/16 10:40	08/12/16
L1625352-04	TRIP BLANK	WATER	WALTHAM, MA	08/11/16 00:00	08/12/16

**Project Name:** HP WALTHAM  
**Project Number:** 1552216

**Lab Number:** L1625352  
**Report Date:** 08/19/16

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

#### HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

---

**Project Name:** HP WALTHAM  
**Project Number:** 1552216

**Lab Number:** L1625352  
**Report Date:** 08/19/16

### Case Narrative (continued)

#### Sample Receipt

A Trip Blank was received in the laboratory, but not listed on the Chain of Custody, and was not analyzed. The sample collection times were obtained from the container labels.

#### Chloride

The WG923271-4 MS recovery (150%), performed on L1625352-01, does not apply because the sample concentration is greater than four times the spike amount added.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Cristin Walker

Title: Technical Director/Representative

Date: 08/19/16

# ORGANICS

# VOLATILES

Project Name: HP WALTHAM

Lab Number: L1625352

Project Number: 1552216

Report Date: 08/19/16

## SAMPLE RESULTS

Lab ID: L1625352-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA  
 Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 08/15/16 13:40  
 Analyst: PD

Date Collected: 08/11/16 10:20  
 Date Received: 08/12/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	300	--	100
1,1-Dichloroethane	ND		ug/l	75	--	100
Chloroform	ND		ug/l	75	--	100
Carbon tetrachloride	ND		ug/l	50	--	100
1,2-Dichloropropane	ND		ug/l	180	--	100
Dibromochloromethane	ND		ug/l	50	--	100
1,1,2-Trichloroethane	ND		ug/l	75	--	100
Tetrachloroethene	ND		ug/l	50	--	100
Chlorobenzene	ND		ug/l	50	--	100
Trichlorofluoromethane	ND		ug/l	250	--	100
1,2-Dichloroethane	ND		ug/l	50	--	100
1,1,1-Trichloroethane	ND		ug/l	50	--	100
Bromodichloromethane	ND		ug/l	50	--	100
trans-1,3-Dichloropropene	ND		ug/l	50	--	100
cis-1,3-Dichloropropene	ND		ug/l	50	--	100
Bromoform	ND		ug/l	200	--	100
1,1,2,2-Tetrachloroethane	ND		ug/l	50	--	100
Benzene	ND		ug/l	50	--	100
Toluene	ND		ug/l	75	--	100
Ethylbenzene	ND		ug/l	50	--	100
Chloromethane	ND		ug/l	250	--	100
Bromomethane	ND		ug/l	100	--	100
Vinyl chloride	ND		ug/l	100	--	100
Chloroethane	ND		ug/l	100	--	100
1,1-Dichloroethene	ND		ug/l	50	--	100
trans-1,2-Dichloroethene	ND		ug/l	75	--	100
Trichloroethene	5400		ug/l	50	--	100
1,2-Dichlorobenzene	ND		ug/l	250	--	100
1,3-Dichlorobenzene	ND		ug/l	250	--	100
1,4-Dichlorobenzene	ND		ug/l	250	--	100



**Project Name:** HP WALTHAM**Lab Number:** L1625352**Project Number:** 1552216**Report Date:** 08/19/16**SAMPLE RESULTS**

Lab ID: L1625352-01 D

Date Collected: 08/11/16 10:20

Client ID: INF

Date Received: 08/12/16

Sample Location: WALTHAM, MA

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

## Volatile Organics by GC/MS - Westborough Lab

Methyl tert butyl ether	ND		ug/l	100	--	100
p/m-Xylene	ND		ug/l	100	--	100
o-Xylene	ND		ug/l	100	--	100
cis-1,2-Dichloroethene	ND		ug/l	50	--	100
Dichlorodifluoromethane	ND		ug/l	500	--	100
Naphthalene	ND		ug/l	250	--	100

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	84		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	96		70-130

Project Name: HP WALTHAM

Lab Number: L1625352

Project Number: 1552216

Report Date: 08/19/16

## SAMPLE RESULTS

Lab ID: L1625352-02  
 Client ID: MID  
 Sample Location: WALTHAM, MA  
 Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 08/15/16 14:12  
 Analyst: PD

Date Collected: 08/11/16 10:27  
 Date Received: 08/12/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	0.92		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1

Project Name: HP WALTHAM

Lab Number: L1625352

Project Number: 1552216

Report Date: 08/19/16

## SAMPLE RESULTS

Lab ID: L1625352-02

Date Collected: 08/11/16 10:27

Client ID: MID

Date Received: 08/12/16

Sample Location: WALTHAM, MA

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

## Volatile Organics by GC/MS - Westborough Lab

Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	87		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	95		70-130
Dibromofluoromethane	98		70-130

Project Name: HP WALTHAM

Lab Number: L1625352

Project Number: 1552216

Report Date: 08/19/16

## SAMPLE RESULTS

Lab ID: L1625352-03  
 Client ID: EFF  
 Sample Location: WALTHAM, MA  
 Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 08/15/16 14:45  
 Analyst: PD

Date Collected: 08/11/16 10:40  
 Date Received: 08/12/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1

Project Name: HP WALTHAM

Lab Number: L1625352

Project Number: 1552216

Report Date: 08/19/16

## SAMPLE RESULTS

Lab ID: L1625352-03  
 Client ID: EFF  
 Sample Location: WALTHAM, MA

Date Collected: 08/11/16 10:40  
 Date Received: 08/12/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

## Volatile Organics by GC/MS - Westborough Lab

Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	87		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	98		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 1552216

**Lab Number:** L1625352  
**Report Date:** 08/19/16

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 08/15/16 12:34  
**Analyst:** PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG922875-5					
Methylene chloride	ND		ug/l	3.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--

**Project Name:** HP WALTHAM  
**Project Number:** 1552216

**Lab Number:** L1625352  
**Report Date:** 08/19/16

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 08/15/16 12:34  
**Analyst:** PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG922875-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Naphthalene	ND		ug/l	2.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	84		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	97		70-130

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 1552216

Lab Number: L1625352

Report Date: 08/19/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG922875-3 WG922875-4								
Methylene chloride	100		94		70-130	6		20
1,1-Dichloroethane	86		79		70-130	8		20
Chloroform	92		85		70-130	8		20
Carbon tetrachloride	91		85		63-132	7		20
1,2-Dichloropropane	81		77		70-130	5		20
Dibromochloromethane	92		86		63-130	7		20
1,1,2-Trichloroethane	98		89		70-130	10		20
2-Chloroethylvinyl ether	86		82		70-130	5		20
Tetrachloroethene	110		100		70-130	10		20
Chlorobenzene	100		96		75-130	4		25
Trichlorofluoromethane	99		74		62-150	29	Q	20
1,2-Dichloroethane	80		75		70-130	6		20
1,1,1-Trichloroethane	97		88		67-130	10		20
Bromodichloromethane	91		84		67-130	8		20
trans-1,3-Dichloropropene	80		74		70-130	8		20
cis-1,3-Dichloropropene	81		77		70-130	5		20
1,1-Dichloropropene	89		84		70-130	6		20
Bromoform	100		98		54-136	2		20
1,1,2,2-Tetrachloroethane	94		91		67-130	3		20
Benzene	95		88		70-130	8		25
Toluene	100		93		70-130	7		25



## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 1552216

Lab Number: L1625352

Report Date: 08/19/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG922875-3 WG922875-4								
Ethylbenzene	99		92		70-130	7		20
Chloromethane	38	Q	38	Q	64-130	0		20
Bromomethane	87		80		39-139	8		20
Vinyl chloride	62		58		55-140	7		20
Chloroethane	70		61		55-138	14		20
1,1-Dichloroethene	110		100		61-145	10		25
trans-1,2-Dichloroethene	110		99		70-130	11		20
Trichloroethene	96		90		70-130	6		25
1,2-Dichlorobenzene	100		97		70-130	3		20
1,3-Dichlorobenzene	100		97		70-130	3		20
1,4-Dichlorobenzene	100		96		70-130	4		20
Methyl tert butyl ether	100		92		63-130	8		20
p/m-Xylene	105		95		70-130	10		20
o-Xylene	105		100		70-130	5		20
cis-1,2-Dichloroethene	100		98		70-130	2		20
Dibromomethane	97		91		70-130	6		20
1,4-Dichlorobutane	77		74		70-130	4		20
Iodomethane	33	Q	44	Q	70-130	29	Q	20
1,2,3-Trichloropropane	86		83		64-130	4		20
Styrene	100		100		70-130	0		20
Dichlorodifluoromethane	88		98		36-147	11		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 1552216

Lab Number: L1625352

Report Date: 08/19/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG922875-3 WG922875-4								
Acetone	80		68		58-148	16		20
Carbon disulfide	92		82		51-130	11		20
2-Butanone	75		70		63-138	7		20
Vinyl acetate	60	Q	56	Q	70-130	7		20
4-Methyl-2-pentanone	67		64		59-130	5		20
2-Hexanone	68		64		57-130	6		20
Ethyl methacrylate	86		83		70-130	4		20
Acrolein	78		73		70-130	7		20
Acrylonitrile	82		76		70-130	8		20
Bromochloromethane	120		110		70-130	9		20
Tetrahydrofuran	70		65		58-130	7		20
2,2-Dichloropropane	85		77		63-133	10		20
1,2-Dibromoethane	100		99		70-130	1		20
1,3-Dichloropropane	90		85		70-130	6		20
1,1,1,2-Tetrachloroethane	100		99		64-130	1		20
Bromobenzene	100		100		70-130	0		20
n-Butylbenzene	94		86		53-136	9		20
sec-Butylbenzene	100		95		70-130	5		20
tert-Butylbenzene	110		99		70-130	11		20
o-Chlorotoluene	96		90		70-130	6		20
p-Chlorotoluene	94		88		70-130	7		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 1552216

Lab Number: L1625352

Report Date: 08/19/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG922875-3 WG922875-4								
1,2-Dibromo-3-chloropropane	88		89		41-144	1		20
Hexachlorobutadiene	100		96		63-130	4		20
Isopropylbenzene	100		99		70-130	1		20
p-Isopropyltoluene	100		96		70-130	4		20
Naphthalene	88		84		70-130	5		20
n-Propylbenzene	100		92		69-130	8		20
1,2,3-Trichlorobenzene	98		93		70-130	5		20
1,2,4-Trichlorobenzene	100		92		70-130	8		20
1,3,5-Trimethylbenzene	100		93		64-130	7		20
1,3,5-Trichlorobenzene	100		94		70-130	6		20
1,2,4-Trimethylbenzene	100		95		70-130	5		20
trans-1,4-Dichloro-2-butene	67	Q	62	Q	70-130	8		20
Halothane	110		100		70-130	10		20
Ethyl ether	100		74		59-134	30	Q	20
Methyl Acetate	68	Q	62	Q	70-130	9		20
Ethyl Acetate	74		74		70-130	0		20
Isopropyl Ether	69	Q	64	Q	70-130	8		20
Cyclohexane	83		77		70-130	8		20
Tert-Butyl Alcohol	88		84		70-130	5		20
Ethyl-Tert-Butyl-Ether	86		80		70-130	7		20
Tertiary-Amyl Methyl Ether	96		91		66-130	5		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 1552216

Lab Number: L1625352

Report Date: 08/19/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG922875-3 WG922875-4								
1,4-Dioxane	106		112		56-162	6		20
1,1,2-Trichloro-1,2,2-Trifluoroethane	110		100		70-130	10		20
Methyl cyclohexane	100		93		70-130	7		20
p-Diethylbenzene	100		93		70-130	7		20
4-Ethyltoluene	100		98		70-130	2		20
1,2,4,5-Tetramethylbenzene	100		98		70-130	2		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	82		81		70-130
Toluene-d8	98		98		70-130
4-Bromofluorobenzene	94		94		70-130
Dibromofluoromethane	101		101		70-130

## METALS

**Project Name:** HP WALTHAM  
**Project Number:** 1552216

**Lab Number:** L1625352  
**Report Date:** 08/19/16

**SAMPLE RESULTS**

Lab ID: L1625352-01  
 Client ID: INF  
 Sample Location: WALTHAM, MA  
 Matrix: Water

Date Collected: 08/11/16 10:20  
 Date Received: 08/12/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.0102		mg/l	0.0010	--	1	08/15/16 07:45	08/17/16 16:51	EPA 3005A	1,6020A	TT
Iron, Total	0.162		mg/l	0.050	--	1	08/15/16 07:45	08/15/16 14:22	EPA 3005A	19,200.7	JH
Lead, Total	0.0013		mg/l	0.0010	--	1	08/15/16 07:45	08/17/16 16:51	EPA 3005A	1,6020A	TT
Selenium, Total	ND		mg/l	0.005	--	1	08/15/16 07:45	08/17/16 16:51	EPA 3005A	1,6020A	TT
Zinc, Total	0.0115		mg/l	0.0100	--	1	08/15/16 07:45	08/17/16 16:51	EPA 3005A	1,6020A	TT



Project Name: HP WALTHAM

Lab Number: L1625352

Project Number: 1552216

Report Date: 08/19/16

## SAMPLE RESULTS

Lab ID: L1625352-03  
 Client ID: EFF  
 Sample Location: WALTHAM, MA  
 Matrix: Water

Date Collected: 08/11/16 10:40  
 Date Received: 08/12/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.0020		mg/l	0.0010	--	1	08/15/16 07:45	08/17/16 16:54	EPA 3005A	1,6020A	TT
Iron, Total	ND		mg/l	0.050	--	1	08/15/16 07:45	08/15/16 14:18	EPA 3005A	19,200.7	JH
Lead, Total	ND		mg/l	0.0010	--	1	08/15/16 07:45	08/17/16 16:54	EPA 3005A	1,6020A	TT
Selenium, Total	ND		mg/l	0.005	--	1	08/15/16 07:45	08/17/16 16:54	EPA 3005A	1,6020A	TT
Zinc, Total	ND		mg/l	0.0100	--	1	08/15/16 07:45	08/17/16 16:54	EPA 3005A	1,6020A	TT



**Project Name:** HP WALTHAM  
**Project Number:** 1552216

**Lab Number:** L1625352  
**Report Date:** 08/19/16

## Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG922717-1									
Copper, Total	ND	mg/l	0.0010	--	1	08/15/16 07:45	08/17/16 15:44	1,6020A	TT
Lead, Total	ND	mg/l	0.0010	--	1	08/15/16 07:45	08/17/16 15:44	1,6020A	TT
Selenium, Total	ND	mg/l	0.005	--	1	08/15/16 07:45	08/17/16 15:44	1,6020A	TT
Zinc, Total	ND	mg/l	0.0100	--	1	08/15/16 07:45	08/17/16 15:44	1,6020A	TT

### Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG922718-1									
Iron, Total	ND	mg/l	0.050	--	1	08/15/16 07:45	08/15/16 11:55	19,200.7	JH

### Prep Information

Digestion Method: EPA 3005A



## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 1552216

**Lab Number:** L1625352  
**Report Date:** 08/19/16

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG922717-2								
Copper, Total	103		-		80-120	-		
Lead, Total	106		-		80-120	-		
Selenium, Total	115		-		80-120	-		
Zinc, Total	95		-		80-120	-		
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG922718-2								
Iron, Total	95		-		85-115	-		



### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 1552216

**Lab Number:** L1625352  
**Report Date:** 08/19/16

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	RPD Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG922717-3 WG922717-4 QC Sample: L1625257-05 Client ID: MS Sample												
Copper, Total	ND	0.25	0.2524	101		0.2672	107		75-125	6		20
Lead, Total	ND	0.51	0.5679	111		0.6011	118		75-125	6		20
Selenium, Total	ND	0.12	0.132	110		0.134	112		75-125	2		20
Zinc, Total	ND	0.5	0.4973	99		0.5174	103		75-125	4		20
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG922718-4 QC Sample: L1625425-01 Client ID: MS Sample												
Iron, Total	0.355	1	1.09	74	Q	-	-		75-125	-		20

# **INORGANICS & MISCELLANEOUS**

Project Name: HP WALTHAM

Project Number: 1552216

Lab Number: L1625352

Report Date: 08/19/16

## SAMPLE RESULTS

Lab ID: L1625352-01

Client ID: INF

Sample Location: WALTHAM, MA

Matrix: Water

Date Collected: 08/11/16 10:20

Date Received: 08/12/16

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	580		mg/l	10	--	10	-	08/17/16 17:57	1,9251	MR



**Project Name:** HP WALTHAM

**Lab Number:** L1625352

**Project Number:** 1552216

**Report Date:** 08/19/16

**SAMPLE RESULTS**

Lab ID: L1625352-03

Date Collected: 08/11/16 10:40

Client ID: EFF

Date Received: 08/12/16

Sample Location: WALTHAM, MA

Field Prep: Not Specified

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	580		mg/l	10	--	10	-	08/17/16 18:03	1,9251	MR



Project Name: HP WALTHAM

Lab Number: L1625352

Project Number: 1552216

Report Date: 08/19/16

**Method Blank Analysis**  
Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01,03 Batch: WG923271-1									
Chloride	ND	mg/l	1.0	--	1	-	08/17/16 17:13	1,9251	MR

## Lab Control Sample Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 1552216

Lab Number: L1625352

Report Date: 08/19/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 Batch: WG923271-2								
Chloride	107		-		90-110	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 1552216

**Lab Number:** L1625352  
**Report Date:** 08/19/16

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03    QC Batch ID: WG923271-4    QC Sample: L1625352-01    Client ID: INF												
Chloride	580	20	610	150	Q	-	-		58-140	-		7



## Lab Duplicate Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 1552216

Lab Number: L1625352

Report Date: 08/19/16

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG923271-3 QC Sample: L1625352-01 Client ID: INF						
Chloride	580	590	mg/l	2		7

Project Name: HP WALTHAM

Project Number: 1552216

Lab Number: L1625352

Report Date: 08/19/16

**Sample Receipt and Container Information**

Were project specific reporting limits specified? YES

**Cooler Information Custody Seal****Cooler**

A Absent

**Container Information**

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1625352-01A	Vial HCl preserved	A	N/A	5.3	Y	Absent	8260(14)
L1625352-01B	Vial HCl preserved	A	N/A	5.3	Y	Absent	8260(14)
L1625352-01C	Vial HCl preserved	A	N/A	5.3	Y	Absent	8260(14)
L1625352-01D	Plastic 250ml HNO3 preserved	A	<2	5.3	Y	Absent	SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1625352-01E	Plastic 60ml unpreserved	A	7	5.3	Y	Absent	CL-9251(28)
L1625352-02A	Vial HCl preserved	A	N/A	5.3	Y	Absent	8260(14)
L1625352-02B	Vial HCl preserved	A	N/A	5.3	Y	Absent	8260(14)
L1625352-02C	Vial HCl preserved	A	N/A	5.3	Y	Absent	8260(14)
L1625352-03A	Vial HCl preserved	A	N/A	5.3	Y	Absent	8260(14)
L1625352-03B	Vial HCl preserved	A	N/A	5.3	Y	Absent	8260(14)
L1625352-03C	Vial HCl preserved	A	N/A	5.3	Y	Absent	8260(14)
L1625352-03D	Plastic 250ml HNO3 preserved	A	<2	5.3	Y	Absent	SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1625352-03E	Plastic 60ml unpreserved	A	7	5.3	Y	Absent	CL-9251(28)
L1625352-04A	Vial HCl preserved	A	N/A	5.3	Y	Absent	HOLD-8260(14)
L1625352-04B	Vial HCl preserved	A	N/A	5.3	Y	Absent	HOLD-8260(14)

\*Values in parentheses indicate holding time in days



**Project Name:** HP WALTHAM  
**Project Number:** 1552216

**Lab Number:** L1625352  
**Report Date:** 08/19/16

## GLOSSARY

### Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the

Report Format: Data Usability Report



**Project Name:** HP WALTHAM  
**Project Number:** 1552216

**Lab Number:** L1625352  
**Report Date:** 08/19/16

#### Data Qualifiers

- reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
  - D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
  - E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
  - G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
  - H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
  - I** - The lower value for the two columns has been reported due to obvious interference.
  - M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
  - NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
  - P** - The RPD between the results for the two columns exceeds the method-specified criteria.
  - Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
  - R** - Analytical results are from sample re-analysis.
  - RE** - Analytical results are from sample re-extraction.
  - S** - Analytical results are from modified screening analysis.
  - J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
  - ND** - Not detected at the reporting limit (RL) for the sample.

**Project Name:** HP WALTHAM  
**Project Number:** 1552216

**Lab Number:** L1625352  
**Report Date:** 08/19/16

## REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.
- 19 Inductively Coupled Plasma Atomic Emission Spectrometric Method for Trace Element Analysis of Water and Wastes. Appendix C, Part 136, 40 CFR (Code of Federal Regulations). July 1, 1999 edition.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



## Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

### Westborough Facility

**EPA 624:** m/p-xylene, o-xylene

**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

**EPA 8270D:** NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

**EPA 300:** DW: Bromide

**EPA 6860:** NPW and SCM: Perchlorate

**EPA 9010:** NPW and SCM: Amenable Cyanide Distillation

**EPA 9012B:** NPW: Total Cyanide

**EPA 9050A:** NPW: Specific Conductance

**SM3500:** NPW: Ferrous Iron

**SM4500:** NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.

**SM5310C:** DW: Dissolved Organic Carbon

### Mansfield Facility

**SM 2540D:** TSS

**EPA 3005A** NPW

**EPA 8082A:** NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Biological Tissue Matrix:** **EPA 3050B**

The following analytes are included in our Massachusetts DEP Scope of Accreditation

### Westborough Facility:

#### Drinking Water

**EPA 300.0:** Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

**EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT,SM9222D.**

#### Non-Potable Water

**SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.**

**EPA 624:** Volatile Halocarbons & Aromatics,

**EPA 608:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9222D-MF.**

### Mansfield Facility:

#### Drinking Water

**EPA 200.7:** Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1** Hg.

#### Non-Potable Water

**EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.

**EPA 245.1** Hg.

**SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.







## ANALYTICAL REPORT

Lab Number:	L1628422
Client:	GZA GeoEnvironmental, Inc. 249 Vanderbilt Ave Norwood, MA 02062
ATTN:	Bill Davis
Phone:	(781) 278-5769
Project Name:	HP WALTHAM
Project Number:	01.0015522.16
Report Date:	09/19/16

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NY (11148), CT (PH-0574), NH (2003), NJ NELAP (MA935), RI (LAO00065), ME (MA00086), PA (68-03671), VA (460195), MD (348), IL (200077), NC (666), TX (T104704476), DOD (L2217), USDA (Permit #P-330-11-00240).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)





**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1628422  
**Report Date:** 09/19/16

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L1628422-01	INF	WATER	WALTHAM, MA	09/09/16 10:00	09/09/16
L1628422-02	MID	WATER	WALTHAM, MA	09/09/16 09:45	09/09/16
L1628422-03	EFF	WATER	WALTHAM, MA	09/09/16 09:30	09/09/16

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1628422  
**Report Date:** 09/19/16

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

#### HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Lura L Troy

Title: Technical Director/Representative

Date: 09/19/16

# ORGANICS

# VOLATILES

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1628422  
**Report Date:** 09/19/16

**SAMPLE RESULTS**

Lab ID: L1628422-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA  
 Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 09/16/16 17:31  
 Analyst: BD

Date Collected: 09/09/16 10:00  
 Date Received: 09/09/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	300	--	100
1,1-Dichloroethane	ND		ug/l	75	--	100
Chloroform	ND		ug/l	75	--	100
Carbon tetrachloride	ND		ug/l	50	--	100
1,2-Dichloropropane	ND		ug/l	180	--	100
Dibromochloromethane	ND		ug/l	50	--	100
1,1,2-Trichloroethane	ND		ug/l	75	--	100
Tetrachloroethene	ND		ug/l	50	--	100
Chlorobenzene	ND		ug/l	50	--	100
Trichlorofluoromethane	ND		ug/l	250	--	100
1,2-Dichloroethane	ND		ug/l	50	--	100
1,1,1-Trichloroethane	ND		ug/l	50	--	100
Bromodichloromethane	ND		ug/l	50	--	100
trans-1,3-Dichloropropene	ND		ug/l	50	--	100
cis-1,3-Dichloropropene	ND		ug/l	50	--	100
Bromoform	ND		ug/l	200	--	100
1,1,2,2-Tetrachloroethane	ND		ug/l	50	--	100
Benzene	ND		ug/l	50	--	100
Toluene	ND		ug/l	75	--	100
Ethylbenzene	ND		ug/l	50	--	100
Chloromethane	ND		ug/l	250	--	100
Bromomethane	ND		ug/l	100	--	100
Vinyl chloride	ND		ug/l	100	--	100
Chloroethane	ND		ug/l	100	--	100
1,1-Dichloroethene	ND		ug/l	50	--	100
trans-1,2-Dichloroethene	ND		ug/l	75	--	100
Trichloroethene	4600		ug/l	50	--	100
1,2-Dichlorobenzene	ND		ug/l	250	--	100
1,3-Dichlorobenzene	ND		ug/l	250	--	100
1,4-Dichlorobenzene	ND		ug/l	250	--	100

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1628422  
**Report Date:** 09/19/16

**SAMPLE RESULTS**

Lab ID: L1628422-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA

Date Collected: 09/09/16 10:00  
 Date Received: 09/09/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	100	--	100
p/m-Xylene	ND		ug/l	100	--	100
o-Xylene	ND		ug/l	100	--	100
cis-1,2-Dichloroethene	ND		ug/l	50	--	100
Dichlorodifluoromethane	ND		ug/l	500	--	100
Naphthalene	ND		ug/l	250	--	100

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	94		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	99		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1628422  
**Report Date:** 09/19/16

**SAMPLE RESULTS**

Lab ID: L1628422-02  
 Client ID: MID  
 Sample Location: WALTHAM, MA  
 Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 09/16/16 16:22  
 Analyst: BD

Date Collected: 09/09/16 09:45  
 Date Received: 09/09/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1628422  
**Report Date:** 09/19/16

**SAMPLE RESULTS**

**Lab ID:** L1628422-02  
**Client ID:** MID  
**Sample Location:** WALTHAM, MA

**Date Collected:** 09/09/16 09:45  
**Date Received:** 09/09/16  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	93		70-130
4-Bromofluorobenzene	104		70-130
Dibromofluoromethane	103		70-130



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1628422  
**Report Date:** 09/19/16

**SAMPLE RESULTS**

Lab ID: L1628422-03  
 Client ID: EFF  
 Sample Location: WALTHAM, MA  
 Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 09/16/16 16:57  
 Analyst: BD

Date Collected: 09/09/16 09:30  
 Date Received: 09/09/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1628422  
**Report Date:** 09/19/16

**SAMPLE RESULTS**

Lab ID: L1628422-03  
 Client ID: EFF  
 Sample Location: WALTHAM, MA

Date Collected: 09/09/16 09:30  
 Date Received: 09/09/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	106		70-130
Toluene-d8	93		70-130
4-Bromofluorobenzene	102		70-130
Dibromofluoromethane	103		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1628422  
**Report Date:** 09/19/16

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 09/16/16 11:38  
**Analyst:** PK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG933166-5					
Methylene chloride	ND		ug/l	3.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1628422  
**Report Date:** 09/19/16

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 09/16/16 11:38  
**Analyst:** PK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG933166-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Naphthalene	ND		ug/l	2.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	104		70-130
Toluene-d8	93		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	101		70-130

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Lab Number: L1628422

Project Number: 01.0015522.16

Report Date: 09/19/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG933166-3 WG933166-4								
Methylene chloride	110		100		70-130	10		20
1,1-Dichloroethane	110		110		70-130	0		20
Chloroform	110		110		70-130	0		20
Carbon tetrachloride	120		110		63-132	9		20
1,2-Dichloropropane	110		110		70-130	0		20
Dibromochloromethane	83		82		63-130	1		20
1,1,2-Trichloroethane	93		92		70-130	1		20
2-Chloroethylvinyl ether	110		100		70-130	10		20
Tetrachloroethene	98		94		70-130	4		20
Chlorobenzene	100		98		75-130	2		25
Trichlorofluoromethane	97		91		62-150	6		20
1,2-Dichloroethane	110		110		70-130	0		20
1,1,1-Trichloroethane	110		100		67-130	10		20
Bromodichloromethane	110		110		67-130	0		20
trans-1,3-Dichloropropene	85		84		70-130	1		20
cis-1,3-Dichloropropene	110		110		70-130	0		20
1,1-Dichloropropene	110		100		70-130	10		20
Bromoform	74		74		54-136	0		20
1,1,2,2-Tetrachloroethane	87		87		67-130	0		20
Benzene	110		110		70-130	0		25
Toluene	100		97		70-130	3		25

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1628422

Report Date: 09/19/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG933166-3 WG933166-4								
Ethylbenzene	100		100		70-130	0		20
Chloromethane	76		72		64-130	5		20
Bromomethane	94		83		39-139	12		20
Vinyl chloride	96		92		55-140	4		20
Chloroethane	110		100		55-138	10		20
1,1-Dichloroethene	93		91		61-145	2		25
trans-1,2-Dichloroethene	110		100		70-130	10		20
Trichloroethene	110		110		70-130	0		25
1,2-Dichlorobenzene	92		91		70-130	1		20
1,3-Dichlorobenzene	97		95		70-130	2		20
1,4-Dichlorobenzene	95		94		70-130	1		20
Methyl tert butyl ether	100		100		63-130	0		20
p/m-Xylene	105		100		70-130	5		20
o-Xylene	105		100		70-130	5		20
cis-1,2-Dichloroethene	110		110		70-130	0		20
Dibromomethane	110		110		70-130	0		20
1,4-Dichlorobutane	96		96		70-130	0		20
Iodomethane	80		80		70-130	0		20
1,2,3-Trichloropropane	88		89		64-130	1		20
Styrene	110		105		70-130	5		20
Dichlorodifluoromethane	65		60		36-147	8		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Lab Number: L1628422

Project Number: 01.0015522.16

Report Date: 09/19/16

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG933166-3 WG933166-4								
Acetone	74		71		58-148	4		20
Carbon disulfide	87		82		51-130	6		20
2-Butanone	85		91		63-138	7		20
Vinyl acetate	96		97		70-130	1		20
4-Methyl-2-pentanone	76		79		59-130	4		20
2-Hexanone	76		74		57-130	3		20
Ethyl methacrylate	80		80		70-130	0		20
Acrolein	78		78		70-130	0		20
Acrylonitrile	90		94		70-130	4		20
Bromochloromethane	110		110		70-130	0		20
Tetrahydrofuran	82		84		58-130	2		20
2,2-Dichloropropane	130		130		63-133	0		20
1,2-Dibromoethane	92		93		70-130	1		20
1,3-Dichloropropane	94		93		70-130	1		20
1,1,1,2-Tetrachloroethane	100		97		64-130	3		20
Bromobenzene	98		97		70-130	1		20
n-Butylbenzene	100		96		53-136	4		20
sec-Butylbenzene	100		99		70-130	1		20
tert-Butylbenzene	100		96		70-130	4		20
o-Chlorotoluene	95		100		70-130	5		20
p-Chlorotoluene	100		100		70-130	0		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1628422

Report Date: 09/19/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG933166-3 WG933166-4								
1,2-Dibromo-3-chloropropane	68		69		41-144	1		20
Hexachlorobutadiene	94		87		63-130	8		20
Isopropylbenzene	100		100		70-130	0		20
p-Isopropyltoluene	100		98		70-130	2		20
Naphthalene	64	Q	66	Q	70-130	3		20
n-Propylbenzene	100		100		69-130	0		20
1,2,3-Trichlorobenzene	63	Q	65	Q	70-130	3		20
1,2,4-Trichlorobenzene	82		82		70-130	0		20
1,3,5-Trimethylbenzene	100		100		64-130	0		20
1,3,5-Trichlorobenzene	95		90		70-130	5		20
1,2,4-Trimethylbenzene	100		100		70-130	0		20
trans-1,4-Dichloro-2-butene	92		89		70-130	3		20
Halothane	100		100		70-130	0		20
Ethyl ether	94		97		59-134	3		20
Methyl Acetate	92		92		70-130	0		20
Ethyl Acetate	93		98		70-130	5		20
Isopropyl Ether	110		110		70-130	0		20
Cyclohexane	100		94		70-130	6		20
Tert-Butyl Alcohol	92		100		70-130	8		20
Ethyl-Tert-Butyl-Ether	110		110		70-130	0		20
Tertiary-Amyl Methyl Ether	100		100		66-130	0		20



## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1628422  
**Report Date:** 09/19/16

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG933166-3 WG933166-4								
1,4-Dioxane	82		78		56-162	5		20
1,1,2-Trichloro-1,2,2-Trifluoroethane	98		93		70-130	5		20
Methyl cyclohexane	100		99		70-130	1		20
p-Diethylbenzene	100		97		70-130	3		20
4-Ethyltoluene	100		100		70-130	0		20
1,2,4,5-Tetramethylbenzene	98		95		70-130	3		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	100		101		70-130
Toluene-d8	96		94		70-130
4-Bromofluorobenzene	106		106		70-130
Dibromofluoromethane	102		104		70-130

## METALS

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1628422  
**Report Date:** 09/19/16

**SAMPLE RESULTS**

Lab ID: L1628422-01  
 Client ID: INF  
 Sample Location: WALTHAM, MA  
 Matrix: Water

Date Collected: 09/09/16 10:00  
 Date Received: 09/09/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.00845		mg/l	0.00100	--	1	09/13/16 08:35	09/13/16 12:56	EPA 3005A	1,6020A	BV
Iron, Total	0.144		mg/l	0.050	--	1	09/13/16 08:35	09/13/16 21:33	EPA 3005A	19,200.7	PS
Lead, Total	0.00119		mg/l	0.00100	--	1	09/13/16 08:35	09/13/16 12:56	EPA 3005A	1,6020A	BV
Selenium, Total	ND		mg/l	0.00500	--	1	09/13/16 08:35	09/13/16 12:56	EPA 3005A	1,6020A	BV
Zinc, Total	0.01098		mg/l	0.01000	--	1	09/13/16 08:35	09/13/16 12:56	EPA 3005A	1,6020A	BV



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1628422  
**Report Date:** 09/19/16

**SAMPLE RESULTS**

Lab ID: L1628422-03  
 Client ID: EFF  
 Sample Location: WALTHAM, MA  
 Matrix: Water

Date Collected: 09/09/16 09:30  
 Date Received: 09/09/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.00281		mg/l	0.00100	--	1	09/13/16 08:35	09/13/16 13:00	EPA 3005A	1,6020A	BV
Iron, Total	ND		mg/l	0.050	--	1	09/13/16 08:35	09/13/16 21:38	EPA 3005A	19,200.7	PS
Lead, Total	ND		mg/l	0.00100	--	1	09/13/16 08:35	09/13/16 13:00	EPA 3005A	1,6020A	BV
Selenium, Total	ND		mg/l	0.00500	--	1	09/13/16 08:35	09/13/16 13:00	EPA 3005A	1,6020A	BV
Zinc, Total	ND		mg/l	0.01000	--	1	09/13/16 08:35	09/13/16 13:00	EPA 3005A	1,6020A	BV



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1628422  
**Report Date:** 09/19/16

## Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG931259-1									
Iron, Total	ND	mg/l	0.050	--	1	09/13/16 08:35	09/13/16 19:10	19,200.7	PS

### Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG931262-1									
Copper, Total	ND	mg/l	0.00100	--	1	09/13/16 08:35	09/13/16 12:26	1,6020A	BV
Lead, Total	ND	mg/l	0.00050	--	1	09/13/16 08:35	09/13/16 12:26	1,6020A	BV
Selenium, Total	ND	mg/l	0.00500	--	1	09/13/16 08:35	09/13/16 12:26	1,6020A	BV
Zinc, Total	ND	mg/l	0.01000	--	1	09/13/16 08:35	09/13/16 12:26	1,6020A	BV

### Prep Information

Digestion Method: EPA 3005A

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1628422

Report Date: 09/19/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG931259-2								
Iron, Total	96		-		85-115	-		
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG931262-2								
Copper, Total	104		-		80-120	-		
Lead, Total	110		-		80-120	-		
Selenium, Total	108		-		80-120	-		
Zinc, Total	105		-		80-120	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1628422  
**Report Date:** 09/19/16

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03			QC Batch ID: WG931259-4			QC Sample: L1628464-01			Client ID: MS Sample			
Iron, Total	5.50	1	6.21	71	Q	-	-		75-125	-		20
Total Metals - Mansfield Lab Associated sample(s): 01,03			QC Batch ID: WG931262-4			QC Sample: L1628464-01			Client ID: MS Sample			
Copper, Total	0.0061	0.25	0.2580	101		-	-		75-125	-		20
Lead, Total	0.00206	0.51	0.5503	107		-	-		75-125	-		20
Selenium, Total	ND	0.12	0.137	114		-	-		75-125	-		20
Zinc, Total	0.0111	0.5	0.5135	100		-	-		75-125	-		20

### Lab Duplicate Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1628422  
**Report Date:** 09/19/16

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG931259-3 QC Sample: L1628464-01 Client ID: DUP Sample						
Iron, Total	5.50	5.61	mg/l	2		20
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG931262-3 QC Sample: L1628464-01 Client ID: DUP Sample						
Lead, Total	0.00206	0.00209	mg/l	1		20



# **INORGANICS & MISCELLANEOUS**

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1628422  
**Report Date:** 09/19/16

**SAMPLE RESULTS**

**Lab ID:** L1628422-01  
**Client ID:** INF  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water

**Date Collected:** 09/09/16 10:00  
**Date Received:** 09/09/16  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	550		mg/l	10	--	10	-	09/13/16 21:26	1,9251	ML



Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1628422

Report Date: 09/19/16

**SAMPLE RESULTS**

Lab ID: L1628422-03

Client ID: EFF

Sample Location: WALTHAM, MA

Matrix: Water

Date Collected: 09/09/16 09:30

Date Received: 09/09/16

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	560		mg/l	10	--	10	-	09/13/16 21:28	1,9251	ML



Project Name: HP WALTHAM

Lab Number: L1628422

Project Number: 01.0015522.16

Report Date: 09/19/16

**Method Blank Analysis**  
**Batch Quality Control**

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01,03 Batch: WG931519-1									
Chloride	ND	mg/l	1.0	--	1	-	09/13/16 21:05	1,9251	ML

## Lab Control Sample Analysis

Batch Quality Control

Project Name: HP WALTHAM

Lab Number: L1628422

Project Number: 01.0015522.16

Report Date: 09/19/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 Batch: WG931519-2								
Chloride	103		-		90-110	-		

**Matrix Spike Analysis**  
Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1628422  
**Report Date:** 09/19/16

<b>Parameter</b>	<b>Native Sample</b>	<b>MS Added</b>	<b>MS Found</b>	<b>MS %Recovery</b>	<b>MSD Qual</b>	<b>MSD Found</b>	<b>MSD %Recovery</b>	<b>MSD Qual</b>	<b>Recovery Limits</b>	<b>RPD</b>	<b>RPD Qual</b>	<b>RPD Limits</b>
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG931519-4 QC Sample: L1628252-01 Client ID: MS Sample												
Chloride	ND	20	21	105	-	-	-	-	58-140	-	-	7

## Lab Duplicate Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1628422

Report Date: 09/19/16

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG931519-3 QC Sample: L1628252-01 Client ID: DUP Sample						
Chloride	ND	ND	mg/l	NC		7

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1628422  
**Report Date:** 09/19/16

### Sample Receipt and Container Information

Were project specific reporting limits specified? YES

#### Cooler Information Custody Seal

##### Cooler

A Absent

#### Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1628422-01A	Vial HCl preserved	A	N/A	5.8	Y	Absent	8260(14)
L1628422-01B	Vial HCl preserved	A	N/A	5.8	Y	Absent	8260(14)
L1628422-01C	Vial HCl preserved	A	N/A	5.8	Y	Absent	8260(14)
L1628422-01D	Plastic 250ml HNO3 preserved	A	<2	5.8	Y	Absent	SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1628422-01E	Plastic 60ml unpreserved	A	7	5.8	Y	Absent	CL-9251(28)
L1628422-02A	Vial HCl preserved	A	N/A	5.8	Y	Absent	8260(14)
L1628422-02B	Vial HCl preserved	A	N/A	5.8	Y	Absent	8260(14)
L1628422-02C	Vial HCl preserved	A	N/A	5.8	Y	Absent	8260(14)
L1628422-03A	Vial HCl preserved	A	N/A	5.8	Y	Absent	8260(14)
L1628422-03B	Vial HCl preserved	A	N/A	5.8	Y	Absent	8260(14)
L1628422-03C	Vial HCl preserved	A	N/A	5.8	Y	Absent	8260(14)
L1628422-03D	Plastic 250ml HNO3 preserved	A	<2	5.8	Y	Absent	SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1628422-03E	Plastic 60ml unpreserved	A	7	5.8	Y	Absent	CL-9251(28)

\*Values in parentheses indicate holding time in days



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1628422  
**Report Date:** 09/19/16

## GLOSSARY

### Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the

Report Format: Data Usability Report



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1628422  
**Report Date:** 09/19/16

#### Data Qualifiers

- reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
  - D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
  - E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
  - G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
  - H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
  - I** - The lower value for the two columns has been reported due to obvious interference.
  - M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
  - NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
  - P** - The RPD between the results for the two columns exceeds the method-specified criteria.
  - Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
  - R** - Analytical results are from sample re-analysis.
  - RE** - Analytical results are from sample re-extraction.
  - S** - Analytical results are from modified screening analysis.
  - J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
  - ND** - Not detected at the reporting limit (RL) for the sample.

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1628422  
**Report Date:** 09/19/16

## REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.
- 19 Inductively Coupled Plasma Atomic Emission Spectrometric Method for Trace Element Analysis of Water and Wastes. Appendix C, Part 136, 40 CFR (Code of Federal Regulations). July 1, 1999 edition.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



## Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

### Westborough Facility

**EPA 624:** m/p-xylene, o-xylene

**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

**EPA 8270D:** NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

**EPA 300:** DW: Bromide

**EPA 6860:** NPW and SCM: Perchlorate

**EPA 9010:** NPW and SCM: Amenable Cyanide Distillation

**EPA 9012B:** NPW: Total Cyanide

**EPA 9050A:** NPW: Specific Conductance

**SM3500:** NPW: Ferrous Iron

**SM4500:** NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.

**SM5310C:** DW: Dissolved Organic Carbon

### Mansfield Facility

**SM 2540D:** TSS

**EPA 3005A** NPW

**EPA 8082A:** NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Biological Tissue Matrix:** **EPA 3050B**

The following analytes are included in our Massachusetts DEP Scope of Accreditation

### Westborough Facility:

#### Drinking Water

**EPA 300.0:** Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

**EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

#### Non-Potable Water

**SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.**

**EPA 624:** Volatile Halocarbons & Aromatics,

**EPA 608:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9222D-MF.**

### Mansfield Facility:

#### Drinking Water

**EPA 200.7:** Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.**

#### Non-Potable Water

**EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.

**EPA 245.1 Hg.**

**SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.





# CHAIN OF CUSTODY

PAGE 1 OF 1

Date Rec'd in Lab: 9/9/16 ALPHA Job #: L1628422

Report Information - Data Deliverables  
 ADEX  EMAIL  
 Billing Information  
 Same as Client info PO #:

Regulatory Requirements & Project Information Requirements

Yes  No MA MCP Analytical Methods  Yes  No CT RCP Analytical Methods  
 Yes  No Matrix Spike Required on this SDG? (Required for MCP Inorganics)  
 Yes  No GW1 Standards (Info Required for Metals & EPH with Targets)  
 Yes  No NPDES RGP  
 Other State /Fed Program \_\_\_\_\_ Criteria \_\_\_\_\_

Project Information  
 Project Name: HP Waltham

Project Location: Waltham Ma.  
 Project #: 01.0015522.16  
 Project Manager: J. Colbert  
 ALPHA Quote #:

Turn-Around Time  
 Standard  RUSH (only confirmed if pre-approved!)  
 Date Due:

Client Information  
 Client: GZA  
 Address: 249 Vanderbilt Ave  
Norwood Ma. 02062  
 Phone: 781-983-1357  
 Email: wclavis@gza.com

Additional Project Information:

ANALYSIS

VOC:  8260  624  524.2  8019  8017

SVOC:  ABN  PAH

METALS:  MCP 13  MCP 14  RCP 15

EPH:  RCRA5  RCRA8  PP13

VPH:  Ranges & Targets  Ranges Only

PCB:  PEST

TPH:  Quant Only  Fingerprint

Chloride  
metals = Pb, Se, Cu, Zn, Fe

SAMPLE INFO  
 Filtration  
 Field  Lab to do  
 Preservation  
 Lab to do

TOTAL # BOTTLES

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler Initials	VOC	SVOC	METALS	EPH	VPH	PCB	TPH	Sample Comments	TOTAL # BOTTLES
		Date	Time											
<u>28422-01</u>	<u>INF</u>	<u>9/9/16</u>	<u>1800am</u>	<u>GW</u>	<u>RD</u>	<u>X</u>								<u>5</u>
<u>.02</u>	<u>MID</u>	<u>↓</u>	<u>945am</u>	<u>GW</u>	<u>BD</u>	<u>X</u>								<u>3</u>
<u>.03</u>	<u>EFF</u>	<u>↓</u>	<u>930am</u>	<u>GW</u>	<u>BD</u>	<u>X</u>								<u>5</u>

<p>Container Type                  P= Plastic                  A= Amber glass                  V= Vial                  G= Glass                  B= Bacteria cup                  C= Cube                  O= Other                  E= Encore                  D= BOD Bottle</p>	<p>Preservative                  A= None                  B= HCl                  C= HNO<sub>3</sub>                  D= H<sub>2</sub>SO<sub>4</sub>                  E= NaOH                  F= MeOH                  G= NaHSO<sub>4</sub>                  H= Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub>                  I= Ascorbic Acid                  J= NH<sub>4</sub>Cl                  K= Zn Acetate                  O= Other</p>	<p>Container Type <u>✓</u>                  Preservative <u>HCL</u></p>	<p>Relinquished By: <u>[Signature]</u>                  Date/Time: <u>9/9/16 135pm</u></p>	<p>Received By: <u>[Signature]</u>                  Date/Time: <u>9/9/16 1331</u></p>	<p>All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.                  FORM NO 01-01 (rev 12-Mar-2012)</p>
--	---	---	--	---	--



## ANALYTICAL REPORT

Lab Number:	L1631900
Client:	GZA GeoEnvironmental, Inc. 249 Vanderbilt Ave Norwood, MA 02062
ATTN:	John Colbert
Phone:	(781) 278-3700
Project Name:	HP WALTHAM
Project Number:	01.0015522.16
Report Date:	10/13/16

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: NY (11627), CT (PH-0141), NH (2206), NJ NELAP (MA015), RI (LAO00299), ME (MA00030), PA (68-02089), VA (460194), LA NELAP (03090), FL (E87814), TX (T104704419), WA (C954), USFWS (Permit #LE2069641), USDA (Permit #P330-11-00109), US Army Corps of Engineers.

---

320 Forbes Boulevard, Mansfield, MA 02048-1806  
508-822-9300 (Fax) 508-822-3288 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L1631900-01	INF	WATER	WALTHAM, MA	10/06/16 00:00	10/06/16
L1631900-02	MID	WATER	WALTHAM, MA	10/06/16 00:00	10/06/16
L1631900-03	EFF	WATER	WALTHAM, MA	10/06/16 00:00	10/06/16

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

#### HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Lura L Troy

Title: Technical Director/Representative

Date: 10/13/16



# ORGANICS

# VOLATILES

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

**SAMPLE RESULTS**

Lab ID: L1631900-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA  
 Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/11/16 16:36  
 Analyst: PD

Date Collected: 10/06/16 00:00  
 Date Received: 10/06/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	300	--	100
1,1-Dichloroethane	ND		ug/l	75	--	100
Chloroform	ND		ug/l	75	--	100
Carbon tetrachloride	ND		ug/l	50	--	100
1,2-Dichloropropane	ND		ug/l	180	--	100
Dibromochloromethane	ND		ug/l	50	--	100
1,1,2-Trichloroethane	ND		ug/l	75	--	100
Tetrachloroethene	ND		ug/l	50	--	100
Chlorobenzene	ND		ug/l	50	--	100
Trichlorofluoromethane	ND		ug/l	250	--	100
1,2-Dichloroethane	ND		ug/l	50	--	100
1,1,1-Trichloroethane	ND		ug/l	50	--	100
Bromodichloromethane	ND		ug/l	50	--	100
trans-1,3-Dichloropropene	ND		ug/l	50	--	100
cis-1,3-Dichloropropene	ND		ug/l	50	--	100
Bromoform	ND		ug/l	200	--	100
1,1,2,2-Tetrachloroethane	ND		ug/l	50	--	100
Benzene	ND		ug/l	50	--	100
Toluene	ND		ug/l	75	--	100
Ethylbenzene	ND		ug/l	50	--	100
Chloromethane	ND		ug/l	250	--	100
Bromomethane	ND		ug/l	100	--	100
Vinyl chloride	ND		ug/l	100	--	100
Chloroethane	ND		ug/l	100	--	100
1,1-Dichloroethene	ND		ug/l	50	--	100
trans-1,2-Dichloroethene	ND		ug/l	75	--	100
Trichloroethene	6400		ug/l	50	--	100
1,2-Dichlorobenzene	ND		ug/l	250	--	100
1,3-Dichlorobenzene	ND		ug/l	250	--	100
1,4-Dichlorobenzene	ND		ug/l	250	--	100

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

**SAMPLE RESULTS**

Lab ID: L1631900-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA

Date Collected: 10/06/16 00:00  
 Date Received: 10/06/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	100	--	100
p/m-Xylene	ND		ug/l	100	--	100
o-Xylene	ND		ug/l	100	--	100
cis-1,2-Dichloroethene	ND		ug/l	50	--	100
Dichlorodifluoromethane	ND		ug/l	500	--	100
Naphthalene	ND		ug/l	250	--	100

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	99		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	110		70-130
Dibromofluoromethane	95		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

**SAMPLE RESULTS**

**Lab ID:** L1631900-02  
**Client ID:** MID  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 10/11/16 16:01  
**Analyst:** PD

**Date Collected:** 10/06/16 00:00  
**Date Received:** 10/06/16  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	4.0		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

**SAMPLE RESULTS**

Lab ID: L1631900-02  
 Client ID: MID  
 Sample Location: WALTHAM, MA

Date Collected: 10/06/16 00:00  
 Date Received: 10/06/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	108		70-130
Dibromofluoromethane	99		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

**SAMPLE RESULTS**

**Lab ID:** L1631900-03  
**Client ID:** EFF  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 10/12/16 13:04  
**Analyst:** PD

**Date Collected:** 10/06/16 00:00  
**Date Received:** 10/06/16  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	0.91		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

**SAMPLE RESULTS**

**Lab ID:** L1631900-03  
**Client ID:** EFF  
**Sample Location:** WALTHAM, MA

**Date Collected:** 10/06/16 00:00  
**Date Received:** 10/06/16  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	83		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	115		70-130
Dibromofluoromethane	91		70-130



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 10/11/16 12:33  
**Analyst:** PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG941196-5					
Methylene chloride	ND		ug/l	3.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 10/11/16 12:33  
**Analyst:** PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG941196-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Naphthalene	ND		ug/l	2.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	110		70-130
Dibromofluoromethane	100		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 10/12/16 12:08  
**Analyst:** PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 03 Batch: WG941471-5					
Methylene chloride	ND		ug/l	3.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 10/12/16 12:08  
**Analyst:** PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 03 Batch: WG941471-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Naphthalene	ND		ug/l	2.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	84		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	113		70-130
Dibromofluoromethane	92		70-130

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1631900

Report Date: 10/13/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG941196-3 WG941196-4								
Methylene chloride	93		96		70-130	3		20
1,1-Dichloroethane	96		100		70-130	4		20
Chloroform	100		100		70-130	0		20
Carbon tetrachloride	110		110		63-132	0		20
1,2-Dichloropropane	96		99		70-130	3		20
Dibromochloromethane	89		91		63-130	2		20
1,1,2-Trichloroethane	97		100		70-130	3		20
2-Chloroethylvinyl ether	89		95		70-130	7		20
Tetrachloroethene	94		97		70-130	3		20
Chlorobenzene	98		100		75-130	2		25
Trichlorofluoromethane	85		88		62-150	3		20
1,2-Dichloroethane	97		100		70-130	3		20
1,1,1-Trichloroethane	99		100		67-130	1		20
Bromodichloromethane	100		100		67-130	0		20
trans-1,3-Dichloropropene	89		92		70-130	3		20
cis-1,3-Dichloropropene	100		100		70-130	0		20
1,1-Dichloropropene	95		98		70-130	3		20
Bromoform	86		88		54-136	2		20
1,1,2,2-Tetrachloroethane	100		100		67-130	0		20
Benzene	100		100		70-130	0		25
Toluene	100		100		70-130	0		25

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG941196-3 WG941196-4								
Ethylbenzene	100		100		70-130	0		20
Chloromethane	48	Q	48	Q	64-130	0		20
Bromomethane	80		94		39-139	16		20
Vinyl chloride	70		69		55-140	1		20
Chloroethane	90		94		55-138	4		20
1,1-Dichloroethene	86		90		61-145	5		25
trans-1,2-Dichloroethene	98		100		70-130	2		20
Trichloroethene	100		100		70-130	0		25
1,2-Dichlorobenzene	97		87		70-130	11		20
1,3-Dichlorobenzene	99		100		70-130	1		20
1,4-Dichlorobenzene	99		100		70-130	1		20
Methyl tert butyl ether	99		100		63-130	1		20
p/m-Xylene	100		105		70-130	5		20
o-Xylene	100		105		70-130	5		20
cis-1,2-Dichloroethene	98		100		70-130	2		20
Dibromomethane	99		100		70-130	1		20
1,4-Dichlorobutane	100		110		70-130	10		20
Iodomethane	74		78		70-130	5		20
1,2,3-Trichloropropane	100		100		64-130	0		20
Styrene	105		110		70-130	5		20
Dichlorodifluoromethane	62		70		36-147	12		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Lab Number: L1631900

Project Number: 01.0015522.16

Report Date: 10/13/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG941196-3 WG941196-4								
Acetone	65		71		58-148	9		20
Carbon disulfide	82		100		51-130	20		20
2-Butanone	79		85		63-138	7		20
Vinyl acetate	89		92		70-130	3		20
4-Methyl-2-pentanone	82		82		59-130	0		20
2-Hexanone	70		74		57-130	6		20
Ethyl methacrylate	86		91		70-130	6		20
Acrolein	73		80		70-130	9		20
Acrylonitrile	85		91		70-130	7		20
Bromochloromethane	100		110		70-130	10		20
Tetrahydrofuran	74		80		58-130	8		20
2,2-Dichloropropane	120		120		63-133	0		20
1,2-Dibromoethane	99		100		70-130	1		20
1,3-Dichloropropane	97		100		70-130	3		20
1,1,1,2-Tetrachloroethane	100		100		64-130	0		20
Bromobenzene	100		100		70-130	0		20
n-Butylbenzene	96		98		53-136	2		20
sec-Butylbenzene	100		100		70-130	0		20
tert-Butylbenzene	100		100		70-130	0		20
o-Chlorotoluene	99		100		70-130	1		20
p-Chlorotoluene	110		110		70-130	0		20

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG941196-3 WG941196-4								
1,2-Dibromo-3-chloropropane	66		84		41-144	24	Q	20
Hexachlorobutadiene	81		86		63-130	6		20
Isopropylbenzene	110		110		70-130	0		20
p-Isopropyltoluene	100		100		70-130	0		20
Naphthalene	76		80		70-130	5		20
n-Propylbenzene	110		110		69-130	0		20
1,2,3-Trichlorobenzene	63	Q	67	Q	70-130	6		20
1,2,4-Trichlorobenzene	75		78		70-130	4		20
1,3,5-Trimethylbenzene	100		110		64-130	10		20
1,3,5-Trichlorobenzene	84		88		70-130	5		20
1,2,4-Trimethylbenzene	110		110		70-130	0		20
trans-1,4-Dichloro-2-butene	95		100		70-130	5		20
Halothane	95		99		70-130	4		20
Ethyl ether	97		99		59-134	2		20
Methyl Acetate	84		91		70-130	8		20
Ethyl Acetate	85		90		70-130	6		20
Isopropyl Ether	93		97		70-130	4		20
Cyclohexane	84		89		70-130	6		20
Tert-Butyl Alcohol	106		116		70-130	9		20
Ethyl-Tert-Butyl-Ether	100		110		70-130	10		20
Tertiary-Amyl Methyl Ether	97		100		66-130	3		20



## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG941196-3 WG941196-4								
1,4-Dioxane	94		104		56-162	10		20
1,1,2-Trichloro-1,2,2-Trifluoroethane	87		88		70-130	1		20
Methyl cyclohexane	87		91		70-130	4		20
p-Diethylbenzene	99		100		70-130	1		20
4-Ethyltoluene	110		110		70-130	0		20
1,2,4,5-Tetramethylbenzene	81		100		70-130	21	Q	20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	102		103		70-130
Toluene-d8	103		103		70-130
4-Bromofluorobenzene	113		109		70-130
Dibromofluoromethane	101		102		70-130

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Lab Number: L1631900

Project Number: 01.0015522.16

Report Date: 10/13/16

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 03 Batch: WG941471-3 WG941471-4								
Methylene chloride	89		100		70-130	12		20
1,1-Dichloroethane	96		94		70-130	2		20
Chloroform	97		98		70-130	1		20
Carbon tetrachloride	89		88		63-132	1		20
1,2-Dichloropropane	91		92		70-130	1		20
Dibromochloromethane	88		93		63-130	6		20
1,1,2-Trichloroethane	93		97		70-130	4		20
Tetrachloroethene	93		92		70-130	1		20
Chlorobenzene	92		94		75-130	2		25
Trichlorofluoromethane	87		84		62-150	4		20
1,2-Dichloroethane	85		86		70-130	1		20
1,1,1-Trichloroethane	97		96		67-130	1		20
Bromodichloromethane	92		93		67-130	1		20
trans-1,3-Dichloropropene	85		88		70-130	3		20
cis-1,3-Dichloropropene	85		87		70-130	2		20
1,1-Dichloropropene	96		94		70-130	2		20
Bromoform	93		94		54-136	1		20
1,1,2,2-Tetrachloroethane	96		100		67-130	4		20
Benzene	99		98		70-130	1		25
Toluene	100		100		70-130	0		25
Ethylbenzene	100		100		70-130	0		20

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 03 Batch: WG941471-3 WG941471-4								
Chloromethane	80		78		64-130	3		20
Bromomethane	54		66		39-139	20		20
Vinyl chloride	84		80		55-140	5		20
Chloroethane	96		90		55-138	6		20
1,1-Dichloroethene	94		91		61-145	3		25
trans-1,2-Dichloroethene	100		100		70-130	0		20
Trichloroethene	99		98		70-130	1		25
1,2-Dichlorobenzene	91		93		70-130	2		20
1,3-Dichlorobenzene	95		95		70-130	0		20
1,4-Dichlorobenzene	90		92		70-130	2		20
Methyl tert butyl ether	86		90		63-130	5		20
p/m-Xylene	100		100		70-130	0		20
o-Xylene	95		100		70-130	5		20
cis-1,2-Dichloroethene	99		100		70-130	1		20
Dibromomethane	89		91		70-130	2		20
1,4-Dichlorobutane	97		98		70-130	1		20
Iodomethane	80		69	Q	70-130	15		20
1,2,3-Trichloropropane	97		97		64-130	0		20
Styrene	95		100		70-130	5		20
Dichlorodifluoromethane	78		75		36-147	4		20
Acetone	98		96		58-148	2		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1631900

Report Date: 10/13/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 03 Batch: WG941471-3 WG941471-4								
Carbon disulfide	96		93		51-130	3		20
2-Butanone	85		94		63-138	10		20
Vinyl acetate	95		95		70-130	0		20
4-Methyl-2-pentanone	72		76		59-130	5		20
2-Hexanone	66		69		57-130	4		20
Ethyl methacrylate	73		76		70-130	4		20
Acrolein	72		71		70-130	1		20
Acrylonitrile	87		90		70-130	3		20
Bromochloromethane	90		92		70-130	2		20
Tetrahydrofuran	84		82		58-130	2		20
2,2-Dichloropropane	90		92		63-133	2		20
1,2-Dibromoethane	89		93		70-130	4		20
1,3-Dichloropropane	90		94		70-130	4		20
1,1,1,2-Tetrachloroethane	86		89		64-130	3		20
Bromobenzene	97		98		70-130	1		20
n-Butylbenzene	94		92		53-136	2		20
sec-Butylbenzene	100		100		70-130	0		20
tert-Butylbenzene	92		89		70-130	3		20
o-Chlorotoluene	110		110		70-130	0		20
p-Chlorotoluene	110		110		70-130	0		20
1,2-Dibromo-3-chloropropane	82		88		41-144	7		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Lab Number: L1631900

Project Number: 01.0015522.16

Report Date: 10/13/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 03 Batch: WG941471-3 WG941471-4								
Hexachlorobutadiene	100		100		63-130	0		20
Isopropylbenzene	110		110		70-130	0		20
p-Isopropyltoluene	100		100		70-130	0		20
Naphthalene	68	Q	69	Q	70-130	1		20
n-Propylbenzene	110		110		69-130	0		20
1,2,3-Trichlorobenzene	77		78		70-130	1		20
1,2,4-Trichlorobenzene	71		73		70-130	3		20
1,3,5-Trimethylbenzene	110		100		64-130	10		20
1,3,5-Trichlorobenzene	98		97		70-130	1		20
1,2,4-Trimethylbenzene	100		110		70-130	10		20
trans-1,4-Dichloro-2-butene	93		94		70-130	1		20
Halothane	98		98		70-130	0		20
Ethyl ether	86		85		59-134	1		20
Methyl Acetate	95		97		70-130	2		20
Ethyl Acetate	87		87		70-130	0		20
Isopropyl Ether	96		97		70-130	1		20
Cyclohexane	89		85		70-130	5		20
Tert-Butyl Alcohol	50	Q	58	Q	70-130	15		20
Ethyl-Tert-Butyl-Ether	92		94		70-130	2		20
Tertiary-Amyl Methyl Ether	91		94		66-130	3		20
1,4-Dioxane	82		84		56-162	2		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1631900

Report Date: 10/13/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 03 Batch: WG941471-3 WG941471-4								
1,1,2-Trichloro-1,2,2-Trifluoroethane	85		80		70-130	6		20
Methyl cyclohexane	88		84		70-130	5		20
p-Diethylbenzene	92		91		70-130	1		20
4-Ethyltoluene	110		110		70-130	0		20
1,2,4,5-Tetramethylbenzene	93		91		70-130	2		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	78		78		70-130
Toluene-d8	99		100		70-130
4-Bromofluorobenzene	107		108		70-130
Dibromofluoromethane	88		88		70-130

## METALS

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

**SAMPLE RESULTS**

Lab ID: L1631900-01  
 Client ID: INF  
 Sample Location: WALTHAM, MA  
 Matrix: Water

Date Collected: 10/06/16 00:00  
 Date Received: 10/06/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.0550		mg/l	0.0010	--	1	10/10/16 09:50	10/11/16 16:26	EPA 3005A	1,6020A	AM
Iron, Total	1.30		mg/l	0.050	--	1	10/10/16 09:50	10/10/16 15:35	EPA 3005A	19,200.7	PS
Lead, Total	0.0078		mg/l	0.0010	--	1	10/10/16 09:50	10/11/16 16:26	EPA 3005A	1,6020A	AM
Selenium, Total	ND		mg/l	0.005	--	1	10/10/16 09:50	10/11/16 16:26	EPA 3005A	1,6020A	AM
Zinc, Total	0.0573		mg/l	0.0100	--	1	10/10/16 09:50	10/11/16 16:26	EPA 3005A	1,6020A	AM





**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

**SAMPLE RESULTS**

Lab ID: L1631900-03  
 Client ID: EFF  
 Sample Location: WALTHAM, MA  
 Matrix: Water

Date Collected: 10/06/16 00:00  
 Date Received: 10/06/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.0032		mg/l	0.0010	--	1	10/10/16 09:50	10/11/16 16:29	EPA 3005A	1,6020A	AM
Iron, Total	ND		mg/l	0.050	--	1	10/10/16 09:50	10/10/16 15:40	EPA 3005A	19,200.7	PS
Lead, Total	ND		mg/l	0.0010	--	1	10/10/16 09:50	10/11/16 16:29	EPA 3005A	1,6020A	AM
Selenium, Total	ND		mg/l	0.005	--	1	10/10/16 09:50	10/11/16 16:29	EPA 3005A	1,6020A	AM
Zinc, Total	ND		mg/l	0.0100	--	1	10/10/16 09:50	10/11/16 16:29	EPA 3005A	1,6020A	AM



Project Name: HP WALTHAM

Lab Number: L1631900

Project Number: 01.0015522.16

Report Date: 10/13/16

## Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG940447-1									
Copper, Total	ND	mg/l	0.0010	--	1	10/10/16 09:50	10/11/16 09:05	1,6020A	AM
Lead, Total	ND	mg/l	0.0005	--	1	10/10/16 09:50	10/11/16 09:05	1,6020A	AM
Selenium, Total	ND	mg/l	0.005	--	1	10/10/16 09:50	10/11/16 09:05	1,6020A	AM
Zinc, Total	ND	mg/l	0.0100	--	1	10/10/16 09:50	10/11/16 09:05	1,6020A	AM

### Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG940449-1									
Iron, Total	ND	mg/l	0.050	--	1	10/10/16 09:50	10/10/16 15:11	19,200.7	PS

### Prep Information

Digestion Method: EPA 3005A

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1631900

Report Date: 10/13/16

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG940447-2								
Copper, Total	108		-		80-120	-		
Lead, Total	113		-		80-120	-		
Selenium, Total	92		-		80-120	-		
Zinc, Total	102		-		80-120	-		
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG940449-2								
Iron, Total	89		-		85-115	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03    QC Batch ID: WG940447-4    QC Sample: L1631700-02    Client ID: MS Sample												
Copper, Total	ND	0.25	0.2461	98		-	-		75-125	-		20
Lead, Total	ND	0.51	0.5449	107		-	-		75-125	-		20
Selenium, Total	ND	0.12	0.047	0	Q	-	-		75-125	-		20
Zinc, Total	0.3394	0.5	0.8721	106		-	-		75-125	-		20
Total Metals - Mansfield Lab Associated sample(s): 01,03    QC Batch ID: WG940449-4    QC Sample: L1631700-02    Client ID: MS Sample												
Iron, Total	1.50	1	2.44	94		-	-		75-125	-		20

## Lab Duplicate Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1631900

Report Date: 10/13/16

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
<b>Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG940447-3 QC Sample: L1631700-02 Client ID: DUP Sample</b>						
Copper, Total	ND	ND	mg/l	NC		20
Lead, Total	ND	ND	mg/l	NC		20
Selenium, Total	ND	ND	mg/l	NC		20
Zinc, Total	0.3394	0.3770	mg/l	10		20
<b>Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG940449-3 QC Sample: L1631700-02 Client ID: DUP Sample</b>						
Iron, Total	1.50	1.50	mg/l	0		20

# **INORGANICS & MISCELLANEOUS**

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

**SAMPLE RESULTS**

**Lab ID:** L1631900-01  
**Client ID:** INF  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water

**Date Collected:** 10/06/16 00:00  
**Date Received:** 10/06/16  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	550		mg/l	10	--	10	-	10/12/16 17:22	1,9251	ML



Project Name: HP WALTHAM

Lab Number: L1631900

Project Number: 01.0015522.16

Report Date: 10/13/16

## SAMPLE RESULTS

Lab ID: L1631900-03

Date Collected: 10/06/16 00:00

Client ID: EFF

Date Received: 10/06/16

Sample Location: WALTHAM, MA

Field Prep: Not Specified

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	580		mg/l	10	--	10	-	10/12/16 17:27	1,9251	ML





**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

**Method Blank Analysis**  
**Batch Quality Control**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01,03 Batch: WG941238-1										
Chloride	ND		mg/l	1.0	--	1	-	10/12/16 17:12	1,9251	ML

## Lab Control Sample Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1631900

Report Date: 10/13/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 Batch: WG941238-2								
Chloride	100		-		90-110	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG941238-4 QC Sample: L1632018-01 Client ID: MS Sample												
Chloride	110	20	120	50	Q	-	-		58-140	-		7

## Lab Duplicate Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1631900

Report Date: 10/13/16

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG941238-3 QC Sample: L1632018-01 Client ID: DUP Sample						
Chloride	110	100	mg/l	10	Q	7

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

### Sample Receipt and Container Information

Were project specific reporting limits specified? YES

#### Cooler Information Custody Seal

##### Cooler

A Absent

#### Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1631900-01A	Vial HCl preserved	A	N/A	16.6	Y	Absent	8260(14)
L1631900-01B	Vial HCl preserved	A	N/A	16.6	Y	Absent	8260(14)
L1631900-01C	Vial HCl preserved	A	N/A	16.6	Y	Absent	8260(14)
L1631900-01D	Plastic 250ml HNO3 preserved	A	<2	16.6	Y	Absent	SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1631900-01E	Plastic 60ml unpreserved	A	7	16.6	Y	Absent	CL-9251(28)
L1631900-02A	Vial HCl preserved	A	N/A	16.6	Y	Absent	8260(14)
L1631900-02B	Vial HCl preserved	A	N/A	16.6	Y	Absent	8260(14)
L1631900-02C	Vial HCl preserved	A	N/A	16.6	Y	Absent	8260(14)
L1631900-03A	Vial HCl preserved	A	N/A	16.6	Y	Absent	8260(14)
L1631900-03B	Vial HCl preserved	A	N/A	16.6	Y	Absent	8260(14)
L1631900-03C	Vial HCl preserved	A	N/A	16.6	Y	Absent	8260(14)
L1631900-03D	Plastic 250ml HNO3 preserved	A	<2	16.6	Y	Absent	SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1631900-03E	Plastic 60ml unpreserved	A	7	16.6	Y	Absent	CL-9251(28)

\*Values in parentheses indicate holding time in days

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

## GLOSSARY

### Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the

**Report Format:** Data Usability Report



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

#### Data Qualifiers

- reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
  - D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
  - E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
  - G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
  - H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
  - I** - The lower value for the two columns has been reported due to obvious interference.
  - M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
  - NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
  - P** - The RPD between the results for the two columns exceeds the method-specified criteria.
  - Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
  - R** - Analytical results are from sample re-analysis.
  - RE** - Analytical results are from sample re-extraction.
  - S** - Analytical results are from modified screening analysis.
  - J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
  - ND** - Not detected at the reporting limit (RL) for the sample.

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1631900  
**Report Date:** 10/13/16

## REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.
- 19 Inductively Coupled Plasma Atomic Emission Spectrometric Method for Trace Element Analysis of Water and Wastes. Appendix C, Part 136, 40 CFR (Code of Federal Regulations). July 1, 1999 edition.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.





## Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

### Westborough Facility

**EPA 624:** m/p-xylene, o-xylene

**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

**EPA 8270D:** NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

**EPA 300:** DW: Bromide

**EPA 6860:** NPW and SCM: Perchlorate

**EPA 9010:** NPW and SCM: Amenable Cyanide Distillation

**EPA 9012B:** NPW: Total Cyanide

**EPA 9050A:** NPW: Specific Conductance

**SM3500:** NPW: Ferrous Iron

**SM4500:** NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.

**SM5310C:** DW: Dissolved Organic Carbon

### Mansfield Facility

**SM 2540D:** TSS

**EPA 3005A** NPW

**EPA 8082A:** NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Biological Tissue Matrix:** **EPA 3050B**

The following analytes are included in our Massachusetts DEP Scope of Accreditation

### Westborough Facility:

#### Drinking Water

**EPA 300.0:** Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

**EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT,SM9222D.**

#### Non-Potable Water

**SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.**

**EPA 624:** Volatile Halocarbons & Aromatics,

**EPA 608:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9222D-MF.**

### Mansfield Facility:

#### Drinking Water

**EPA 200.7:** Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.**

#### Non-Potable Water

**EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.

**EPA 245.1 Hg.**

**SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.



# CHAIN OF CUSTODY

PAGE 1 OF 1

Date Rec'd in Lab: 10/6/16

ALPHA Job #: L1631900

8 Walkup Drive  
Westboro, MA 01581  
Tel: 508-898-9220

320 Forbes Blvd  
Mansfield, MA 02048  
Tel: 508-822-9300

### Project Information

Project Name: HP Waltham  
Project Location: Waltham Ma  
Project #: 01.0015522.16  
Project Manager: J. Colbert  
ALPHA Quote #:

### Report Information - Data Deliverables

ADEx  EMAIL  Same as Client info PO #:

### Turn-Around Time

Standard  RUSH (only confirmed if pre-approved!)  
Date Due:

### Regulatory Requirements & Project Information Requirements

Yes  No MA MCP Analytical Methods  Yes  No CT RCP Analytical Methods  
 Yes  No Matrix Spike Required on this SDG? (Required for MCP Inorganics)  
 Yes  No GW1 Standards (Info Required for Metals & EPH with Targets)  
 Yes  No NPDES RGP  
 Other State /Fed Program Criteria

### Client Information

Client: G24  
Address: 249 Vanderbilt Ave  
Norwood Ma. 02062  
Phone: 781-987-1357  
Email: wdavis@929.com

### Additional Project Information:

VOC: <u>8260</u> <input type="checkbox"/> 624 <input type="checkbox"/> 524.2 <input type="checkbox"/> PAH	METALS: <input type="checkbox"/> MCP 13 <input type="checkbox"/> MCP 14 <input type="checkbox"/> RCP 15	EPH: <input type="checkbox"/> RCRA5 <input type="checkbox"/> RCRA8 <input type="checkbox"/> PPT3	VPH: <input type="checkbox"/> Ranges & Targets <input type="checkbox"/> Ranges Only	PCB: <input type="checkbox"/> PEST	TPH: <input type="checkbox"/> Quant Only <input type="checkbox"/> Fingerprint	SAMPLE INFO Filtration <input type="checkbox"/> Field <input type="checkbox"/> Lab to do Preservation <input type="checkbox"/> Lab to do
Metals: Pb, Cu, Fe, Se, Zn Chloride						

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler Initials							Sample Comments	TOTAL # BOTTLES
		Date	Time										
31900.01	INF	10/6/16		GL	BN	X							5
.02	MID	↓		↓	↓	X							3
.03	EFF	↓		↓	↓	X							5

**Container Type**  
P= Plastic  
A= Amber glass  
V= Vial  
G= Glass  
B= Bacteria cup  
C= Cube  
E= Encore  
D= BOD Bottle

**Preservative**  
A= None  
B= HCl  
C= HNO<sub>3</sub>  
D= H<sub>2</sub>SO<sub>4</sub>  
E= NaOH  
F= MeOH  
G= NaHSO<sub>4</sub>  
H= Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub>  
I= Ascorbic Acid  
J= NH<sub>4</sub>Cl  
K= Zn Acetate  
O= Other

Container Type V Preservative HCL

Relinquished By: Bill [Signature] Date/Time: 10/6/16 11:00am  
Received By: [Signature] Date/Time: 10/6/16 11:00

All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.  
FORM NO: 01-01 (rev. 12-Mar-2012)



## ANALYTICAL REPORT

Lab Number:	L1636726
Client:	GZA GeoEnvironmental, Inc. 249 Vanderbilt Ave Norwood, MA 02062
ATTN:	Bill Davis
Phone:	(781) 278-5769
Project Name:	HP WALTHAM
Project Number:	01.0015522.16
Report Date:	11/18/16

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NY (11148), CT (PH-0574), NH (2003), NJ NELAP (MA935), RI (LAO00065), ME (MA00086), PA (68-03671), VA (460195), MD (348), IL (200077), NC (666), TX (T104704476), DOD (L2217), USDA (Permit #P-330-11-00240).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L1636726-01	INF	WATER	WALTHAM, MA	11/10/16 09:40	11/11/16
L1636726-02	MID	WATER	WALTHAM, MA	11/10/16 10:00	11/11/16
L1636726-03	EFF	WATER	WALTHAM, MA	11/10/16 10:20	11/11/16

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.


#### HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Michelle M. Morris

Title: Technical Director/Representative

Date: 11/18/16

# ORGANICS

# VOLATILES

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

**SAMPLE RESULTS**

Lab ID: L1636726-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA  
 Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 11/14/16 13:51  
 Analyst: KD

Date Collected: 11/10/16 09:40  
 Date Received: 11/11/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

**Volatile Organics by GC/MS - Westborough Lab**

Methylene chloride	ND		ug/l	300	--	100
1,1-Dichloroethane	ND		ug/l	75	--	100
Chloroform	ND		ug/l	75	--	100
Carbon tetrachloride	ND		ug/l	50	--	100
1,2-Dichloropropane	ND		ug/l	180	--	100
Dibromochloromethane	ND		ug/l	50	--	100
1,1,2-Trichloroethane	ND		ug/l	75	--	100
Tetrachloroethene	59		ug/l	50	--	100
Chlorobenzene	ND		ug/l	50	--	100
Trichlorofluoromethane	ND		ug/l	250	--	100
1,2-Dichloroethane	ND		ug/l	50	--	100
1,1,1-Trichloroethane	ND		ug/l	50	--	100
Bromodichloromethane	ND		ug/l	50	--	100
trans-1,3-Dichloropropene	ND		ug/l	50	--	100
cis-1,3-Dichloropropene	ND		ug/l	50	--	100
Bromoform	ND		ug/l	200	--	100
1,1,2,2-Tetrachloroethane	ND		ug/l	50	--	100
Benzene	ND		ug/l	50	--	100
Toluene	ND		ug/l	75	--	100
Ethylbenzene	ND		ug/l	50	--	100
Chloromethane	ND		ug/l	250	--	100
Bromomethane	ND		ug/l	100	--	100
Vinyl chloride	ND		ug/l	100	--	100
Chloroethane	ND		ug/l	100	--	100
1,1-Dichloroethene	ND		ug/l	50	--	100
trans-1,2-Dichloroethene	ND		ug/l	75	--	100
Trichloroethene	8200		ug/l	50	--	100
1,2-Dichlorobenzene	ND		ug/l	250	--	100
1,3-Dichlorobenzene	ND		ug/l	250	--	100
1,4-Dichlorobenzene	ND		ug/l	250	--	100



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

**SAMPLE RESULTS**

Lab ID: L1636726-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA

Date Collected: 11/10/16 09:40  
 Date Received: 11/11/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	100	--	100
p/m-Xylene	ND		ug/l	100	--	100
o-Xylene	ND		ug/l	100	--	100
cis-1,2-Dichloroethene	ND		ug/l	50	--	100
Dichlorodifluoromethane	ND		ug/l	500	--	100
Naphthalene	ND		ug/l	250	--	100

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	109		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	93		70-130
Dibromofluoromethane	98		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

**SAMPLE RESULTS**

**Lab ID:** L1636726-02  
**Client ID:** MID  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 11/14/16 14:25  
**Analyst:** KD

**Date Collected:** 11/10/16 10:00  
**Date Received:** 11/11/16  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	0.88		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

**SAMPLE RESULTS**

Lab ID: L1636726-02  
 Client ID: MID  
 Sample Location: WALTHAM, MA

Date Collected: 11/10/16 10:00  
 Date Received: 11/11/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	110		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	92		70-130
Dibromofluoromethane	102		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

**SAMPLE RESULTS**

**Lab ID:** L1636726-03  
**Client ID:** EFF  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 11/14/16 15:00  
**Analyst:** KD

**Date Collected:** 11/10/16 10:20  
**Date Received:** 11/11/16  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

**SAMPLE RESULTS**

Lab ID: L1636726-03  
 Client ID: EFF  
 Sample Location: WALTHAM, MA

Date Collected: 11/10/16 10:20  
 Date Received: 11/11/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	109		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	93		70-130
Dibromofluoromethane	100		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 11/14/16 11:32  
**Analyst:** KD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG952218-5					
Methylene chloride	ND		ug/l	3.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

**Method Blank Analysis  
Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 11/14/16 11:32  
Analyst: KD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG952218-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dichlorodifluoromethane	ND		ug/l	2.7	--
Naphthalene	ND		ug/l	2.5	--

Tentatively Identified Compounds

No Tentatively Identified Compounds      ND      ug/l

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	109		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	92		70-130
Dibromofluoromethane	101		70-130

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Lab Number: L1636726

Project Number: 01.0015522.16

Report Date: 11/18/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG952218-3 WG952218-4								
Methylene chloride	110		110		70-130	0		20
1,1-Dichloroethane	110		110		70-130	0		20
Chloroform	110		110		70-130	0		20
Carbon tetrachloride	90		86		63-132	5		20
1,2-Dichloropropane	100		100		70-130	0		20
Dibromochloromethane	98		96		63-130	2		20
1,1,2-Trichloroethane	99		96		70-130	3		20
2-Chloroethylvinyl ether	70		67	Q	70-130	4		20
Tetrachloroethene	110		100		70-130	10		20
Chlorobenzene	100		100		75-130	0		25
Trichlorofluoromethane	120		110		62-150	9		20
1,2-Dichloroethane	110		110		70-130	0		20
1,1,1-Trichloroethane	95		93		67-130	2		20
Bromodichloromethane	100		100		67-130	0		20
trans-1,3-Dichloropropene	66	Q	67	Q	70-130	2		20
cis-1,3-Dichloropropene	83		83		70-130	0		20
1,1-Dichloropropene	110		100		70-130	10		20
Bromoform	74		75		54-136	1		20
1,1,2,2-Tetrachloroethane	96		93		67-130	3		20
Benzene	110		110		70-130	0		25
Toluene	110		100		70-130	10		25



## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG952218-3 WG952218-4								
Ethylbenzene	110		110		70-130	0		20
Chloromethane	93		90		64-130	3		20
Bromomethane	140	Q	140	Q	39-139	0		20
Vinyl chloride	120		110		55-140	9		20
Chloroethane	110		110		55-138	0		20
1,1-Dichloroethene	110		110		61-145	0		25
trans-1,2-Dichloroethene	110		110		70-130	0		20
Trichloroethene	110		110		70-130	0		25
1,2-Dichlorobenzene	100		99		70-130	1		20
1,3-Dichlorobenzene	100		100		70-130	0		20
1,4-Dichlorobenzene	100		100		70-130	0		20
Methyl tert butyl ether	80		84		63-130	5		20
p/m-Xylene	115		110		70-130	4		20
o-Xylene	110		110		70-130	0		20
cis-1,2-Dichloroethene	110		110		70-130	0		20
Dibromomethane	110		110		70-130	0		20
1,4-Dichlorobutane	97		93		70-130	4		20
Iodomethane	77		76		70-130	1		20
1,2,3-Trichloropropane	92		90		64-130	2		20
Styrene	115		110		70-130	4		20
Dichlorodifluoromethane	140		130		36-147	7		20

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG952218-3 WG952218-4								
Acetone	100		100		58-148	0		20
Carbon disulfide	100		97		51-130	3		20
2-Butanone	110		100		63-138	10		20
Vinyl acetate	81		86		70-130	6		20
4-Methyl-2-pentanone	86		87		59-130	1		20
2-Hexanone	97		92		57-130	5		20
Ethyl methacrylate	80		83		70-130	4		20
Acrolein	100		100		70-130	0		20
Acrylonitrile	110		110		70-130	0		20
Bromochloromethane	110		110		70-130	0		20
Tetrahydrofuran	110		110		58-130	0		20
2,2-Dichloropropane	53	Q	55	Q	63-133	4		20
1,2-Dibromoethane	94		95		70-130	1		20
1,3-Dichloropropane	98		100		70-130	2		20
1,1,1,2-Tetrachloroethane	90		90		64-130	0		20
Bromobenzene	99		96		70-130	3		20
n-Butylbenzene	110		110		53-136	0		20
sec-Butylbenzene	110		100		70-130	10		20
tert-Butylbenzene	100		100		70-130	0		20
o-Chlorotoluene	100		100		70-130	0		20
p-Chlorotoluene	100		100		70-130	0		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Lab Number: L1636726

Project Number: 01.0015522.16

Report Date: 11/18/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG952218-3 WG952218-4								
1,2-Dibromo-3-chloropropane	72		71		41-144	1		20
Hexachlorobutadiene	100		96		63-130	4		20
Isopropylbenzene	100		100		70-130	0		20
p-Isopropyltoluene	110		100		70-130	10		20
Naphthalene	100		100		70-130	0		20
n-Propylbenzene	110		100		69-130	10		20
1,2,3-Trichlorobenzene	100		100		70-130	0		20
1,2,4-Trichlorobenzene	93		92		70-130	1		20
1,3,5-Trimethylbenzene	100		100		64-130	0		20
1,3,5-Trichlorobenzene	100		98		70-130	2		20
1,2,4-Trimethylbenzene	110		100		70-130	10		20
trans-1,4-Dichloro-2-butene	85		82		70-130	4		20
Halothane	100		100		70-130	0		20
Ethyl ether	110		110		59-134	0		20
Methyl Acetate	100		110		70-130	10		20
Ethyl Acetate	120		120		70-130	0		20
Isopropyl Ether	120		120		70-130	0		20
Cyclohexane	120		120		70-130	0		20
Tert-Butyl Alcohol	62	Q	72		70-130	15		20
Ethyl-Tert-Butyl-Ether	58	Q	63	Q	70-130	8		20
Tertiary-Amyl Methyl Ether	64	Q	68		66-130	6		20

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG952218-3 WG952218-4								
1,4-Dioxane	132		128		56-162	3		20
1,1,2-Trichloro-1,2,2-Trifluoroethane	120		120		70-130	0		20
Methyl cyclohexane	120		110		70-130	9		20
p-Diethylbenzene	120		120		70-130	0		20
4-Ethyltoluene	110		110		70-130	0		20
1,2,4,5-Tetramethylbenzene	110		110		70-130	0		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	108		108		70-130
Toluene-d8	99		99		70-130
4-Bromofluorobenzene	95		93		70-130
Dibromofluoromethane	103		102		70-130

## METALS

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

**SAMPLE RESULTS**

Lab ID: L1636726-01  
 Client ID: INF  
 Sample Location: WALTHAM, MA  
 Matrix: Water

Date Collected: 11/10/16 09:40  
 Date Received: 11/11/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.0375		mg/l	0.0010	--	1	11/15/16 19:06	11/16/16 10:45	EPA 3005A	1,6020A	AM
Iron, Total	1.41		mg/l	0.050	--	1	11/15/16 19:06	11/17/16 13:02	EPA 3005A	19,200.7	PS
Lead, Total	0.0069		mg/l	0.0010	--	1	11/15/16 19:06	11/16/16 10:45	EPA 3005A	1,6020A	AM
Selenium, Total	ND		mg/l	0.005	--	1	11/15/16 19:06	11/16/16 10:45	EPA 3005A	1,6020A	AM
Zinc, Total	0.0786		mg/l	0.0100	--	1	11/15/16 19:06	11/16/16 10:45	EPA 3005A	1,6020A	AM



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

**SAMPLE RESULTS**

**Lab ID:** L1636726-03  
**Client ID:** EFF  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water

**Date Collected:** 11/10/16 10:20  
**Date Received:** 11/11/16  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.0026		mg/l	0.0010	--	1	11/15/16 19:06	11/16/16 10:48	EPA 3005A	1,6020A	AM
Iron, Total	ND		mg/l	0.050	--	1	11/15/16 19:06	11/17/16 13:21	EPA 3005A	19,200.7	PS
Lead, Total	ND		mg/l	0.0010	--	1	11/15/16 19:06	11/16/16 10:48	EPA 3005A	1,6020A	AM
Selenium, Total	ND		mg/l	0.005	--	1	11/15/16 19:06	11/16/16 10:48	EPA 3005A	1,6020A	AM
Zinc, Total	ND		mg/l	0.0100	--	1	11/15/16 19:06	11/16/16 10:48	EPA 3005A	1,6020A	AM



Project Name: HP WALTHAM

Lab Number: L1636726

Project Number: 01.0015522.16

Report Date: 11/18/16

## Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG952623-1									
Copper, Total	ND	mg/l	0.0010	--	1	11/15/16 19:06	11/16/16 08:54	1,6020A	AM
Lead, Total	ND	mg/l	0.0010	--	1	11/15/16 19:06	11/16/16 08:54	1,6020A	AM
Selenium, Total	ND	mg/l	0.005	--	1	11/15/16 19:06	11/16/16 08:54	1,6020A	AM
Zinc, Total	ND	mg/l	0.0100	--	1	11/15/16 19:06	11/16/16 08:54	1,6020A	AM

### Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG953145-1									
Iron, Total	ND	mg/l	0.050	--	1	11/15/16 19:06	11/17/16 12:24	19,200.7	PS

### Prep Information

Digestion Method: EPA 3005A



## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1636726

Report Date: 11/18/16

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG952623-2								
Copper, Total	110		-		80-120	-		
Lead, Total	108		-		80-120	-		
Selenium, Total	113		-		80-120	-		
Zinc, Total	110		-		80-120	-		
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG953145-2								
Iron, Total	92		-		85-115	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	RPD Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG952623-3 WG952623-4 QC Sample: L1636608-02 Client ID: MS Sample												
Copper, Total	0.0035	0.25	0.2848	112		0.2682	106		75-125	6		20
Lead, Total	ND	0.51	0.5379	105		0.5508	108		75-125	2		20
Selenium, Total	0.008	0.12	0.121	94		0.157	124		75-125	26	Q	20
Zinc, Total	ND	0.5	0.5440	109		0.5507	110		75-125	1		20
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG953145-3 WG953145-4 QC Sample: L1600011-87 Client ID: MS Sample												
Iron, Total	0.286	1	1.18	89		1.18	89		75-125	0		20

# **INORGANICS & MISCELLANEOUS**

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

**SAMPLE RESULTS**

**Lab ID:** L1636726-01  
**Client ID:** INF  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water

**Date Collected:** 11/10/16 09:40  
**Date Received:** 11/11/16  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	520		mg/l	10	--	10	-	11/11/16 22:48	1,9251	ML



Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1636726

Report Date: 11/18/16

**SAMPLE RESULTS**

Lab ID: L1636726-03

Client ID: EFF

Sample Location: WALTHAM, MA

Matrix: Water

Date Collected: 11/10/16 10:20

Date Received: 11/11/16

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	540		mg/l	10	--	10	-	11/11/16 22:50	1,9251	ML



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

**Method Blank Analysis**  
**Batch Quality Control**

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01,03 Batch: WG951626-1									
Chloride	ND	mg/l	1.0	--	1	-	11/11/16 22:01	1,9251	ML

### Lab Control Sample Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 Batch: WG951626-2								
Chloride	100		-		90-110	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG951626-4 QC Sample: L1636611-02 Client ID: MS Sample												
Chloride	3.4	20	24	103		-	-		58-140	-		7



## Lab Duplicate Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1636726

Report Date: 11/18/16

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG951626-3 QC Sample: L1636611-02 Client ID: DUP Sample						
Chloride	3.4	3.6	mg/l	6		7

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

### Sample Receipt and Container Information

Were project specific reporting limits specified? YES

#### Cooler Information Custody Seal

##### Cooler

A Absent

#### Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1636726-01A	Vial HCl preserved	A	N/A	2.3	Y	Absent	8260(14)
L1636726-01B	Vial HCl preserved	A	N/A	2.3	Y	Absent	8260(14)
L1636726-01C	Vial HCl preserved	A	N/A	2.3	Y	Absent	8260(14)
L1636726-01D	Plastic 250ml HNO3 preserved	A	<2	2.3	Y	Absent	SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1636726-01E	Plastic 60ml unpreserved	A	7	2.3	Y	Absent	CL-9251(28)
L1636726-02A	Vial HCl preserved	A	N/A	2.3	Y	Absent	8260(14)
L1636726-02B	Vial HCl preserved	A	N/A	2.3	Y	Absent	8260(14)
L1636726-02C	Vial HCl preserved	A	N/A	2.3	Y	Absent	8260(14)
L1636726-03A	Vial HCl preserved	A	N/A	2.3	Y	Absent	8260(14)
L1636726-03B	Vial HCl preserved	A	N/A	2.3	Y	Absent	8260(14)
L1636726-03C	Vial HCl preserved	A	N/A	2.3	Y	Absent	8260(14)
L1636726-03D	Plastic 250ml HNO3 preserved	A	<2	2.3	Y	Absent	SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1636726-03E	Plastic 60ml unpreserved	A	7	2.3	Y	Absent	CL-9251(28)

\*Values in parentheses indicate holding time in days

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

## GLOSSARY

### Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the

Report Format: Data Usability Report



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

#### Data Qualifiers

- reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
  - D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
  - E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
  - G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
  - H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
  - I** - The lower value for the two columns has been reported due to obvious interference.
  - M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
  - NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
  - P** - The RPD between the results for the two columns exceeds the method-specified criteria.
  - Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
  - R** - Analytical results are from sample re-analysis.
  - RE** - Analytical results are from sample re-extraction.
  - S** - Analytical results are from modified screening analysis.
  - J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
  - ND** - Not detected at the reporting limit (RL) for the sample.

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1636726  
**Report Date:** 11/18/16

## REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.
- 19 Inductively Coupled Plasma Atomic Emission Spectrometric Method for Trace Element Analysis of Water and Wastes. Appendix C, Part 136, 40 CFR (Code of Federal Regulations). July 1, 1999 edition.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



## Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

### Westborough Facility

**EPA 624:** m/p-xylene, o-xylene

**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

**EPA 8270D:** NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

**EPA 300:** DW: Bromide

**EPA 6860:** NPW and SCM: Perchlorate

**EPA 9010:** NPW and SCM: Amenable Cyanide Distillation

**EPA 9012B:** NPW: Total Cyanide

**EPA 9050A:** NPW: Specific Conductance

**SM3500:** NPW: Ferrous Iron

**SM4500:** NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.

**SM5310C:** DW: Dissolved Organic Carbon

### Mansfield Facility

**SM 2540D:** TSS

**EPA 3005A** NPW

**EPA 8082A:** NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Biological Tissue Matrix:** **EPA 3050B**

The following analytes are included in our Massachusetts DEP Scope of Accreditation

### Westborough Facility:

#### Drinking Water

**EPA 300.0:** Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

**EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

#### Non-Potable Water

**SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.**

**EPA 624:** Volatile Halocarbons & Aromatics,

**EPA 608:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9222D-MF.**

### Mansfield Facility:

#### Drinking Water

**EPA 200.7:** Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.**

#### Non-Potable Water

**EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.

**EPA 245.1 Hg.**

**SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.







## ANALYTICAL REPORT

Lab Number:	L1639882
Client:	GZA GeoEnvironmental, Inc. 249 Vanderbilt Ave Norwood, MA 02062
ATTN:	Bill Davis
Phone:	(781) 278-5769
Project Name:	HP WALTHAM
Project Number:	01.0015522.16
Report Date:	12/15/16

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NY (11148), CT (PH-0574), NH (2003), NJ NELAP (MA935), RI (LAO00065), ME (MA00086), PA (68-03671), VA (460195), MD (348), IL (200077), NC (666), TX (T104704476), DOD (L2217), USDA (Permit #P-330-11-00240).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)





**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L1639882-01	INF	WATER	WALTHAM, MA	12/08/16 10:56	12/08/16
L1639882-02	MID	WATER	WALTHAM, MA	12/08/16 10:45	12/08/16
L1639882-03	EFF	WATER	WALTHAM, MA	12/08/16 10:30	12/08/16

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

#### HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Melissa Cripps

Title: Technical Director/Representative

Date: 12/15/16

# ORGANICS

# VOLATILES

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

**SAMPLE RESULTS**

Lab ID: L1639882-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA  
 Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 12/13/16 18:17  
 Analyst: PD

Date Collected: 12/08/16 10:56  
 Date Received: 12/08/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

**Volatile Organics by GC/MS - Westborough Lab**

Methylene chloride	ND		ug/l	300	--	100
1,1-Dichloroethane	ND		ug/l	75	--	100
Chloroform	ND		ug/l	75	--	100
Carbon tetrachloride	ND		ug/l	50	--	100
1,2-Dichloropropane	ND		ug/l	180	--	100
Dibromochloromethane	ND		ug/l	50	--	100
1,1,2-Trichloroethane	ND		ug/l	75	--	100
Tetrachloroethene	52		ug/l	50	--	100
Chlorobenzene	ND		ug/l	50	--	100
Trichlorofluoromethane	ND		ug/l	250	--	100
1,2-Dichloroethane	ND		ug/l	50	--	100
1,1,1-Trichloroethane	ND		ug/l	50	--	100
Bromodichloromethane	ND		ug/l	50	--	100
trans-1,3-Dichloropropene	ND		ug/l	50	--	100
cis-1,3-Dichloropropene	ND		ug/l	50	--	100
Bromoform	ND		ug/l	200	--	100
1,1,2,2-Tetrachloroethane	ND		ug/l	50	--	100
Benzene	ND		ug/l	50	--	100
Toluene	ND		ug/l	75	--	100
Ethylbenzene	ND		ug/l	50	--	100
Chloromethane	ND		ug/l	250	--	100
Bromomethane	ND		ug/l	100	--	100
Vinyl chloride	ND		ug/l	100	--	100
Chloroethane	ND		ug/l	100	--	100
1,1-Dichloroethene	ND		ug/l	50	--	100
trans-1,2-Dichloroethene	ND		ug/l	75	--	100
Trichloroethene	7800		ug/l	50	--	100
1,2-Dichlorobenzene	ND		ug/l	250	--	100
1,3-Dichlorobenzene	ND		ug/l	250	--	100
1,4-Dichlorobenzene	ND		ug/l	250	--	100

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

**SAMPLE RESULTS**

Lab ID: L1639882-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA

Date Collected: 12/08/16 10:56  
 Date Received: 12/08/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	100	--	100
p/m-Xylene	ND		ug/l	100	--	100
o-Xylene	ND		ug/l	100	--	100
cis-1,2-Dichloroethene	ND		ug/l	50	--	100
Dichlorodifluoromethane	ND		ug/l	500	--	100
Naphthalene	ND		ug/l	250	--	100

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	119		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	100		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

**SAMPLE RESULTS**

**Lab ID:** L1639882-02  
**Client ID:** MID  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 12/13/16 18:52  
**Analyst:** PD

**Date Collected:** 12/08/16 10:45  
**Date Received:** 12/08/16  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	6.1		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

**SAMPLE RESULTS**

**Lab ID:** L1639882-02  
**Client ID:** MID  
**Sample Location:** WALTHAM, MA

**Date Collected:** 12/08/16 10:45  
**Date Received:** 12/08/16  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	118		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	97		70-130
Dibromofluoromethane	100		70-130



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

**SAMPLE RESULTS**

**Lab ID:** L1639882-03  
**Client ID:** EFF  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 12/14/16 11:41  
**Analyst:** PK

**Date Collected:** 12/08/16 10:30  
**Date Received:** 12/08/16  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	0.85		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

**SAMPLE RESULTS**

Lab ID: L1639882-03  
 Client ID: EFF  
 Sample Location: WALTHAM, MA

Date Collected: 12/08/16 10:30  
 Date Received: 12/08/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	102		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 12/13/16 11:17  
**Analyst:** PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG960976-5					
Methylene chloride	ND		ug/l	3.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 12/13/16 11:17  
**Analyst:** PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG960976-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Naphthalene	ND		ug/l	2.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	116		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	101		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 12/14/16 09:47  
**Analyst:** PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 03 Batch: WG961283-5					
Methylene chloride	ND		ug/l	3.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 12/14/16 09:47  
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 03 Batch: WG961283-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Naphthalene	ND		ug/l	2.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	102		70-130

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1639882

Report Date: 12/15/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG960976-3 WG960976-4								
Methylene chloride	100		99		70-130	1		20
1,1-Dichloroethane	100		100		70-130	0		20
Chloroform	100		100		70-130	0		20
Carbon tetrachloride	96		96		63-132	0		20
1,2-Dichloropropane	93		95		70-130	2		20
Dibromochloromethane	95		97		63-130	2		20
1,1,2-Trichloroethane	93		96		70-130	3		20
2-Chloroethylvinyl ether	64	Q	64	Q	70-130	0		20
Tetrachloroethene	100		100		70-130	0		20
Chlorobenzene	100		100		75-130	0		25
Trichlorofluoromethane	110		110		62-150	0		20
1,2-Dichloroethane	110		110		70-130	0		20
1,1,1-Trichloroethane	99		100		67-130	1		20
Bromodichloromethane	99		100		67-130	1		20
trans-1,3-Dichloropropene	77		80		70-130	4		20
cis-1,3-Dichloropropene	84		86		70-130	2		20
1,1-Dichloropropene	100		100		70-130	0		20
Bromoform	75		77		54-136	3		20
1,1,2,2-Tetrachloroethane	91		94		67-130	3		20
Benzene	100		100		70-130	0		25
Toluene	100		100		70-130	0		25

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Lab Number: L1639882

Project Number: 01.0015522.16

Report Date: 12/15/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG960976-3 WG960976-4								
Ethylbenzene	110		110		70-130	0		20
Chloromethane	96		93		64-130	3		20
Bromomethane	150	Q	140	Q	39-139	7		20
Vinyl chloride	110		110		55-140	0		20
Chloroethane	100		100		55-138	0		20
1,1-Dichloroethene	100		99		61-145	1		25
trans-1,2-Dichloroethene	100		100		70-130	0		20
Trichloroethene	100		100		70-130	0		25
1,2-Dichlorobenzene	100		99		70-130	1		20
1,3-Dichlorobenzene	100		100		70-130	0		20
1,4-Dichlorobenzene	100		100		70-130	0		20
Methyl tert butyl ether	86		89		63-130	3		20
p/m-Xylene	110		110		70-130	0		20
o-Xylene	105		110		70-130	5		20
cis-1,2-Dichloroethene	100		100		70-130	0		20
Dibromomethane	99		100		70-130	1		20
1,4-Dichlorobutane	97		100		70-130	3		20
Iodomethane	66	Q	72		70-130	9		20
1,2,3-Trichloropropane	92		92		64-130	0		20
Styrene	110		110		70-130	0		20
Dichlorodifluoromethane	120		120		36-147	0		20



## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Lab Number: L1639882

Project Number: 01.0015522.16

Report Date: 12/15/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG960976-3 WG960976-4								
Acetone	130		93		58-148	33	Q	20
Carbon disulfide	96		90		51-130	6		20
2-Butanone	100		97		63-138	3		20
Vinyl acetate	91		97		70-130	6		20
4-Methyl-2-pentanone	81		82		59-130	1		20
2-Hexanone	94		95		57-130	1		20
Ethyl methacrylate	81		89		70-130	9		20
Acrolein	83		89		70-130	7		20
Acrylonitrile	100		100		70-130	0		20
Bromochloromethane	100		100		70-130	0		20
Tetrahydrofuran	110		100		58-130	10		20
2,2-Dichloropropane	73		73		63-133	0		20
1,2-Dibromoethane	90		94		70-130	4		20
1,3-Dichloropropane	94		97		70-130	3		20
1,1,1,2-Tetrachloroethane	93		94		64-130	1		20
Bromobenzene	96		98		70-130	2		20
n-Butylbenzene	120		110		53-136	9		20
sec-Butylbenzene	110		110		70-130	0		20
tert-Butylbenzene	110		100		70-130	10		20
o-Chlorotoluene	110		100		70-130	10		20
p-Chlorotoluene	100		100		70-130	0		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Lab Number: L1639882

Project Number: 01.0015522.16

Report Date: 12/15/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG960976-3 WG960976-4								
1,2-Dibromo-3-chloropropane	70		71		41-144	1		20
Hexachlorobutadiene	99		97		63-130	2		20
Isopropylbenzene	110		110		70-130	0		20
p-Isopropyltoluene	110		110		70-130	0		20
Naphthalene	92		92		70-130	0		20
n-Propylbenzene	110		110		69-130	0		20
1,2,3-Trichlorobenzene	85		87		70-130	2		20
1,2,4-Trichlorobenzene	87		87		70-130	0		20
1,3,5-Trimethylbenzene	110		110		64-130	0		20
1,3,5-Trichlorobenzene	98		97		70-130	1		20
1,2,4-Trimethylbenzene	110		110		70-130	0		20
trans-1,4-Dichloro-2-butene	86		90		70-130	5		20
Halothane	96		97		70-130	1		20
Ethyl ether	100		96		59-134	4		20
Methyl Acetate	100		110		70-130	10		20
Ethyl Acetate	120		120		70-130	0		20
Isopropyl Ether	120		120		70-130	0		20
Cyclohexane	110		110		70-130	0		20
Tert-Butyl Alcohol	60	Q	72		70-130	18		20
Ethyl-Tert-Butyl-Ether	85		86		70-130	1		20
Tertiary-Amyl Methyl Ether	82		82		66-130	0		20

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

Parameter	LCS		LCSD		%Recovery Limits	RPD	RPD	
	%Recovery	Qual	%Recovery	Qual			Qual	Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG960976-3 WG960976-4								
1,4-Dioxane	100		114		56-162	13		20
1,1,2-Trichloro-1,2,2-Trifluoroethane	110		110		70-130	0		20
Methyl cyclohexane	110		110		70-130	0		20
p-Diethylbenzene	120		120		70-130	0		20
4-Ethyltoluene	110		110		70-130	0		20
1,2,4,5-Tetramethylbenzene	110		110		70-130	0		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	114		115		70-130
Toluene-d8	102		102		70-130
4-Bromofluorobenzene	99		99		70-130
Dibromofluoromethane	102		103		70-130

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Lab Number: L1639882

Project Number: 01.0015522.16

Report Date: 12/15/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 03 Batch: WG961283-3 WG961283-4								
Methylene chloride	94		90		70-130	4		20
1,1-Dichloroethane	94		92		70-130	2		20
Chloroform	95		91		70-130	4		20
Carbon tetrachloride	98		95		63-132	3		20
1,2-Dichloropropane	89		87		70-130	2		20
Dibromochloromethane	90		87		63-130	3		20
1,1,2-Trichloroethane	84		84		70-130	0		20
2-Chloroethylvinyl ether	<b>38</b>	Q	<b>40</b>	Q	70-130	5		20
Tetrachloroethene	97		93		70-130	4		20
Chlorobenzene	92		88		75-130	4		25
Trichlorofluoromethane	94		90		62-150	4		20
1,2-Dichloroethane	95		92		70-130	3		20
1,1,1-Trichloroethane	98		96		67-130	2		20
Bromodichloromethane	92		90		67-130	2		20
trans-1,3-Dichloropropene	81		79		70-130	3		20
cis-1,3-Dichloropropene	92		90		70-130	2		20
1,1-Dichloropropene	97		95		70-130	2		20
Bromoform	84		81		54-136	4		20
1,1,2,2-Tetrachloroethane	84		82		67-130	2		20
Benzene	95		92		70-130	3		25
Toluene	92		89		70-130	3		25

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Lab Number: L1639882

Project Number: 01.0015522.16

Report Date: 12/15/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 03 Batch: WG961283-3 WG961283-4								
Ethylbenzene	96		92		70-130	4		20
Chloromethane	84		77		64-130	9		20
Bromomethane	64		69		39-139	8		20
Vinyl chloride	90		85		55-140	6		20
Chloroethane	100		95		55-138	5		20
1,1-Dichloroethene	97		94		61-145	3		25
trans-1,2-Dichloroethene	96		93		70-130	3		20
Trichloroethene	94		91		70-130	3		25
1,2-Dichlorobenzene	91		88		70-130	3		20
1,3-Dichlorobenzene	93		90		70-130	3		20
1,4-Dichlorobenzene	91		87		70-130	4		20
Methyl tert butyl ether	95		93		63-130	2		20
p/m-Xylene	100		95		70-130	5		20
o-Xylene	95		95		70-130	0		20
cis-1,2-Dichloroethene	95		92		70-130	3		20
Dibromomethane	90		88		70-130	2		20
1,4-Dichlorobutane	86		84		70-130	2		20
Iodomethane	41	Q	45	Q	70-130	9		20
1,2,3-Trichloropropane	88		85		64-130	3		20
Styrene	95		95		70-130	0		20
Dichlorodifluoromethane	98		96		36-147	2		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Lab Number: L1639882

Project Number: 01.0015522.16

Report Date: 12/15/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 03 Batch: WG961283-3 WG961283-4								
Acetone	100		81		58-148	21	Q	20
Carbon disulfide	98		93		51-130	5		20
2-Butanone	87		80		63-138	8		20
Vinyl acetate	91		89		70-130	2		20
4-Methyl-2-pentanone	70		70		59-130	0		20
2-Hexanone	65		63		57-130	3		20
Ethyl methacrylate	71		73		70-130	3		20
Acrolein	81		80		70-130	1		20
Acrylonitrile	86		86		70-130	0		20
Bromochloromethane	95		93		70-130	2		20
Tetrahydrofuran	84		81		58-130	4		20
2,2-Dichloropropane	110		100		63-133	10		20
1,2-Dibromoethane	89		88		70-130	1		20
1,3-Dichloropropane	89		87		70-130	2		20
1,1,1,2-Tetrachloroethane	93		88		64-130	6		20
Bromobenzene	92		89		70-130	3		20
n-Butylbenzene	99		93		53-136	6		20
sec-Butylbenzene	100		97		70-130	3		20
tert-Butylbenzene	99		94		70-130	5		20
o-Chlorotoluene	98		81		70-130	19		20
p-Chlorotoluene	97		92		70-130	5		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Lab Number: L1639882

Project Number: 01.0015522.16

Report Date: 12/15/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 03 Batch: WG961283-3 WG961283-4								
1,2-Dibromo-3-chloropropane	68		69		41-144	1		20
Hexachlorobutadiene	96		91		63-130	5		20
Isopropylbenzene	100		98		70-130	2		20
p-Isopropyltoluene	91		86		70-130	6		20
Naphthalene	<b>62</b>	Q	<b>66</b>	Q	70-130	6		20
n-Propylbenzene	100		98		69-130	2		20
1,2,3-Trichlorobenzene	74		78		70-130	5		20
1,2,4-Trichlorobenzene	82		82		70-130	0		20
1,3,5-Trimethylbenzene	100		95		64-130	5		20
1,3,5-Trichlorobenzene	96		92		70-130	4		20
1,2,4-Trimethylbenzene	100		96		70-130	4		20
trans-1,4-Dichloro-2-butene	<b>68</b>	Q	<b>66</b>	Q	70-130	3		20
Halothane	92		89		70-130	3		20
Ethyl ether	89		86		59-134	3		20
Methyl Acetate	84		85		70-130	1		20
Ethyl Acetate	87		90		70-130	3		20
Isopropyl Ether	96		94		70-130	2		20
Cyclohexane	100		99		70-130	1		20
Tert-Butyl Alcohol	90		96		70-130	6		20
Ethyl-Tert-Butyl-Ether	98		97		70-130	1		20
Tertiary-Amyl Methyl Ether	88		87		66-130	1		20

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

Parameter	LCS		LCSD		%Recovery Limits	RPD	RPD	
	%Recovery	Qual	%Recovery	Qual			Qual	Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 03 Batch: WG961283-3 WG961283-4								
1,4-Dioxane	98		114		56-162	15		20
1,1,2-Trichloro-1,2,2-Trifluoroethane	100		100		70-130	0		20
Methyl cyclohexane	99		96		70-130	3		20
p-Diethylbenzene	99		92		70-130	7		20
4-Ethyltoluene	110		100		70-130	10		20
1,2,4,5-Tetramethylbenzene	95		91		70-130	4		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	104		104		70-130
Toluene-d8	100		100		70-130
4-Bromofluorobenzene	100		101		70-130
Dibromofluoromethane	102		103		70-130



## METALS

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

**SAMPLE RESULTS**

Lab ID: L1639882-01  
 Client ID: INF  
 Sample Location: WALTHAM, MA  
 Matrix: Water

Date Collected: 12/08/16 10:56  
 Date Received: 12/08/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.0325		mg/l	0.0010	--	1	12/14/16 06:00	12/14/16 11:14	EPA 3005A	1,6020A	AM
Iron, Total	0.765		mg/l	0.050	--	1	12/14/16 06:00	12/14/16 19:49	EPA 3005A	19,200.7	PS
Lead, Total	0.0044		mg/l	0.0005	--	1	12/14/16 06:00	12/14/16 11:14	EPA 3005A	1,6020A	AM
Selenium, Total	ND		mg/l	0.005	--	1	12/14/16 06:00	12/14/16 11:14	EPA 3005A	1,6020A	AM
Zinc, Total	0.0562		mg/l	0.0100	--	1	12/14/16 06:00	12/14/16 11:14	EPA 3005A	1,6020A	AM



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

**SAMPLE RESULTS**

Lab ID: L1639882-03  
 Client ID: EFF  
 Sample Location: WALTHAM, MA  
 Matrix: Water

Date Collected: 12/08/16 10:30  
 Date Received: 12/08/16  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.0033		mg/l	0.0010	--	1	12/14/16 06:00	12/14/16 11:17	EPA 3005A	1,6020A	AM
Iron, Total	ND		mg/l	0.050	--	1	12/14/16 06:00	12/14/16 18:33	EPA 3005A	19,200.7	PS
Lead, Total	0.0012		mg/l	0.0005	--	1	12/14/16 06:00	12/14/16 11:17	EPA 3005A	1,6020A	AM
Selenium, Total	ND		mg/l	0.005	--	1	12/14/16 06:00	12/14/16 11:17	EPA 3005A	1,6020A	AM
Zinc, Total	ND		mg/l	0.0100	--	1	12/14/16 06:00	12/14/16 11:17	EPA 3005A	1,6020A	AM



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

## Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG960950-1									
Iron, Total	ND	mg/l	0.050	--	1	12/14/16 06:00	12/14/16 17:40	19,200.7	PS

### Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG960952-1									
Copper, Total	ND	mg/l	0.0010	--	1	12/14/16 06:00	12/14/16 10:56	1,6020A	AM
Lead, Total	ND	mg/l	0.0005	--	1	12/14/16 06:00	12/14/16 10:56	1,6020A	AM
Selenium, Total	ND	mg/l	0.005	--	1	12/14/16 06:00	12/14/16 10:56	1,6020A	AM
Zinc, Total	ND	mg/l	0.0100	--	1	12/14/16 06:00	12/14/16 10:56	1,6020A	AM

### Prep Information

Digestion Method: EPA 3005A

### Lab Control Sample Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG960950-2								
Iron, Total	102		-		85-115	-		
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG960952-2								
Copper, Total	106		-		80-120	-		
Lead, Total	104		-		80-120	-		
Selenium, Total	95		-		80-120	-		
Zinc, Total	92		-		80-120	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03    QC Batch ID: WG960950-3    QC Sample: L1639882-03    Client ID: EFF												
Iron, Total	ND	1	0.935	94		-	-		75-125	-		20
Total Metals - Mansfield Lab Associated sample(s): 01,03    QC Batch ID: WG960950-7    QC Sample: L1640318-01    Client ID: MS Sample												
Iron, Total	0.495	1	1.42	92		-	-		75-125	-		20
Total Metals - Mansfield Lab Associated sample(s): 01,03    QC Batch ID: WG960952-3    QC Sample: L1640318-01    Client ID: MS Sample												
Copper, Total	0.0027	0.25	0.2762	109		-	-		75-125	-		20
Lead, Total	ND	0.51	0.5223	102		-	-		75-125	-		20
Selenium, Total	ND	0.12	0.134	112		-	-		75-125	-		20
Zinc, Total	ND	0.5	0.4999	100		-	-		75-125	-		20

## Lab Duplicate Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1639882

Report Date: 12/15/16

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
<b>Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG960950-4 QC Sample: L1639882-03 Client ID: EFF</b>						
Iron, Total	ND	0.066	mg/l	NC		20
<b>Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG960950-8 QC Sample: L1640318-01 Client ID: DUP Sample</b>						
Iron, Total	0.495	0.510	mg/l	3		20
<b>Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG960952-4 QC Sample: L1640318-01 Client ID: DUP Sample</b>						
Copper, Total	0.0027	0.0030	mg/l	10		20
Lead, Total	ND	ND	mg/l	NC		20
Selenium, Total	ND	ND	mg/l	NC		20

# **INORGANICS & MISCELLANEOUS**



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

**SAMPLE RESULTS**

**Lab ID:** L1639882-01  
**Client ID:** INF  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water

**Date Collected:** 12/08/16 10:56  
**Date Received:** 12/08/16  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	500		mg/l	10	--	10	-	12/10/16 11:04	1,9251	MR



Project Name: HP WALTHAM

Lab Number: L1639882

Project Number: 01.0015522.16

Report Date: 12/15/16

**SAMPLE RESULTS**

Lab ID: L1639882-03

Date Collected: 12/08/16 10:30

Client ID: EFF

Date Received: 12/08/16

Sample Location: WALTHAM, MA

Field Prep: Not Specified

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	500		mg/l	10	--	10	-	12/10/16 11:06	1,9251	MR



Project Name: HP WALTHAM

Lab Number: L1639882

Project Number: 01.0015522.16

Report Date: 12/15/16

**Method Blank Analysis**  
Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01,03 Batch: WG959916-1									
Chloride	ND	mg/l	1.0	--	1	-	12/10/16 09:45	1,9251	MR

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1639882

Report Date: 12/15/16

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 Batch: WG959916-2								
Chloride	97		-		90-110	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG959916-4 QC Sample: L1639879-03 Client ID: MS Sample												
Chloride	260	20	270	50	Q	-	-		58-140	-		7

## Lab Duplicate Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1639882

Report Date: 12/15/16

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG959916-3 QC Sample: L1639879-03 Client ID: DUP Sample						
Chloride	260	260	mg/l	0		7

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

### Sample Receipt and Container Information

Were project specific reporting limits specified? YES

#### Cooler Information Custody Seal

##### Cooler

A Absent

#### Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1639882-01A	Vial HCl preserved	A	N/A	2.8	Y	Absent	8260(14)
L1639882-01B	Vial HCl preserved	A	N/A	2.8	Y	Absent	8260(14)
L1639882-01C	Vial HCl preserved	A	N/A	2.8	Y	Absent	8260(14)
L1639882-01D	Plastic 60ml unpreserved	A	7	2.8	Y	Absent	CL-9251(28)
L1639882-01E	Plastic 250ml HNO3 preserved	A	<2	2.8	Y	Absent	SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1639882-02A	Vial HCl preserved	A	N/A	2.8	Y	Absent	8260(14)
L1639882-02B	Vial HCl preserved	A	N/A	2.8	Y	Absent	8260(14)
L1639882-02C	Vial HCl preserved	A	N/A	2.8	Y	Absent	8260(14)
L1639882-03A	Vial HCl preserved	A	N/A	2.8	Y	Absent	8260(14)
L1639882-03B	Vial HCl preserved	A	N/A	2.8	Y	Absent	8260(14)
L1639882-03C	Vial HCl preserved	A	N/A	2.8	Y	Absent	8260(14)
L1639882-03D	Plastic 60ml unpreserved	A	7	2.8	Y	Absent	CL-9251(28)
L1639882-03E	Plastic 250ml HNO3 preserved	A	<2	2.8	Y	Absent	SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)

\*Values in parentheses indicate holding time in days

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

## GLOSSARY

### Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the

Report Format: Data Usability Report





**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

#### Data Qualifiers

- reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
  - D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
  - E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
  - G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
  - H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
  - I** - The lower value for the two columns has been reported due to obvious interference.
  - M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
  - NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
  - P** - The RPD between the results for the two columns exceeds the method-specified criteria.
  - Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
  - R** - Analytical results are from sample re-analysis.
  - RE** - Analytical results are from sample re-extraction.
  - S** - Analytical results are from modified screening analysis.
  - J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
  - ND** - Not detected at the reporting limit (RL) for the sample.

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1639882  
**Report Date:** 12/15/16

## REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.
- 19 Inductively Coupled Plasma Atomic Emission Spectrometric Method for Trace Element Analysis of Water and Wastes. Appendix C, Part 136, 40 CFR (Code of Federal Regulations). July 1, 1999 edition.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



## Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

### Westborough Facility

**EPA 624:** m/p-xylene, o-xylene

**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

**EPA 8270D:** NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

**EPA 300:** DW: Bromide

**EPA 6860:** NPW and SCM: Perchlorate

**EPA 9010:** NPW and SCM: Amenable Cyanide Distillation

**EPA 9012B:** NPW: Total Cyanide

**EPA 9050A:** NPW: Specific Conductance

**SM3500:** NPW: Ferrous Iron

**SM4500:** NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.

**SM5310C:** DW: Dissolved Organic Carbon

### Mansfield Facility

**SM 2540D:** TSS

**EPA 3005A** NPW

**EPA 8082A:** NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Biological Tissue Matrix:** **EPA 3050B**

The following analytes are included in our Massachusetts DEP Scope of Accreditation

### Westborough Facility:

#### Drinking Water

**EPA 300.0:** Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

**EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

#### Non-Potable Water

**SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.**

**EPA 624:** Volatile Halocarbons & Aromatics,

**EPA 608:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9222D-MF.**

### Mansfield Facility:

#### Drinking Water

**EPA 200.7:** Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.**

#### Non-Potable Water

**EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.

**EPA 245.1 Hg.**

**SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.





## ANALYTICAL REPORT

Lab Number:	L1701299
Client:	GZA GeoEnvironmental, Inc. 249 Vanderbilt Ave Norwood, MA 02062
ATTN:	Bill Davis
Phone:	(781) 278-5769
Project Name:	HP WALTHAM
Project Number:	01.0015522.16
Report Date:	01/20/17

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NY (11148), CT (PH-0574), NH (2003), NJ NELAP (MA935), RI (LAO00065), ME (MA00086), PA (68-03671), VA (460195), MD (348), IL (200077), NC (666), TX (T104704476), DOD (L2217), USDA (Permit #P-330-11-00240).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L1701299-01	INF	WATER	WALTHAM, MA	01/13/17 10:15	01/13/17
L1701299-02	MID	WATER	WALTHAM, MA	01/13/17 10:20	01/13/17
L1701299-03	EFF	WATER	WALTHAM, MA	01/13/17 10:25	01/13/17

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

#### HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

---



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

**Case Narrative (continued)**

Report Submission

The project number was provided by the client.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Cristin Walker

Title: Technical Director/Representative

Date: 01/20/17



# ORGANICS

# VOLATILES

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

**SAMPLE RESULTS**

Lab ID: L1701299-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA  
 Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 01/17/17 12:15  
 Analyst: NL

Date Collected: 01/13/17 10:15  
 Date Received: 01/13/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	300	--	100
1,1-Dichloroethane	ND		ug/l	75	--	100
Chloroform	ND		ug/l	75	--	100
Carbon tetrachloride	ND		ug/l	50	--	100
1,2-Dichloropropane	ND		ug/l	180	--	100
Dibromochloromethane	ND		ug/l	50	--	100
1,1,2-Trichloroethane	ND		ug/l	75	--	100
Tetrachloroethene	65		ug/l	50	--	100
Chlorobenzene	ND		ug/l	50	--	100
Trichlorofluoromethane	ND		ug/l	250	--	100
1,2-Dichloroethane	ND		ug/l	50	--	100
1,1,1-Trichloroethane	ND		ug/l	50	--	100
Bromodichloromethane	ND		ug/l	50	--	100
trans-1,3-Dichloropropene	ND		ug/l	50	--	100
cis-1,3-Dichloropropene	ND		ug/l	50	--	100
Bromoform	ND		ug/l	200	--	100
1,1,2,2-Tetrachloroethane	ND		ug/l	50	--	100
Benzene	ND		ug/l	50	--	100
Toluene	ND		ug/l	75	--	100
Ethylbenzene	ND		ug/l	50	--	100
Chloromethane	ND		ug/l	250	--	100
Bromomethane	ND		ug/l	100	--	100
Vinyl chloride	ND		ug/l	100	--	100
Chloroethane	ND		ug/l	100	--	100
1,1-Dichloroethene	ND		ug/l	50	--	100
trans-1,2-Dichloroethene	ND		ug/l	75	--	100
Trichloroethene	9300		ug/l	50	--	100
1,2-Dichlorobenzene	ND		ug/l	250	--	100
1,3-Dichlorobenzene	ND		ug/l	250	--	100
1,4-Dichlorobenzene	ND		ug/l	250	--	100

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

**SAMPLE RESULTS**

Lab ID: L1701299-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA

Date Collected: 01/13/17 10:15  
 Date Received: 01/13/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	100	--	100
p/m-Xylene	ND		ug/l	100	--	100
o-Xylene	ND		ug/l	100	--	100
cis-1,2-Dichloroethene	ND		ug/l	50	--	100
Dichlorodifluoromethane	ND		ug/l	500	--	100
Naphthalene	ND		ug/l	250	--	100

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	88		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	103		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

**SAMPLE RESULTS**

**Lab ID:** L1701299-02  
**Client ID:** MID  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 01/17/17 12:47  
**Analyst:** NL

**Date Collected:** 01/13/17 10:20  
**Date Received:** 01/13/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	1.1		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

**SAMPLE RESULTS**

Lab ID: L1701299-02  
 Client ID: MID  
 Sample Location: WALTHAM, MA

Date Collected: 01/13/17 10:20  
 Date Received: 01/13/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	85		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	99		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

**SAMPLE RESULTS**

**Lab ID:** L1701299-03  
**Client ID:** EFF  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 01/17/17 13:19  
**Analyst:** NL

**Date Collected:** 01/13/17 10:25  
**Date Received:** 01/13/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

**SAMPLE RESULTS**

Lab ID: L1701299-03  
 Client ID: EFF  
 Sample Location: WALTHAM, MA

Date Collected: 01/13/17 10:25  
 Date Received: 01/13/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	87		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	101		70-130



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 01/17/17 11:43  
**Analyst:** PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG970441-5					
Methylene chloride	ND		ug/l	3.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 01/17/17 11:43  
**Analyst:** PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG970441-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Naphthalene	ND		ug/l	2.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	86		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	99		70-130

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG970441-3 WG970441-4								
Methylene chloride	100		100		70-130	0		20
1,1-Dichloroethane	88		89		70-130	1		20
Chloroform	92		92		70-130	0		20
Carbon tetrachloride	90		92		63-132	2		20
1,2-Dichloropropane	87		87		70-130	0		20
Dibromochloromethane	100		100		63-130	0		20
1,1,2-Trichloroethane	98		97		70-130	1		20
2-Chloroethylvinyl ether	<b>23</b>	Q	<b>35</b>	Q	70-130	<b>41</b>	Q	20
Tetrachloroethene	100		100		70-130	0		20
Chlorobenzene	100		100		75-130	0		25
Trichlorofluoromethane	93		96		62-150	3		20
1,2-Dichloroethane	84		84		70-130	0		20
1,1,1-Trichloroethane	87		87		67-130	0		20
Bromodichloromethane	93		93		67-130	0		20
trans-1,3-Dichloropropene	83		83		70-130	0		20
cis-1,3-Dichloropropene	87		89		70-130	2		20
1,1-Dichloropropene	85		86		70-130	1		20
Bromoform	110		110		54-136	0		20
1,1,2,2-Tetrachloroethane	95		95		67-130	0		20
Benzene	95		98		70-130	3		25
Toluene	97		100		70-130	3		25

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG970441-3 WG970441-4								
Ethylbenzene	93		96		70-130	3		20
Chloromethane	89		92		64-130	3		20
Bromomethane	150	Q	140	Q	39-139	7		20
Vinyl chloride	90		92		55-140	2		20
Chloroethane	96		100		55-138	4		20
1,1-Dichloroethene	99		100		61-145	1		25
trans-1,2-Dichloroethene	100		100		70-130	0		20
Trichloroethene	96		96		70-130	0		25
1,2-Dichlorobenzene	100		110		70-130	10		20
1,3-Dichlorobenzene	100		110		70-130	10		20
1,4-Dichlorobenzene	100		110		70-130	10		20
Methyl tert butyl ether	84		84		63-130	0		20
p/m-Xylene	100		105		70-130	5		20
o-Xylene	100		105		70-130	5		20
cis-1,2-Dichloroethene	100		100		70-130	0		20
Dibromomethane	98		98		70-130	0		20
1,4-Dichlorobutane	86		87		70-130	1		20
Iodomethane	72		99		70-130	32	Q	20
1,2,3-Trichloropropane	87		88		64-130	1		20
Styrene	105		110		70-130	5		20
Dichlorodifluoromethane	77		77		36-147	0		20

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG970441-3 WG970441-4								
Acetone	87		86		58-148	1		20
Carbon disulfide	87		86		51-130	1		20
2-Butanone	83		88		63-138	6		20
Vinyl acetate	69	Q	71		70-130	3		20
4-Methyl-2-pentanone	79		80		59-130	1		20
2-Hexanone	70		70		57-130	0		20
Ethyl methacrylate	80		83		70-130	4		20
Acrolein	63	Q	69	Q	70-130	9		20
Acrylonitrile	92		95		70-130	3		20
Bromochloromethane	120		120		70-130	0		20
Tetrahydrofuran	81		82		58-130	1		20
2,2-Dichloropropane	79		80		63-133	1		20
1,2-Dibromoethane	93		97		70-130	4		20
1,3-Dichloropropane	89		89		70-130	0		20
1,1,1,2-Tetrachloroethane	100		100		64-130	0		20
Bromobenzene	110		110		70-130	0		20
n-Butylbenzene	94		95		53-136	1		20
sec-Butylbenzene	97		98		70-130	1		20
tert-Butylbenzene	99		100		70-130	1		20
o-Chlorotoluene	98		100		70-130	2		20
p-Chlorotoluene	97		98		70-130	1		20

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG970441-3 WG970441-4								
1,2-Dibromo-3-chloropropane	86		86		41-144	0		20
Hexachlorobutadiene	85		91		63-130	7		20
Isopropylbenzene	99		100		70-130	1		20
p-Isopropyltoluene	100		100		70-130	0		20
Naphthalene	79		82		70-130	4		20
n-Propylbenzene	97		97		69-130	0		20
1,2,3-Trichlorobenzene	83		85		70-130	2		20
1,2,4-Trichlorobenzene	87		88		70-130	1		20
1,3,5-Trimethylbenzene	100		100		64-130	0		20
1,3,5-Trichlorobenzene	100		100		70-130	0		20
1,2,4-Trimethylbenzene	100		100		70-130	0		20
trans-1,4-Dichloro-2-butene	82		83		70-130	1		20
Halothane	100		100		70-130	0		20
Ethyl ether	120		110		59-134	9		20
Methyl Acetate	100		100		70-130	0		20
Ethyl Acetate	83		87		70-130	5		20
Isopropyl Ether	86		86		70-130	0		20
Cyclohexane	84		87		70-130	4		20
Tert-Butyl Alcohol	90		94		70-130	4		20
Ethyl-Tert-Butyl-Ether	82		82		70-130	0		20
Tertiary-Amyl Methyl Ether	80		83		66-130	4		20

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	RPD	
	%Recovery	Qual	%Recovery	Qual			Qual	Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG970441-3 WG970441-4								
1,4-Dioxane	104		106		56-162	2		20
1,1,2-Trichloro-1,2,2-Trifluoroethane	100		100		70-130	0		20
Methyl cyclohexane	97		95		70-130	2		20
p-Diethylbenzene	93		97		70-130	4		20
4-Ethyltoluene	100		110		70-130	10		20
1,2,4,5-Tetramethylbenzene	110		110		70-130	0		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	84		82		70-130
Toluene-d8	98		98		70-130
4-Bromofluorobenzene	95		95		70-130
Dibromofluoromethane	103		101		70-130

## METALS



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

**SAMPLE RESULTS**

Lab ID: L1701299-01  
 Client ID: INF  
 Sample Location: WALTHAM, MA  
 Matrix: Water

Date Collected: 01/13/17 10:15  
 Date Received: 01/13/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.0514		mg/l	0.0010	--	1	01/17/17 12:22	01/18/17 14:51	EPA 3005A	1,6020A	AM
Iron, Total	3.69		mg/l	0.050	--	1	01/17/17 12:22	01/17/17 22:22	EPA 3005A	19,200.7	AB
Lead, Total	0.0253		mg/l	0.0010	--	1	01/17/17 12:22	01/18/17 14:51	EPA 3005A	1,6020A	AM
Selenium, Total	ND		mg/l	0.005	--	1	01/17/17 12:22	01/18/17 14:51	EPA 3005A	1,6020A	AM
Zinc, Total	0.0255		mg/l	0.0100	--	1	01/17/17 12:22	01/18/17 14:51	EPA 3005A	1,6020A	AM



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

**SAMPLE RESULTS**

Lab ID: L1701299-03  
 Client ID: EFF  
 Sample Location: WALTHAM, MA  
 Matrix: Water

Date Collected: 01/13/17 10:25  
 Date Received: 01/13/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.0034		mg/l	0.0010	--	1	01/17/17 12:22	01/18/17 14:57	EPA 3005A	1,6020A	AM
Iron, Total	ND		mg/l	0.050	--	1	01/17/17 12:22	01/17/17 22:59	EPA 3005A	19,200.7	AB
Lead, Total	ND		mg/l	0.0010	--	1	01/17/17 12:22	01/18/17 14:57	EPA 3005A	1,6020A	AM
Selenium, Total	ND		mg/l	0.005	--	1	01/17/17 12:22	01/18/17 14:57	EPA 3005A	1,6020A	AM
Zinc, Total	ND		mg/l	0.0100	--	1	01/17/17 12:22	01/18/17 14:57	EPA 3005A	1,6020A	AM



Project Name: HP WALTHAM

Lab Number: L1701299

Project Number: 01.0015522.16

Report Date: 01/20/17

## Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG970242-1									
Copper, Total	ND	mg/l	0.0010	--	1	01/17/17 12:22	01/18/17 12:10	1,6020A	AM
Lead, Total	ND	mg/l	0.0010	--	1	01/17/17 12:22	01/18/17 12:10	1,6020A	AM
Selenium, Total	ND	mg/l	0.005	--	1	01/17/17 12:22	01/18/17 12:10	1,6020A	AM
Zinc, Total	ND	mg/l	0.0100	--	1	01/17/17 12:22	01/18/17 12:10	1,6020A	AM

### Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG970247-1									
Iron, Total	ND	mg/l	0.050	--	1	01/17/17 12:22	01/17/17 22:01	19,200.7	AB

### Prep Information

Digestion Method: EPA 3005A

## Lab Control Sample Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1701299

Report Date: 01/20/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG970242-2								
Copper, Total	108		-		80-120	-		
Lead, Total	115		-		80-120	-		
Selenium, Total	110		-		80-120	-		
Zinc, Total	105		-		80-120	-		
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG970247-2								
Iron, Total	85		-		85-115	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03    QC Batch ID: WG970242-3    QC Sample: L1701299-01    Client ID: INF												
Copper, Total	0.0514	0.25	0.3320	112		-	-		75-125	-		20
Lead, Total	0.0253	0.51	0.6016	113		-	-		75-125	-		20
Selenium, Total	ND	0.12	0.148	123		-	-		75-125	-		20
Zinc, Total	0.0255	0.5	0.5683	108		-	-		75-125	-		20
Total Metals - Mansfield Lab Associated sample(s): 01,03    QC Batch ID: WG970247-3    QC Sample: L1701299-01    Client ID: INF												
Iron, Total	3.69	1	4.49	80		-	-		75-125	-		20

## Lab Duplicate Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1701299

Report Date: 01/20/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG970242-4 QC Sample: L1701299-01 Client ID: INF						
Copper, Total	0.0514	0.0522	mg/l	1		20
Lead, Total	0.0253	0.0269	mg/l	6		20
Selenium, Total	ND	ND	mg/l	NC		20
Zinc, Total	0.0255	0.0264	mg/l	4		20
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG970247-4 QC Sample: L1701299-01 Client ID: INF						
Iron, Total	3.69	3.77	mg/l	2		20

# **INORGANICS & MISCELLANEOUS**

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

**SAMPLE RESULTS**

**Lab ID:** L1701299-01  
**Client ID:** INF  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water

**Date Collected:** 01/13/17 10:15  
**Date Received:** 01/13/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	540		mg/l	10	--	10	-	01/17/17 20:34	1,9251	ML





**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

**SAMPLE RESULTS**

**Lab ID:** L1701299-03  
**Client ID:** EFF  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water

**Date Collected:** 01/13/17 10:25  
**Date Received:** 01/13/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	550		mg/l	10	--	10	-	01/17/17 20:37	1,9251	ML



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

**Method Blank Analysis**  
**Batch Quality Control**

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01,03 Batch: WG970402-1									
Chloride	ND	mg/l	1.0	--	1	-	01/17/17 20:49	1,9251	ML

## Lab Control Sample Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1701299

Report Date: 01/20/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 Batch: WG970402-2								
Chloride	103		-		90-110	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG970402-4 QC Sample: L1701412-01 Client ID: MS Sample												
Chloride	2000	20	2000	0	Q	-	-		58-140	-		7

## Lab Duplicate Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.16

Lab Number: L1701299

Report Date: 01/20/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG970402-3 QC Sample: L1701412-01 Client ID: DUP Sample						
Chloride	2000	2000	mg/l	0		7

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

### Sample Receipt and Container Information

Were project specific reporting limits specified? YES

#### Cooler Information Custody Seal

##### Cooler

A Absent

#### Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1701299-01A	Vial HCl preserved	A	N/A	4.0	Y	Absent	8260(14)
L1701299-01B	Vial HCl preserved	A	N/A	4.0	Y	Absent	8260(14)
L1701299-01C	Vial HCl preserved	A	N/A	4.0	Y	Absent	8260(14)
L1701299-01D	Plastic 250ml HNO3 preserved	A	<2	4.0	Y	Absent	SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1701299-01E	Plastic 60ml unpreserved	A	7	4.0	Y	Absent	CL-9251(28)
L1701299-02A	Vial HCl preserved	A	N/A	4.0	Y	Absent	8260(14)
L1701299-02B	Vial HCl preserved	A	N/A	4.0	Y	Absent	8260(14)
L1701299-02C	Vial HCl preserved	A	N/A	4.0	Y	Absent	8260(14)
L1701299-03A	Vial HCl preserved	A	N/A	4.0	Y	Absent	8260(14)
L1701299-03B	Vial HCl preserved	A	N/A	4.0	Y	Absent	8260(14)
L1701299-03C	Vial HCl preserved	A	N/A	4.0	Y	Absent	8260(14)
L1701299-03D	Plastic 250ml HNO3 preserved	A	<2	4.0	Y	Absent	SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1701299-03E	Plastic 60ml unpreserved	A	7	4.0	Y	Absent	CL-9251(28)

\*Values in parentheses indicate holding time in days

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

## GLOSSARY

### Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the

**Report Format:** Data Usability Report



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

#### Data Qualifiers

- reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
  - D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
  - E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
  - G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
  - H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
  - I** - The lower value for the two columns has been reported due to obvious interference.
  - M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
  - NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
  - P** - The RPD between the results for the two columns exceeds the method-specified criteria.
  - Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
  - R** - Analytical results are from sample re-analysis.
  - RE** - Analytical results are from sample re-extraction.
  - S** - Analytical results are from modified screening analysis.
  - J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
  - ND** - Not detected at the reporting limit (RL) for the sample.



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.16

**Lab Number:** L1701299  
**Report Date:** 01/20/17

## REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.
- 19 Inductively Coupled Plasma Atomic Emission Spectrometric Method for Trace Element Analysis of Water and Wastes. Appendix C, Part 136, 40 CFR (Code of Federal Regulations). July 1, 1999 edition.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



## Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

### Westborough Facility

**EPA 624:** m/p-xylene, o-xylene

**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

**EPA 8270D:** NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

**EPA 300:** DW: Bromide

**EPA 6860:** NPW and SCM: Perchlorate

**EPA 9010:** NPW and SCM: Amenable Cyanide Distillation

**EPA 9012B:** NPW: Total Cyanide

**EPA 9050A:** NPW: Specific Conductance

**SM3500:** NPW: Ferrous Iron

**SM4500:** NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.

**SM5310C:** DW: Dissolved Organic Carbon

### Mansfield Facility

**SM 2540D:** TSS

**EPA 3005A** NPW

**EPA 8082A:** NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

### Westborough Facility:

#### Drinking Water

**EPA 300.0:** Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

**EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

#### Non-Potable Water

**SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.**

**EPA 624:** Volatile Halocarbons & Aromatics,

**EPA 608:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E.**

### Mansfield Facility:

#### Drinking Water

**EPA 200.7:** Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.**

#### Non-Potable Water

**EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.

**EPA 245.1 Hg.**

**SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.





## ANALYTICAL REPORT

Lab Number:	L1704019
Client:	GZA GeoEnvironmental, Inc. 249 Vanderbilt Ave Norwood, MA 02062
ATTN:	Bill Davis
Phone:	(781) 278-5769
Project Name:	HP WALTHAM
Project Number:	01.0015522.17
Report Date:	02/15/17

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), NJ NELAP (MA935), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NH (2003), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-14-00197).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L1704019-01	INF	WATER	WALTHAM, MA	02/08/17 12:05	02/08/17
L1704019-02	MID	WATER	WALTHAM, MA	02/08/17 11:55	02/08/17
L1704019-03	EFF	WATER	WALTHAM, MA	02/08/17 11:48	02/08/17

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

#### HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17


**Case Narrative (continued)**

Chloride

The Effluent (L1704019-02) result is greater than the Influent (L1704019-01) result. The sample containers were verified as being labeled correctly by the laboratory.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Michelle M. Morris

Title: Technical Director/Representative

Date: 02/15/17

# ORGANICS



# VOLATILES

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

**SAMPLE RESULTS**

Lab ID: L1704019-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA  
 Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 02/10/17 12:48  
 Analyst: NL

Date Collected: 02/08/17 12:05  
 Date Received: 02/08/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	300	--	100
1,1-Dichloroethane	ND		ug/l	75	--	100
Chloroform	ND		ug/l	75	--	100
Carbon tetrachloride	ND		ug/l	50	--	100
1,2-Dichloropropane	ND		ug/l	180	--	100
Dibromochloromethane	ND		ug/l	50	--	100
1,1,2-Trichloroethane	ND		ug/l	75	--	100
Tetrachloroethene	ND		ug/l	50	--	100
Chlorobenzene	ND		ug/l	50	--	100
Trichlorofluoromethane	ND		ug/l	250	--	100
1,2-Dichloroethane	ND		ug/l	50	--	100
1,1,1-Trichloroethane	ND		ug/l	50	--	100
Bromodichloromethane	ND		ug/l	50	--	100
trans-1,3-Dichloropropene	ND		ug/l	50	--	100
cis-1,3-Dichloropropene	ND		ug/l	50	--	100
Bromoform	ND		ug/l	200	--	100
1,1,2,2-Tetrachloroethane	ND		ug/l	50	--	100
Benzene	ND		ug/l	50	--	100
Toluene	ND		ug/l	75	--	100
Ethylbenzene	ND		ug/l	50	--	100
Chloromethane	ND		ug/l	250	--	100
Bromomethane	ND		ug/l	100	--	100
Vinyl chloride	ND		ug/l	100	--	100
Chloroethane	ND		ug/l	100	--	100
1,1-Dichloroethene	ND		ug/l	50	--	100
trans-1,2-Dichloroethene	ND		ug/l	75	--	100
Trichloroethene	8100		ug/l	50	--	100
1,2-Dichlorobenzene	ND		ug/l	250	--	100
1,3-Dichlorobenzene	ND		ug/l	250	--	100
1,4-Dichlorobenzene	ND		ug/l	250	--	100

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

**SAMPLE RESULTS**

Lab ID: L1704019-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA

Date Collected: 02/08/17 12:05  
 Date Received: 02/08/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	100	--	100
p/m-Xylene	ND		ug/l	100	--	100
o-Xylene	ND		ug/l	100	--	100
cis-1,2-Dichloroethene	ND		ug/l	50	--	100
Dichlorodifluoromethane	ND		ug/l	500	--	100
Naphthalene	ND		ug/l	250	--	100

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	93		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	101		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

**SAMPLE RESULTS**

**Lab ID:** L1704019-02  
**Client ID:** MID  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 02/10/17 13:22  
**Analyst:** NL

**Date Collected:** 02/08/17 11:55  
**Date Received:** 02/08/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	9.8		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

**SAMPLE RESULTS**

Lab ID: L1704019-02  
 Client ID: MID  
 Sample Location: WALTHAM, MA

Date Collected: 02/08/17 11:55  
 Date Received: 02/08/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	109		70-130
Toluene-d8	91		70-130
4-Bromofluorobenzene	97		70-130
Dibromofluoromethane	102		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

**SAMPLE RESULTS**

**Lab ID:** L1704019-03  
**Client ID:** EFF  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 02/10/17 13:57  
**Analyst:** NL

**Date Collected:** 02/08/17 11:48  
**Date Received:** 02/08/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	1.5		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

**SAMPLE RESULTS**

Lab ID: L1704019-03  
 Client ID: EFF  
 Sample Location: WALTHAM, MA

Date Collected: 02/08/17 11:48  
 Date Received: 02/08/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	92		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	102		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 02/10/17 12:13  
**Analyst:** PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG977246-5					
Methylene chloride	ND		ug/l	3.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 02/10/17 12:13  
**Analyst:** PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG977246-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Naphthalene	ND		ug/l	2.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	92		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	102		70-130

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG977246-3 WG977246-4								
Methylene chloride	94		95		70-130	1		20
1,1-Dichloroethane	100		100		70-130	0		20
Chloroform	100		110		70-130	10		20
Carbon tetrachloride	78		82		63-132	5		20
1,2-Dichloropropane	100		100		70-130	0		20
Dibromochloromethane	80		80		63-130	0		20
1,1,2-Trichloroethane	90		92		70-130	2		20
Tetrachloroethene	85		88		70-130	3		20
Chlorobenzene	94		95		75-130	1		25
Trichlorofluoromethane	84		91		62-150	8		20
1,2-Dichloroethane	110		110		70-130	0		20
1,1,1-Trichloroethane	94		98		67-130	4		20
Bromodichloromethane	99		100		67-130	1		20
trans-1,3-Dichloropropene	72		74		70-130	3		20
cis-1,3-Dichloropropene	89		91		70-130	2		20
Bromoform	70		71		54-136	1		20
1,1,1,2-Tetrachloroethane	87		88		67-130	1		20
Benzene	100		110		70-130	10		25
Toluene	90		92		70-130	2		25
Ethylbenzene	93		95		70-130	2		20
Chloromethane	80		83		64-130	4		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1704019

Report Date: 02/15/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG977246-3 WG977246-4								
Bromomethane	77		75		39-139	3		20
Vinyl chloride	88		95		55-140	8		20
Chloroethane	93		97		55-138	4		20
1,1-Dichloroethene	86		91		61-145	6		25
trans-1,2-Dichloroethene	90		94		70-130	4		20
Trichloroethene	100		100		70-130	0		25
1,2-Dichlorobenzene	89		90		70-130	1		20
1,3-Dichlorobenzene	89		91		70-130	2		20
1,4-Dichlorobenzene	89		90		70-130	1		20
Methyl tert butyl ether	100		110		63-130	10		20
p/m-Xylene	95		100		70-130	5		20
o-Xylene	95		100		70-130	5		20
cis-1,2-Dichloroethene	98		100		70-130	2		20
Dichlorodifluoromethane	70		75		36-147	7		20
Naphthalene	90		86		70-130	5		20

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

Parameter	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>%Recovery</i> Limits	<i>RPD</i>	<i>Qual</i>	<i>RPD</i> Limits
-----------	-------------------------	-------------	--------------------------	-------------	----------------------------	------------	-------------	----------------------

Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG977246-3 WG977246-4

<i>Surrogate</i>	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>Acceptance</i> <i>Criteria</i>
1,2-Dichloroethane-d4	107		107		70-130
Toluene-d8	92		92		70-130
4-Bromofluorobenzene	98		98		70-130
Dibromofluoromethane	104		106		70-130

## METALS

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

**SAMPLE RESULTS**

Lab ID: L1704019-01  
 Client ID: INF  
 Sample Location: WALTHAM, MA  
 Matrix: Water

Date Collected: 02/08/17 12:05  
 Date Received: 02/08/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.00777		mg/l	0.00100	--	1	02/10/17 14:55	02/14/17 14:01	EPA 3005A	1,6020A	AM
Iron, Total	0.058		mg/l	0.050	--	1	02/10/17 14:55	02/14/17 16:36	EPA 3005A	19,200.7	AB
Lead, Total	ND		mg/l	0.00100	--	1	02/10/17 14:55	02/14/17 14:01	EPA 3005A	1,6020A	AM
Selenium, Total	ND		mg/l	0.00500	--	1	02/10/17 14:55	02/14/17 14:01	EPA 3005A	1,6020A	AM
Zinc, Total	ND		mg/l	0.01000	--	1	02/10/17 14:55	02/14/17 14:01	EPA 3005A	1,6020A	AM



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

**SAMPLE RESULTS**

**Lab ID:** L1704019-03  
**Client ID:** EFF  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water

**Date Collected:** 02/08/17 11:48  
**Date Received:** 02/08/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.00209		mg/l	0.00100	--	1	02/10/17 14:55	02/14/17 14:04	EPA 3005A	1,6020A	AM
Iron, Total	ND		mg/l	0.050	--	1	02/10/17 14:55	02/15/17 18:01	EPA 3005A	19,200.7	MC
Lead, Total	ND		mg/l	0.00100	--	1	02/10/17 14:55	02/14/17 14:04	EPA 3005A	1,6020A	AM
Selenium, Total	ND		mg/l	0.00500	--	1	02/10/17 14:55	02/14/17 14:04	EPA 3005A	1,6020A	AM
Zinc, Total	ND		mg/l	0.01000	--	1	02/10/17 14:55	02/14/17 14:04	EPA 3005A	1,6020A	AM



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

## Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG976917-1									
Iron, Total	ND	mg/l	0.050	--	1	02/10/17 14:55	02/14/17 16:27	19,200.7	AB

### Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG976925-1									
Copper, Total	ND	mg/l	0.00100	--	1	02/10/17 14:55	02/14/17 13:43	1,6020A	AM
Lead, Total	ND	mg/l	0.00100	--	1	02/10/17 14:55	02/14/17 13:43	1,6020A	AM
Selenium, Total	ND	mg/l	0.00500	--	1	02/10/17 14:55	02/14/17 13:43	1,6020A	AM
Zinc, Total	ND	mg/l	0.01000	--	1	02/10/17 14:55	02/14/17 13:43	1,6020A	AM

### Prep Information

Digestion Method: EPA 3005A



## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1704019

Report Date: 02/15/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG976917-2								
Iron, Total	92		-		85-115	-		
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG976925-2								
Copper, Total	115		-		80-120	-		
Lead, Total	111		-		80-120	-		
Selenium, Total	118		-		80-120	-		
Zinc, Total	114		-		80-120	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG976917-3 QC Sample: L1704019-01 Client ID: INF												
Iron, Total	0.058	1	0.916	86		-	-		75-125	-		20
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG976917-7 QC Sample: L1704066-01 Client ID: MS Sample												
Iron, Total	0.897	1	1.80	90		-	-		75-125	-		20
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG976925-3 QC Sample: L1704019-01 Client ID: INF												
Copper, Total	0.00777	0.25	0.2859	111		-	-		75-125	-		20
Lead, Total	ND	0.51	0.5543	109		-	-		75-125	-		20
Selenium, Total	ND	0.12	0.131	109		-	-		75-125	-		20
Zinc, Total	ND	0.5	0.5576	112		-	-		75-125	-		20

## Lab Duplicate Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1704019

Report Date: 02/15/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG976917-4 QC Sample: L1704019-01 Client ID: INF						
Iron, Total	0.058	ND	mg/l	NC		20
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG976925-4 QC Sample: L1704019-01 Client ID: INF						
Copper, Total	0.00777	0.00834	mg/l	7		20
Lead, Total	ND	ND	mg/l	NC		20
Selenium, Total	ND	ND	mg/l	NC		20
Zinc, Total	ND	ND	mg/l	NC		20

# **INORGANICS & MISCELLANEOUS**

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

**SAMPLE RESULTS**

**Lab ID:** L1704019-01  
**Client ID:** INF  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water

**Date Collected:** 02/08/17 12:05  
**Date Received:** 02/08/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	510		mg/l	10	--	10	-	02/11/17 16:23	1,9251	MR



Project Name: HP WALTHAM

Lab Number: L1704019

Project Number: 01.0015522.17

Report Date: 02/15/17

## SAMPLE RESULTS

Lab ID: L1704019-03

Date Collected: 02/08/17 11:48

Client ID: EFF

Date Received: 02/08/17

Sample Location: WALTHAM, MA

Field Prep: Not Specified

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	540		mg/l	10	--	10	-	02/11/17 16:25	1,9251	MR



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

**Method Blank Analysis**  
**Batch Quality Control**

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01,03 Batch: WG977146-1									
Chloride	ND	mg/l	1.0	--	1	-	02/11/17 15:54	1,9251	MR

## Lab Control Sample Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1704019

Report Date: 02/15/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 Batch: WG977146-2								
Chloride	97		-		90-110	-		



### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG977146-4 QC Sample: L1704276-02 Client ID: MS Sample												
Chloride	1200	20	1200	0	Q	-	-		58-140	-		7

**Lab Duplicate Analysis**  
Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1704019

Report Date: 02/15/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG977146-3 QC Sample: L1704276-02 Client ID: DUP Sample						
Chloride	1200	1200	mg/l	0		7

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

### Sample Receipt and Container Information

Were project specific reporting limits specified? YES

#### Cooler Information Custody Seal

##### Cooler

A Absent

#### Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1704019-01A	Vial HCl preserved	A	N/A	3.8	Y	Absent	8260(14)
L1704019-01B	Vial HCl preserved	A	N/A	3.8	Y	Absent	8260(14)
L1704019-01C	Vial HCl preserved	A	N/A	3.8	Y	Absent	8260(14)
L1704019-01D	Plastic 250ml HNO3 preserved	A	<2	3.8	Y	Absent	SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1704019-01E	Plastic 60ml unpreserved	A	7	3.8	Y	Absent	CL-9251(28)
L1704019-02A	Vial HCl preserved	A	N/A	3.8	Y	Absent	8260(14)
L1704019-02B	Vial HCl preserved	A	N/A	3.8	Y	Absent	8260(14)
L1704019-02C	Vial HCl preserved	A	N/A	3.8	Y	Absent	8260(14)
L1704019-03A	Vial HCl preserved	A	N/A	3.8	Y	Absent	8260(14)
L1704019-03B	Vial HCl preserved	A	N/A	3.8	Y	Absent	8260(14)
L1704019-03C	Vial HCl preserved	A	N/A	3.8	Y	Absent	8260(14)
L1704019-03D	Plastic 250ml HNO3 preserved	A	<2	3.8	Y	Absent	SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1704019-03E	Plastic 60ml unpreserved	A	7	3.8	Y	Absent	CL-9251(28)

\*Values in parentheses indicate holding time in days

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

## GLOSSARY

### Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the

Report Format: Data Usability Report



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

#### Data Qualifiers

- reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
  - D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
  - E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
  - G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
  - H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
  - I** - The lower value for the two columns has been reported due to obvious interference.
  - M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
  - NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
  - P** - The RPD between the results for the two columns exceeds the method-specified criteria.
  - Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
  - R** - Analytical results are from sample re-analysis.
  - RE** - Analytical results are from sample re-extraction.
  - S** - Analytical results are from modified screening analysis.
  - J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
  - ND** - Not detected at the reporting limit (RL) for the sample.

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1704019  
**Report Date:** 02/15/17

## REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.
- 19 Inductively Coupled Plasma Atomic Emission Spectrometric Method for Trace Element Analysis of Water and Wastes. Appendix C, Part 136, 40 CFR (Code of Federal Regulations). July 1, 1999 edition.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



## Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

### Westborough Facility

**EPA 624:** m/p-xylene, o-xylene

**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

**EPA 8270D:** NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

**EPA 300:** DW: Bromide

**EPA 6860:** NPW and SCM: Perchlorate

**EPA 9010:** NPW and SCM: Amenable Cyanide Distillation

**EPA 9012B:** NPW: Total Cyanide

**EPA 9050A:** NPW: Specific Conductance

**SM3500:** NPW: Ferrous Iron

**SM4500:** NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.

**SM5310C:** DW: Dissolved Organic Carbon

### Mansfield Facility

**SM 2540D:** TSS

**EPA 3005A** NPW

**EPA 8082A:** NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

### Westborough Facility:

#### Drinking Water

**EPA 300.0:** Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

**EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

#### Non-Potable Water

**SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.**

**EPA 624:** Volatile Halocarbons & Aromatics,

**EPA 608:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E.**

### Mansfield Facility:

#### Drinking Water

**EPA 200.7:** Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.**

#### Non-Potable Water

**EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.

**EPA 245.1 Hg.**

**SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.







## ANALYTICAL REPORT

Lab Number:	L1707342
Client:	GZA GeoEnvironmental, Inc. 249 Vanderbilt Ave Norwood, MA 02062
ATTN:	Bill Davis
Phone:	(781) 278-5769
Project Name:	HP WALTHAM
Project Number:	01.0015522.17
Report Date:	03/15/17

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), NJ NELAP (MA935), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-14-00197).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L1707342-01	INF	WATER	WALTHAM, MA	03/09/17 10:10	03/09/17
L1707342-02	MID	WATER	WALTHAM, MA	03/09/17 09:55	03/09/17
L1707342-03	EFF	WATER	WALTHAM, MA	03/09/17 09:45	03/09/17

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.


#### HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Michelle M. Morris

Title: Technical Director/Representative

Date: 03/15/17

# ORGANICS

# VOLATILES

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

**SAMPLE RESULTS**

Lab ID: L1707342-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA  
 Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 03/14/17 11:05  
 Analyst: PD

Date Collected: 03/09/17 10:10  
 Date Received: 03/09/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	300	--	100
1,1-Dichloroethane	ND		ug/l	75	--	100
Chloroform	ND		ug/l	75	--	100
Carbon tetrachloride	ND		ug/l	50	--	100
1,2-Dichloropropane	ND		ug/l	180	--	100
Dibromochloromethane	ND		ug/l	50	--	100
1,1,2-Trichloroethane	ND		ug/l	75	--	100
Tetrachloroethene	ND		ug/l	50	--	100
Chlorobenzene	ND		ug/l	50	--	100
Trichlorofluoromethane	ND		ug/l	250	--	100
1,2-Dichloroethane	ND		ug/l	50	--	100
1,1,1-Trichloroethane	ND		ug/l	50	--	100
Bromodichloromethane	ND		ug/l	50	--	100
trans-1,3-Dichloropropene	ND		ug/l	50	--	100
cis-1,3-Dichloropropene	ND		ug/l	50	--	100
Bromoform	ND		ug/l	200	--	100
1,1,2,2-Tetrachloroethane	ND		ug/l	50	--	100
Benzene	ND		ug/l	50	--	100
Toluene	ND		ug/l	75	--	100
Ethylbenzene	ND		ug/l	50	--	100
Chloromethane	ND		ug/l	250	--	100
Bromomethane	ND		ug/l	100	--	100
Vinyl chloride	ND		ug/l	100	--	100
Chloroethane	ND		ug/l	100	--	100
1,1-Dichloroethene	ND		ug/l	50	--	100
trans-1,2-Dichloroethene	ND		ug/l	75	--	100
Trichloroethene	6400		ug/l	50	--	100
1,2-Dichlorobenzene	ND		ug/l	250	--	100
1,3-Dichlorobenzene	ND		ug/l	250	--	100
1,4-Dichlorobenzene	ND		ug/l	250	--	100

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

**SAMPLE RESULTS**

Lab ID: L1707342-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA

Date Collected: 03/09/17 10:10  
 Date Received: 03/09/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	100	--	100
p/m-Xylene	ND		ug/l	100	--	100
o-Xylene	ND		ug/l	100	--	100
cis-1,2-Dichloroethene	ND		ug/l	50	--	100
Dichlorodifluoromethane	ND		ug/l	500	--	100
Naphthalene	ND		ug/l	250	--	100

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	96		70-130
4-Bromofluorobenzene	102		70-130
Dibromofluoromethane	104		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

**SAMPLE RESULTS**

Lab ID: L1707342-02  
 Client ID: MID  
 Sample Location: WALTHAM, MA  
 Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 03/14/17 11:33  
 Analyst: PD

Date Collected: 03/09/17 09:55  
 Date Received: 03/09/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	1.9		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

**SAMPLE RESULTS**

Lab ID: L1707342-02  
 Client ID: MID  
 Sample Location: WALTHAM, MA

Date Collected: 03/09/17 09:55  
 Date Received: 03/09/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	96		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	104		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

**SAMPLE RESULTS**

Lab ID: L1707342-03  
 Client ID: EFF  
 Sample Location: WALTHAM, MA  
 Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 03/14/17 12:00  
 Analyst: PD

Date Collected: 03/09/17 09:45  
 Date Received: 03/09/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	0.62		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

**SAMPLE RESULTS**

**Lab ID:** L1707342-03  
**Client ID:** EFF  
**Sample Location:** WALTHAM, MA

**Date Collected:** 03/09/17 09:45  
**Date Received:** 03/09/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	106		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 03/14/17 08:18  
**Analyst:** PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG985397-5					
Methylene chloride	ND		ug/l	3.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 03/14/17 08:18  
**Analyst:** PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG985397-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Naphthalene	ND		ug/l	2.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	97		70-130
Toluene-d8	96		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	101		70-130

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG985397-3 WG985397-4								
Methylene chloride	110		100		70-130	10		20
1,1-Dichloroethane	100		100		70-130	0		20
Chloroform	100		100		70-130	0		20
Carbon tetrachloride	98		98		63-132	0		20
1,2-Dichloropropane	100		100		70-130	0		20
Dibromochloromethane	91		94		63-130	3		20
1,1,2-Trichloroethane	96		96		70-130	0		20
Tetrachloroethene	95		96		70-130	1		20
Chlorobenzene	98		98		75-130	0		25
Trichlorofluoromethane	97		96		62-150	1		20
1,2-Dichloroethane	98		100		70-130	2		20
1,1,1-Trichloroethane	100		100		67-130	0		20
Bromodichloromethane	100		100		67-130	0		20
trans-1,3-Dichloropropene	92		93		70-130	1		20
cis-1,3-Dichloropropene	100		100		70-130	0		20
Bromoform	85		90		54-136	6		20
1,1,1,2-Tetrachloroethane	91		95		67-130	4		20
Benzene	110		110		70-130	0		25
Toluene	99		99		70-130	0		25
Ethylbenzene	100		100		70-130	0		20
Chloromethane	110		110		64-130	0		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1707342

Report Date: 03/15/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG985397-3 WG985397-4								
Bromomethane	110		110		39-139	0		20
Vinyl chloride	100		100		55-140	0		20
Chloroethane	100		100		55-138	0		20
1,1-Dichloroethene	100		100		61-145	0		25
trans-1,2-Dichloroethene	110		110		70-130	0		20
Trichloroethene	100		110		70-130	10		25
1,2-Dichlorobenzene	93		98		70-130	5		20
1,3-Dichlorobenzene	96		100		70-130	4		20
1,4-Dichlorobenzene	94		98		70-130	4		20
Methyl tert butyl ether	97		100		63-130	3		20
p/m-Xylene	105		105		70-130	0		20
o-Xylene	105		105		70-130	0		20
cis-1,2-Dichloroethene	110		100		70-130	10		20
Dichlorodifluoromethane	96		95		36-147	1		20
Naphthalene	91		96		70-130	5		20

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

<b>Parameter</b>	<b>LCS %Recovery</b>	<b>Qual</b>	<b>LCSD %Recovery</b>	<b>Qual</b>	<b>%Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG985397-3 WG985397-4								

<b>Surrogate</b>	<b>LCS %Recovery</b>	<b>Qual</b>	<b>LCSD %Recovery</b>	<b>Qual</b>	<b>Acceptance Criteria</b>
1,2-Dichloroethane-d4	94		93		70-130
Toluene-d8	98		96		70-130
4-Bromofluorobenzene	98		100		70-130
Dibromofluoromethane	101		98		70-130



## METALS

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

**SAMPLE RESULTS**

Lab ID: L1707342-01  
 Client ID: INF  
 Sample Location: WALTHAM, MA  
 Matrix: Water

Date Collected: 03/09/17 10:10  
 Date Received: 03/09/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.01674		mg/l	0.00100	--	1	03/13/17 11:10	03/14/17 08:32	EPA 3005A	1,6020A	AM
Iron, Total	0.538		mg/l	0.050	--	1	03/13/17 11:10	03/13/17 21:27	EPA 3005A	19,200.7	AB
Lead, Total	0.00160		mg/l	0.00100	--	1	03/13/17 11:10	03/14/17 08:32	EPA 3005A	1,6020A	AM
Selenium, Total	ND		mg/l	0.00500	--	1	03/13/17 11:10	03/14/17 08:32	EPA 3005A	1,6020A	AM
Zinc, Total	0.04314		mg/l	0.01000	--	1	03/13/17 11:10	03/14/17 08:32	EPA 3005A	1,6020A	AM



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

**SAMPLE RESULTS**

Lab ID: L1707342-03  
 Client ID: EFF  
 Sample Location: WALTHAM, MA  
 Matrix: Water

Date Collected: 03/09/17 09:45  
 Date Received: 03/09/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	ND		mg/l	0.00100	--	1	03/13/17 11:10	03/14/17 08:42	EPA 3005A	1,6020A	AM
Iron, Total	ND		mg/l	0.050	--	1	03/13/17 11:10	03/13/17 22:28	EPA 3005A	19,200.7	AB
Lead, Total	ND		mg/l	0.00100	--	1	03/13/17 11:10	03/14/17 08:42	EPA 3005A	1,6020A	AM
Selenium, Total	ND		mg/l	0.00500	--	1	03/13/17 11:10	03/14/17 08:42	EPA 3005A	1,6020A	AM
Zinc, Total	0.02189		mg/l	0.01000	--	1	03/13/17 11:10	03/14/17 08:42	EPA 3005A	1,6020A	AM



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

## Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG985059-1									
Copper, Total	ND	mg/l	0.00100	--	1	03/13/17 11:10	03/14/17 08:11	1,6020A	AM
Lead, Total	ND	mg/l	0.00100	--	1	03/13/17 11:10	03/14/17 08:11	1,6020A	AM
Selenium, Total	ND	mg/l	0.00500	--	1	03/13/17 11:10	03/14/17 08:11	1,6020A	AM
Zinc, Total	ND	mg/l	0.01000	--	1	03/13/17 11:10	03/14/17 08:11	1,6020A	AM

### Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG985063-1									
Iron, Total	ND	mg/l	0.050	--	1	03/13/17 11:10	03/13/17 20:57	19,200.7	AB

### Prep Information

Digestion Method: EPA 3005A

## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG985059-2								
Copper, Total	103		-		80-120	-		
Lead, Total	100		-		80-120	-		
Selenium, Total	108		-		80-120	-		
Zinc, Total	101		-		80-120	-		
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG985063-2								
Iron, Total	104		-		85-115	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03    QC Batch ID: WG985059-3    QC Sample: L1707342-01    Client ID: INF												
Copper, Total	0.01674	0.25	0.2748	103		-	-		75-125	-		20
Lead, Total	0.00160	0.51	0.5289	103		-	-		75-125	-		20
Selenium, Total	ND	0.12	0.130	108		-	-		75-125	-		20
Zinc, Total	0.04314	0.5	0.5478	101		-	-		75-125	-		20
Total Metals - Mansfield Lab Associated sample(s): 01,03    QC Batch ID: WG985063-3    QC Sample: L1707342-01    Client ID: INF												
Iron, Total	0.538	1	1.53	99		-	-		75-125	-		20

## Lab Duplicate Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1707342

Report Date: 03/15/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG985059-4 QC Sample: L1707342-01 Client ID: INF						
Copper, Total	0.01674	0.01686	mg/l	1		20
Lead, Total	0.00160	0.00157	mg/l	2		20
Selenium, Total	ND	ND	mg/l	NC		20
Zinc, Total	0.04314	0.04026	mg/l	7		20
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG985063-4 QC Sample: L1707342-01 Client ID: INF						
Iron, Total	0.538	0.525	mg/l	2		20

# **INORGANICS & MISCELLANEOUS**



Project Name: HP WALTHAM

Lab Number: L1707342

Project Number: 01.0015522.17

Report Date: 03/15/17

## SAMPLE RESULTS

Lab ID: L1707342-01

Date Collected: 03/09/17 10:10

Client ID: INF

Date Received: 03/09/17

Sample Location: WALTHAM, MA

Field Prep: Not Specified

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	540		mg/l	10	--	10	-	03/10/17 18:48	1,9251	MR



Project Name: HP WALTHAM

Lab Number: L1707342

Project Number: 01.0015522.17

Report Date: 03/15/17

## SAMPLE RESULTS

Lab ID: L1707342-03

Date Collected: 03/09/17 09:45

Client ID: EFF

Date Received: 03/09/17

Sample Location: WALTHAM, MA

Field Prep: Not Specified

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	540		mg/l	10	--	10	-	03/10/17 18:50	1,9251	MR



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

**Method Blank Analysis**  
**Batch Quality Control**

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01,03 Batch: WG984654-1									
Chloride	ND	mg/l	1.0	--	1	-	03/10/17 17:58	1,9251	MR

### Lab Control Sample Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 Batch: WG984654-2								
Chloride	97		-		90-110	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG984654-4 QC Sample: L1707241-01 Client ID: MS Sample												
Chloride	380	20	390	50	Q	-	-		58-140	-		7

## Lab Duplicate Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1707342

Report Date: 03/15/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG984654-3 QC Sample: L1707241-01 Client ID: DUP Sample						
Chloride	380	380	mg/l	0		7

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

### Sample Receipt and Container Information

Were project specific reporting limits specified? YES

#### Cooler Information Custody Seal

##### Cooler

A Absent

#### Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1707342-01A	Vial HCl preserved	A	N/A	3.7	Y	Absent	8260(14)
L1707342-01B	Vial HCl preserved	A	N/A	3.7	Y	Absent	8260(14)
L1707342-01C	Vial HCl preserved	A	N/A	3.7	Y	Absent	8260(14)
L1707342-01D	Plastic 250ml HNO3 preserved	A	<2	3.7	Y	Absent	SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1707342-01E	Plastic 60ml unpreserved	A	7	3.7	Y	Absent	CL-9251(28)
L1707342-02A	Vial HCl preserved	A	N/A	3.7	Y	Absent	8260(14)
L1707342-02B	Vial HCl preserved	A	N/A	3.7	Y	Absent	8260(14)
L1707342-02C	Vial HCl preserved	A	N/A	3.7	Y	Absent	8260(14)
L1707342-03A	Vial HCl preserved	A	N/A	3.7	Y	Absent	8260(14)
L1707342-03B	Vial HCl preserved	A	N/A	3.7	Y	Absent	8260(14)
L1707342-03C	Vial HCl preserved	A	N/A	3.7	Y	Absent	8260(14)
L1707342-03D	Plastic 250ml HNO3 preserved	A	<2	3.7	Y	Absent	SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1707342-03E	Plastic 60ml unpreserved	A	7	3.7	Y	Absent	CL-9251(28)

\*Values in parentheses indicate holding time in days

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

## GLOSSARY

### Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the

**Report Format:** Data Usability Report





**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

#### Data Qualifiers

- reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
  - D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
  - E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
  - G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
  - H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
  - I** - The lower value for the two columns has been reported due to obvious interference.
  - M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
  - NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
  - P** - The RPD between the results for the two columns exceeds the method-specified criteria.
  - Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
  - R** - Analytical results are from sample re-analysis.
  - RE** - Analytical results are from sample re-extraction.
  - S** - Analytical results are from modified screening analysis.
  - J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
  - ND** - Not detected at the reporting limit (RL) for the sample.

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1707342  
**Report Date:** 03/15/17

## REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.
- 19 Inductively Coupled Plasma Atomic Emission Spectrometric Method for Trace Element Analysis of Water and Wastes. Appendix C, Part 136, 40 CFR (Code of Federal Regulations). July 1, 1999 edition.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



## Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

### Westborough Facility

**EPA 624:** m/p-xylene, o-xylene

**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

**EPA 8270D:** NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

**EPA 300:** DW: Bromide

**EPA 6860:** NPW and SCM: Perchlorate

**EPA 9010:** NPW and SCM: Amenable Cyanide Distillation

**EPA 9012B:** NPW: Total Cyanide

**EPA 9050A:** NPW: Specific Conductance

**SM3500:** NPW: Ferrous Iron

**SM4500:** NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.

**SM5310C:** DW: Dissolved Organic Carbon

### Mansfield Facility

**SM 2540D:** TSS

**EPA 3005A** NPW

**EPA 8082A:** NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

### Westborough Facility:

#### Drinking Water

**EPA 300.0:** Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

**EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

#### Non-Potable Water

**SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.**

**EPA 624:** Volatile Halocarbons & Aromatics,

**EPA 608:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E.**

### Mansfield Facility:

#### Drinking Water

**EPA 200.7:** Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.**

#### Non-Potable Water

**EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.

**EPA 245.1 Hg.**

**SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.





## ANALYTICAL REPORT

Lab Number:	L1710935
Client:	GZA GeoEnvironmental, Inc. 249 Vanderbilt Ave Norwood, MA 02062
ATTN:	Bill Davis
Phone:	(781) 278-5769
Project Name:	HP WALTHAM
Project Number:	01.0015522.17
Report Date:	04/14/17

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), NJ NELAP (MA935), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-14-00197).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1710935  
**Report Date:** 04/14/17

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L1710935-01	INF	WATER	WALTHAM, MA	04/07/17 10:15	04/07/17
L1710935-02	MID	WATER	WALTHAM, MA	04/07/17 10:05	04/07/17
L1710935-03	EFF	WATER	WALTHAM, MA	04/07/17 09:50	04/07/17



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1710935  
**Report Date:** 04/14/17

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

#### HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Melissa Cripps

Title: Technical Director/Representative

Date: 04/14/17

# ORGANICS



# VOLATILES

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1710935  
**Report Date:** 04/14/17

**SAMPLE RESULTS**

Lab ID: L1710935-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA  
 Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 04/13/17 21:09  
 Analyst: PD

Date Collected: 04/07/17 10:15  
 Date Received: 04/07/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

**Volatile Organics by GC/MS - Westborough Lab**

Methylene chloride	ND		ug/l	300	--	100
1,1-Dichloroethane	ND		ug/l	75	--	100
Chloroform	ND		ug/l	75	--	100
Carbon tetrachloride	ND		ug/l	50	--	100
1,2-Dichloropropane	ND		ug/l	180	--	100
Dibromochloromethane	ND		ug/l	50	--	100
1,1,2-Trichloroethane	ND		ug/l	75	--	100
Tetrachloroethene	55		ug/l	50	--	100
Chlorobenzene	ND		ug/l	50	--	100
Trichlorofluoromethane	ND		ug/l	250	--	100
1,2-Dichloroethane	ND		ug/l	50	--	100
1,1,1-Trichloroethane	ND		ug/l	50	--	100
Bromodichloromethane	ND		ug/l	50	--	100
trans-1,3-Dichloropropene	ND		ug/l	50	--	100
cis-1,3-Dichloropropene	ND		ug/l	50	--	100
Bromoform	ND		ug/l	200	--	100
1,1,2,2-Tetrachloroethane	ND		ug/l	50	--	100
Benzene	ND		ug/l	50	--	100
Toluene	ND		ug/l	75	--	100
Ethylbenzene	ND		ug/l	50	--	100
Chloromethane	ND		ug/l	250	--	100
Bromomethane	ND		ug/l	100	--	100
Vinyl chloride	ND		ug/l	100	--	100
Chloroethane	ND		ug/l	100	--	100
1,1-Dichloroethene	ND		ug/l	50	--	100
trans-1,2-Dichloroethene	ND		ug/l	75	--	100
Trichloroethene	7300		ug/l	50	--	100
1,2-Dichlorobenzene	ND		ug/l	250	--	100
1,3-Dichlorobenzene	ND		ug/l	250	--	100
1,4-Dichlorobenzene	ND		ug/l	250	--	100

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1710935  
**Report Date:** 04/14/17

**SAMPLE RESULTS**

Lab ID: L1710935-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA

Date Collected: 04/07/17 10:15  
 Date Received: 04/07/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	100	--	100
p/m-Xylene	ND		ug/l	100	--	100
o-Xylene	ND		ug/l	100	--	100
cis-1,2-Dichloroethene	ND		ug/l	50	--	100
Dichlorodifluoromethane	ND		ug/l	500	--	100
Naphthalene	ND		ug/l	250	--	100

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	104		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	97		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1710935  
**Report Date:** 04/14/17

**SAMPLE RESULTS**

**Lab ID:** L1710935-02  
**Client ID:** MID  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 04/13/17 21:45  
**Analyst:** PD

**Date Collected:** 04/07/17 10:05  
**Date Received:** 04/07/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	3.6		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1710935  
**Report Date:** 04/14/17

**SAMPLE RESULTS**

**Lab ID:** L1710935-02  
**Client ID:** MID  
**Sample Location:** WALTHAM, MA

**Date Collected:** 04/07/17 10:05  
**Date Received:** 04/07/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	99		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1710935  
**Report Date:** 04/14/17

**SAMPLE RESULTS**

Lab ID: L1710935-03  
 Client ID: EFF  
 Sample Location: WALTHAM, MA  
 Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 04/13/17 22:20  
 Analyst: PD

Date Collected: 04/07/17 09:50  
 Date Received: 04/07/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	1.2		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1710935  
**Report Date:** 04/14/17

**SAMPLE RESULTS**

**Lab ID:** L1710935-03  
**Client ID:** EFF  
**Sample Location:** WALTHAM, MA

**Date Collected:** 04/07/17 09:50  
**Date Received:** 04/07/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	99		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1710935  
**Report Date:** 04/14/17

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 04/13/17 20:34  
**Analyst:** NL

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG994299-5					
Methylene chloride	ND		ug/l	3.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1710935  
**Report Date:** 04/14/17

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 04/13/17 20:34  
Analyst: NL

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG994299-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Naphthalene	ND		ug/l	2.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	106		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	99		70-130

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1710935  
**Report Date:** 04/14/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG994299-3 WG994299-4								
Methylene chloride	100		100		70-130	0		20
1,1-Dichloroethane	110		110		70-130	0		20
Chloroform	110		100		70-130	10		20
Carbon tetrachloride	86		88		63-132	2		20
1,2-Dichloropropane	100		100		70-130	0		20
Dibromochloromethane	85		90		63-130	6		20
1,1,2-Trichloroethane	100		100		70-130	0		20
Tetrachloroethene	110		110		70-130	0		20
Chlorobenzene	110		110		75-130	0		25
Trichlorofluoromethane	100		100		62-150	0		20
1,2-Dichloroethane	110		110		70-130	0		20
1,1,1-Trichloroethane	97		100		67-130	3		20
Bromodichloromethane	100		100		67-130	0		20
trans-1,3-Dichloropropene	79		83		70-130	5		20
cis-1,3-Dichloropropene	90		94		70-130	4		20
Bromoform	75		78		54-136	4		20
1,1,2,2-Tetrachloroethane	100		100		67-130	0		20
Benzene	110		110		70-130	0		25
Toluene	110		110		70-130	0		25
Ethylbenzene	110		110		70-130	0		20
Chloromethane	93		88		64-130	6		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1710935

Report Date: 04/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG994299-3 WG994299-4								
Bromomethane	61		61		39-139	0		20
Vinyl chloride	110		110		55-140	0		20
Chloroethane	110		110		55-138	0		20
1,1-Dichloroethene	100		99		61-145	1		25
trans-1,2-Dichloroethene	100		100		70-130	0		20
Trichloroethene	110		110		70-130	0		25
1,2-Dichlorobenzene	100		110		70-130	10		20
1,3-Dichlorobenzene	100		110		70-130	10		20
1,4-Dichlorobenzene	100		110		70-130	10		20
Methyl tert butyl ether	100		110		63-130	10		20
p/m-Xylene	115		115		70-130	0		20
o-Xylene	115		115		70-130	0		20
cis-1,2-Dichloroethene	110		110		70-130	0		20
Dichlorodifluoromethane	100		100		36-147	0		20
Naphthalene	99		100		70-130	1		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1710935

Report Date: 04/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
-----------	------------------	------	-------------------	------	---------------------	-----	------	---------------

Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG994299-3 WG994299-4

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	102		102		70-130
Toluene-d8	101		100		70-130
4-Bromofluorobenzene	98		101		70-130
Dibromofluoromethane	99		99		70-130

## METALS

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1710935  
**Report Date:** 04/14/17

**SAMPLE RESULTS**

**Lab ID:** L1710935-01  
**Client ID:** INF  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water

**Date Collected:** 04/07/17 10:15  
**Date Received:** 04/07/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.00939		mg/l	0.00100	--	1	04/11/17 11:04	04/13/17 13:28	EPA 3005A	1,6020A	BV
Iron, Total	0.494		mg/l	0.050	--	1	04/11/17 11:04	04/13/17 02:21	EPA 3005A	19,200.7	AM
Lead, Total	ND		mg/l	0.00100	--	1	04/11/17 11:04	04/13/17 13:28	EPA 3005A	1,6020A	BV
Selenium, Total	ND		mg/l	0.00500	--	1	04/11/17 11:04	04/13/17 13:28	EPA 3005A	1,6020A	BV
Zinc, Total	0.01295		mg/l	0.01000	--	1	04/11/17 11:04	04/13/17 13:28	EPA 3005A	1,6020A	BV



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1710935  
**Report Date:** 04/14/17

**SAMPLE RESULTS**

**Lab ID:** L1710935-03  
**Client ID:** EFF  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water

**Date Collected:** 04/07/17 09:50  
**Date Received:** 04/07/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.00227		mg/l	0.00100	--	1	04/11/17 11:04	04/13/17 13:31	EPA 3005A	1,6020A	BV
Iron, Total	ND		mg/l	0.050	--	1	04/11/17 11:04	04/13/17 02:25	EPA 3005A	19,200.7	AM
Lead, Total	ND		mg/l	0.00100	--	1	04/11/17 11:04	04/13/17 13:31	EPA 3005A	1,6020A	BV
Selenium, Total	ND		mg/l	0.00500	--	1	04/11/17 11:04	04/13/17 13:31	EPA 3005A	1,6020A	BV
Zinc, Total	ND		mg/l	0.01000	--	1	04/11/17 11:04	04/13/17 13:31	EPA 3005A	1,6020A	BV



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1710935  
**Report Date:** 04/14/17

## Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG993025-1									
Copper, Total	ND	mg/l	0.00100	--	1	04/11/17 11:04	04/13/17 11:22	1,6020A	BV
Lead, Total	ND	mg/l	0.00050	--	1	04/11/17 11:04	04/13/17 11:22	1,6020A	BV
Selenium, Total	ND	mg/l	0.00500	--	1	04/11/17 11:04	04/13/17 11:22	1,6020A	BV
Zinc, Total	ND	mg/l	0.01000	--	1	04/11/17 11:04	04/13/17 11:22	1,6020A	BV

### Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG993028-1									
Iron, Total	ND	mg/l	0.050	--	1	04/11/17 11:04	04/13/17 01:11	19,200.7	AM

### Prep Information

Digestion Method: EPA 3005A



## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1710935  
**Report Date:** 04/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG993025-2								
Copper, Total	96		-		80-120	-		
Lead, Total	94		-		80-120	-		
Selenium, Total	103		-		80-120	-		
Zinc, Total	98		-		80-120	-		
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG993028-2								
Iron, Total	104		-		85-115	-		

**Matrix Spike Analysis**  
Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1710935  
**Report Date:** 04/14/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03			QC Batch ID: WG993025-3			QC Sample: L1710924-01			Client ID: MS Sample			
Copper, Total	ND	0.25	0.2334	93		-	-		75-125	-		20
Lead, Total	0.00098	0.51	0.4276	84		-	-		75-125	-		20
Selenium, Total	ND	0.12	0.118	98		-	-		75-125	-		20
Zinc, Total	ND	0.5	0.4939	99		-	-		75-125	-		20
Total Metals - Mansfield Lab Associated sample(s): 01,03			QC Batch ID: WG993028-3			QC Sample: L1710924-01			Client ID: MS Sample			
Iron, Total	18.0	1	18.8	80		-	-		75-125	-		20

## Lab Duplicate Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1710935

Report Date: 04/14/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG993025-4 QC Sample: L1710924-01 Client ID: DUP Sample						
Copper, Total	ND	ND	mg/l	NC		20
Lead, Total	0.00098	0.00098	mg/l	0		20
Selenium, Total	ND	ND	mg/l	NC		20
Zinc, Total	ND	ND	mg/l	NC		20
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG993028-4 QC Sample: L1710924-01 Client ID: DUP Sample						
Iron, Total	18.0	18.4	mg/l	2		20

# **INORGANICS & MISCELLANEOUS**

Project Name: HP WALTHAM

Lab Number: L1710935

Project Number: 01.0015522.17

Report Date: 04/14/17

**SAMPLE RESULTS**

Lab ID: L1710935-01

Date Collected: 04/07/17 10:15

Client ID: INF

Date Received: 04/07/17

Sample Location: WALTHAM, MA

Field Prep: Not Specified

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	550		mg/l	10	--	10	-	04/12/17 18:27	1,9251	ML



Project Name: HP WALTHAM

Lab Number: L1710935

Project Number: 01.0015522.17

Report Date: 04/14/17

## SAMPLE RESULTS

Lab ID: L1710935-03

Date Collected: 04/07/17 09:50

Client ID: EFF

Date Received: 04/07/17

Sample Location: WALTHAM, MA

Field Prep: Not Specified

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	540		mg/l	10	--	10	-	04/12/17 18:29	1,9251	ML



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1710935  
**Report Date:** 04/14/17

**Method Blank Analysis**  
**Batch Quality Control**

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01,03 Batch: WG993629-1									
Chloride	ND	mg/l	1.0	--	1	-	04/12/17 18:23	1,9251	ML

## Lab Control Sample Analysis

Batch Quality Control

Project Name: HP WALTHAM

Lab Number: L1710935

Project Number: 01.0015522.17

Report Date: 04/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 Batch: WG993629-2								
Chloride	93		-		90-110	-		



### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1710935  
**Report Date:** 04/14/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03    QC Batch ID: WG993629-4    QC Sample: L1711136-01    Client ID: MS Sample												
Chloride	820	20	810	0	Q	-	-		58-140	-		7

## Lab Duplicate Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1710935

Report Date: 04/14/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG993629-3 QC Sample: L1711136-01 Client ID: DUP Sample						
Chloride	820	810	mg/l	1		7

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1710935  
**Report Date:** 04/14/17

### Sample Receipt and Container Information

Were project specific reporting limits specified? YES

#### Cooler Information Custody Seal

##### Cooler

A Absent

#### Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1710935-01A	Vial HCl preserved	A	N/A	5.4	Y	Absent	8260(14)
L1710935-01B	Vial HCl preserved	A	N/A	5.4	Y	Absent	8260(14)
L1710935-01C	Vial HCl preserved	A	N/A	5.4	Y	Absent	8260(14)
L1710935-01D	Plastic 250ml HNO3 preserved	A	<2	5.4	Y	Absent	SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1710935-01E	Plastic 60ml unpreserved	A	7	5.4	Y	Absent	CL-9251(28)
L1710935-02A	Vial HCl preserved	A	N/A	5.4	Y	Absent	8260(14)
L1710935-02B	Vial HCl preserved	A	N/A	5.4	Y	Absent	8260(14)
L1710935-02C	Vial HCl preserved	A	N/A	5.4	Y	Absent	8260(14)
L1710935-03A	Vial HCl preserved	A	N/A	5.4	Y	Absent	8260(14)
L1710935-03B	Vial HCl preserved	A	N/A	5.4	Y	Absent	8260(14)
L1710935-03C	Vial HCl preserved	A	N/A	5.4	Y	Absent	8260(14)
L1710935-03D	Plastic 250ml HNO3 preserved	A	<2	5.4	Y	Absent	SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1710935-03E	Plastic 60ml unpreserved	A	7	5.4	Y	Absent	CL-9251(28)

\*Values in parentheses indicate holding time in days

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1710935  
**Report Date:** 04/14/17

## GLOSSARY

### Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the

Report Format: Data Usability Report



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1710935  
**Report Date:** 04/14/17

#### Data Qualifiers

- reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
  - D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
  - E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
  - G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
  - H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
  - I** - The lower value for the two columns has been reported due to obvious interference.
  - M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
  - NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
  - P** - The RPD between the results for the two columns exceeds the method-specified criteria.
  - Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
  - R** - Analytical results are from sample re-analysis.
  - RE** - Analytical results are from sample re-extraction.
  - S** - Analytical results are from modified screening analysis.
  - J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
  - ND** - Not detected at the reporting limit (RL) for the sample.

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1710935  
**Report Date:** 04/14/17

## REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.
- 19 Inductively Coupled Plasma Atomic Emission Spectrometric Method for Trace Element Analysis of Water and Wastes. Appendix C, Part 136, 40 CFR (Code of Federal Regulations). July 1, 1999 edition.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



## Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

### Westborough Facility

**EPA 624:** m/p-xylene, o-xylene

**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

**EPA 8270D:** NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

**EPA 300:** DW: Bromide

**EPA 6860:** NPW and SCM: Perchlorate

**EPA 9010:** NPW and SCM: Amenable Cyanide Distillation

**EPA 9012B:** NPW: Total Cyanide

**EPA 9050A:** NPW: Specific Conductance

**SM3500:** NPW: Ferrous Iron

**SM4500:** NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.

**SM5310C:** DW: Dissolved Organic Carbon

### Mansfield Facility

**SM 2540D:** TSS

**EPA 3005A** NPW

**EPA 8082A:** NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

### Westborough Facility:

#### Drinking Water

**EPA 300.0:** Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

**EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

#### Non-Potable Water

**SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.**

**EPA 624:** Volatile Halocarbons & Aromatics,

**EPA 608:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E.**

### Mansfield Facility:

#### Drinking Water

**EPA 200.7:** Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.**

#### Non-Potable Water

**EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.

**EPA 245.1 Hg.**

**SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.







## ANALYTICAL REPORT

Lab Number:	L1714341
Client:	GZA GeoEnvironmental, Inc. 249 Vanderbilt Ave Norwood, MA 02062
ATTN:	Bill Davis
Phone:	(781) 278-5769
Project Name:	HP WALTHAM
Project Number:	01.0015522.17
Report Date:	05/12/17

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), NJ NELAP (MA935), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-14-00197).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714341  
**Report Date:** 05/12/17

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L1714341-01	INF	WATER	WALTHAM, MA	05/04/17 11:55	05/04/17
L1714341-02	MID	WATER	WALTHAM, MA	05/04/17 11:40	05/04/17
L1714341-03	EFF	WATER	WALTHAM, MA	05/04/17 11:10	05/04/17

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714341  
**Report Date:** 05/12/17

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.


#### HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Kelly Stenstrom

Title: Technical Director/Representative

Date: 05/12/17

# ORGANICS

# VOLATILES

Project Name: HP WALTHAM

Lab Number: L1714341

Project Number: 01.0015522.17

Report Date: 05/12/17

## SAMPLE RESULTS

Lab ID: L1714341-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA

Date Collected: 05/04/17 11:55  
 Date Received: 05/04/17  
 Field Prep: Not Specified

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 05/12/17 06:31  
 Analyst: PK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	150	--	50
1,1-Dichloroethane	ND		ug/l	38	--	50
Chloroform	ND		ug/l	38	--	50
Carbon tetrachloride	ND		ug/l	25	--	50
1,2-Dichloropropane	ND		ug/l	88	--	50
Dibromochloromethane	ND		ug/l	25	--	50
1,1,2-Trichloroethane	ND		ug/l	38	--	50
Tetrachloroethene	59		ug/l	25	--	50
Chlorobenzene	ND		ug/l	25	--	50
Trichlorofluoromethane	ND		ug/l	120	--	50
1,2-Dichloroethane	ND		ug/l	25	--	50
1,1,1-Trichloroethane	ND		ug/l	25	--	50
Bromodichloromethane	ND		ug/l	25	--	50
trans-1,3-Dichloropropene	ND		ug/l	25	--	50
cis-1,3-Dichloropropene	ND		ug/l	25	--	50
Bromoform	ND		ug/l	100	--	50
1,1,2,2-Tetrachloroethane	ND		ug/l	25	--	50
Benzene	ND		ug/l	25	--	50
Toluene	ND		ug/l	38	--	50
Ethylbenzene	ND		ug/l	25	--	50
Chloromethane	ND		ug/l	120	--	50
Bromomethane	ND		ug/l	50	--	50
Vinyl chloride	ND		ug/l	50	--	50
Chloroethane	ND		ug/l	50	--	50
1,1-Dichloroethene	ND		ug/l	25	--	50
trans-1,2-Dichloroethene	ND		ug/l	38	--	50
Trichloroethene	7400		ug/l	25	--	50
1,2-Dichlorobenzene	ND		ug/l	120	--	50
1,3-Dichlorobenzene	ND		ug/l	120	--	50
1,4-Dichlorobenzene	ND		ug/l	120	--	50

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714341  
**Report Date:** 05/12/17

**SAMPLE RESULTS**

Lab ID: L1714341-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA

Date Collected: 05/04/17 11:55  
 Date Received: 05/04/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	50	--	50
p/m-Xylene	ND		ug/l	50	--	50
o-Xylene	ND		ug/l	50	--	50
cis-1,2-Dichloroethene	ND		ug/l	25	--	50
Dichlorodifluoromethane	ND		ug/l	250	--	50
Naphthalene	ND		ug/l	120	--	50

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	98		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714341  
**Report Date:** 05/12/17

**SAMPLE RESULTS**

**Lab ID:** L1714341-02  
**Client ID:** MID  
**Sample Location:** WALTHAM, MA

**Date Collected:** 05/04/17 11:40  
**Date Received:** 05/04/17  
**Field Prep:** Not Specified

**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 05/12/17 04:47  
**Analyst:** PK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	5.6		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714341  
**Report Date:** 05/12/17

**SAMPLE RESULTS**

Lab ID: L1714341-02  
 Client ID: MID  
 Sample Location: WALTHAM, MA

Date Collected: 05/04/17 11:40  
 Date Received: 05/04/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	101		70-130
Dibromofluoromethane	99		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714341  
**Report Date:** 05/12/17

**SAMPLE RESULTS**

**Lab ID:** L1714341-03  
**Client ID:** EFF  
**Sample Location:** WALTHAM, MA

**Date Collected:** 05/04/17 11:10  
**Date Received:** 05/04/17  
**Field Prep:** Not Specified

**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 05/12/17 05:22  
**Analyst:** PK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	1.0		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714341  
**Report Date:** 05/12/17

**SAMPLE RESULTS**

**Lab ID:** L1714341-03  
**Client ID:** EFF  
**Sample Location:** WALTHAM, MA

**Date Collected:** 05/04/17 11:10  
**Date Received:** 05/04/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	101		70-130
Dibromofluoromethane	97		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714341  
**Report Date:** 05/12/17

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 05/11/17 21:51  
**Analyst:** PK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG1002907-5					
Methylene chloride	ND		ug/l	3.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714341  
**Report Date:** 05/12/17

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 05/11/17 21:51  
**Analyst:** PK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG1002907-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Naphthalene	ND		ug/l	2.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	102		70-130
Dibromofluoromethane	98		70-130

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714341  
**Report Date:** 05/12/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG1002907-3 WG1002907-4								
Methylene chloride	97		97		70-130	0		20
1,1-Dichloroethane	99		98		70-130	1		20
Chloroform	99		100		70-130	1		20
Carbon tetrachloride	92		90		63-132	2		20
1,2-Dichloropropane	100		100		70-130	0		20
Dibromochloromethane	94		94		63-130	0		20
1,1,2-Trichloroethane	100		100		70-130	0		20
Tetrachloroethene	96		97		70-130	1		20
Chlorobenzene	100		100		75-130	0		25
Trichlorofluoromethane	80		79		62-150	1		20
1,2-Dichloroethane	98		100		70-130	2		20
1,1,1-Trichloroethane	93		94		67-130	1		20
Bromodichloromethane	98		98		67-130	0		20
trans-1,3-Dichloropropene	75		78		70-130	4		20
cis-1,3-Dichloropropene	98		100		70-130	2		20
Bromoform	86		91		54-136	6		20
1,1,2,2-Tetrachloroethane	100		100		67-130	0		20
Benzene	100		100		70-130	0		25
Toluene	100		100		70-130	0		25
Ethylbenzene	110		110		70-130	0		20
Chloromethane	74		64		64-130	14		20
Bromomethane	67		50		39-139	29	Q	20
Vinyl chloride	67		68		55-140	1		20

### Lab Control Sample Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714341  
**Report Date:** 05/12/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG1002907-3 WG1002907-4								
Chloroethane	90		60		55-138	40	Q	20
1,1-Dichloroethene	86		84		61-145	2		25
trans-1,2-Dichloroethene	99		96		70-130	3		20
Trichloroethene	99		98		70-130	1		25
1,2-Dichlorobenzene	100		100		70-130	0		20
1,3-Dichlorobenzene	100		100		70-130	0		20
1,4-Dichlorobenzene	100		100		70-130	0		20
Methyl tert butyl ether	96		100		63-130	4		20
p/m-Xylene	110		110		70-130	0		20
o-Xylene	110		110		70-130	0		20
cis-1,2-Dichloroethene	100		99		70-130	1		20
Dichlorodifluoromethane	40		39		36-147	3		20
Naphthalene	99		110		70-130	11		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	97		98		70-130
Toluene-d8	98		99		70-130
4-Bromofluorobenzene	101		101		70-130
Dibromofluoromethane	97		97		70-130

## METALS



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714341  
**Report Date:** 05/12/17

**SAMPLE RESULTS**

Lab ID: L1714341-01  
 Client ID: INF  
 Sample Location: WALTHAM, MA  
 Matrix: Water

Date Collected: 05/04/17 11:55  
 Date Received: 05/04/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.00656		mg/l	0.00100	--	1	05/05/17 11:18	05/06/17 17:58	EPA 3005A	1,6020A	BV
Iron, Total	0.095		mg/l	0.050	--	1	05/05/17 11:18	05/05/17 18:37	EPA 3005A	19,200.7	PS
Lead, Total	ND		mg/l	0.00050	--	1	05/05/17 11:18	05/06/17 17:58	EPA 3005A	1,6020A	BV
Selenium, Total	ND		mg/l	0.00500	--	1	05/05/17 11:18	05/06/17 17:58	EPA 3005A	1,6020A	BV
Zinc, Total	0.01127		mg/l	0.01000	--	1	05/05/17 11:18	05/06/17 17:58	EPA 3005A	1,6020A	BV



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714341  
**Report Date:** 05/12/17

**SAMPLE RESULTS**

Lab ID: L1714341-03  
 Client ID: EFF  
 Sample Location: WALTHAM, MA  
 Matrix: Water

Date Collected: 05/04/17 11:10  
 Date Received: 05/04/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.00108		mg/l	0.00100	--	1	05/05/17 11:18	05/06/17 17:21	EPA 3005A	1,6020A	BV
Iron, Total	ND		mg/l	0.050	--	1	05/05/17 11:18	05/05/17 20:11	EPA 3005A	19,200.7	PS
Lead, Total	ND		mg/l	0.00050	--	1	05/05/17 11:18	05/06/17 17:21	EPA 3005A	1,6020A	BV
Selenium, Total	ND		mg/l	0.00500	--	1	05/05/17 11:18	05/06/17 17:21	EPA 3005A	1,6020A	BV
Zinc, Total	ND		mg/l	0.01000	--	1	05/05/17 11:18	05/06/17 17:21	EPA 3005A	1,6020A	BV



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714341  
**Report Date:** 05/12/17

## Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG1000654-1									
Iron, Total	ND	mg/l	0.050	--	1	05/05/17 11:18	05/05/17 18:29	19,200.7	PS

### Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG1000665-1									
Copper, Total	ND	mg/l	0.00100	--	1	05/05/17 11:18	05/06/17 17:17	1,6020A	BV
Lead, Total	ND	mg/l	0.00050	--	1	05/05/17 11:18	05/06/17 17:17	1,6020A	BV
Selenium, Total	ND	mg/l	0.00500	--	1	05/05/17 11:18	05/06/17 17:17	1,6020A	BV
Zinc, Total	ND	mg/l	0.01000	--	1	05/05/17 11:18	05/06/17 17:17	1,6020A	BV

### Prep Information

Digestion Method: EPA 3005A

## Lab Control Sample Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1714341

Report Date: 05/12/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG1000654-2								
Iron, Total	97		-		85-115	-		
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG1000665-2								
Copper, Total	100		-		80-120	-		
Lead, Total	102		-		80-120	-		
Selenium, Total	102		-		80-120	-		
Zinc, Total	99		-		80-120	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714341  
**Report Date:** 05/12/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG1000654-3 QC Sample: L1714327-01 Client ID: MS Sample												
Iron, Total	3.73	1	4.31	58	Q	-	-		75-125	-		20
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG1000654-7 QC Sample: L1714341-01 Client ID: INF												
Iron, Total	0.095	1	1.01	92		-	-		75-125	-		20
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG1000665-3 QC Sample: L1714341-01 Client ID: INF												
Copper, Total	0.00656	0.25	0.2584	101		-	-		75-125	-		20
Lead, Total	ND	0.51	0.5298	104		-	-		75-125	-		20
Selenium, Total	ND	0.12	0.116	97		-	-		75-125	-		20
Zinc, Total	0.01127	0.5	0.4932	96		-	-		75-125	-		20

## Lab Duplicate Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1714341

Report Date: 05/12/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
<b>Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG1000654-4 QC Sample: L1714327-01 Client ID: DUP Sample</b>						
Iron, Total	3.73	3.39	mg/l	10		20
<b>Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG1000654-8 QC Sample: L1714341-01 Client ID: INF</b>						
Iron, Total	0.095	0.090	mg/l	5		20
<b>Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG1000665-4 QC Sample: L1714341-01 Client ID: INF</b>						
Copper, Total	0.00656	0.00697	mg/l	6		20
Lead, Total	ND	ND	mg/l	NC		20
Selenium, Total	ND	ND	mg/l	NC		20
Zinc, Total	0.01127	ND	mg/l	NC		20

# **INORGANICS & MISCELLANEOUS**

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714341  
**Report Date:** 05/12/17

**SAMPLE RESULTS**

**Lab ID:** L1714341-01  
**Client ID:** INF  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water

**Date Collected:** 05/04/17 11:55  
**Date Received:** 05/04/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	560		mg/l	10	--	10	-	05/09/17 19:05	1,9251	ML





Project Name: HP WALTHAM

Lab Number: L1714341

Project Number: 01.0015522.17

Report Date: 05/12/17

## SAMPLE RESULTS

Lab ID: L1714341-03

Date Collected: 05/04/17 11:10

Client ID: EFF

Date Received: 05/04/17

Sample Location: WALTHAM, MA

Field Prep: Not Specified

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	560		mg/l	10	--	10	-	05/09/17 19:07	1,9251	ML



Project Name: HP WALTHAM

Lab Number: L1714341

Project Number: 01.0015522.17

Report Date: 05/12/17

**Method Blank Analysis**  
**Batch Quality Control**

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01,03 Batch: WG1001751-1									
Chloride	ND	mg/l	1.0	--	1	-	05/09/17 18:59	1,9251	ML

## Lab Control Sample Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1714341

Report Date: 05/12/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 Batch: WG1001751-2								
Chloride	97		-		90-110	-		

**Matrix Spike Analysis**  
Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714341  
**Report Date:** 05/12/17

<b>Parameter</b>	<b>Native Sample</b>	<b>MS Added</b>	<b>MS Found</b>	<b>MS %Recovery</b>	<b>MSD Qual</b>	<b>MSD Found</b>	<b>MSD %Recovery</b>	<b>MSD Qual</b>	<b>Recovery Limits</b>	<b>RPD</b>	<b>RPD Qual</b>	<b>RPD Limits</b>
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG1001751-4 QC Sample: L1714463-06 Client ID: MS Sample												
Chloride	1.4	20	21	98		-	-		58-140	-		7

## Lab Duplicate Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1714341

Report Date: 05/12/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG1001751-3 QC Sample: L1714463-05 Client ID: DUP Sample						
Chloride	21	21	mg/l	0		7

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714341  
**Report Date:** 05/12/17

### Sample Receipt and Container Information

Were project specific reporting limits specified? YES

#### Cooler Information Custody Seal

##### Cooler

A Absent

#### Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1714341-01A	Plastic 250ml HNO3 preserved	A	<2	3.7	Y	Absent	SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1714341-01B	Vial HCl preserved	A	N/A	3.7	Y	Absent	8260(14)
L1714341-01C	Vial HCl preserved	A	N/A	3.7	Y	Absent	8260(14)
L1714341-01D	Vial HCl preserved	A	N/A	3.7	Y	Absent	8260(14)
L1714341-01E	Plastic 60ml unpreserved	A	7	3.7	Y	Absent	CL-9251(28)
L1714341-02B	Vial HCl preserved	A	N/A	3.7	Y	Absent	8260(14)
L1714341-02C	Vial HCl preserved	A	N/A	3.7	Y	Absent	8260(14)
L1714341-02D	Vial HCl preserved	A	N/A	3.7	Y	Absent	8260(14)
L1714341-03A	Plastic 250ml HNO3 preserved	A	<2	3.7	Y	Absent	SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1714341-03B	Vial HCl preserved	A	N/A	3.7	Y	Absent	8260(14)
L1714341-03C	Vial HCl preserved	A	N/A	3.7	Y	Absent	8260(14)
L1714341-03D	Vial HCl preserved	A	N/A	3.7	Y	Absent	8260(14)
L1714341-03E	Plastic 60ml unpreserved	A	7	3.7	Y	Absent	CL-9251(28)

\*Values in parentheses indicate holding time in days

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714341  
**Report Date:** 05/12/17

## GLOSSARY

### Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the

**Report Format:** Data Usability Report



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714341  
**Report Date:** 05/12/17

#### Data Qualifiers

- reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
  - D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
  - E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
  - G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
  - H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
  - I** - The lower value for the two columns has been reported due to obvious interference.
  - M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
  - NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
  - P** - The RPD between the results for the two columns exceeds the method-specified criteria.
  - Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
  - R** - Analytical results are from sample re-analysis.
  - RE** - Analytical results are from sample re-extraction.
  - S** - Analytical results are from modified screening analysis.
  - J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
  - ND** - Not detected at the reporting limit (RL) for the sample.



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714341  
**Report Date:** 05/12/17

## REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.
- 19 Inductively Coupled Plasma Atomic Emission Spectrometric Method for Trace Element Analysis of Water and Wastes. Appendix C, Part 136, 40 CFR (Code of Federal Regulations). July 1, 1999 edition.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



## Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

### Westborough Facility

**EPA 624:** m/p-xylene, o-xylene

**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

**EPA 8270D:** NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

**EPA 300:** DW: Bromide

**EPA 6860:** NPW and SCM: Perchlorate

**EPA 9010:** NPW and SCM: Amenable Cyanide Distillation

**EPA 9012B:** NPW: Total Cyanide

**EPA 9050A:** NPW: Specific Conductance

**SM3500:** NPW: Ferrous Iron

**SM4500:** NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.

**SM5310C:** DW: Dissolved Organic Carbon

### Mansfield Facility

**SM 2540D:** TSS

**EPA 3005A** NPW

**EPA 8082A:** NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

### Westborough Facility:

#### Drinking Water

**EPA 300.0:** Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

**EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

#### Non-Potable Water

**SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.**

**EPA 624:** Volatile Halocarbons & Aromatics,

**EPA 608:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E.**

### Mansfield Facility:

#### Drinking Water

**EPA 200.7:** Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.**

#### Non-Potable Water

**EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.

**EPA 245.1 Hg.**

**SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.



# CHAIN OF CUSTODY

PAGE 1 OF 1

Date Rec'd in Lab: 5/4/17

ALPHA Job #: L1714341

8 Walkup Drive  
Westboro, MA 01581  
Tel: 508-898-9220

320 Forbes Blvd  
Mansfield, MA 02048  
Tel: 508-822-9300

### Project Information

Project Name: HP Walkham

Project Location: Walkham Mas.

Project #: Q1.0015522.17

Project Manager: J. Calbert

ALPHA Quote #:

### Turn-Around Time

Standard  RUSH (only confirmed if pre-approved!)

Date Due:

### Report Information - Data Deliverables

ADEX  EMAIL

### Billing Information

Same as Client info  PO #:

### Client Information

Client: G2A

Address: 249 Vanderb. h Ave  
Neward Mas. 02062

Phone: 781-983-1357

Email: wdavis@g2a.com

Additional Project Information:

### Regulatory Requirements & Project Information Requirements

Yes  No MA MCP Analytical Methods  Yes  No CT RCP Analytical Methods  
 Yes  No Matrix Spike Required on this SDG? (Required for MCP Inorganics)  
 Yes  No GW1 Standards (Info Required for Metals & EPH with Targets)  
 Yes  No NPDES RGP  
 Other State /Fed Program \_\_\_\_\_ Criteria \_\_\_\_\_

ANALYSIS		SAMPLE INFO	
VOC: <input checked="" type="checkbox"/> 8260 <input type="checkbox"/> 624 <input type="checkbox"/> 524.2 <input type="checkbox"/> 80-9 <input type="checkbox"/> 1,5,9	SVOC: <input type="checkbox"/> ABN <input type="checkbox"/> PAH	Filtration	
METALS: <input type="checkbox"/> MCP 13 <input type="checkbox"/> MCP 14 <input type="checkbox"/> RCP 15	METALS: <input type="checkbox"/> RCRA5 <input type="checkbox"/> RCRA8 <input type="checkbox"/> PP13	<input type="checkbox"/> Field	
EPH: <input type="checkbox"/> Ranges & Targets <input type="checkbox"/> Ranges Only	VPH: <input type="checkbox"/> Ranges & Targets <input type="checkbox"/> Ranges Only	Preservation	
TPH: <input type="checkbox"/> Quant Only <input type="checkbox"/> Fingerprint	Chloride	<input type="checkbox"/> Lab to do	
Metals: <u>Pb, Zn, Fe, Se, Cu</u>		<input type="checkbox"/> Lab to do	
Sample Comments			

TOTAL # BOTTLES

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler Initials	VOC	SVOC	METALS	METALS	EPH	VPH	PCB	TPH	Chloride	Metals	Sample Comments	TOTAL # BOTTLES
		Date	Time														
14341-01	INF	5/4/17	6:55am	GW	BD	X											5
02	M10	↓	11:40am	↓	↓	X											3
03	EFF	↓	11:10am	↓	↓	X											5

**Container Type**  
P= Plastic  
A= Amber glass  
V= Vial  
G= Glass  
B= Bacteria cup  
C= Cube  
O= Other  
E= Encore  
D= BOD Bottle

**Preservative**  
A= None  
B= HCl  
C= HNO<sub>3</sub>  
D= H<sub>2</sub>SO<sub>4</sub>  
E= NaOH  
F= MeOH  
G= NaHSO<sub>4</sub>  
H= Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub>  
I= Ascorbic Acid  
J= NH<sub>4</sub>Cl  
K= Zn Acetate  
O= Other

Container Type V  
Preservative ACL

P P  
AMB

Relinquished By:	Date/Time	Received By:	Date/Time
<u>Bill [Signature]</u>	<u>5/4/17 11:10am</u>	<u>[Signature]</u>	<u>5/4/17 1:10</u>
<u>ASM</u>	<u>5/4/17 1:41</u>	<u>[Signature]</u>	<u>5/4/17 1:45</u>

All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.



## ANALYTICAL REPORT

Lab Number:	L1714337
Client:	GZA GeoEnvironmental, Inc. 249 Vanderbilt Ave Norwood, MA 02062
ATTN:	Bill Davis
Phone:	(781) 278-5769
Project Name:	HP WALTHAM
Project Number:	01.0015522.17
Report Date:	06/14/17

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), NJ NELAP (MA935), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-14-00197).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L1714337-01	INF	WATER	WALTHAM, MA	05/04/17 12:15	05/04/17

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

#### HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

---

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

### Case Narrative (continued)

#### Report Submission

This report replaces the report May 17, 2017, and includes the results of the Hardness analysis.

A previously-issued final report replaced the partial report issued May 15, 2017, and included the results of all requested analyses.

The analysis of ethanol was subcontracted. A copy of the laboratory report is included as an addendum. Please note: This data is only available in PDF format and is not available on Data Merger.

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

#### Volatile Organics

L1714337-01: The sample has elevated detection limits due to the dilution required by the elevated concentrations of non-target compounds in the sample.

#### Volatile Organics by SIM

L1714337-01: The sample has an elevated detection limit due to the dilution required by the elevated concentrations of non-target compounds in the sample.

#### Semivolatile Organics

The WG1001142-2 LCS recovery, associated with L1714337-01, is below the acceptance criteria for benzidine (8%); however, it has been identified as a "difficult" analyte. The results of the associated sample are reported.

#### Metals

The WG1000583-3 MS recovery for hardness (36%), performed on L1714337-01, does not apply because the sample concentration is greater than four times the spike amount added.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Melissa Cripps

Title: Technical Director/Representative

Date: 06/14/17

# ORGANICS



# VOLATILES

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**SAMPLE RESULTS**

Lab ID: L1714337-01  
 Client ID: INF  
 Sample Location: WALTHAM, MA  
 Matrix: Water  
 Analytical Method: 14,504.1  
 Analytical Date: 05/09/17 21:03  
 Analyst: SL

Date Collected: 05/04/17 12:15  
 Date Received: 05/04/17  
 Field Prep: Not Specified  
 Extraction Method: EPA 504.1  
 Extraction Date: 05/09/17 15:14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Microextractables by GC - Westborough Lab							
1,2-Dibromoethane	ND		ug/l	0.010	0.004	1	A

Project Name: HP WALTHAM

Lab Number: L1714337

Project Number: 01.0015522.17

Report Date: 06/14/17

## SAMPLE RESULTS

Lab ID: L1714337-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA

Date Collected: 05/04/17 12:15  
 Date Received: 05/04/17  
 Field Prep: Not Specified

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 05/12/17 07:35  
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	300	68.	100
1,1-Dichloroethane	ND		ug/l	75	21.	100
Chloroform	ND		ug/l	75	16.	100
Carbon tetrachloride	ND		ug/l	50	13.	100
1,2-Dichloropropane	ND		ug/l	180	14.	100
Dibromochloromethane	ND		ug/l	50	15.	100
1,1,2-Trichloroethane	ND		ug/l	75	14.	100
Tetrachloroethene	57		ug/l	50	18.	100
Chlorobenzene	ND		ug/l	50	18.	100
Trichlorofluoromethane	ND		ug/l	250	16.	100
1,2-Dichloroethane	ND		ug/l	50	13.	100
1,1,1-Trichloroethane	ND		ug/l	50	16.	100
Bromodichloromethane	ND		ug/l	50	19.	100
trans-1,3-Dichloropropene	ND		ug/l	50	16.	100
cis-1,3-Dichloropropene	ND		ug/l	50	14.	100
1,1-Dichloropropene	ND		ug/l	250	17.	100
Bromoform	ND		ug/l	200	25.	100
1,1,2,2-Tetrachloroethane	ND		ug/l	50	17.	100
Benzene	ND		ug/l	50	16.	100
Toluene	ND		ug/l	75	16.	100
Ethylbenzene	ND		ug/l	50	17.	100
Chloromethane	ND		ug/l	250	18.	100
Bromomethane	ND		ug/l	100	26.	100
Vinyl chloride	ND		ug/l	100	7.1	100
Chloroethane	ND		ug/l	100	13.	100
1,1-Dichloroethene	ND		ug/l	50	17.	100
trans-1,2-Dichloroethene	ND		ug/l	75	16.	100
Trichloroethene	7200		ug/l	50	18.	100
1,2-Dichlorobenzene	ND		ug/l	250	18.	100
1,3-Dichlorobenzene	ND		ug/l	250	19.	100

Project Name: HP WALTHAM

Lab Number: L1714337

Project Number: 01.0015522.17

Report Date: 06/14/17

## SAMPLE RESULTS

Lab ID: L1714337-01 D

Date Collected: 05/04/17 12:15

Client ID: INF

Date Received: 05/04/17

Sample Location: WALTHAM, MA

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,4-Dichlorobenzene	ND		ug/l	250	19.	100
Methyl tert butyl ether	ND		ug/l	100	17.	100
p/m-Xylene	ND		ug/l	100	33.	100
o-Xylene	ND		ug/l	100	33.	100
Xylenes, Total	ND		ug/l	100	33.	100
cis-1,2-Dichloroethene	25	J	ug/l	50	19.	100
Dibromomethane	ND		ug/l	500	36.	100
1,4-Dichlorobutane	ND		ug/l	500	46.	100
1,2,3-Trichloropropane	ND		ug/l	500	18.	100
Styrene	ND		ug/l	100	36.	100
Dichlorodifluoromethane	ND		ug/l	500	24.	100
Acetone	ND		ug/l	500	150	100
Carbon disulfide	ND		ug/l	500	30.	100
2-Butanone	ND		ug/l	500	190	100
Vinyl acetate	ND		ug/l	500	31.	100
4-Methyl-2-pentanone	ND		ug/l	500	42.	100
2-Hexanone	ND		ug/l	500	52.	100
Ethyl methacrylate	ND		ug/l	500	61.	100
Acrylonitrile	ND		ug/l	500	43.	100
Bromochloromethane	ND		ug/l	250	15.	100
Tetrahydrofuran	ND		ug/l	500	83.	100
2,2-Dichloropropane	ND		ug/l	250	20.	100
1,2-Dibromoethane	ND		ug/l	200	19.	100
1,3-Dichloropropane	ND		ug/l	250	21.	100
1,1,1,2-Tetrachloroethane	ND		ug/l	50	16.	100
Bromobenzene	ND		ug/l	250	15.	100
n-Butylbenzene	ND		ug/l	50	19.	100
sec-Butylbenzene	ND		ug/l	50	18.	100
tert-Butylbenzene	ND		ug/l	250	18.	100
o-Chlorotoluene	ND		ug/l	250	17.	100
p-Chlorotoluene	ND		ug/l	250	18.	100
1,2-Dibromo-3-chloropropane	ND		ug/l	250	35.	100
Hexachlorobutadiene	ND		ug/l	50	22.	100
Isopropylbenzene	ND		ug/l	50	19.	100
p-Isopropyltoluene	ND		ug/l	50	19.	100
Naphthalene	ND		ug/l	250	22.	100
n-Propylbenzene	ND		ug/l	50	17.	100
1,2,3-Trichlorobenzene	ND		ug/l	250	23.	100
1,2,4-Trichlorobenzene	ND		ug/l	250	22.	100

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**SAMPLE RESULTS**

Lab ID: L1714337-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA

Date Collected: 05/04/17 12:15  
 Date Received: 05/04/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
1,3,5-Trimethylbenzene	ND		ug/l	250	17.	100
1,2,4-Trimethylbenzene	ND		ug/l	250	19.	100
trans-1,4-Dichloro-2-butene	ND		ug/l	250	18.	100
Ethyl ether	ND		ug/l	250	16.	100
Tert-Butyl Alcohol	ND		ug/l	1000	140	100
Tertiary-Amyl Methyl Ether	ND		ug/l	200	28.	100

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	89		70-130
Toluene-d8	111		70-130
4-Bromofluorobenzene	123		70-130
Dibromofluoromethane	91		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**SAMPLE RESULTS**

Lab ID: L1714337-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA

Date Collected: 05/04/17 12:15  
 Date Received: 05/04/17  
 Field Prep: Not Specified

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 05/12/17 16:24  
 Analyst: MAB

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
--	--	--	--	--	--	--

Ethanol	ND		ug/l	25000	1400	100
---------	----	--	------	-------	------	-----

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	89		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	101		70-130
Dibromofluoromethane	98		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**SAMPLE RESULTS**

Lab ID: L1714337-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA

Date Collected: 05/04/17 12:15  
 Date Received: 05/04/17  
 Field Prep: Not Specified

Matrix: Water  
 Analytical Method: 1,8260C-SIM(M)  
 Analytical Date: 05/12/17 07:35  
 Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS-SIM - Westborough Lab						
1,4-Dioxane	ND		ug/l	300	76.	100

**Project Name:** HP WALTHAM**Lab Number:** L1714337**Project Number:** 01.0015522.17**Report Date:** 06/14/17**Method Blank Analysis  
Batch Quality Control**

Analytical Method: 14,504.1

Extraction Method: EPA 504.1

Analytical Date: 05/09/17 19:47

Extraction Date: 05/09/17 15:14

Analyst: SL

<b>Parameter</b>	<b>Result</b>	<b>Qualifier</b>	<b>Units</b>	<b>RL</b>	<b>MDL</b>	
Microextractables by GC - Westborough Lab for sample(s): 01 Batch: WG1001729-1						
1,2-Dibromoethane	ND		ug/l	0.010	0.004	A



Project Name: HP WALTHAM

Lab Number: L1714337

Project Number: 01.0015522.17

Report Date: 06/14/17

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C-SIM(M)

Analytical Date: 05/12/17 06:28

Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 01 Batch: WG1002892-5					
1,4-Dioxane	ND		ug/l	3.0	0.76

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 05/12/17 06:28  
**Analyst:** MM

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1002896-5					
Methylene chloride	ND		ug/l	3.0	0.68
1,1-Dichloroethane	ND		ug/l	0.75	0.21
Chloroform	ND		ug/l	0.75	0.16
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.8	0.14
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	0.75	0.14
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	0.50	0.18
Trichlorofluoromethane	ND		ug/l	2.5	0.16
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	0.50	0.16
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
1,1-Dichloropropene	ND		ug/l	2.5	0.17
Bromoform	ND		ug/l	2.0	0.25
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	0.75	0.16
Ethylbenzene	ND		ug/l	0.50	0.17
Chloromethane	ND		ug/l	2.5	0.18
Bromomethane	ND		ug/l	1.0	0.26
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	1.0	0.13
1,1-Dichloroethene	ND		ug/l	0.50	0.17
trans-1,2-Dichloroethene	ND		ug/l	0.75	0.16
Trichloroethene	ND		ug/l	0.50	0.18
1,2-Dichlorobenzene	ND		ug/l	2.5	0.18

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 05/12/17 06:28  
**Analyst:** MM

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1002896-5					
1,3-Dichlorobenzene	ND		ug/l	2.5	0.19
1,4-Dichlorobenzene	ND		ug/l	2.5	0.19
Methyl tert butyl ether	ND		ug/l	1.0	0.17
p/m-Xylene	ND		ug/l	1.0	0.33
o-Xylene	ND		ug/l	1.0	0.33
Xylenes, Total	ND		ug/l	1.0	0.33
cis-1,2-Dichloroethene	ND		ug/l	0.50	0.19
Dibromomethane	ND		ug/l	5.0	0.36
1,4-Dichlorobutane	ND		ug/l	5.0	0.46
1,2,3-Trichloropropane	ND		ug/l	5.0	0.18
Styrene	ND		ug/l	1.0	0.36
Dichlorodifluoromethane	ND		ug/l	5.0	0.24
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	5.0	0.30
2-Butanone	ND		ug/l	5.0	1.9
Vinyl acetate	ND		ug/l	5.0	0.31
4-Methyl-2-pentanone	ND		ug/l	5.0	0.42
2-Hexanone	ND		ug/l	5.0	0.52
Ethyl methacrylate	ND		ug/l	5.0	0.61
Acrylonitrile	ND		ug/l	5.0	0.43
Bromochloromethane	ND		ug/l	2.5	0.15
Tetrahydrofuran	ND		ug/l	5.0	0.83
2,2-Dichloropropane	ND		ug/l	2.5	0.20
1,2-Dibromoethane	ND		ug/l	2.0	0.19
1,3-Dichloropropane	ND		ug/l	2.5	0.21
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	0.16
Bromobenzene	ND		ug/l	2.5	0.15
n-Butylbenzene	ND		ug/l	0.50	0.19
sec-Butylbenzene	ND		ug/l	0.50	0.18

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8260C  
**Analytical Date:** 05/12/17 06:28  
**Analyst:** MM

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1002896-5					
tert-Butylbenzene	ND		ug/l	2.5	0.18
o-Chlorotoluene	ND		ug/l	2.5	0.17
p-Chlorotoluene	ND		ug/l	2.5	0.18
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.35
Hexachlorobutadiene	ND		ug/l	0.50	0.22
Isopropylbenzene	ND		ug/l	0.50	0.19
p-Isopropyltoluene	ND		ug/l	0.50	0.19
Naphthalene	ND		ug/l	2.5	0.22
n-Propylbenzene	ND		ug/l	0.50	0.17
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.23
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.22
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.17
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.19
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.18
Ethyl ether	ND		ug/l	2.5	0.16
Tert-Butyl Alcohol	ND		ug/l	10	1.4
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	0.28

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	87		70-130
Toluene-d8	112		70-130
4-Bromofluorobenzene	115		70-130
Dibromofluoromethane	85		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 05/12/17 13:36  
Analyst: PK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1003068-5					
Ethyl Alcohol	ND		ug/l	250	14.

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	92		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	100		70-130

## Lab Control Sample Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1714337

Report Date: 06/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Microextractables by GC - Westborough Lab Associated sample(s): 01 Batch: WG1001729-2									
1,2-Dibromoethane	104		-		70-130	-			A

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1714337

Report Date: 06/14/17

Parameter	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>%Recovery</i> Limits	<i>RPD</i>	<i>Qual</i>	<i>RPD</i> Limits
Volatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01 Batch: WG1002892-3 WG1002892-4								
1,4-Dioxane	110		100		70-130	10		25

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1002896-3 WG1002896-4								
Methylene chloride	100		110		70-130	10		20
1,1-Dichloroethane	110		100		70-130	10		20
Chloroform	94		95		70-130	1		20
Carbon tetrachloride	73		74		63-132	1		20
1,2-Dichloropropane	100		100		70-130	0		20
Dibromochloromethane	84		88		63-130	5		20
1,1,2-Trichloroethane	110		110		70-130	0		20
Tetrachloroethene	96		100		70-130	4		20
Chlorobenzene	98		98		75-130	0		25
Trichlorofluoromethane	87		84		62-150	4		20
1,2-Dichloroethane	84		85		70-130	1		20
1,1,1-Trichloroethane	82		82		67-130	0		20
Bromodichloromethane	90		87		67-130	3		20
trans-1,3-Dichloropropene	100		110		70-130	10		20
cis-1,3-Dichloropropene	98		99		70-130	1		20
1,1-Dichloropropene	100		100		70-130	0		20
Bromoform	92		88		54-136	4		20
1,1,1,2-Tetrachloroethane	110		110		67-130	0		20
Benzene	100		110		70-130	10		25
Toluene	110		110		70-130	0		25
Ethylbenzene	110		110		70-130	0		20
Chloromethane	96		97		64-130	1		20
Bromomethane	87		85		39-139	2		20



## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Lab Number: L1714337

Project Number: 01.0015522.17

Report Date: 06/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1002896-3 WG1002896-4								
Vinyl chloride	110		110		55-140	0		20
Chloroethane	110		110		55-138	0		20
1,1-Dichloroethene	100		100		61-145	0		25
trans-1,2-Dichloroethene	100		100		70-130	0		20
Trichloroethene	88		91		70-130	3		25
1,2-Dichlorobenzene	94		97		70-130	3		20
1,3-Dichlorobenzene	95		94		70-130	1		20
1,4-Dichlorobenzene	94		95		70-130	1		20
Methyl tert butyl ether	97		100		63-130	3		20
p/m-Xylene	105		100		70-130	5		20
o-Xylene	105		105		70-130	0		20
cis-1,2-Dichloroethene	98		94		70-130	4		20
Dibromomethane	90		92		70-130	2		20
1,4-Dichlorobutane	100		110		70-130	10		20
1,2,3-Trichloropropane	100		110		64-130	10		20
Styrene	105		105		70-130	0		20
Dichlorodifluoromethane	97		97		36-147	0		20
Acetone	84		76		58-148	10		20
Carbon disulfide	110		110		51-130	0		20
2-Butanone	87		75		63-138	15		20
Vinyl acetate	81		87		70-130	7		20
4-Methyl-2-pentanone	100		110		59-130	10		20
2-Hexanone	83		83		57-130	0		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Lab Number: L1714337

Project Number: 01.0015522.17

Report Date: 06/14/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1002896-3 WG1002896-4								
Ethyl methacrylate	120		120		70-130	0		20
Acrylonitrile	94		94		70-130	0		20
Bromochloromethane	85		89		70-130	5		20
Tetrahydrofuran	76		82		58-130	8		20
2,2-Dichloropropane	87		87		63-133	0		20
1,2-Dibromoethane	100		100		70-130	0		20
1,3-Dichloropropane	120		120		70-130	0		20
1,1,1,2-Tetrachloroethane	87		90		64-130	3		20
Bromobenzene	93		92		70-130	1		20
n-Butylbenzene	120		120		53-136	0		20
sec-Butylbenzene	95		94		70-130	1		20
tert-Butylbenzene	90		92		70-130	2		20
o-Chlorotoluene	100		100		70-130	0		20
p-Chlorotoluene	100		110		70-130	10		20
1,2-Dibromo-3-chloropropane	94		98		41-144	4		20
Hexachlorobutadiene	110		110		63-130	0		20
Isopropylbenzene	94		96		70-130	2		20
p-Isopropyltoluene	94		90		70-130	4		20
Naphthalene	88		86		70-130	2		20
n-Propylbenzene	100		100		69-130	0		20
1,2,3-Trichlorobenzene	95		97		70-130	2		20
1,2,4-Trichlorobenzene	90		94		70-130	4		20
1,3,5-Trimethylbenzene	95		96		64-130	1		20

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	RPD	
	%Recovery	Qual	%Recovery	Qual			Qual	Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1002896-3 WG1002896-4								
1,2,4-Trimethylbenzene	98		95		70-130	3		20
trans-1,4-Dichloro-2-butene	140	Q	100		70-130	33	Q	20
Ethyl ether	120		130		59-134	8		20
Tert-Butyl Alcohol	90		96		70-130	6		20
Tertiary-Amyl Methyl Ether	97		99		66-130	2		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	86		89		70-130
Toluene-d8	110		112		70-130
4-Bromofluorobenzene	110		107		70-130
Dibromofluoromethane	88		89		70-130

### Lab Control Sample Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1003068-3 WG1003068-4								
Ethyl Alcohol	82		90		70-130	9		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	91		94		70-130
Toluene-d8	102		100		70-130
4-Bromofluorobenzene	101		101		70-130
Dibromofluoromethane	97		97		70-130



## Matrix Spike Analysis

*Batch Quality Control*

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

<b>Parameter</b>	<b>Native Sample</b>	<b>MS Added</b>	<b>MS Found</b>	<b>MS %Recovery</b>	<b>Qual</b>	<b>MSD Found</b>	<b>MSD %Recovery</b>	<b>Qual</b>	<b>Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>	<b>Column</b>
Microextractables by GC - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1001729-3 QC Sample: L1714130-01 Client ID: MS Sample													
1,2-Dibromoethane	ND	0.252	0.268	106		-	-		65-135	-		20	A
1,2-Dibromo-3-chloropropane	ND	0.252	0.232	92		-	-		65-135	-		20	A

# SEMIVOLATILES

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**SAMPLE RESULTS**

**Lab ID:** L1714337-01  
**Client ID:** INF  
**Sample Location:** WALTHAM, MA

**Date Collected:** 05/04/17 12:15  
**Date Received:** 05/04/17  
**Field Prep:** Not Specified  
**Extraction Method:** EPA 3510C  
**Extraction Date:** 05/07/17 23:02

**Matrix:** Water  
**Analytical Method:** 1,8270D  
**Analytical Date:** 05/09/17 06:36  
**Analyst:** CB

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Semivolatile Organics by GC/MS - Westborough Lab</b>						
Benzidine	ND		ug/l	20	8.1	1
1,2,4-Trichlorobenzene	ND		ug/l	5.0	0.66	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	0.67	1
1,2-Dichlorobenzene	ND		ug/l	2.0	0.73	1
1,3-Dichlorobenzene	ND		ug/l	2.0	0.69	1
1,4-Dichlorobenzene	ND		ug/l	2.0	0.71	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	1.4	1
2,4-Dinitrotoluene	ND		ug/l	5.0	0.84	1
2,6-Dinitrotoluene	ND		ug/l	5.0	1.1	1
Azobenzene	ND		ug/l	2.0	0.75	1
4-Chlorophenyl phenyl ether	ND		ug/l	2.0	0.62	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	0.73	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	0.70	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	0.63	1
Hexachlorocyclopentadiene	ND		ug/l	20	7.8	1
Isophorone	ND		ug/l	5.0	0.60	1
Nitrobenzene	ND		ug/l	2.0	0.75	1
NDPA/DPA	ND		ug/l	2.0	0.64	1
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	0.70	1
Bis(2-ethylhexyl)phthalate	1.3	J	ug/l	3.0	0.91	1
Butyl benzyl phthalate	ND		ug/l	5.0	1.3	1
Di-n-butylphthalate	ND		ug/l	5.0	0.69	1
Di-n-octylphthalate	ND		ug/l	5.0	1.1	1
Diethyl phthalate	ND		ug/l	5.0	0.63	1
Dimethyl phthalate	ND		ug/l	5.0	0.65	1
Biphenyl	ND		ug/l	2.0	0.76	1
Aniline	ND		ug/l	2.0	0.65	1
4-Chloroaniline	ND		ug/l	5.0	0.63	1
2-Nitroaniline	ND		ug/l	5.0	1.1	1
3-Nitroaniline	ND		ug/l	5.0	1.2	1

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**SAMPLE RESULTS**

**Lab ID:** L1714337-01  
**Client ID:** INF  
**Sample Location:** WALTHAM, MA

**Date Collected:** 05/04/17 12:15  
**Date Received:** 05/04/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Semivolatile Organics by GC/MS - Westborough Lab</b>						
4-Nitroaniline	ND		ug/l	5.0	1.3	1
Dibenzofuran	ND		ug/l	2.0	0.66	1
n-Nitrosodimethylamine	ND		ug/l	2.0	0.67	1
2,4,6-Trichlorophenol	ND		ug/l	5.0	0.68	1
p-Chloro-m-cresol	ND		ug/l	2.0	0.62	1
2-Chlorophenol	ND		ug/l	2.0	0.63	1
2,4-Dichlorophenol	ND		ug/l	5.0	0.77	1
2,4-Dimethylphenol	ND		ug/l	5.0	1.6	1
2-Nitrophenol	ND		ug/l	10	1.5	1
4-Nitrophenol	ND		ug/l	10	1.8	1
2,4-Dinitrophenol	ND		ug/l	20	5.5	1
4,6-Dinitro-o-cresol	ND		ug/l	10	2.1	1
Phenol	ND		ug/l	5.0	1.9	1
2-Methylphenol	ND		ug/l	5.0	1.0	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	1.1	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	0.72	1
Benzoic Acid	ND		ug/l	50	13.	1
Benzyl Alcohol	ND		ug/l	2.0	0.72	1
Carbazole	ND		ug/l	2.0	0.63	1
Pyridine	ND		ug/l	3.5	1.9	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	50		21-120
Phenol-d6	36		10-120
Nitrobenzene-d5	77		23-120
2-Fluorobiphenyl	73		15-120
2,4,6-Tribromophenol	46		10-120
4-Terphenyl-d14	69		41-149



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**SAMPLE RESULTS**

**Lab ID:** L1714337-01  
**Client ID:** INF  
**Sample Location:** WALTHAM, MA  
  
**Matrix:** Water  
**Analytical Method:** 1,8270D-SIM  
**Analytical Date:** 05/10/17 17:32  
**Analyst:** KL

**Date Collected:** 05/04/17 12:15  
**Date Received:** 05/04/17  
**Field Prep:** Not Specified  
**Extraction Method:**EPA 3510C  
**Extraction Date:** 05/07/17 23:07

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Semivolatile Organics by GC/MS-SIM - Westborough Lab</b>						
Acenaphthene	ND		ug/l	0.10	0.04	1
2-Chloronaphthalene	ND		ug/l	0.20	0.04	1
Fluoranthene	ND		ug/l	0.20	0.04	1
Hexachlorobutadiene	ND		ug/l	0.50	0.04	1
Naphthalene	ND		ug/l	0.20	0.04	1
Benzo(a)anthracene	ND		ug/l	0.20	0.02	1
Benzo(a)pyrene	ND		ug/l	0.20	0.04	1
Benzo(b)fluoranthene	ND		ug/l	0.20	0.02	1
Benzo(k)fluoranthene	ND		ug/l	0.20	0.04	1
Chrysene	ND		ug/l	0.20	0.04	1
Acenaphthylene	ND		ug/l	0.20	0.04	1
Anthracene	ND		ug/l	0.20	0.04	1
Benzo(ghi)perylene	ND		ug/l	0.20	0.04	1
Fluorene	ND		ug/l	0.20	0.04	1
Phenanthrene	ND		ug/l	0.20	0.02	1
Dibenzo(a,h)anthracene	ND		ug/l	0.20	0.04	1
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.20	0.04	1
Pyrene	ND		ug/l	0.20	0.04	1
1-Methylnaphthalene	ND		ug/l	0.20	0.04	1
2-Methylnaphthalene	ND		ug/l	0.20	0.05	1
Pentachlorophenol	ND		ug/l	0.80	0.22	1
Hexachlorobenzene	ND		ug/l	0.80	0.03	1
Hexachloroethane	ND		ug/l	0.80	0.03	1

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**SAMPLE RESULTS**

Lab ID: L1714337-01  
 Client ID: INF  
 Sample Location: WALTHAM, MA

Date Collected: 05/04/17 12:15  
 Date Received: 05/04/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

## Semivolatile Organics by GC/MS-SIM - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	41		21-120
Phenol-d6	30		10-120
Nitrobenzene-d5	74		23-120
2-Fluorobiphenyl	70		15-120
2,4,6-Tribromophenol	75		10-120
4-Terphenyl-d14	65		41-149

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8270D  
**Analytical Date:** 05/09/17 20:52  
**Analyst:** CB

**Extraction Method:** EPA 3510C  
**Extraction Date:** 05/07/17 23:02

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1001142-1					
Acenaphthene	ND		ug/l	2.0	0.59
Benzidine	ND		ug/l	20	8.1
1,2,4-Trichlorobenzene	ND		ug/l	5.0	0.66
Hexachlorobenzene	ND		ug/l	2.0	0.58
Bis(2-chloroethyl)ether	ND		ug/l	2.0	0.67
2-Chloronaphthalene	ND		ug/l	2.0	0.64
1,2-Dichlorobenzene	ND		ug/l	2.0	0.73
1,3-Dichlorobenzene	ND		ug/l	2.0	0.69
1,4-Dichlorobenzene	ND		ug/l	2.0	0.71
3,3'-Dichlorobenzidine	ND		ug/l	5.0	1.4
2,4-Dinitrotoluene	ND		ug/l	5.0	0.84
2,6-Dinitrotoluene	ND		ug/l	5.0	1.1
Azobenzene	ND		ug/l	2.0	0.75
Fluoranthene	ND		ug/l	2.0	0.57
4-Chlorophenyl phenyl ether	ND		ug/l	2.0	0.62
4-Bromophenyl phenyl ether	ND		ug/l	2.0	0.73
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	0.70
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	0.63
Hexachlorobutadiene	ND		ug/l	2.0	0.72
Hexachlorocyclopentadiene	ND		ug/l	20	7.8
Hexachloroethane	ND		ug/l	2.0	0.68
Isophorone	ND		ug/l	5.0	0.60
Naphthalene	ND		ug/l	2.0	0.68
Nitrobenzene	ND		ug/l	2.0	0.75
NDPA/DPA	ND		ug/l	2.0	0.64
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	0.70
Bis(2-ethylhexyl)phthalate	1.5	J	ug/l	3.0	0.91
Butyl benzyl phthalate	ND		ug/l	5.0	1.3
Di-n-butylphthalate	ND		ug/l	5.0	0.69

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8270D  
**Analytical Date:** 05/09/17 20:52  
**Analyst:** CB

**Extraction Method:** EPA 3510C  
**Extraction Date:** 05/07/17 23:02

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1001142-1					
Di-n-octylphthalate	ND		ug/l	5.0	1.1
Diethyl phthalate	ND		ug/l	5.0	0.63
Dimethyl phthalate	ND		ug/l	5.0	0.65
Benzo(a)anthracene	ND		ug/l	2.0	0.61
Benzo(a)pyrene	ND		ug/l	2.0	0.54
Benzo(b)fluoranthene	ND		ug/l	2.0	0.64
Benzo(k)fluoranthene	ND		ug/l	2.0	0.60
Chrysene	ND		ug/l	2.0	0.54
Acenaphthylene	ND		ug/l	2.0	0.66
Anthracene	ND		ug/l	2.0	0.64
Benzo(ghi)perylene	ND		ug/l	2.0	0.61
Fluorene	ND		ug/l	2.0	0.62
Phenanthrene	ND		ug/l	2.0	0.61
Dibenzo(a,h)anthracene	ND		ug/l	2.0	0.55
Indeno(1,2,3-cd)pyrene	ND		ug/l	2.0	0.71
Pyrene	ND		ug/l	2.0	0.57
Biphenyl	ND		ug/l	2.0	0.76
Aniline	ND		ug/l	2.0	0.65
4-Chloroaniline	ND		ug/l	5.0	0.63
1-Methylnaphthalene	ND		ug/l	2.0	0.67
2-Nitroaniline	ND		ug/l	5.0	1.1
3-Nitroaniline	ND		ug/l	5.0	1.2
4-Nitroaniline	ND		ug/l	5.0	1.3
Dibenzofuran	ND		ug/l	2.0	0.66
2-Methylnaphthalene	ND		ug/l	2.0	0.72
n-Nitrosodimethylamine	ND		ug/l	2.0	0.67
2,4,6-Trichlorophenol	ND		ug/l	5.0	0.68
p-Chloro-m-cresol	ND		ug/l	2.0	0.62
2-Chlorophenol	ND		ug/l	2.0	0.63

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8270D  
**Analytical Date:** 05/09/17 20:52  
**Analyst:** CB

**Extraction Method:** EPA 3510C  
**Extraction Date:** 05/07/17 23:02

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1001142-1					
2,4-Dichlorophenol	ND		ug/l	5.0	0.77
2,4-Dimethylphenol	ND		ug/l	5.0	1.6
2-Nitrophenol	ND		ug/l	10	1.5
4-Nitrophenol	ND		ug/l	10	1.8
2,4-Dinitrophenol	ND		ug/l	20	5.5
4,6-Dinitro-o-cresol	ND		ug/l	10	2.1
Pentachlorophenol	ND		ug/l	10	3.4
Phenol	ND		ug/l	5.0	1.9
2-Methylphenol	ND		ug/l	5.0	1.0
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	1.1
2,4,5-Trichlorophenol	ND		ug/l	5.0	0.72
Benzoic Acid	ND		ug/l	50	13.
Benzyl Alcohol	ND		ug/l	2.0	0.72
Carbazole	ND		ug/l	2.0	0.63
Pyridine	ND		ug/l	3.5	1.9

Tentatively Identified Compounds

No Tentatively Identified Compounds ND ug/l

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8270D  
Analytical Date: 05/09/17 20:52  
Analyst: CB

Extraction Method: EPA 3510C  
Extraction Date: 05/07/17 23:02

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01 Batch: WG1001142-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	44		21-120
Phenol-d6	31		10-120
Nitrobenzene-d5	72		23-120
2-Fluorobiphenyl	66		15-120
2,4,6-Tribromophenol	69		10-120
4-Terphenyl-d14	64		41-149

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8270D-SIM  
**Analytical Date:** 05/10/17 16:13  
**Analyst:** KL

**Extraction Method:** EPA 3510C  
**Extraction Date:** 05/07/17 23:07

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 01 Batch: WG1001143-1					
Acenaphthene	ND		ug/l	0.10	0.04
2-Chloronaphthalene	ND		ug/l	0.20	0.04
Fluoranthene	ND		ug/l	0.20	0.04
Hexachlorobutadiene	ND		ug/l	0.50	0.04
Naphthalene	ND		ug/l	0.20	0.04
Benzo(a)anthracene	ND		ug/l	0.20	0.02
Benzo(a)pyrene	ND		ug/l	0.20	0.04
Benzo(b)fluoranthene	ND		ug/l	0.20	0.02
Benzo(k)fluoranthene	ND		ug/l	0.20	0.04
Chrysene	ND		ug/l	0.20	0.04
Acenaphthylene	ND		ug/l	0.20	0.04
Anthracene	ND		ug/l	0.20	0.04
Benzo(ghi)perylene	ND		ug/l	0.20	0.04
Fluorene	ND		ug/l	0.20	0.04
Phenanthrene	ND		ug/l	0.20	0.02
Dibenzo(a,h)anthracene	ND		ug/l	0.20	0.04
Indeno(1,2,3-cd)pyrene	ND		ug/l	0.20	0.04
Pyrene	ND		ug/l	0.20	0.04
1-Methylnaphthalene	ND		ug/l	0.20	0.04
2-Methylnaphthalene	ND		ug/l	0.20	0.05
Pentachlorophenol	ND		ug/l	0.80	0.22
Hexachlorobenzene	ND		ug/l	0.80	0.03
Hexachloroethane	ND		ug/l	0.80	0.03

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 1,8270D-SIM  
**Analytical Date:** 05/10/17 16:13  
**Analyst:** KL

**Extraction Method:** EPA 3510C  
**Extraction Date:** 05/07/17 23:07

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 01 Batch: WG1001143-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	44		21-120
Phenol-d6	31		10-120
Nitrobenzene-d5	72		23-120
2-Fluorobiphenyl	69		15-120
2,4,6-Tribromophenol	75		10-120
4-Terphenyl-d14	70		41-149



## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1001142-2 WG1001142-3								
Acenaphthene	64		60		37-111	6		30
Benzidine	8	Q	15		10-75	59	Q	30
1,2,4-Trichlorobenzene	68		60		39-98	13		30
Hexachlorobenzene	70		66		40-140	6		30
Bis(2-chloroethyl)ether	66		63		40-140	5		30
2-Chloronaphthalene	69		65		40-140	6		30
1,2-Dichlorobenzene	62		59		40-140	5		30
1,3-Dichlorobenzene	60		57		40-140	5		30
1,4-Dichlorobenzene	60		57		36-97	5		30
3,3'-Dichlorobenzidine	52		50		40-140	4		30
2,4-Dinitrotoluene	71		67		48-143	6		30
2,6-Dinitrotoluene	76		72		40-140	5		30
Azobenzene	66		62		40-140	6		30
Fluoranthene	66		62		40-140	6		30
4-Chlorophenyl phenyl ether	67		64		40-140	5		30
4-Bromophenyl phenyl ether	70		66		40-140	6		30
Bis(2-chloroisopropyl)ether	70		71		40-140	1		30
Bis(2-chloroethoxy)methane	72		66		40-140	9		30
Hexachlorobutadiene	64		61		40-140	5		30
Hexachlorocyclopentadiene	64		59		40-140	8		30
Hexachloroethane	60		57		40-140	5		30
Isophorone	73		67		40-140	9		30
Naphthalene	62		59		40-140	5		30

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1001142-2 WG1001142-3								
Nitrobenzene	70		67		40-140	4		30
NDPA/DPA	67		63		40-140	6		30
n-Nitrosodi-n-propylamine	70		70		29-132	0		30
Bis(2-ethylhexyl)phthalate	72		67		40-140	7		30
Butyl benzyl phthalate	68		64		40-140	6		30
Di-n-butylphthalate	67		64		40-140	5		30
Di-n-octylphthalate	71		67		40-140	6		30
Diethyl phthalate	68		64		40-140	6		30
Dimethyl phthalate	74		71		40-140	4		30
Benzo(a)anthracene	66		62		40-140	6		30
Benzo(a)pyrene	68		65		40-140	5		30
Benzo(b)fluoranthene	68		66		40-140	3		30
Benzo(k)fluoranthene	69		64		40-140	8		30
Chrysene	66		62		40-140	6		30
Acenaphthylene	71		68		45-123	4		30
Anthracene	66		61		40-140	8		30
Benzo(ghi)perylene	67		63		40-140	6		30
Fluorene	65		62		40-140	5		30
Phenanthrene	64		60		40-140	6		30
Dibenzo(a,h)anthracene	68		63		40-140	8		30
Indeno(1,2,3-cd)pyrene	68		64		40-140	6		30
Pyrene	66		62		26-127	6		30
Biphenyl	72		69		40-140	4		30

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

Parameter	LCS %Recovery	Qual	LCS %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1001142-2 WG1001142-3								
Aniline	44		45		40-140	2		30
4-Chloroaniline	54		56		40-140	4		30
1-Methylnaphthalene	70		66		41-103	6		30
2-Nitroaniline	74		70		52-143	6		30
3-Nitroaniline	50		50		25-145	0		30
4-Nitroaniline	65		61		51-143	6		30
Dibenzofuran	66		63		40-140	5		30
2-Methylnaphthalene	66		62		40-140	6		30
n-Nitrosodimethylamine	40		37		22-74	8		30
2,4,6-Trichlorophenol	77		73		30-130	5		30
p-Chloro-m-cresol	72		69		23-97	4		30
2-Chlorophenol	66		64		27-123	3		30
2,4-Dichlorophenol	76		68		30-130	11		30
2,4-Dimethylphenol	68		64		30-130	6		30
2-Nitrophenol	71		65		30-130	9		30
4-Nitrophenol	56		48		10-80	15		30
2,4-Dinitrophenol	67		65		20-130	3		30
4,6-Dinitro-o-cresol	66		63		20-164	5		30
Pentachlorophenol	58		56		9-103	4		30
Phenol	32		32		12-110	0		30
2-Methylphenol	61		59		30-130	3		30
3-Methylphenol/4-Methylphenol	60		58		30-130	3		30
2,4,5-Trichlorophenol	76		72		30-130	5		30

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	RPD	
	%Recovery	Qual	%Recovery	Qual			Qual	Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01 Batch: WG1001142-2 WG1001142-3								
Benzoic Acid	25		27		10-164	8		30
Benzyl Alcohol	63		62		26-116	2		30
Carbazole	65		62		55-144	5		30
Pyridine	33		31		10-66	6		30

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
2-Fluorophenol	48		44		21-120
Phenol-d6	34		33		10-120
Nitrobenzene-d5	69		68		23-120
2-Fluorobiphenyl	68		66		15-120
2,4,6-Tribromophenol	72		69		10-120
4-Terphenyl-d14	66		62		41-149

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	RPD	
	%Recovery	Qual	%Recovery	Qual			Qual	Limits
Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01 Batch: WG1001143-2 WG1001143-3								
Acenaphthene	49		69		37-111	34		40
2-Chloronaphthalene	53		74		40-140	33		40
Fluoranthene	55		77		40-140	33		40
Hexachlorobutadiene	47		67		40-140	35		40
Naphthalene	48		69		40-140	36		40
Benzo(a)anthracene	54		74		40-140	31		40
Benzo(a)pyrene	59		81		40-140	31		40
Benzo(b)fluoranthene	58		79		40-140	31		40
Benzo(k)fluoranthene	57		76		40-140	29		40
Chrysene	48		65		40-140	30		40
Acenaphthylene	56		79		40-140	34		40
Anthracene	53		74		40-140	33		40
Benzo(ghi)perylene	59		81		40-140	31		40
Fluorene	52		73		40-140	34		40
Phenanthrene	48		68		40-140	34		40
Dibenzo(a,h)anthracene	61		84		40-140	32		40
Indeno(1,2,3-cd)pyrene	58		82		40-140	34		40
Pyrene	54		76		26-127	34		40
1-Methylnaphthalene	52		73		40-140	34		40
2-Methylnaphthalene	53		75		40-140	34		40
Pentachlorophenol	56		79		9-103	34		40
Hexachlorobenzene	50		69		40-140	32		40
Hexachloroethane	45		66		40-140	38		40

## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

Parameter	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>%Recovery</i> Limits	<i>RPD</i>	<i>Qual</i>	<i>RPD</i> Limits
-----------	-------------------------	-------------	--------------------------	-------------	----------------------------	------------	-------------	----------------------

Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01 Batch: WG1001143-2 WG1001143-3

<i>Surrogate</i>	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>Acceptance</i> Criteria
2-Fluorophenol	34		48		21-120
Phenol-d6	25		35		10-120
Nitrobenzene-d5	56		79		23-120
2-Fluorobiphenyl	52		73		15-120
2,4,6-Tribromophenol	56		76		10-120
4-Terphenyl-d14	56		76		41-149

# PCBS

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**SAMPLE RESULTS**

**Lab ID:** L1714337-01  
**Client ID:** INF  
**Sample Location:** WALTHAM, MA

**Matrix:** Water  
**Analytical Method:** 5,608  
**Analytical Date:** 05/09/17 00:04  
**Analyst:** HT

**Date Collected:** 05/04/17 12:15  
**Date Received:** 05/04/17  
**Field Prep:** Not Specified  
**Extraction Method:** EPA 608  
**Extraction Date:** 05/08/17 05:17  
**Cleanup Method:** EPA 3665A  
**Cleanup Date:** 05/08/17  
**Cleanup Method:** EPA 3660B  
**Cleanup Date:** 05/08/17

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
<b>Polychlorinated Biphenyls by GC - Westborough Lab</b>							
Aroclor 1016	ND		ug/l	0.250	0.042	1	A
Aroclor 1221	ND		ug/l	0.250	0.056	1	A
Aroclor 1232	ND		ug/l	0.250	0.024	1	A
Aroclor 1242	ND		ug/l	0.250	0.028	1	A
Aroclor 1248	ND		ug/l	0.250	0.028	1	A
Aroclor 1254	0.101	J	ug/l	0.250	0.043	1	A
Aroclor 1260	ND		ug/l	0.200	0.045	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	77		30-150	A
Decachlorobiphenyl	86		30-150	A



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**Method Blank Analysis**  
**Batch Quality Control**

**Analytical Method:** 5,608  
**Analytical Date:** 05/09/17 00:29  
**Analyst:** JW

**Extraction Method:** EPA 608  
**Extraction Date:** 05/08/17 05:17  
**Cleanup Method:** EPA 3665A  
**Cleanup Date:** 05/08/17  
**Cleanup Method:** EPA 3660B  
**Cleanup Date:** 05/08/17

Parameter	Result	Qualifier	Units	RL	MDL	Column
Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 01 Batch: WG1001153-1						
Aroclor 1016	ND		ug/l	0.250	0.042	A
Aroclor 1221	ND		ug/l	0.250	0.056	A
Aroclor 1232	ND		ug/l	0.250	0.024	A
Aroclor 1242	ND		ug/l	0.250	0.028	A
Aroclor 1248	ND		ug/l	0.250	0.028	A
Aroclor 1254	ND		ug/l	0.250	0.043	A
Aroclor 1260	ND		ug/l	0.200	0.045	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	68		30-150	A
Decachlorobiphenyl	89		30-150	A

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1714337

Report Date: 06/14/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01 Batch: WG1001153-2									
Aroclor 1016	85		-		30-150	-		30	A
Aroclor 1260	96		-		30-150	-		30	A

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	64				30-150	A
Decachlorobiphenyl	84				30-150	A

## Matrix Spike Analysis

*Batch Quality Control*

**Project Name:** HP WALTHAM

**Lab Number:** L1714337

**Project Number:** 01.0015522.17

**Report Date:** 06/14/17

<b>Parameter</b>	<b>Native Sample</b>	<b>MS Added</b>	<b>MS Found</b>	<b>MS %Recovery</b>	<b>Qual</b>	<b>MSD Found</b>	<b>MSD %Recovery</b>	<b>Qual</b>	<b>Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>	<b>Column</b>
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1001153-3 QC Sample: L1714670-02 Client ID: MS Sample													
Aroclor 1016	ND	3.12	3.05	98		-	-		40-126	-		30	A
Aroclor 1260	ND	3.12	2.88	92		-	-		40-127	-		30	A

<b>Surrogate</b>	<b>MS % Recovery</b>	<b>Qualifier</b>	<b>MSD % Recovery</b>	<b>Qualifier</b>	<b>Acceptance Criteria</b>	<b>Column</b>
2,4,5,6-Tetrachloro-m-xylene	79				30-150	A
Decachlorobiphenyl	63				30-150	A

## Lab Duplicate Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1714337

Report Date: 06/14/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1001153-4 QC Sample: L1714670-03 Client ID: DUP Sample						
Aroclor 1016	ND	ND	ug/l	NC		30 A
Aroclor 1221	ND	ND	ug/l	NC		30 A
Aroclor 1232	ND	ND	ug/l	NC		30 A
Aroclor 1242	0.033J	0.055J	ug/l	NC		30 A
Aroclor 1248	ND	ND	ug/l	NC		30 A
Aroclor 1254	0.052J	0.099J	ug/l	NC		30 A
Aroclor 1260	ND	ND	ug/l	NC		30 A

Surrogate	%Recovery	Qualifier	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	74		73		30-150	A
Decachlorobiphenyl	59		56		30-150	A

## METALS

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**SAMPLE RESULTS**

**Lab ID:** L1714337-01  
**Client ID:** INF  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water

**Date Collected:** 05/04/17 12:15  
**Date Received:** 05/04/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Antimony, Total	ND		mg/l	0.00400	0.00042	1	05/05/17 07:55	05/05/17 11:59	EPA 3005A	3,200.8	AM
Arsenic, Total	0.00022	J	mg/l	0.00100	0.00016	1	05/05/17 07:55	05/05/17 11:59	EPA 3005A	3,200.8	AM
Cadmium, Total	0.00033	J	mg/l	0.00100	0.00005	1	05/05/17 07:55	05/05/17 11:59	EPA 3005A	3,200.8	AM
Chromium, Total	0.00164		mg/l	0.00100	0.00017	1	05/05/17 07:55	05/05/17 11:59	EPA 3005A	3,200.8	AM
Copper, Total	0.00516		mg/l	0.00100	0.00038	1	05/05/17 07:55	05/05/17 11:59	EPA 3005A	3,200.8	AM
Iron, Total	0.107		mg/l	0.050	0.009	1	05/05/17 07:55	05/08/17 10:44	EPA 3005A	19,200.7	PS
Lead, Total	ND		mg/l	0.00050	0.00034	1	05/05/17 07:55	05/05/17 11:59	EPA 3005A	3,200.8	AM
Mercury, Total	ND		mg/l	0.00020	0.00006	1	05/05/17 14:09	05/05/17 19:10	EPA 245.1	3,245.1	EA
Nickel, Total	0.00488		mg/l	0.00200	0.00055	1	05/05/17 07:55	05/05/17 11:59	EPA 3005A	3,200.8	AM
Selenium, Total	ND		mg/l	0.00500	0.00173	1	05/05/17 07:55	05/05/17 11:59	EPA 3005A	3,200.8	AM
Silver, Total	ND		mg/l	0.00100	0.00026	1	05/05/17 07:55	05/05/17 11:59	EPA 3005A	3,200.8	AM
Zinc, Total	0.00673	J	mg/l	0.0100	0.00341	1	05/05/17 07:55	05/05/17 11:59	EPA 3005A	3,200.8	AM
<b>Total Hardness by SM 2340B - Mansfield Lab</b>											
Hardness	447		mg/l	0.660	NA	1	05/05/17 07:55	05/08/17 10:44	EPA 3005A	19,200.7	PS
<b>General Chemistry - Mansfield Lab</b>											
Chromium, Trivalent	ND		mg/l	0.010	0.010	1		05/05/17 11:59	NA	107,-	



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

## Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab for sample(s): 01 Batch: WG1000580-1</b>									
Antimony, Total	ND	mg/l	0.00400	0.00042	1	05/05/17 07:55	05/05/17 11:41	3,200.8	AM
Arsenic, Total	ND	mg/l	0.0010	0.0002	1	05/05/17 07:55	05/05/17 11:41	3,200.8	AM
Cadmium, Total	ND	mg/l	0.00100	0.00005	1	05/05/17 07:55	05/05/17 11:41	3,200.8	AM
Chromium, Total	ND	mg/l	0.00100	0.00017	1	05/05/17 07:55	05/05/17 11:41	3,200.8	AM
Copper, Total	ND	mg/l	0.00100	0.00038	1	05/05/17 07:55	05/05/17 11:41	3,200.8	AM
Lead, Total	ND	mg/l	0.0005	0.0003	1	05/05/17 07:55	05/05/17 11:41	3,200.8	AM
Nickel, Total	ND	mg/l	0.00200	0.00055	1	05/05/17 07:55	05/05/17 11:41	3,200.8	AM
Selenium, Total	ND	mg/l	0.0050	0.0017	1	05/05/17 07:55	05/05/17 11:41	3,200.8	AM
Silver, Total	ND	mg/l	0.00100	0.00026	1	05/05/17 07:55	05/05/17 11:41	3,200.8	AM
Zinc, Total	ND	mg/l	0.01000	0.00341	1	05/05/17 07:55	05/05/17 11:41	3,200.8	AM

### Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab for sample(s): 01 Batch: WG1000583-1</b>									
Iron, Total	ND	mg/l	0.050	0.009	1	05/05/17 07:55	05/08/17 10:36	19,200.7	PS

### Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
<b>Total Hardness by SM 2340B - Mansfield Lab for sample(s): 01 Batch: WG1000583-1</b>									
Hardness	ND	mg/l	0.660	NA	1	05/05/17 07:55	05/08/17 10:36	19,200.7	PS

### Prep Information

Digestion Method: EPA 3005A



Project Name: HP WALTHAM

Lab Number: L1714337

Project Number: 01.0015522.17

Report Date: 06/14/17

## Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01 Batch: WG1000753-1									
Mercury, Total	ND	mg/l	0.0002	0.0001	1	05/05/17 14:09	05/05/17 18:44	3,245.1	EA

### Prep Information

Digestion Method: EPA 245.1



## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Total Metals - Mansfield Lab Associated sample(s): 01 Batch: WG1000580-2								
Antimony, Total	102		-		85-115	-		
Arsenic, Total	110		-		85-115	-		
Cadmium, Total	113		-		85-115	-		
Chromium, Total	100		-		85-115	-		
Copper, Total	99		-		85-115	-		
Lead, Total	104		-		85-115	-		
Nickel, Total	100		-		85-115	-		
Selenium, Total	106		-		85-115	-		
Silver, Total	102		-		85-115	-		
Zinc, Total	107		-		85-115	-		
Total Metals - Mansfield Lab Associated sample(s): 01 Batch: WG1000583-2								
Iron, Total	109		-		85-115	-		
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01 Batch: WG1000583-2								
Hardness	105		-		85-115	-		
Total Metals - Mansfield Lab Associated sample(s): 01 Batch: WG1000753-2								
Mercury, Total	114		-		85-115	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	RPD Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01    QC Batch ID: WG1000580-3    QC Sample: L1714337-01    Client ID: INF												
Antimony, Total	ND	0.5	0.5456	109	-	-	-	-	70-130	-	-	20
Arsenic, Total	0.00022J	0.12	0.1316	110	-	-	-	-	70-130	-	-	20
Cadmium, Total	0.00033J	0.051	0.05451	107	-	-	-	-	70-130	-	-	20
Chromium, Total	0.00164	0.2	0.2007	100	-	-	-	-	70-130	-	-	20
Copper, Total	0.00516	0.25	0.2448	96	-	-	-	-	70-130	-	-	20
Lead, Total	ND	0.51	0.5364	105	-	-	-	-	70-130	-	-	20
Nickel, Total	0.00488	0.5	0.4896	97	-	-	-	-	70-130	-	-	20
Selenium, Total	ND	0.12	0.1356	113	-	-	-	-	70-130	-	-	20
Silver, Total	ND	0.05	0.04842	97	-	-	-	-	70-130	-	-	20
Zinc, Total	0.00673J	0.5	0.5224	104	-	-	-	-	70-130	-	-	20
Total Metals - Mansfield Lab Associated sample(s): 01    QC Batch ID: WG1000583-3    QC Sample: L1714337-01    Client ID: INF												
Iron, Total	0.107	1	1.12	101	-	-	-	-	75-125	-	-	20
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01    QC Batch ID: WG1000583-3    QC Sample: L1714337-01    Client ID: INF												
Hardness	447.	66.2	471	36	Q	-	-	-	75-125	-	-	20
Total Metals - Mansfield Lab Associated sample(s): 01    QC Batch ID: WG1000753-3    QC Sample: L1714406-01    Client ID: MS Sample												
Mercury, Total	ND	0.005	0.0055	110	-	-	-	-	70-130	-	-	20
Total Metals - Mansfield Lab Associated sample(s): 01    QC Batch ID: WG1000753-5    QC Sample: L1714413-01    Client ID: MS Sample												
Mercury, Total	ND	0.005	0.0052	104	-	-	-	-	70-130	-	-	20

## Lab Duplicate Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
<b>Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1000580-4 QC Sample: L1714337-01 Client ID: INF</b>						
Antimony, Total	ND	0.00062J	mg/l	NC		20
Arsenic, Total	0.00022J	0.0003J	mg/l	NC		20
Cadmium, Total	0.00033J	0.00032J	mg/l	NC		20
Chromium, Total	0.00164	0.00167	mg/l	2		20
Copper, Total	0.00516	0.00535	mg/l	4		20
Lead, Total	ND	ND	mg/l	NC		20
Nickel, Total	0.00488	0.00486	mg/l	0		20
Selenium, Total	ND	ND	mg/l	NC		20
Silver, Total	ND	ND	mg/l	NC		20
Zinc, Total	0.00673J	0.00465J	mg/l	NC		20
<b>Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1000583-4 QC Sample: L1714337-01 Client ID: INF</b>						
Iron, Total	0.107	0.110	mg/l	3		20
<b>Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1000583-4 QC Sample: L1714337-01 Client ID: INF</b>						
Hardness	447.	439	mg/l	2		20
<b>Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1000753-4 QC Sample: L1714406-01 Client ID: DUP Sample</b>						
Mercury, Total	ND	ND	mg/l	NC		20
<b>Total Metals - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1000753-6 QC Sample: L1714413-01 Client ID: DUP Sample</b>						
Mercury, Total	ND	ND	mg/l	NC		20

# **INORGANICS & MISCELLANEOUS**

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**SAMPLE RESULTS**

**Lab ID:** L1714337-01  
**Client ID:** INF  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water

**Date Collected:** 05/04/17 12:15  
**Date Received:** 05/04/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
<b>General Chemistry - Westborough Lab</b>										
Solids, Total Suspended	ND		mg/l	5.0	NA	1	-	05/06/17 01:33	121,2540D	VB
Cyanide, Total	ND		mg/l	0.005	0.001	1	05/08/17 10:30	05/08/17 14:46	121,4500CN-CE	LK
Chlorine, Total Residual	ND		mg/l	0.02	0.01	1	-	05/04/17 22:30	121,4500CL-D	AS
Nitrogen, Ammonia	0.303		mg/l	0.075	0.022	1	05/09/17 13:39	05/09/17 21:21	121,4500NH3-BH	AT
TPH, SGT-HEM	ND		mg/l	4.00	1.24	1	05/08/17 16:30	05/08/17 21:30	74,1664A	ML
Phenolics, Total	ND		mg/l	0.030	0.010	1	05/09/17 15:21	05/10/17 14:59	4,420.1	AW
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	05/05/17 01:30	05/05/17 02:23	1,7196A	JT
<b>Anions by Ion Chromatography - Westborough Lab</b>										
Chloride	608.		mg/l	25.0	4.20	50	-	05/07/17 01:47	44,300.0	JC



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

**Method Blank Analysis**  
**Batch Quality Control**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1000488-1										
Chlorine, Total Residual	ND		mg/l	0.02	0.01	1	-	05/04/17 22:30	121,4500CL-D	AS
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1000505-1										
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	05/05/17 01:30	05/05/17 02:16	1,7196A	JT
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1000902-1										
Solids, Total Suspended	ND		mg/l	5.0	NA	1	-	05/06/17 01:33	121,2540D	VB
Anions by Ion Chromatography - Westborough Lab for sample(s): 01 Batch: WG1001110-1										
Chloride	ND		mg/l	0.500	0.083	1	-	05/06/17 19:46	44,300.0	JC
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1001236-1										
Cyanide, Total	ND		mg/l	0.005	0.001	1	05/08/17 10:30	05/08/17 14:38	121,4500CN-CE	LK
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1001399-1										
TPH, SGT-HEM	ND		mg/l	4.00	1.24	1	05/08/17 16:30	05/08/17 21:30	74,1664A	ML
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1001579-1										
Nitrogen, Ammonia	0.032	J	mg/l	0.075	0.022	1	05/09/17 13:39	05/09/17 21:08	121,4500NH3-BH	AT
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1001732-1										
Phenolics, Total	ND		mg/l	0.030	0.010	1	05/09/17 15:21	05/10/17 14:56	4,420.1	AW

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1714337

Report Date: 06/14/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1000488-2								
Chlorine, Total Residual	105		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1000505-2								
Chromium, Hexavalent	96		-		85-115	-		20
Anions by Ion Chromatography - Westborough Lab Associated sample(s): 01 Batch: WG1001110-2								
Chloride	105		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1001236-2								
Cyanide, Total	92		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1001399-2								
TPH	94		-		64-132	-		34
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1001579-2								
Nitrogen, Ammonia	94		-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1001732-2								
Phenolics, Total	92		-		70-130	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	RPD Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1000488-4 QC Sample: L1714337-01 Client ID: INF												
Chlorine, Total Residual	ND	0.248	0.25	101	-	-	-	-	80-120	-	-	20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1000505-4 QC Sample: L1714337-01 Client ID: INF												
Chromium, Hexavalent	ND	0.1	0.103	103	-	-	-	-	85-115	-	-	20
Anions by Ion Chromatography - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1001110-3 QC Sample: L1714286-01 Client ID: MS Sample												
Chloride	18.1	4	21.6	89	Q	-	-	-	90-110	-	-	18
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1001236-4 QC Sample: L1714448-02 Client ID: MS Sample												
Cyanide, Total	0.003J	0.2	0.196	98	-	-	-	-	90-110	-	-	30
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1001399-4 QC Sample: L1714569-01 Client ID: MS Sample												
TPH	ND	25	21.2	85	-	-	-	-	64-132	-	-	34
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1001579-4 QC Sample: L1713948-01 Client ID: MS Sample												
Nitrogen, Ammonia	0.027J	4	3.84	96	-	-	-	-	80-120	-	-	20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1001732-4 QC Sample: L1714337-01 Client ID: INF												
Phenolics, Total	ND	0.4	0.40	101	-	-	-	-	70-130	-	-	20



## Lab Duplicate Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1000488-3 QC Sample: L1714337-01 Client ID: INF						
Chlorine, Total Residual	ND	ND	mg/l	NC		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1000505-3 QC Sample: L1714337-01 Client ID: INF						
Chromium, Hexavalent	ND	ND	mg/l	NC		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1000902-2 QC Sample: L1714322-01 Client ID: DUP Sample						
Solids, Total Suspended	520	470	mg/l	10		29
Anions by Ion Chromatography - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1001110-4 QC Sample: L1714286-01 Client ID: DUP Sample						
Chloride	18.1	18.1	mg/l	0		18
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1001236-3 QC Sample: L1714432-08 Client ID: DUP Sample						
Cyanide, Total	ND	0.001J	mg/l	NC		30
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1001399-3 QC Sample: L1714569-02 Client ID: DUP Sample						
TPH	ND	ND	mg/l	NC		34
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1001579-3 QC Sample: L1713948-01 Client ID: DUP Sample						
Nitrogen, Ammonia	0.027J	ND	mg/l	NC		20
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1001732-3 QC Sample: L1714337-01 Client ID: INF						
Phenolics, Total	ND	ND	mg/l	NC		20

**Project Name:** HP WALTHAM**Lab Number:** L1714337**Project Number:** 01.0015522.17**Report Date:** 06/14/17**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

**Cooler Information**

<b>Cooler</b>	<b>Custody Seal</b>
A	Absent

**Container Information**

<b>Container ID</b>	<b>Container Type</b>	<b>Cooler</b>	<b>Initial pH</b>	<b>Final pH</b>	<b>Temp deg C</b>	<b>Pres</b>	<b>Seal</b>	<b>Frozen Date/Time</b>	<b>Analysis(*)</b>
L1714337-01A	Plastic 250ml HNO3 preserved	A	<2	<2	3.7	Y	Absent		CD-2008T(180),NI-2008T(180),ZN-2008T(180),CU-2008T(180),FE-UI(180),AG-2008T(180),AS-2008T(180),HG-U(28),SE-2008T(180),CR-2008T(180),PB-2008T(180),SB-2008T(180)
L1714337-01B	Amber 1000ml Na2S2O3	A	7	7	3.7	Y	Absent		PCB-608(7)
L1714337-01C	Amber 1000ml Na2S2O3	A	7	7	3.7	Y	Absent		PCB-608(7)
L1714337-01D	Amber 1000ml unpreserved	A	7	7	3.7	Y	Absent		8270TCL(7),8270TCL-SIM(7)
L1714337-01E	Amber 1000ml unpreserved	A	7	7	3.7	Y	Absent		8270TCL(7),8270TCL-SIM(7),504(14)
L1714337-01F	Vial unpreserved	A	N/A	N/A	3.7	Y	Absent		SUB-ETHANOL(14)
L1714337-01G	Vial unpreserved	A	N/A	N/A	3.7	Y	Absent		SUB-ETHANOL(14)
L1714337-01H	Vial Na2S2O3 preserved split	A	N/A	N/A	3.7	Y	Absent		504(14)
L1714337-01I	Vial Na2S2O3 preserved split	A	N/A	N/A	3.7	Y	Absent		504(14)
L1714337-01J	Vial HCl preserved	A	N/A	N/A	3.7	Y	Absent		8260-SIM(14),8260(14)
L1714337-01K	Vial HCl preserved	A	N/A	N/A	3.7	Y	Absent		8260-SIM(14),8260(14)
L1714337-01L	Vial HCl preserved	A	N/A	N/A	3.7	Y	Absent		8260-SIM(14),8260(14)
L1714337-01M	Plastic 950ml unpreserved	A	7	7	3.7	Y	Absent		CL-300(28),HEXCR-7196(1),TRC-4500(1)
L1714337-01N	Plastic 950ml unpreserved	A	7	7	3.7	Y	Absent		TSS-2540(7)
L1714337-01O	Plastic 250ml NaOH preserved	A	>12	>12	3.7	Y	Absent		TCN-4500(14)
L1714337-01P	Amber 1000ml HCl preserved	A	N/A	N/A	3.7	Y	Absent		TPH-1664(28)
L1714337-01Q	Amber 1000ml HCl preserved	A	N/A	N/A	3.7	Y	Absent		TPH-1664(28)
L1714337-01R	Amber 950ml H2SO4 preserved	A	<2	<2	3.7	Y	Absent		TPHENOL-420(28)
L1714337-01T	Plastic 500ml H2SO4 preserved	A	<2	<2	3.7	Y	Absent		NH3-4500(28)

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

## GLOSSARY

### Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

**Final pH:** As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

**Frozen Date/Time:** With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

**Initial pH:** As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related

**Report Format:** DU Report with 'J' Qualifiers



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

#### Data Qualifiers

projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.

Report Format: DU Report with 'J' Qualifiers



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714337  
**Report Date:** 06/14/17

## REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.
- 3 Methods for the Determination of Metals in Environmental Samples, Supplement I. EPA/600/R-94/111. May 1994.
- 4 Methods for Chemical Analysis of Water and Wastes. EPA 600/4-79-020. Revised March 1983.
- 5 Methods for the Organic Chemical Analysis of Municipal and Industrial Wastewater. Appendix A, Part 136, 40 CFR (Code of Federal Regulations).
- 14 Methods for the Determination of Organic Compounds in Finished Drinking Water and Raw Source Water. EPA/600/4-88/039, Revised July 1991.
- 19 Inductively Coupled Plasma Atomic Emission Spectrometric Method for Trace Element Analysis of Water and Wastes. Appendix C, Part 136, 40 CFR (Code of Federal Regulations). July 1, 1999 edition.
- 44 Methods for the Determination of Inorganic Substances in Environmental Samples, EPA/600/R-93/100, August 1993.
- 74 Method 1664, Revision A: N-Hexane Extractable Material (HEM; Oil & Grease) and Silica Gel Treated N-Hexane Extractable Material (SGT-HEM; Non-polar Material) by Extraction and Gravimetry, EPA-821-R-98-002, February 1999.
- 107 Alpha Analytical - In-house calculation method.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



## Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

### Westborough Facility

**EPA 624:** m/p-xylene, o-xylene

**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

**EPA 8270D:** NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

**EPA 300:** DW: Bromide

**EPA 6860:** NPW and SCM: Perchlorate

**EPA 9010:** NPW and SCM: Amenable Cyanide Distillation

**EPA 9012B:** NPW: Total Cyanide

**EPA 9050A:** NPW: Specific Conductance

**SM3500:** NPW: Ferrous Iron

**SM4500:** NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.

**SM5310C:** DW: Dissolved Organic Carbon

### Mansfield Facility

**SM 2540D:** TSS

**EPA 3005A** NPW

**EPA 8082A:** NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

### Westborough Facility:

#### Drinking Water

**EPA 300.0:** Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

**EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

#### Non-Potable Water

**SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.**

**EPA 624:** Volatile Halocarbons & Aromatics,

**EPA 608:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E.**

### Mansfield Facility:

#### Drinking Water

**EPA 200.7:** Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.**

#### Non-Potable Water

**EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.

**EPA 245.1 Hg.**

**SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.





# CHAIN OF CUSTODY

PAGE 1 OF 1

Date Rec'd in Lab: 5/4/17

ALPHA Job #: 21714337

8 Walkup Drive  
Westboro, MA 01581  
Tel: 508-898-9220

320 Forbes Blvd  
Mansfield, MA 02048  
Tel: 508-822-9300

### Project Information

Project Name: HP Waltham

### Report Information - Data Deliverables

ADEX  EMAIL

### Billing Information

Same as Client info PO #:

### Client Information

Client: GZA

Address: 24a Vanderbilt Ave  
Warwood Ma 02062

Phone: 781-983-1357

Email: wdavis@gza.com

Project Location: Waltham Ma

Project #: 01.0015522.17

Project Manager: J. Colbert

ALPHA Quote #:

### Regulatory Requirements & Project Information Requirements

Yes  No MA MCP Analytical Methods  Yes  No CT RCP Analytical Methods

Yes  No Matrix Spike Required on this SDG? (Required for MCP Inorganics)

Yes  No GW1 Standards (Info Required for Metals & EPH with Targets)

Yes  No NPDES RGP

Other State / Fed Program \_\_\_\_\_ Criteria \_\_\_\_\_

### Turn-Around Time

Standard  RUSH (only confirmed if pre-approved)

Date Due: Hex chrom has  
24-hour hold time

### Additional Project Information:

Please report with detection limits in accordance with the 2017 RPP requirements.

**ANALYSIS**

VOC:  8260  624  824.2

SVOC:  A-BM  PAH 82700

METALS:  MCP 13  MCP 14  RCP 15

EPH:  Ranges & Targets  Ranges Only

VPH:  Ranges & Targets  Ranges Only

PCB:  PEST EPA 608

TPH:  Quant Only  Fingerprint

Hex Cyanide SM4500

TSS - SM 2540

TPH - 1664

Phenol - EPA 420.1

NH-3

Ethanol

**SAMPLE INFO**

Filtration

Field  Lab to do

Preservation

Lab to do

**TOTAL # BOTTLES**

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler Initials	ANALYSIS										Sample Comments	TOTAL # BOTTLES		
		Date	Time			VOC	SVOC	METALS	METALS	EPH	VPH	PCB	TPH	Hex Cyanide	TSS			TPH	Phenol
14337-01	INF	5/4/17	1215 pm	GW	BD	X	X	X	X	X	X	X	X	X	X	X	X	VOCs - 8260	17
																		LY-Dioxane 8260 SIM	
																		82700/82700 SIM SVOCs	
																		Ammonia nitrogen } SM 4500	
																		Chloride SM 4500	
																		TSS - SM 2540	
																		TRC - SM 4500	
																		Hex Chrom. - 7196	
																		Cyanide - SM 4500	
																		Total Phenol - 420.1	
																		TPH - 1664	
																		PCB - 608	
																		PP13 Metals - 6020 A/2451	
																		Ethanol 504	

**Container Type**

P= Plastic  
A= Amber glass  
V= Vial  
G= Glass  
B= Bacteria cup  
C= Cube  
E= Encore  
D= BOD Bottle

**Preservative**

A= None  
B= HCl  
C= HNO<sub>3</sub>  
D= H<sub>2</sub>SO<sub>4</sub>  
E= NaOH  
F= MeOH  
G= NaHSO<sub>4</sub>  
H= Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub>  
I= Ascorbic Acid  
J= NH<sub>4</sub>Cl  
K= Zn Acetate  
O= Other

Container Type	<u>V</u>	<u>A</u>	<u>P</u>	<u>P</u>	<u>A</u>	<u>P</u>	<u>A</u>	<u>P</u>	<u>V</u>
Preservative	<u>HCl</u>	<u>/</u>	<u>HNO3</u>	<u>NaOH</u>	<u>Na2S2O3</u>	<u>/</u>	<u>HCl</u>	<u>H2SO4</u>	<u>/</u>

Relinquished By:	Date/Time	Received By:	Date/Time
<u>[Signature]</u>	<u>5/4/17 11:00am</u>	<u>[Signature]</u>	<u>5/4/17 13:10</u>
<u>[Signature]</u>	<u>5/4/17 1:45</u>	<u>[Signature]</u>	<u>5/4/17 17:11</u>

All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.







Lancaster Laboratories  
Environmental

# Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

## ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories Environmental  
2425 New Holland Pike  
Lancaster, PA 17601

Prepared for:

Alpha Analytical, Inc.  
145 Flanders Road  
Westborough MA 01581

Report Date: May 17, 2017

**Project: L1714337**

Submittal Date: 05/06/2017  
Group Number: 1798347  
PO Number: L1714337  
State of Sample Origin: MA

Client Sample Description  
INF Groundwater Sample

Lancaster Labs  
(LL) #  
8980336

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

Regulatory agencies do not accredit laboratories for all methods, analytes, and matrices. Our current scopes of accreditation can be viewed at <http://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/resources/certifications/>. To request copies of prior scopes of accreditation, contact your project manager.

Electronic Copy To Alpha Analytical, Inc.  
Electronic Copy To Alpha Analytical, Inc.

Attn: Nichole Hunt  
Attn: Sublab Contact

Respectfully Submitted,

Bonnie Stadelmann  
Senior Project Manager

(312) 590-3133



Lancaster Laboratories  
Environmental

# Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: INF Groundwater Sample  
L1714337

LL Sample # WW 8980336  
LL Group # 1798347  
Account # 09847

Project Name: L1714337

Collected: 05/04/2017 12:15

Alpha Analytical, Inc.

Submitted: 05/06/2017 09:00

145 Flanders Road

Reported: 05/17/2017 16:25

Westborough MA 01581

14337

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC Miscellaneous 02366	ethanol	EPA 1671 Rev A 64-17-5	ug/l N.D.	ug/l 670	1

### Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02366	EPA 1671 VOCs	EPA 1671 Rev A	1	171300041A	05/11/2017 00:04	Tyler O Griffin	1



Lancaster Laboratories  
Environmental

# Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

## Quality Control Summary

Client Name: Alpha Analytical, Inc.  
Reported: 05/17/2017 16:25

Group Number: 1798347

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

### Method Blank

Analysis Name	Result	MDL
	ug/l	ug/l
Batch number: 171300041A	Sample number(s): 8980336	
ethanol	N.D.	670

### LCS/LCSD

Analysis Name	LCS Spike Added	LCS Conc	LCSD Spike Added	LCSD Conc	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
	ug/l	ug/l	ug/l	ug/l					
Batch number: 171300041A	Sample number(s): 8980336								
ethanol	4000	3979.35	4000	3876.82	99	97	70-132	3	30

### MS/MSD

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Analysis Name	Unspiked Conc	MS Spike Added	MS Conc	MSD Spike Added	MSD Conc	MS %Rec	MSD %Rec	MS/MSD Limits	RPD	RPD Max
	ug/l	ug/l	ug/l	ug/l	ug/l					
Batch number: 171300041A	Sample number(s): 8980336 UNSPK: 8980336									
ethanol	N.D.	4000	4005.41	4000	4119.95	100	103	70-132	3	30

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: EPA 1671 VOCs  
Batch number: 171300041A

	Amyl Alcohol
8980336	104
Blank	108
LCS	111

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.



Lancaster Laboratories  
Environmental

# Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

## Quality Control Summary

Client Name: Alpha Analytical, Inc.  
Reported: 05/17/2017 16:25

Group Number: 1798347

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: EPA 1671 VOCs  
Batch number: 171300041A

	Amyl Alcohol
LCSD	113
MS	114
MSD	115

Limits: 52-144

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

P##### is indicative of a Background or Unspiked sample that is batch matrix QC and was not performed using a sample from this submission group.





Client: Alpha Analytical

**Delivery and Receipt Information**

Delivery Method:	<u>UPS</u>	Arrival Timestamp:	<u>05/06/2017 9:00</u>
Number of Packages:	<u>1</u>	Number of Projects:	<u>1</u>

**Arrival Condition Summary**

Shipping Container Sealed:	Yes	Sample IDs on COC match Containers:	Yes
Custody Seal Present:	No	Sample Date/Times match COC:	Yes
Samples Chilled:	Yes	VOA Vial Headspace $\geq$ 6mm:	N/A
Paperwork Enclosed:	Yes	Total Trip Blank Qty:	0
Samples Intact:	Yes	Air Quality Samples Present:	No
Missing Samples:	No		
Extra Samples:	No		
Discrepancy in Container Qty on COC:	No		

*Unpacked by Nia Smith (12375) at 12:52 on 05/06/2017*

**Samples Chilled Details**

Thermometer Types: DT = Digital (Temp. Bottle) IR = Infrared (Surface Temp) All Temperatures in °C.

Cooler #	Thermometer ID	Corrected Temp	Therm. Type	Ice Type	Ice Present?	Ice Container	Elevated Temp?
1	DT146	5.0	DT	Wet	Y	Loose/Bag	N

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>BMQL</b>	Below Minimum Quantitation Level	<b>mg</b>	milligram(s)
<b>C</b>	degrees Celsius	<b>mL</b>	milliliter(s)
<b>cfu</b>	colony forming units	<b>MPN</b>	Most Probable Number
<b>CP Units</b>	cobalt-chloroplatinate units	<b>N.D.</b>	none detected
<b>F</b>	degrees Fahrenheit	<b>ng</b>	nanogram(s)
<b>g</b>	gram(s)	<b>NTU</b>	nephelometric turbidity units
<b>IU</b>	International Units	<b>pg/L</b>	picogram/liter
<b>kg</b>	kilogram(s)	<b>RL</b>	Reporting Limit
<b>L</b>	liter(s)	<b>TNTC</b>	Too Numerous To Count
<b>lb.</b>	pound(s)	<b>µg</b>	microgram(s)
<b>m3</b>	cubic meter(s)	<b>µL</b>	microliter(s)
<b>meq</b>	milliequivalents	<b>umhos/cm</b>	micromhos/cm
<b>&lt;</b>	less than		
<b>&gt;</b>	greater than		
<b>ppm</b>	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

## Laboratory Data Qualifiers:

- C - Result confirmed by reanalysis
- E - Concentration exceeds the calibration range
- J (or G, I, X) - estimated value  $\geq$  the Method Detection Limit (MDL or DL) and  $<$  the Limit of Quantitation (LOQ or RL)
- P - Concentration difference between the primary and confirmation column  $>40\%$ . The lower result is reported.
- U - Analyte was not detected at the value indicated
- V - Concentration difference between the primary and confirmation column  $>100\%$ . The reporting limit is raised due to this disparity and evident interference...
- W - The dissolved oxygen uptake for the unseeded blank is greater than 0.20 mg/L.

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods. Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.

**Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.**

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.



## ANALYTICAL REPORT

Lab Number:	L1719082
Client:	GZA GeoEnvironmental, Inc. 249 Vanderbilt Ave Norwood, MA 02062
ATTN:	Bill Davis
Phone:	(781) 278-5769
Project Name:	HP WALTHAM
Project Number:	01.0015522.17
Report Date:	06/15/17

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), NJ NELAP (MA935), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-14-00197).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)





**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1719082  
**Report Date:** 06/15/17

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L1719082-01	INF	WATER	WALTHAM, MA	06/08/17 10:40	06/08/17
L1719082-02	MID	WATER	WALTHAM, MA	06/08/17 10:27	06/08/17
L1719082-03	EFF	WATER	WALTHAM, MA	06/08/17 10:20	06/08/17

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1719082  
**Report Date:** 06/15/17

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

#### HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

---

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1719082  
**Report Date:** 06/15/17

### Case Narrative (continued)

#### Metals

The WG1012633-4 Laboratory Duplicate RPD, performed on L1719082-01, is above the acceptance criteria for iron (23%); however, the sample and duplicate results are less than five times the reporting limit. Therefore, the RPD is valid.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Cristin Walker

Title: Technical Director/Representative

Date: 06/15/17

# ORGANICS

# VOLATILES

Project Name: HP WALTHAM

Lab Number: L1719082

Project Number: 01.0015522.17

Report Date: 06/15/17

## SAMPLE RESULTS

Lab ID: L1719082-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA

Date Collected: 06/08/17 10:40  
 Date Received: 06/08/17  
 Field Prep: Not Specified

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 06/13/17 13:31  
 Analyst: KD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	150	--	50
1,1-Dichloroethane	ND		ug/l	38	--	50
Chloroform	ND		ug/l	38	--	50
Carbon tetrachloride	ND		ug/l	25	--	50
1,2-Dichloropropane	ND		ug/l	88	--	50
Dibromochloromethane	ND		ug/l	25	--	50
1,1,2-Trichloroethane	ND		ug/l	38	--	50
Tetrachloroethene	47		ug/l	25	--	50
Chlorobenzene	ND		ug/l	25	--	50
Trichlorofluoromethane	ND		ug/l	120	--	50
1,2-Dichloroethane	ND		ug/l	25	--	50
1,1,1-Trichloroethane	ND		ug/l	25	--	50
Bromodichloromethane	ND		ug/l	25	--	50
trans-1,3-Dichloropropene	ND		ug/l	25	--	50
cis-1,3-Dichloropropene	ND		ug/l	25	--	50
Bromoform	ND		ug/l	100	--	50
1,1,2,2-Tetrachloroethane	ND		ug/l	25	--	50
Benzene	ND		ug/l	25	--	50
Toluene	ND		ug/l	38	--	50
Ethylbenzene	ND		ug/l	25	--	50
Chloromethane	ND		ug/l	120	--	50
Bromomethane	ND		ug/l	50	--	50
Vinyl chloride	ND		ug/l	50	--	50
Chloroethane	ND		ug/l	50	--	50
1,1-Dichloroethene	ND		ug/l	25	--	50
trans-1,2-Dichloroethene	ND		ug/l	38	--	50
Trichloroethene	7400		ug/l	25	--	50
1,2-Dichlorobenzene	ND		ug/l	120	--	50
1,3-Dichlorobenzene	ND		ug/l	120	--	50
1,4-Dichlorobenzene	ND		ug/l	120	--	50

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1719082  
**Report Date:** 06/15/17

**SAMPLE RESULTS**

Lab ID: L1719082-01 D  
 Client ID: INF  
 Sample Location: WALTHAM, MA

Date Collected: 06/08/17 10:40  
 Date Received: 06/08/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	50	--	50
p/m-Xylene	ND		ug/l	50	--	50
o-Xylene	ND		ug/l	50	--	50
cis-1,2-Dichloroethene	ND		ug/l	25	--	50
Dichlorodifluoromethane	ND		ug/l	250	--	50
Naphthalene	ND		ug/l	120	--	50

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	110		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	98		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1719082  
**Report Date:** 06/15/17

**SAMPLE RESULTS**

**Lab ID:** L1719082-02  
**Client ID:** MID  
**Sample Location:** WALTHAM, MA

**Date Collected:** 06/08/17 10:27  
**Date Received:** 06/08/17  
**Field Prep:** Not Specified

**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 06/13/17 14:07  
**Analyst:** KD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	14		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1719082  
**Report Date:** 06/15/17

**SAMPLE RESULTS**

Lab ID: L1719082-02  
 Client ID: MID  
 Sample Location: WALTHAM, MA

Date Collected: 06/08/17 10:27  
 Date Received: 06/08/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	111		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	100		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1719082  
**Report Date:** 06/15/17

**SAMPLE RESULTS**

**Lab ID:** L1719082-03  
**Client ID:** EFF  
**Sample Location:** WALTHAM, MA

**Date Collected:** 06/08/17 10:20  
**Date Received:** 06/08/17  
**Field Prep:** Not Specified

**Matrix:** Water  
**Analytical Method:** 1,8260C  
**Analytical Date:** 06/13/17 14:43  
**Analyst:** KD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1
Trichloroethene	3.2		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1719082  
**Report Date:** 06/15/17

**SAMPLE RESULTS**

**Lab ID:** L1719082-03  
**Client ID:** EFF  
**Sample Location:** WALTHAM, MA

**Date Collected:** 06/08/17 10:20  
**Date Received:** 06/08/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Naphthalene	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	111		70-130
Toluene-d8	96		70-130
4-Bromofluorobenzene	97		70-130
Dibromofluoromethane	98		70-130

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1719082  
**Report Date:** 06/15/17

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 06/13/17 09:56  
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG1012763-5					
Methylene chloride	ND		ug/l	3.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1719082  
**Report Date:** 06/15/17

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 06/13/17 09:56  
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG1012763-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Naphthalene	ND		ug/l	2.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	95		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	98		70-130

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Lab Number: L1719082

Project Number: 01.0015522.17

Report Date: 06/15/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG1012763-3 WG1012763-4								
Methylene chloride	98		100		70-130	2		20
1,1-Dichloroethane	100		110		70-130	10		20
Chloroform	110		120		70-130	9		20
Carbon tetrachloride	120		120		63-132	0		20
1,2-Dichloropropane	120		120		70-130	0		20
Dibromochloromethane	110		120		63-130	9		20
1,1,2-Trichloroethane	120		120		70-130	0		20
Tetrachloroethene	110		110		70-130	0		20
Chlorobenzene	110		120		75-130	9		25
Trichlorofluoromethane	92		96		62-150	4		20
1,2-Dichloroethane	120		120		70-130	0		20
1,1,1-Trichloroethane	110		120		67-130	9		20
Bromodichloromethane	120		120		67-130	0		20
trans-1,3-Dichloropropene	98		100		70-130	2		20
cis-1,3-Dichloropropene	120		130		70-130	8		20
Bromoform	110		120		54-136	9		20
1,1,2,2-Tetrachloroethane	120		120		67-130	0		20
Benzene	110		120		70-130	9		25
Toluene	110		110		70-130	0		25
Ethylbenzene	120		120		70-130	0		20
Chloromethane	150	Q	160	Q	64-130	6		20
Bromomethane	84		92		39-139	9		20
Vinyl chloride	120		120		55-140	0		20

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1719082  
**Report Date:** 06/15/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG1012763-3 WG1012763-4								
Chloroethane	98		100		55-138	2		20
1,1-Dichloroethene	92		98		61-145	6		25
trans-1,2-Dichloroethene	100		110		70-130	10		20
Trichloroethene	110		120		70-130	9		25
1,2-Dichlorobenzene	110		120		70-130	9		20
1,3-Dichlorobenzene	110		120		70-130	9		20
1,4-Dichlorobenzene	110		120		70-130	9		20
Methyl tert butyl ether	120		130		63-130	8		20
p/m-Xylene	120		125		70-130	4		20
o-Xylene	120		130		70-130	8		20
cis-1,2-Dichloroethene	110		110		70-130	0		20
Dichlorodifluoromethane	100		110		36-147	10		20
Naphthalene	130		140	Q	70-130	7		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	103		105		70-130
Toluene-d8	97		97		70-130
4-Bromofluorobenzene	99		99		70-130
Dibromofluoromethane	100		100		70-130

## METALS



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1719082  
**Report Date:** 06/15/17

**SAMPLE RESULTS**

Lab ID: L1719082-01  
 Client ID: INF  
 Sample Location: WALTHAM, MA  
 Matrix: Water

Date Collected: 06/08/17 10:40  
 Date Received: 06/08/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.00795		mg/l	0.00100	--	1	06/13/17 14:35	06/14/17 11:46	EPA 3005A	1,6020A	AM
Iron, Total	0.116		mg/l	0.050	--	1	06/13/17 14:35	06/15/17 00:45	EPA 3005A	19,200.7	PS
Lead, Total	ND		mg/l	0.00100	--	1	06/13/17 14:35	06/14/17 11:46	EPA 3005A	1,6020A	AM
Selenium, Total	ND		mg/l	0.00500	--	1	06/13/17 14:35	06/14/17 11:46	EPA 3005A	1,6020A	AM
Zinc, Total	0.01627		mg/l	0.01000	--	1	06/13/17 14:35	06/14/17 11:46	EPA 3005A	1,6020A	AM



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1719082  
**Report Date:** 06/15/17

**SAMPLE RESULTS**

**Lab ID:** L1719082-03  
**Client ID:** EFF  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water

**Date Collected:** 06/08/17 10:20  
**Date Received:** 06/08/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Copper, Total	0.00202		mg/l	0.00100	--	1	06/13/17 14:35	06/14/17 12:34	EPA 3005A	1,6020A	AM
Iron, Total	ND		mg/l	0.050	--	1	06/13/17 14:35	06/15/17 01:34	EPA 3005A	19,200.7	PS
Lead, Total	ND		mg/l	0.00100	--	1	06/13/17 14:35	06/14/17 12:34	EPA 3005A	1,6020A	AM
Selenium, Total	ND		mg/l	0.00500	--	1	06/13/17 14:35	06/14/17 12:34	EPA 3005A	1,6020A	AM
Zinc, Total	ND		mg/l	0.01000	--	1	06/13/17 14:35	06/14/17 12:34	EPA 3005A	1,6020A	AM



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1719082  
**Report Date:** 06/15/17

## Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG1012633-1									
Iron, Total	ND	mg/l	0.050	--	1	06/13/17 14:35	06/14/17 23:32	19,200.7	PS

### Prep Information

Digestion Method: EPA 3005A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01,03 Batch: WG1012636-1									
Copper, Total	ND	mg/l	0.00100	--	1	06/13/17 14:35	06/14/17 11:30	1,6020A	AM
Lead, Total	ND	mg/l	0.00100	--	1	06/13/17 14:35	06/14/17 11:30	1,6020A	AM
Selenium, Total	ND	mg/l	0.00500	--	1	06/13/17 14:35	06/14/17 11:30	1,6020A	AM
Zinc, Total	ND	mg/l	0.01000	--	1	06/13/17 14:35	06/14/17 11:30	1,6020A	AM

### Prep Information

Digestion Method: EPA 3005A

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1719082

Report Date: 06/15/17

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG1012633-2								
Iron, Total	102		-		85-115	-		
Total Metals - Mansfield Lab Associated sample(s): 01,03 Batch: WG1012636-2								
Copper, Total	103		-		80-120	-		
Lead, Total	107		-		80-120	-		
Selenium, Total	100		-		80-120	-		
Zinc, Total	105		-		80-120	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1719082  
**Report Date:** 06/15/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03    QC Batch ID: WG1012633-3    QC Sample: L1719082-01    Client ID: INF												
Iron, Total	0.116	1	1.10	98		-	-		75-125	-		20
Total Metals - Mansfield Lab Associated sample(s): 01,03    QC Batch ID: WG1012636-3    QC Sample: L1719082-01    Client ID: INF												
Copper, Total	0.00795	0.25	0.2634	102		-	-		75-125	-		20
Lead, Total	ND	0.51	0.5329	104		-	-		75-125	-		20
Selenium, Total	ND	0.12	0.130	108		-	-		75-125	-		20
Zinc, Total	0.01627	0.5	0.5388	104		-	-		75-125	-		20

## Lab Duplicate Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1719082

Report Date: 06/15/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG1012633-4 QC Sample: L1719082-01 Client ID: INF						
Iron, Total	0.116	0.092	mg/l	23	Q	20
Total Metals - Mansfield Lab Associated sample(s): 01,03 QC Batch ID: WG1012636-4 QC Sample: L1719082-01 Client ID: INF						
Copper, Total	0.00795	0.00782	mg/l	2		20
Lead, Total	ND	ND	mg/l	NC		20
Selenium, Total	ND	ND	mg/l	NC		20
Zinc, Total	0.01627	0.01631	mg/l	0		20

# **INORGANICS & MISCELLANEOUS**

Project Name: HP WALTHAM

Lab Number: L1719082

Project Number: 01.0015522.17

Report Date: 06/15/17

## SAMPLE RESULTS

Lab ID: L1719082-01

Date Collected: 06/08/17 10:40

Client ID: INF

Date Received: 06/08/17

Sample Location: WALTHAM, MA

Field Prep: Not Specified

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	580		mg/l	10	--	10	-	06/10/17 18:25	1,9251	MR





**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1719082  
**Report Date:** 06/15/17

**SAMPLE RESULTS**

**Lab ID:** L1719082-03  
**Client ID:** EFF  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water

**Date Collected:** 06/08/17 10:20  
**Date Received:** 06/08/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	580		mg/l	10	--	10	-	06/10/17 18:27	1,9251	MR



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1719082  
**Report Date:** 06/15/17

**Method Blank Analysis**  
**Batch Quality Control**

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01,03 Batch: WG1011944-1									
Chloride	ND	mg/l	1.0	--	1	-	06/10/17 17:37	1,9251	MR

## Lab Control Sample Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1719082

Report Date: 06/15/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 Batch: WG1011944-2								
Chloride	97		-		90-110	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1719082  
**Report Date:** 06/15/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG1011944-4 QC Sample: L1719238-02 Client ID: MS Sample												
Chloride	190	20	210	100		-	-		58-140	-		7

## Lab Duplicate Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1719082

Report Date: 06/15/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01,03 QC Batch ID: WG1011944-3 QC Sample: L1719238-02 Client ID: DUP Sample						
Chloride	190	190	mg/l	0		7

**Project Name:** HP WALTHAM**Lab Number:** L1719082**Project Number:** 01.0015522.17**Report Date:** 06/15/17**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

**Cooler Information**

<b>Cooler</b>	<b>Custody Seal</b>
A	Absent

**Container Information**

<b>Container ID</b>	<b>Container Type</b>	<b>Cooler</b>	<b>Initial pH</b>	<b>Final pH</b>	<b>Temp deg C</b>	<b>Pres</b>	<b>Seal</b>	<b>Frozen Date/Time</b>	<b>Analysis(*)</b>
L1719082-01A	Vial HCl preserved	A	NA		5.6	Y	Absent		8260(14)
L1719082-01B	Vial HCl preserved	A	NA		5.6	Y	Absent		8260(14)
L1719082-01C	Vial HCl preserved	A	NA		5.6	Y	Absent		8260(14)
L1719082-01D	Plastic 250ml HNO3 preserved	A	<2	<2	5.6	Y	Absent		SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1719082-01E	Plastic 60ml unpreserved	A	7	7	5.6	Y	Absent		CL-9251(28)
L1719082-02A	Vial HCl preserved	A	NA		5.6	Y	Absent		8260(14)
L1719082-02B	Vial HCl preserved	A	NA		5.6	Y	Absent		8260(14)
L1719082-02C	Vial HCl preserved	A	NA		5.6	Y	Absent		8260(14)
L1719082-03A	Vial HCl preserved	A	NA		5.6	Y	Absent		8260(14)
L1719082-03B	Vial HCl preserved	A	NA		5.6	Y	Absent		8260(14)
L1719082-03C	Vial HCl preserved	A	NA		5.6	Y	Absent		8260(14)
L1719082-03D	Plastic 250ml HNO3 preserved	A	<2	<2	5.6	Y	Absent		SE-6020T(180),CU-6020T(180),ZN-6020T(180),FE-UI(180),PB-6020T(180)
L1719082-03E	Plastic 60ml unpreserved	A	7	7	5.6	Y	Absent		CL-9251(28)

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1719082  
**Report Date:** 06/15/17

## GLOSSARY

### Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

**Final pH:** As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

**Frozen Date/Time:** With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

**Initial pH:** As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related

Report Format: Data Usability Report



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1719082  
**Report Date:** 06/15/17

#### Data Qualifiers

projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the reporting limit (RL) for the sample.



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1719082  
**Report Date:** 06/15/17

## REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.
- 19 Inductively Coupled Plasma Atomic Emission Spectrometric Method for Trace Element Analysis of Water and Wastes. Appendix C, Part 136, 40 CFR (Code of Federal Regulations). July 1, 1999 edition.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



## Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

### Westborough Facility

**EPA 624:** m/p-xylene, o-xylene

**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

**EPA 8270D:** NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

**EPA 300:** DW: Bromide

**EPA 6860:** NPW and SCM: Perchlorate

**EPA 9010:** NPW and SCM: Amenable Cyanide Distillation

**EPA 9012B:** NPW: Total Cyanide

**EPA 9050A:** NPW: Specific Conductance

**SM3500:** NPW: Ferrous Iron

**SM4500:** NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.

**SM5310C:** DW: Dissolved Organic Carbon

### Mansfield Facility

**SM 2540D:** TSS

**EPA 3005A** NPW

**EPA 8082A:** NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

### Westborough Facility:

#### Drinking Water

**EPA 300.0:** Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

**EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

#### Non-Potable Water

**SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.**

**EPA 624:** Volatile Halocarbons & Aromatics,

**EPA 608:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E.**

### Mansfield Facility:

#### Drinking Water

**EPA 200.7:** Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.**

#### Non-Potable Water

**EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.

**EPA 245.1 Hg.**

**SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.



# CHAIN OF CUSTODY

PAGE 1 OF 1

Date Rec'd in Lab: 6/8/17

ALPHA Job #: L1719082

8 Walkup Drive  
Westboro, MA 01581  
Tel: 508-898-9220

320 Forbes Blvd  
Mansfield, MA 02048  
Tel: 508-822-9300

### Project Information

Project Name: HP Walkham  
Project Location: Walkham Ma.  
Project #: 01.0015522.17  
Project Manager: J. Colbert  
ALPHA Quote #:

### Report Information - Data Deliverables

ADEX  EMAIL

### Billing Information

Same as Client info PO #:

### Client Information

Client: GZA  
Address: 249 Vanderbilt Ave  
Northam Ma 02062  
Phone: 781-987-1357  
Email: wdavis@gza.com

### Turn-Around Time

Standard  RUSH (only confirmed if pre-approved!)  
Date Due:

### Regulatory Requirements & Project Information Requirements

Yes  No MA MCP Analytical Methods  Yes  No CT RCP Analytical Methods  
 Yes  No Matrix Spike Required on this SDG? (Required for MCP Inorganics)  
 Yes  No GW1 Standards (Info Required for Metals & EPH with Targets)  
 Yes  No NPDES RGP  
 Other State /Fed Program \_\_\_\_\_ Criteria \_\_\_\_\_

Additional Project Information:

ANALYSIS		SAMPLE INFO	
VOC: <input checked="" type="checkbox"/> 8260 <input type="checkbox"/> 624 <input type="checkbox"/> 524.2 <input type="checkbox"/> PAH	METALS: <input type="checkbox"/> MCP 13 <input type="checkbox"/> MCP 14 <input type="checkbox"/> MCP 15	Filtration	TOTAL # BOTTLES
SVOC: <input type="checkbox"/> ABN	METALS: <input type="checkbox"/> RCRA5 <input type="checkbox"/> RCRA8 <input type="checkbox"/> PPI3	<input type="checkbox"/> Field	
EPH: <input type="checkbox"/> Ranges & Targets <input type="checkbox"/> Ranges Only		<input type="checkbox"/> Lab to do	
VPH: <input type="checkbox"/> Ranges & Targets <input type="checkbox"/> Ranges Only		Preservation	
TPH: <input type="checkbox"/> PEST <input type="checkbox"/> Quant Only <input type="checkbox"/> Fingerprint		<input type="checkbox"/> Lab to do	
Handwritten: <u>Chloride</u> <u>Metals, Cu, Fe, Pb, Se, Zn</u>		Sample Comments	

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler Initials								
		Date	Time										
19082-01	INF	6/8/17	1040am	GW	BD	X							5
02	M10	↓	1027am	↓	↓	X							3
03	EPF	↓	1020am	↓	↓	X							5

**Container Type**  
P= Plastic  
A= Amber glass  
V= Vial  
G= Glass  
B= Bacteria cup  
C= Cube  
O= Other  
E= Encore  
D= BOD Bottle

**Preservative**  
A= None  
B= HCl  
C= HNO<sub>3</sub>  
D= H<sub>2</sub>SO<sub>4</sub>  
E= NaOH  
F= MeOH  
G= NaHSO<sub>4</sub>  
H= Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub>  
I= Ascorbic Acid  
J= NH<sub>4</sub>Cl  
K= Zn Acetate  
O= Other

Container Type  Vial  
Preservative HCL

P P  
/ HNO<sub>3</sub>

Relinquished By: [Signature] Date/Time: 6/8/17 10:00am

Received By: [Signature] Date/Time: 6/8/17 12:15

REL 6/8/17 1355 6/8/17 1355

All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.  
FORM NO: 01-01 (rev. 12-Mar-2012)



## **APPENDIX D**

### **RECEIVING WATER LABORATORY ANALYTICAL REPORT**



## ANALYTICAL REPORT

Lab Number:	L1714338
Client:	GZA GeoEnvironmental, Inc. 249 Vanderbilt Ave Norwood, MA 02062
ATTN:	Bill Davis
Phone:	(781) 278-5769
Project Name:	HP WALTHAM
Project Number:	01.0015522.17
Report Date:	05/10/17

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), NJ NELAP (MA935), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-14-00197).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714338  
**Report Date:** 05/10/17

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L1714338-01	SW	WATER	WALTHAM, MA	05/04/17 12:40	05/04/17

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714338  
**Report Date:** 05/10/17

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

#### HOLD POLICY


For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

---

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Michelle M. Morris

Title: Technical Director/Representative

Date: 05/10/17

## METALS



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714338  
**Report Date:** 05/10/17

**SAMPLE RESULTS**

Lab ID: L1714338-01  
 Client ID: SW  
 Sample Location: WALTHAM, MA  
 Matrix: Water

Date Collected: 05/04/17 12:40  
 Date Received: 05/04/17  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Hardness by SM 2340B - Mansfield Lab											
Hardness	99.4		mg/l	0.660	NA	1	05/05/17 11:18	05/05/17 20:07	EPA 3005A	19,200.7	PS



Project Name: HP WALTHAM

Lab Number: L1714338

Project Number: 01.0015522.17

Report Date: 05/10/17

## Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Hardness by SM 2340B - Mansfield Lab for sample(s): 01 Batch: WG1000654-1									
Hardness	ND	mg/l	0.660	NA	1	05/05/17 11:18	05/05/17 18:29	19,200.7	PS

### Prep Information

Digestion Method: EPA 3005A

### Lab Control Sample Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714338  
**Report Date:** 05/10/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01 Batch: WG1000654-2								
Hardness	98		-		85-115	-		

### Matrix Spike Analysis Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714338  
**Report Date:** 05/10/17

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	RPD Qual	RPD Limits
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1000654-3 QC Sample: L1714327-01 Client ID: MS Sample												
Hardness	86.0	66.2	144	88		-	-		75-125	-		20
Total Hardness by SM 2340B - Mansfield Lab Associated sample(s): 01 QC Batch ID: WG1000654-7 QC Sample: L1714341-01 Client ID: MS Sample												
Hardness	423	66.2	452	44	Q	-	-		75-125	-		20

# **INORGANICS & MISCELLANEOUS**

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714338  
**Report Date:** 05/10/17

**SAMPLE RESULTS**

**Lab ID:** L1714338-01  
**Client ID:** SW  
**Sample Location:** WALTHAM, MA  
**Matrix:** Water

**Date Collected:** 05/04/17 12:40  
**Date Received:** 05/04/17  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Nitrogen, Ammonia	ND		mg/l	0.075	--	1	05/05/17 15:01	05/08/17 21:18	121,4500NH3-BH	AT



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714338  
**Report Date:** 05/10/17

**Method Blank Analysis**  
**Batch Quality Control**

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG1000607-1									
Nitrogen, Ammonia	ND	mg/l	0.075	--	1	05/05/17 15:01	05/08/17 21:11	121,4500NH3-BH	AT

## Lab Control Sample Analysis

Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1714338

Report Date: 05/10/17

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG1000607-2								
Nitrogen, Ammonia	95		-		80-120	-		20



**Matrix Spike Analysis**  
Batch Quality Control

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714338  
**Report Date:** 05/10/17

<b>Parameter</b>	<b>Native Sample</b>	<b>MS Added</b>	<b>MS Found</b>	<b>MS %Recovery</b>	<b>MSD Qual</b>	<b>MSD Found</b>	<b>MSD %Recovery</b>	<b>MSD Qual</b>	<b>Recovery Limits</b>	<b>RPD</b>	<b>RPD Qual</b>	<b>RPD Limits</b>
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1000607-4 QC Sample: L1713722-01 Client ID: MS Sample												
Nitrogen, Ammonia	ND	4	3.88	97	-	-	-	-	80-120	-	-	20

**Lab Duplicate Analysis**  
Batch Quality Control

Project Name: HP WALTHAM

Project Number: 01.0015522.17

Lab Number: L1714338

Report Date: 05/10/17

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG1000607-3 QC Sample: L1713722-01 Client ID: DUP Sample						
Nitrogen, Ammonia	ND	ND	mg/l	NC		20

Project Name: HP WALTHAM

Lab Number: L1714338

Project Number: 01.0015522.17

Report Date: 05/10/17

**Sample Receipt and Container Information**

Were project specific reporting limits specified? YES

**Cooler Information Custody Seal****Cooler**

A Absent

**Container Information**

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1714338-01A	Plastic 250ml HNO3 preserved	A	<2	3.7	Y	Absent	HARDU(180)
L1714338-01B	Plastic 500ml H2SO4 preserved	A	<2	3.7	Y	Absent	NH3-4500(28)

\*Values in parentheses indicate holding time in days

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714338  
**Report Date:** 05/10/17

## GLOSSARY

### Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the

Report Format: Data Usability Report



**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714338  
**Report Date:** 05/10/17

#### Data Qualifiers

- reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
  - D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
  - E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
  - G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
  - H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
  - I** - The lower value for the two columns has been reported due to obvious interference.
  - M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
  - NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
  - P** - The RPD between the results for the two columns exceeds the method-specified criteria.
  - Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
  - R** - Analytical results are from sample re-analysis.
  - RE** - Analytical results are from sample re-extraction.
  - S** - Analytical results are from modified screening analysis.
  - J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
  - ND** - Not detected at the reporting limit (RL) for the sample.

**Project Name:** HP WALTHAM  
**Project Number:** 01.0015522.17

**Lab Number:** L1714338  
**Report Date:** 05/10/17

## REFERENCES

- 19 Inductively Coupled Plasma Atomic Emission Spectrometric Method for Trace Element Analysis of Water and Wastes. Appendix C, Part 136, 40 CFR (Code of Federal Regulations). July 1, 1999 edition.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



## Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

### Westborough Facility

**EPA 624:** m/p-xylene, o-xylene

**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), Methyl methacrylate, 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

**EPA 8270D:** NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

**EPA 300:** DW: Bromide

**EPA 6860:** NPW and SCM: Perchlorate

**EPA 9010:** NPW and SCM: Amenable Cyanide Distillation

**EPA 9012B:** NPW: Total Cyanide

**EPA 9050A:** NPW: Specific Conductance

**SM3500:** NPW: Ferrous Iron

**SM4500:** NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.

**SM5310C:** DW: Dissolved Organic Carbon

### Mansfield Facility

**SM 2540D:** TSS

**EPA 3005A** NPW

**EPA 8082A:** NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

### Westborough Facility:

#### Drinking Water

**EPA 300.0:** Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

**EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

#### Non-Potable Water

**SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH, EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F, EPA 353.2:** Nitrate-N, **EPA 351.1, SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D.**

**EPA 624:** Volatile Halocarbons & Aromatics,

**EPA 608:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E.**

### Mansfield Facility:

#### Drinking Water

**EPA 200.7:** Ba, Be, Cd, Cr, Cu, Ni, Na, Ca. **EPA 200.8:** Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Ni, Se, TL. **EPA 245.1 Hg.**

#### Non-Potable Water

**EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn.

**EPA 245.1 Hg.**

**SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.









**APPENDIX E**  
**CALCULATION SHEETS FOR EFFLUENT LIMITATIONS**

**Enter number values in green boxes below**

Enter values in the units specified

↓	
0	Q <sub>R</sub> = Enter upstream flow in <b>MGD</b>
0.1008	Q <sub>D</sub> = Enter discharge flow in <b>MGD</b>
0	Downstream 7Q10

Enter a dilution factor, if other than zero

↓
0

Enter values in the units specified

↓	
447	C <sub>d</sub> = Enter influent hardness in <b>mg/L CaCO<sub>3</sub></b>
99.4	C <sub>s</sub> = Enter receiving water hardness in <b>mg/L CaCO<sub>3</sub></b>

Enter **receiving water** concentrations in the units specified

↓	
7.1	pH in <b>Standard Units</b>
25	Temperature in <b>°C</b>
0	Ammonia in <b>mg/L</b>
99.4	Hardness in <b>mg/L CaCO<sub>3</sub></b>
0	Salinity in <b>ppt</b>
0	Antimony in <b>µg/L</b>
0	Arsenic in <b>µg/L</b>
0	Cadmium in <b>µg/L</b>
0	Chromium III in <b>µg/L</b>
0	Chromium VI in <b>µg/L</b>
0	Copper in <b>µg/L</b>
0	Iron in <b>µg/L</b>
0	Lead in <b>µg/L</b>
0	Mercury in <b>µg/L</b>
0	Nickel in <b>µg/L</b>
0	Selenium in <b>µg/L</b>
0	Silver in <b>µg/L</b>
0	Zinc in <b>µg/L</b>

Enter **influent** concentrations in the units specified

↓	
0	TRC in <b>µg/L</b>
0.303	Ammonia in <b>mg/L</b>
0	Antimony in <b>µg/L</b>
0	Arsenic in <b>µg/L</b>
0	Cadmium in <b>µg/L</b>
0	Chromium III in <b>µg/L</b>
0	Chromium VI in <b>µg/L</b>
54.2	Copper in <b>µg/L</b>
2295	Iron in <b>µg/L</b>
15.4	Lead in <b>µg/L</b>
0	Mercury in <b>µg/L</b>
4.88	Nickel in <b>µg/L</b>
0	Selenium in <b>µg/L</b>
0	Silver in <b>µg/L</b>
68.7	Zinc in <b>µg/L</b>
0	Cyanide in <b>µg/L</b>
0	Phenol in <b>µg/L</b>
0	Carbon Tetrachloride in <b>µg/L</b>
69	Tetrachloroethylene in <b>µg/L</b>
0	Total Phthalates in <b>µg/L</b>
0	Diethylhexylphthalate in <b>µg/L</b>
0	Benzo(a)anthracene in <b>µg/L</b>
0	Benzo(a)pyrene in <b>µg/L</b>
0	Benzo(b)fluoranthene in <b>µg/L</b>
0	Benzo(k)fluoranthene in <b>µg/L</b>
0	Chrysene in <b>µg/L</b>
0	Dibenzo(a,h)anthracene in <b>µg/L</b>
0	Indeno(1,2,3-cd)pyrene in <b>µg/L</b>
0	Methyl-tert butyl ether in <b>µg/L</b>

**Notes:**

Freshwater: Q<sub>R</sub> equal to the 7Q10; enter alternate Q<sub>R</sub> if approved by the State; enter 0 if no dilution factor approved

Saltwater (estuarine and marine): enter Q<sub>R</sub> if approved by the State; enter 0 if no entry

Discharge flow is equal to the design flow or 1 MGD, whichever is less

Only if approved by State as the entry for Q<sub>R</sub>; leave 0 if no entry

Saltwater (estuarine and marine): only if approved by the State

Leave 0 if no entry

Freshwater only

pH, temperature, and ammonia required for all discharges

Hardness required for freshwater

Salinity required for saltwater (estuarine and marine)

Metals required for all discharges if present and if dilution factor is > 1

Enter 0 if non-detect or testing not required

if >1 sample, enter maximum

if >10 samples, may enter 95th percentile

Enter 0 if non-detect or testing not required

<b>Dilution Factor</b>	1.0					
<b>A. Inorganics</b>	TBEL applies if bolded		WQBEL applies if bolded		Compliance Level applies if shown	
Ammonia	<b>Report</b>	mg/L	---			
Chloride	<b>Report</b>	µg/L	---			
Total Residual Chlorine	0.2	mg/L	<b>11</b>	µg/L	50	µg/L
Total Suspended Solids	<b>30</b>	mg/L	---			
Antimony	<b>206</b>	µg/L	640	µg/L		
Arsenic	<b>104</b>	µg/L	10	µg/L		
Cadmium	<b>10.2</b>	µg/L	0.8207	µg/L		
Chromium III	<b>323</b>	µg/L	293.8	µg/L		
Chromium VI	<b>323</b>	µg/L	11.4	µg/L		
Copper	242	µg/L	<b>33.5</b>	µg/L		
Iron	5000	µg/L	<b>1000</b>	µg/L		
Lead	<b>160</b>	µg/L	21.40	µg/L		
Mercury	<b>0.739</b>	µg/L	0.91	µg/L		
Nickel	<b>1450</b>	µg/L	185.1	µg/L		
Selenium	<b>235.8</b>	µg/L	5.0	µg/L		
Silver	<b>35.1</b>	µg/L	49.7	µg/L		
Zinc	<b>420</b>	µg/L	426.1	µg/L		
Cyanide	<b>178</b>	mg/L	5.2	µg/L	---	µg/L
<b>B. Non-Halogenated VOCs</b>						
Total BTEX	<b>100</b>	µg/L	---			
Benzene	<b>5.0</b>	µg/L	---			
1,4 Dioxane	<b>200</b>	µg/L	---			
Acetone	<b>7970</b>	µg/L	---			
Phenol	<b>1,080</b>	µg/L	300	µg/L		
<b>C. Halogenated VOCs</b>						
Carbon Tetrachloride	<b>4.4</b>	µg/L	1.6	µg/L		
1,2 Dichlorobenzene	<b>600</b>	µg/L	---			
1,3 Dichlorobenzene	<b>320</b>	µg/L	---			
1,4 Dichlorobenzene	<b>5.0</b>	µg/L	---			
Total dichlorobenzene	---	µg/L	---			
1,1 Dichloroethane	<b>70</b>	µg/L	---			
1,2 Dichloroethane	<b>5.0</b>	µg/L	---			
1,1 Dichloroethylene	<b>3.2</b>	µg/L	---			
Ethylene Dibromide	<b>0.05</b>	µg/L	---			
Methylene Chloride	<b>4.6</b>	µg/L	---			
1,1,1 Trichloroethane	<b>200</b>	µg/L	---			
1,1,2 Trichloroethane	<b>5.0</b>	µg/L	---			
Trichloroethylene	<b>5.0</b>	µg/L	---			
Tetrachloroethylene	5.0	µg/L	<b>3.3</b>	µg/L		
cis-1,2 Dichloroethylene	<b>70</b>	µg/L	---			
Vinyl Chloride	<b>2.0</b>	µg/L	---			
<b>D. Non-Halogenated SVOCs</b>						
Total Phthalates	<b>190</b>	µg/L	---	µg/L		
Diethylhexyl phthalate	<b>101</b>	µg/L	2.2	µg/L		

Total Group I Polycyclic Aromatic Hydrocarbons	<b>1.0</b>	µg/L	---			
Benzo(a)anthracene	<b>1.0</b>	µg/L	0.0038	µg/L	---	µg/L
Benzo(a)pyrene	<b>1.0</b>	µg/L	0.0038	µg/L	---	µg/L
Benzo(b)fluoranthene	<b>1.0</b>	µg/L	0.0038	µg/L	---	µg/L
Benzo(k)fluoranthene	<b>1.0</b>	µg/L	0.0038	µg/L	---	µg/L
Chrysene	<b>1.0</b>	µg/L	0.0038	µg/L	---	µg/L
Dibenzo(a,h)anthracene	<b>1.0</b>	µg/L	0.0038	µg/L	---	µg/L
Indeno(1,2,3-cd)pyrene	<b>1.0</b>	µg/L	0.0038	µg/L	---	µg/L
Total Group II Polycyclic Aromatic Hydrocarbons	<b>100</b>	µg/L	---			
Naphthalene	<b>20</b>	µg/L	---			
<b>E. Halogenated SVOCs</b>						
Total Polychlorinated Biphenyls	<b>0.000064</b>	µg/L	---		0.5	µg/L
Pentachlorophenol	<b>1.0</b>	µg/L	---			
<b>F. Fuels Parameters</b>						
Total Petroleum Hydrocarbons	<b>5.0</b>	mg/L	---			
Ethanol	<b>Report</b>	mg/L	---			
Methyl-tert-Butyl Ether	<b>70</b>	µg/L	20	µg/L		
tert-Butyl Alcohol	<b>120</b>	µg/L	---			
tert-Amyl Methyl Ether	<b>90</b>	µg/L	---			



**APPENDIX F**  
**ACEC AND FEDERALLY LISTED ENDANGERED AND THREATENED**  
**SPECIES IN MASSACHUSETTS EVALUATION**



# United States Department of the Interior



## FISH AND WILDLIFE SERVICE

New England Field Office  
70 Commercial Street, Suite 300  
Concord, NH 03301-5087  
<http://www.fws.gov/newengland>

January 20, 2017

To Whom It May Concern:

This project was reviewed for the presence of federally listed or proposed, threatened or endangered species or critical habitat per instructions provided on the U.S. Fish and Wildlife Service's New England Field Office website:

*<http://www.fws.gov/newengland/EndangeredSpec-Consultation.htm> (accessed January 2017)*

Based on information currently available to us, no federally listed or proposed, threatened or endangered species or critical habitat under the jurisdiction of the U.S. Fish and Wildlife Service are known to occur in the project area(s). Preparation of a Biological Assessment or further consultation with us under section 7 of the Endangered Species Act is not required. No further Endangered Species Act coordination is necessary for a period of one year from the date of this letter, unless additional information on listed or proposed species becomes available.

Thank you for your cooperation. Please contact Maria Tur of this office at 603-223-2541 if we can be of further assistance.

Sincerely yours,

Thomas R. Chapman  
Supervisor  
New England Field Office

---

## MASSACHUSETTS AREAS OF CRITICAL ENVIRONMENTAL CONCERN

November 2010

---

### Total Approximate Acreage: 268,000 acres

Approximate acreage and designation date follow ACEC names below.

---

#### **Bourne Back River**

(1,850 acres, 1989) Bourne

**Canoe River Aquifer and Associated Areas** (17,200 acres, 1991) Easton, Foxborough, Mansfield, Norton, Sharon, and Taunton

#### **Cedar Swamp**

(1,650 acres, 1975) Hopkinton and Westborough

#### **Central Nashua River Valley**

(12,900 acres, 1996) Bolton, Harvard, Lancaster, and Leominster

#### **Cranberry Brook Watershed**

(1,050 acres, 1983) Braintree and Holbrook

#### **Ellisville Harbor**

(600 acres, 1980) Plymouth

#### **Fowl Meadow and Ponkapoag Bog**

(8,350 acres, 1992) Boston, Canton, Dedham, Milton, Norwood, Randolph, Sharon, and Westwood

#### **Golden Hills**

(500 acres, 1987) Melrose, Saugus, and Wakefield

#### **Great Marsh (originally designated as Parker River/Essex Bay)**

(25,500 acres, 1979) Essex, Gloucester, Ipswich, Newbury, and Rowley

#### **Herring River Watershed**

(4,450 acres, 1991) Bourne and Plymouth

#### **Hinsdale Flats Watershed**

(14,500 acres, 1992) Dalton, Hinsdale, Peru, and Washington

#### **Hockomock Swamp**

(16,950 acres, 1990) Bridgewater, Easton, Norton, Raynham, Taunton, and West Bridgewater

#### **Inner Cape Cod Bay**

(2,600 acres, 1985) Brewster, Eastham, and Orleans

#### **Kampoosa Bog Drainage Basin**

(1,350 acres, 1995) Lee and Stockbridge

#### **Karner Brook Watershed**

(7,000 acres, 1992) Egremont and Mount Washington

#### **Miscoe, Warren, and Whitehall Watersheds**

(8,700 acres, 2000) Grafton, Hopkinton, and Upton

#### **Neponset River Estuary**

(1,300 acres, 1995) Boston, Milton, and Quincy

#### **Petapawag**

(25,680 acres, 2002) Ayer, Dunstable, Groton, Pepperell, and Tyngsborough

#### **Pleasant Bay**

(9,240 acres, 1987) Brewster, Chatham, Harwich, and Orleans

#### **Pocasset River**

(160 acres, 1980) Bourne

#### **Rumney Marshes**

(2,800 acres, 1988) Boston, Lynn, Revere, Saugus, and Winthrop

#### **Sandy Neck Barrier Beach System**

(9,130 acres, 1978) Barnstable and Sandwich

#### **Schenob Brook Drainage Basin**

(13,750 acres, 1990) Mount Washington and Sheffield

#### **Squannassit**

(37,420 acres, 2002) Ashby, Ayer, Groton, Harvard, Lancaster, Lunenburg, Pepperell, Shirley, and Townsend

#### **Three Mile River Watershed**

(14,280 acres, 2008) Dighton, Norton, Taunton

#### **Upper Housatonic River**

(12,280 acres, 2009) Lee, Lenox, Pittsfield, Washington

#### **Waquoit Bay**

(2,580 acres, 1979) Falmouth and Mashpee

#### **Weir River**

(950 acres, 1986) Cohasset, Hingham, and Hull

#### **Wellfleet Harbor**

(12,480 acres, 1989) Eastham, Truro, and Wellfleet

#### **Weymouth Back River**


(800 acres, 1982) Hingham and Weymouth

**Towns with ACECs within their Boundaries**
**November 2010**

<b>TOWN</b>	<b>ACEC</b>	<b>TOWN</b>	<b>ACEC</b>
Ashby	Squannassit	Mt. Washington	Karner Brook Watershed
Ayer	Petapawag		Schenob Brook
	Squannassit	Newbury	Great Marsh
Barnstable	Sandy Neck Barrier Beach System	Norton	Hockomock Swamp
Bolton	Central Nashua River Valley		Canoe River Aquifer
Boston	Rumney Marshes		Three Mile River Watershed
	Fowl Meadow and Ponkapoag Bog	Norwood	Fowl Meadow and Ponkapoag Bog
	Neponset River Estuary	Orleans	Inner Cape Cod Bay
Bourne	Pocasset River		Pleasant Bay
	Bourne Back River	Pepperell	Petapawag
	Herring River Watershed		Squannassit
Braintree	Cranberry Brook Watershed	Peru	Hinsdale Flats Watershed
Brewster	Pleasant Bay	Pittsfield	Upper Housatonic River
	Inner Cape Cod Bay	Plymouth	Herring River Watershed
Bridgewater	Hockomock Swamp		Ellisville Harbor
Canton	Fowl Meadow and Ponkapoag Bog	Quincy	Neponset River Estuary
Chatham	Pleasant Bay	Randolph	Fowl Meadow and Ponkapoag Bog
Cohasset	Weir River	Raynham	Hockomock Swamp
Dalton	Hinsdale Flats Watershed	Revere	Rumney Marshes
Dedham	Fowl Meadow and Ponkapoag Bog	Rowley	Great Marsh
Dighton	Three Mile River Watershed	Sandwich	Sandy Neck Barrier Beach System
Dunstable	Petapawag	Saugus	Rumney Marshes
Eastham	Inner Cape Cod Bay		Golden Hills
	Wellfleet Harbor	Sharon	Canoe River Aquifer
Easton	Canoe River Aquifer		Fowl Meadow and Ponkapoag Bog
	Hockomock Swamp	Sheffield	Schenob Brook
Egremont	Karner Brook Watershed	Shirley	Squannassit
Essex	Great Marsh	Stockbridge	Kampoosa Bog Drainage Basin
Falmouth	Waquoit Bay	Taunton	Hockomock Swamp
Foxborough	Canoe River Aquifer		Canoe River Aquifer
Gloucester	Great Marsh	Truro	Three Mile River Watershed
Grafton	Miscoe-Warren-Whitehall Watersheds	Townsend	Wellfleet Harbor
		Tyngsborough	Squannassit
Groton	Petapawag	Upton	Petapawag
	Squannassit		Miscoe-Warren-Whitehall Watersheds
Harvard	Central Nashua River Valley	Wakefield	Golden Hills
	Squannassit	Washington	Hinsdale Flats Watershed
Harwich	Pleasant Bay		Upper Housatonic River
Hingham	Weir River	Wellfleet	Wellfleet Harbor
	Weymouth Back River	W Bridgewater	Hockomock Swamp
Hinsdale	Hinsdale Flats Watershed	Westborough	Cedar Swamp
Holbrook	Cranberry Brook Watershed	Westwood	Fowl Meadow and Ponkapoag Bog
Hopkinton	Miscoe-Warren-Whitehall Watersheds	Weymouth	Weymouth Back River
		Winthrop	Rumney Marshes
	Cedar Swamp		
Hull	Weir River		
Ipswich	Great Marsh		
Lancaster	Central Nashua River Valley		
	Squannassit		
Lee	Kampoosa Bog Drainage Basin		
	Upper Housatonic River		
Lenox	Upper Housatonic River		
Leominster	Central Nashua River Valley		
Lunenburg	Squannassit		
Lynn	Rumney Marshes		
Mansfield	Canoe River Aquifer		
Mashpee	Waquoit Bay		
Melrose	Golden Hills		
Milton	Fowl Meadow and Ponkapoag Bog		
	Neponset River Estuary		




# Massachusetts Areas of Critical Environmental Concern (ACECs)



- 1 Bourns Back River
- 2 Canoe River Aquifer
- 3 Cedar Swamp
- 4 Central Nashua River Valley
- 5 Cranberry Brook Watershed
- 6 Ellisville Harbor
- 7 Fowl Meadow and Ponkapoag Bog
- 8 Golden Hills
- 9 Great Marsh
- 10 Herring River Watershed
- 11 Hinsdale Flats Watershed
- 12 Hockomock Swamp
- 13 Inner Cape Cod Bay
- 14 Kamposoa Bog Drainage Basin
- 15 Kanner Brook Watershed

- 16 Miscoe, Warren and Whitehall Watersheds
- 17 Neponset River Estuary
- 18 Petapawag
- 19 Pleasant Bay
- 20 Pocasset River
- 21 Rummey Marshes
- 22 Sandy Neck Barrier Beach System
- 23 Schenob Brook Drainage Basin
- 24 Squannassit
- 25 Three Mile River Watershed
- 26 Upper Housatonic River
- 27 Waquoit Bay
- 28 Weir River
- 29 Wellfleet Harbor
- 30 Weymouth Back River



**FEDERALLY LISTED ENDANGERED AND THREATENED SPECIES IN  
MASSACHUSETTS**

<b>COUNTY</b>	<b>SPECIES</b>	<b>FEDERAL STATUS</b>	<b>GENERAL LOCATION/HABITAT</b>	<b>TOWNS</b>
Barnstable	Piping Plover	Threatened	Coastal Beaches	All Towns
	Roseate Tern	Endangered	Coastal beaches and the Atlantic Ocean	All Towns
	Northeastern beach tiger beetle	Threatened	Coastal Beaches	Chatham
	Sandplain gerardia	Endangered	Open areas with sandy soils.	Sandwich and Falmouth.
	Northern Red-bellied Cooter	Endangered	Inland Ponds and Rivers	Bourne (north of the Cape Cod Canal)
	Red Knot <sup>1</sup>	Threatened	Coastal Beaches and Rocky Shores, sand and mud flats	Coastal Towns
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide
Berkshire	Bog Turtle	Threatened	Wetlands	Egremont and Sheffield
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide
Bristol	Piping Plover	Threatened	Coastal Beaches	Fairhaven, Dartmouth, Westport
	Roseate Tern	Endangered	Coastal beaches and the Atlantic Ocean	Fairhaven, New Bedford, Dartmouth, Westport
	Northern Red-bellied Cooter	Endangered	Inland Ponds and Rivers	Taunton
	Red Knot <sup>1</sup>	Threatened	Coastal Beaches and Rocky Shores, sand and mud flats	Coastal Towns
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide
Dukes	Roseate Tern	Endangered	Coastal beaches and the Atlantic Ocean	All Towns
	Piping Plover	Threatened	Coastal Beaches	All Towns
	Northeastern beach tiger beetle	Threatened	Coastal Beaches	Aquinnah and Chilmark
	Sandplain gerardia	Endangered	Open areas with sandy soils.	West Tisbury
	Red Knot <sup>1</sup>	Threatened	Coastal Beaches and Rocky Shores, sand and mud flats	Coastal Towns
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide

**FEDERALLY LISTED ENDANGERED AND THREATENED SPECIES  
IN MASSACHUSETTS**

COUNTY	SPECIES	FEDERAL STATUS	GENERAL LOCATION/HABITAT	TOWNS
Essex	Small whorled Pogonia	Threatened	Forests with somewhat poorly drained soils and/or a seasonally high water table	Gloucester, Essex and Manchester
	Piping Plover	Threatened	Coastal Beaches	Gloucester, Essex, Ipswich, Rowley, Revere, Newbury, Newburyport and Salisbury
	Red Knot <sup>1</sup>	Threatened	Coastal Beaches and Rocky Shores, sand and mud flats	Coastal Towns
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide
Franklin	Northeastern bulrush	Endangered	Wetlands	Montague, Warwick
	Dwarf wedgemussel	Endangered	Mill River	Whately
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide
Hampshire	Small whorled Pogonia	Threatened	Forests with somewhat poorly drained soils and/or a seasonally high water table	Hadley
	Puritan tiger beetle	Threatened	Sandy beaches along the Connecticut River	Northampton and Hadley
	Dwarf wedgemussel	Endangered	Rivers and Streams.	Hatfield, Amherst and Northampton
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide
Hampden	Small whorled Pogonia	Threatened	Forests with somewhat poorly drained soils and/or a seasonally high water table	Southwick
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide
Middlesex	Small whorled Pogonia	Threatened	Forests with somewhat poorly drained soils and/or a seasonally high water table	Groton
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide
Nantucket	Piping Plover	Threatened	Coastal Beaches	Nantucket
	Roseate Tern	Endangered	Coastal beaches and the Atlantic Ocean	Nantucket
	American burying beetle	Endangered	Upland grassy meadows	Nantucket
	Red Knot <sup>1</sup>	Threatened	Coastal Beaches and Rocky Shores, sand and mud flats	Coastal Towns
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide

**FEDERALLY LISTED ENDANGERED AND THREATENED SPECIES  
IN MASSACHUSETTS**

COUNTY	SPECIES	FEDERAL STATUS	GENERAL LOCATION/HABITAT	TOWNS
Plymouth	Piping Plover	Threatened	Coastal Beaches	Scituate, Marshfield, Duxbury, Plymouth, Wareham and Mattapoissett
	Northern Red-bellied Cooter	Endangered	Inland Ponds and Rivers	Kingston, Middleborough, Carver, Plymouth, Bourne, Wareham, Halifax, and Pembroke
	Roseate Tern	Endangered	Coastal beaches and the Atlantic Ocean	Plymouth, Marion, Wareham, and Mattapoissett.
	Red Knot <sup>1</sup>	Threatened	Coastal Beaches and Rocky Shores, sand and mud flats	Coastal Towns
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide
Suffolk	Piping Plover	Threatened	Coastal Beaches	Revere, Winthrop
	Red Knot <sup>1</sup>	Threatened	Coastal Beaches and Rocky Shores, sand and mud flats	Coastal Towns
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide
Worcester	Small whorled Pogonia	Threatened	Forests with somewhat poorly drained soils and/or a seasonally high water table	Leominster
	Northern Long-eared Bat	Threatened Final 4(d) Rule	Winter- mines and caves, Summer – wide variety of forested habitats	Statewide

<sup>1</sup>Migratory only, scattered along the coast in small numbers

-Eastern cougar and gray wolf are considered extirpated in Massachusetts.

-Endangered gray wolves are not known to be present in Massachusetts, but dispersing individuals from source populations in Canada may occur statewide.

-Critical habitat for the Northern Red-bellied Cooter is present in Plymouth County.

ATTACHMENT

Evaluation of Long-Eared Bat Habitat

175 Wyman Street

Waltham, Massachusetts

The northern long-eared bat (*Myotis septentrionalis*) has a federal status of Threatened and a state status of Endangered within Massachusetts.

The northern long-eared bat is a migratory species which utilizes a variety of habitats during the year depending on the season. Between early November and April, this species hibernates in crevices in portions of caves and abandoned mine shafts which have high humidity, constant temperatures, and little air flow. Individuals tend to return to the same hibernaculum from year to year although they are also known to sometimes use other hibernacula. Hibernacula are generally located within approximately 35 miles of summer foraging habitat. Between April and October, northern long-eared bats roost and forage in forested areas. Preferred roost sites include clusters of large, live or dead, hardwood trees with cavities or peeling bark. Preferred foraging sites include wooded areas around vernal pools or small ponds or along streams. Thus, transitional zones between forested uplands and wetlands represent prime summer roosting and foraging habitat.

The 175 Wyman Street property and the properties associated with the discharge system is located within developed areas, including a major highway system. There are some trees and a wetland area on 175 Wyman Street property that might provide habitat, but the discharge system has no impact on those potential habitat areas. The constant noise disturbances from traffic along the highway and adjoining roads make this area marginal habitat for northern long-eared bats, therefore it is unlikely that this species utilizes this area.



**APPENDIX G**  
MACRIS SEARCH RESULTS

# Massachusetts Cultural Resource Information System

## MACRIS

### MACRIS Search Results

Search Criteria: Town(s): Waltham; Street No: 175; Street Name: Wyman St; Resource Type(s): Area;

Inv. No.	Property Name	Street	Town	Year
----------	---------------	--------	------	------