

Receiver/Speakers Packages



KD-PKR480

- KD-R480 CD Receiver
- CS-J620 6-1/2" 2-Way Coaxial Speakers



KD-PKR780BT

- KD-R780BT CD Receiver
- CS-J620 6-1/2" 2-Way Coaxial Speakers

Amplifier/Subwoofers Packages



CS-PK202

- KS-AX202 2-Channel Power Amplifier
- CS-W120 12" Subwoofer Unit



CS-PK2120

- KS-AX201 Mono Class-AB Amplifier
- CS-W120 12" Subwoofer Unit x 2

Please visit the JVC Support Site for further information including firmware update.
<http://www.jvc.net/cs/car/>



JVC Mobile Entertainment



JVC Mobile USA | Official



@JVCMobileUSA



@JVCMobile

All screen pictures in the catalog are simulated.

- iPods, iPhones, Android smartphones or any other accessories shown in this catalog are not supplied, and must be purchased separately.
- Use of the Apple CarPlay logo means that a vehicle user interface meets Apple performance standards. Apple is not responsible for the operation of this vehicle or its compliance with safety and regulatory standards. Please note that the use of this product with iPhone, iPod, or iPad may affect wireless performance.
- Android Auto, Android, Google Play, Google and other marks are trademarks of Google Inc. The Android robot is reproduced or modified from work created and shared by Google and used according to terms described in the Creative Commons 3.0 Attribution License.
- iDataLink and Maestro are trademarks or registered trademarks of Automotive Data Solutions Inc.
- "Made for iPod," and "Made for iPhone" mean that an electronic accessory has been designed to connect specifically to iPod, or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPod, or iPhone may affect wireless performance.
- Apple, iPad, iPhone, iPod, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Apple CarPlay is a trademark of Apple Inc.
- Lightning is a trademark of Apple Inc.

- The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by JVC/KENWOOD Corporation is under license.
- The "AAC" logo is a trademark of Dolby Laboratories.
- Pandora, the Pandora logo, and the Pandora trade dress are trademarks or registered trademarks of Pandora Media, Inc., used with permission. Pandora is currently available in the United States, Australia, and New Zealand.
- iHeartRadio® and iHeartAuto™ are trademarks owned by iHeartMedia, Inc. All uses are authorized under license.
- Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc. All rights reserved.
- SPOTIFY and the Spotify logo are among the registered trademarks of Spotify AB.
- The product with the Hi-Res Audio logo is conformed to Hi-Res Audio standard defined by Japan Audio Society. The logo is used under license from Japan Audio Society.
- All other brands, product names, logos, or trademarks are the property of their respective holders.

Design and specifications subject to change without notice.
 The photos of the products featured in this brochure may not be of actual products that are available in your country.
 Copyright © 2017, JVC/KENWOOD Corporation. All Rights Reserved.

DISTRIBUTED BY



JVC Website
www.jvc.com
mobile.jvc.com

Printed in USA.
 201701


JVC



2017 MOBILE ENTERTAINMENT



Come onboard, where leading-edge innovations interface your smartphone with your car to enrich your driving experience. Take your favorite apps for a drive, view content on a big screen, and operate it all with touch-screen intuitiveness. Immerse yourself in quality sound that you can customize to match your taste. JVC—Enjoy the ride.



Apple CarPlay™ via USB

Apple CarPlay is a safer way to use your iPhone in the car. Simply talk to Siri or touch the receiver's display and get directions from Apple Map, make phone calls, listen to voicemail, send and receive texts, and listen to music all in a way that allows you to stay focused on the road.

Note: Apple CarPlay is available with iPhone 7, iPhone 7 Plus, iPhone 6s, iPhone 6s Plus, iPhone 6, iPhone 6 Plus, iPhone SE, iPhone 5s, iPhone 5c or iPhone 5 with iOS 7.1 or newer. The service may not be available in certain countries.



Android Auto™ via USB

Bring Android convenience into your car. Just plug-in via USB and have easy access to everything from Google apps to Google Maps from the JVC receiver. Access Android Auto's features by touch or voice command; make and receive phone calls, listen to your favorite music, and best of all, with less intrusion and interruption so you can drive safely.

Note: Android Auto is compatible with Android phones running Android 5.0 (Lollipop) or later. The service may not be available in certain countries.




Android™ Music Playback via USB

Simply connect your Android smartphone or tablet to the receiver via USB and enjoy a complete "plug and play" music playback solution.

Sound Optimization

High-Resolution Audio Playback

You can enjoy playback of 96kHz/24bit audio which contains about 3 times the musical information of music CDs (44.1kHz/16bit), or even 192kHz/24bit High-Resolution Audio files with their approx. 6.5 times data volume.



Time Alignment

By selecting the speaker type and the distance to the center of the listening position, the head unit will automatically adjust the timing of the sound output from each of the speakers so that the sound from each of the speakers will arrive exactly at the same time to the listening position.



K2 Technology for Enhanced Digital Sound Quality

K2 reproduces the original master sound by up-converting the frequency range and bit rate. For example, K2 up-converts a CD data (44.1kHz/16bit) to 48kHz/24bit, and reproduces higher resolution sound.



iDataLink Maestro



Advanced Vehicle Integration

iDataLink Maestro RR (sold separately) enables the retention of the factory steering wheel audio controls, factory amplifier, secondary displays and can even display vehicle information (performance data, climate controls, battery voltage, etc.) when connected to compatible vehicles.



*Available features may vary depending on the vehicle. The iDataLink Maestro RR is sold separately by Automotive Data. To find an authorized dealer please visit <http://maestro.idatalink.com/>

Linked to Your Life. Ready for Your Ride.

Bluetooth® Wireless Technology



JVC Streaming DJ

Connect up to 5 Bluetooth devices simultaneously, so you and your friends can take turns streaming music like a DJ. Move to the groove and get the party pumping to the max.



iPhone®/Android™ Automatic Pairing

Just connect your iPhone or Android device* via USB and the automatic Bluetooth pairing function will work to complete the pairing.



*JVC Music Play application is required.

2 Phones Full-Time Connection

You can connect two phones full time via Bluetooth, with secure and simple pairing.



Internet Radio & Digital Radio

Pandora / iHeartRadio / Spotify Control

Listen to Pandora, iHeartRadio, and Spotify from your smartphone with smooth control on the headunit via USB or Bluetooth connection for iPhone, and via Bluetooth for Android devices.



SiriusXM Ready

SiriusXM Radio is available with selected models. You can listen to over 100 Channels of music, sports, and entertainment.



Extra Convenience

JVC Remote Control App via Bluetooth®

Control the receiver's source directly from the smartphone using simple finger gestures with "JVC Remote" app* now available for both iOS and Android. You can even customize your audio setting, and see detailed source information such as song title, artist name and album art etc. from the smartphone.

*For more information, visit www.jvc.net/car/app/jvc_remote/





KW-V830BT
DVD/CD/USB Receiver with 6.8-inch Clear Resistive Touch Panel (6.8" WVGA) and Built-In Bluetooth® Wireless Technology


6.8" WVGA **ELKAMELEON**



6.8" Clear Resistive Touch Panel

WVGA Display with El Kameleon Concept
El Kameleon stealth design turns the entire face of the unit black when the ignition is turned off, so it meshes seamlessly with the interior. Turn it back on and the high-visibility 6.8" WVGA display reappears like magic.

Face plate fades into the shadows when ignition is turned off.



Clear Resistive Touch Panel with Information Window
The clear resistive touch panel with high transparency and high luminance makes icons easy to see and functions easy to use. The HOME screen with information window provides better usability and accessibility.



All models are compatible with iPod/iPhone.




KW-M730BT
Digital Media Receiver with 6.8-inch Clear Resistive Touch Panel (6.8" WVGA) and Built-In Bluetooth® Wireless Technology

6.8" WVGA **ELKAMELEON**



KW-V430BT
DVD/CD/USB Receiver with 6.8-inch Clear Resistive Touch Panel (6.8" WVGA) and Built-In Bluetooth® Wireless Technology

6.8" WVGA **ELKAMELEON**




All models except KD-AV31 are compatible with iPod/iPhone. **Made for iPod iPhone**



KW-V330BT 6.2" WVGA
DVD/CD/USB Receiver with 6.8-inch Clear Resistive Touch Panel (6.2" WVGA) and Built-In Bluetooth® Wireless Technology



KW-V230BT 6.2" WVGA
DVD/CD/USB Receiver with 6.2-inch Clear Resistive Touch Panel (6.2" WVGA) and Built-In Bluetooth® Wireless Technology



KD-AV41BT 3" QVGA
DVD/CD/USB Receiver with 3-inch Monitor and Built-in Bluetooth® Wireless Technology



KD-AV31 3" QVGA
DVD/CD/USB Receiver with 3-inch Monitor



Multimedia Receivers Specifications

	Display		Smartphone Integration				Bluetooth®	
	Screen Size	Touch Screen Type	Android Auto	Apple CarPlay	Android Music Playback via USB	Spotify	2 Phones Full-Time Connection	Audio Streaming & Control
KW-V830BT	6.8" Wide VGA	Clear Resistive	•	•	—	•	•	•
KW-M730BT	6.8" Wide VGA	Clear Resistive	•	•	—	•	•	•
KW-V430BT	6.8" Wide VGA	Clear Resistive	—	—	•	•	•	• (Streaming DJ)
KW-V330BT	6.2" Wide VGA	Clear Resistive	—	—	•	•	•	• (Streaming DJ)
KW-V230BT	6.2" Wide VGA	Clear Resistive	—	—	•	•	•	•
KD-AV41BT	3.0" 16:9 QVGA	—	—	—	—	—	—	•
KD-AV31	3.0" 16:9 QVGA	—	—	—	—	—	—	—

	Bluetooth®		USB		Sound Optimization		
	Automatic Pairing for iPhone/Android	JVC Remote Control Application	Video Format	Audio Format	Port	High-Resolution Audio	K2 Technology
KW-V830BT	• (iPhone only)	—	H.264/WMV/MPEG1,2/MPEG4/AVI/MKV	DSD/AAC/FLAC/MP3/WMA/WAV	Rear x 2/1.5A	•	•
KW-M730BT	• (iPhone only)	—	H.264/WMV/MPEG1,2/MPEG4/AVI/MKV	DSD/AAC/FLAC/MP3/WMA/WAV	Rear x 2/1.5A	•	•
KW-V430BT	•	•	MPEG1,2	AAC/FLAC/MP3/WMA/WAV	Rear x 1/1.5A	—	•
KW-V330BT	•	•	MPEG1,2	AAC/FLAC/MP3/WMA/WAV	Rear x 1/1.5A	—	•
KW-V230BT	•	—	MPEG1,2	AAC/MP3/WMA/WAV	Front x 1/1.5A	—	•
KD-AV41BT	—	—	MPEG1,2	MP3/WMA	Front x 1/1.0A	—	—
KD-AV31	—	—	MPEG1,2	MP3/WMA	Front x 1/1.0A	—	—

	Sound Optimization			Expandability, etc.				
	Time Alignment	13-Band EQ	AV Input/Video Out	Rear View Camera Input	Audio Preout	Wireless Remote Control	Steering Remote Control Ready	iDataLink Maestro Ready
KW-V830BT	•	•	mini jack/RCA	•	3 Pre-Outs/4.0V	•	•	•
KW-M730BT	•	•	mini jack/RCA	•	3 Pre-Outs/4.0V	Ready (RM-RK258 required)	•	•
KW-V430BT	•	•	mini jack/RCA	•	3 Pre-Outs/4.0V	Ready (RM-RK258 required)	•	•
KW-V330BT	•	•	mini jack/RCA	•	3 Pre-Outs/4.0V	Ready (RM-RK258 required)	•	•
KW-V230BT	•	•	mini jack/RCA	•	3 Pre-Outs/4.0V	Ready (RM-RK258 required)	•	—
KD-AV41BT	—	—	- /RCA	•	1 Pre-Out/2.5V	•	•	—
KD-AV31	—	—	- /RCA	•	1 Pre-Out/2.5V	•	•	—

Optional Accessories

KV-CM30
Rear View Camera

- Waterproof design
- 1/4" color CMOS sensor with effective 380,000 pixels
- Flexible mounting bracket included
- Camera dimensions (WxHxD): 23.4mm x 23.4mm x 23.9mm
- Weight: 21g (Camera only)

KS-U59
iPod Video Cable (30-pin)

KS-U62
Lightning – USB Cable

RM-RK258
Wireless Remote Control for Multimedia Receivers



KD-R985BTS

CD Receiver with Bluetooth® Wireless Technology and Front/Rear Dual USB, Front AUX Input

Wired MIC included Bluetooth® K2 TECHNOLOGY pandora iHeartRADIO ((SiriusXM) READY

Music Playback USB iPod/iPhone Music Control 2Phones Full-Time Connection Bluetooth Automatic Pairing Streaming DJ Dual USB Front x1 Rear x1 USB 1.5A Charging Time Alignment 13-Band Equalizer 2-Line VA LCD Display 3-Zone Variable Color Spanish Menu español Steering Remote Ready Remote Control App



KD-R980BTS

CD Receiver with Bluetooth® Wireless Technology and Front USB/AUX Input

Wired MIC included Bluetooth® K2 TECHNOLOGY pandora iHeartRADIO ((SiriusXM) READY

Music Playback USB iPod/iPhone Music Control 2Phones Full-Time Connection Bluetooth Automatic Pairing USB 1.5A Charging Time Alignment 13-Band Equalizer 2-Line VA LCD Display 3-Zone Variable Color Spanish Menu español Steering Remote Ready Remote Control App

*Receiver setting function is not available.

All models except KD-R780BT are compatible with iPod/iPhone.



KD-R885BTS

CD Receiver with Bluetooth® Wireless Technology and Front USB/AUX Input

Wired MIC included Bluetooth® K2 TECHNOLOGY pandora iHeartRADIO ((SiriusXM) READY

Music Playback USB iPod/iPhone Music Control 2Phones Full-Time Connection Bluetooth Automatic Pairing Streaming DJ USB 1.5A Charging Time Alignment 13-Band Equalizer 2-Line VA LCD Display Spanish Menu español Steering Remote Ready Remote Control App



KD-R880BT

CD Receiver with Bluetooth® Wireless Technology and Front USB/AUX Input

Wired MIC included Bluetooth® K2 TECHNOLOGY pandora iHeartRADIO

Music Playback USB iPod/iPhone Music Control 2Phones Full-Time Connection Bluetooth Automatic Pairing USB 1.5A Charging Time Alignment 13-Band Equalizer 2-Line VA LCD Display Spanish Menu español Steering Remote Ready Remote Control App

*Receiver setting function is not available.



KD-R780BT

CD Receiver with Bluetooth® Wireless Technology and Front USB/AUX Input

Wired MIC included Bluetooth® K2 TECHNOLOGY pandora iHeartRADIO * iPhone only

Music Playback USB 2Phones Full-Time Connection Bluetooth Automatic Pairing Streaming DJ USB 1.5A Charging Time Alignment 13-Band Equalizer 2-Line VA LCD Display Spanish Menu español Steering Remote Ready Remote Control App

Audio Receivers



KD-R680S
CD Receiver with Front USB/AUX Input



- Music Playback USB
- iPod/iPhone Music Control
- 2-Line VA LCD Display
- Variable Color Illumination
- Spanish Menu español
- Steering Remote Ready



KD-R480
CD Receiver with Front USB/AUX Input

- Music Playback USB
- 2-Line VA LCD Display
- Spanish Menu español
- Steering Remote Ready



KD-R370
CD Receiver with Front AUX Input

- Spanish Menu español
- Steering Remote Ready



KW-R925BTS
CD Receiver with Bluetooth® Wireless Technology and Front/Rear Dual USB, Front AUX Input



- Music Playback USB
- iPod/iPhone Music Control
- 2Phones Full-Time Connection
- Bluetooth Automatic Pairing
- Siri Eyes Free CALL
- Dual USB Front x1 Rear x1
- USB 1.5A Charging
- 13-Band Equalizer
- 3-Zone Variable Color
- Spanish Menu español
- Steering Remote Ready

Digital Media Receivers



KD-X340BTS
Digital Media Receiver with Bluetooth® Wireless Technology and Front USB/AUX Input



- Music Playback USB
- iPod/iPhone Music Control
- 2Phones Full-Time Connection
- Bluetooth Automatic Pairing
- Streaming DJ
- USB 1.5A Charging
- Time Alignment
- 13-Band Equalizer
- 2-Line VA LCD Display
- Variable Color Illumination
- Spanish Menu español
- Steering Remote Ready
- Remote Control App



KD-X240BT
Digital Media Receiver with Front USB/AUX Input



- Music Playback USB
- iPod/iPhone Music Control
- 2Phones Full-Time Connection
- Bluetooth Automatic Pairing
- Streaming DJ
- USB 1.5A Charging
- Time Alignment
- 13-Band Equalizer
- 2-Line VA LCD Display
- Spanish Menu español
- Steering Remote Ready
- Remote Control App

KW-R920BTS
CD Receiver with Bluetooth® Wireless Technology and Front USB/AUX Input



- Music Playback USB
- iPod/iPhone Music Control
- 2Phones Full-Time Connection
- Bluetooth Automatic Pairing
- Siri Eyes Free CALL
- USB 1.5A Charging
- 13-Band Equalizer
- 3-Zone Variable Color
- Spanish Menu español
- Steering Remote Ready



All models except KD-R480/KD-R370 are compatible with iPod/iPhone.

Smooth Sailing with Your Favorite Music



KD-R97MBS

CD Receiver with Bluetooth® Wireless Technology and Front USB/AUX Input



Bluetooth® K2 TECHNOLOGY pandora

iHeartRADIO ((SiriusXM) READY

Music Playback USB iPod/iPhone Music Control 2Phones Full-Time Connection Bluetooth Automatic Pairing USB 1.5A Charging

13-Band Equalizer Variable Color Illumination Spanish Menu español Steering Remote Ready Wired Remote Ready

- Water-Resistant Design with High Output
- Ideal for Off-Road Vehicles



KD-X33MBS

Digital Media Receiver with Bluetooth® Wireless Technology and Front USB/AUX Input



Bluetooth® K2 TECHNOLOGY pandora

iHeartRADIO ((SiriusXM) READY

Music Playback USB iPod/iPhone Music Control 2Phones Full-Time Connection Bluetooth Automatic Pairing USB 1.5A Charging

13-Band Equalizer Spanish Menu español Steering Remote Ready Wired Remote Ready

Optional Accessory

RM-RK62M
Wired Remote Control for Marine Receivers
• IPX7 waterproof design



CS-DR6200M / CS-DR6201MW

6-1/2" 2-Way Coaxial Speakers

- Features
- Water-resistant cone woofers
 - UV resistant grilles
 - Composite speaker baskets
 - Stainless steel hardware
 - 50W RMS high power*
 - Grille with a large open area

Type	6-1/2" 2-Way Coaxial
Peak Power	150W
RMS Power at 4Ω*	50W
Frequency Response*	60Hz - 18.4kHz

*CEA2031



All models are compatible with iPod/iPhone.

Audio Receivers Specifications

	Cosmetic	Smartphone Integration		Bluetooth®	
	Variable Color	Android Music Playback via USB	iPod/iPhone Music Playback	2 Phones Full-Time Connection	Audio Streaming & Control
KD-R985BTS	• (3-Zone)	• (AUDIO MODE & AUTO MODE)	•	•	• (Streaming DJ)
KD-R980BTS	• (3-Zone)	• (AUDIO MODE & AUTO MODE)	•	•	•
KD-R885BTS	—	• (AUDIO MODE & AUTO MODE)	•	•	• (Streaming DJ)
KD-R880BT	—	• (AUDIO MODE & AUTO MODE)	•	•	•
KD-R780BT	—	• (AUDIO MODE & AUTO MODE)	—	•	• (Streaming DJ)
KD-R680S	• (1-Zone)	• (AUDIO MODE & AUTO MODE)	•	—	—
KD-R480	—	• (AUDIO MODE & AUTO MODE)	—	—	—
KD-R370	—	—	—	—	—
KD-X340BTS	• (1-Zone)	• (AUDIO MODE & AUTO MODE)	•	•	• (Streaming DJ)
KD-X240BT	—	• (AUDIO MODE & AUTO MODE)	•	•	• (Streaming DJ)
KW-R925BTS	• (3-Zone)	• (AUDIO MODE & AUTO MODE)	•	•	•
KW-R920BTS	• (3-Zone)	• (AUDIO MODE & AUTO MODE)	•	•	•
KD-R97MBS	• (1-Zone)	• (AUDIO MODE & AUTO MODE)	•	•	•
KD-X33MBS	—	• (AUDIO MODE & AUTO MODE)	•	•	•

	Bluetooth®		USB	Sound Optimization	
	Automatic Pairing for iPhone/Android	Remote Control Application	Audio Format	Port	K2 Technology
KD-R985BTS	•	•	MP3/WMA/WAV/FLAC/AAC	Front x 1/Rear x 1 (1.5A)	•
KD-R980BTS	•	•	MP3/WMA/WAV/FLAC/AAC	Front (1.5A)	•
KD-R885BTS	•	•	MP3/WMA/WAV/FLAC/AAC	Front (1.5A)	•
KD-R880BT	•	•	MP3/WMA/WAV/FLAC/AAC	Front (1.5A)	•
KD-R780BT	• (Android only)	•	MP3/WMA/WAV/FLAC	Front (1.5A)	•
KD-R680S	—	—	MP3/WMA/WAV/FLAC	Front (1A)	—
KD-R480	—	—	MP3/WMA/WAV/FLAC	Front (1A)	—
KD-R370	—	—	MP3/WMA	—	—
KD-X340BTS	•	•	MP3/WMA/WAV/FLAC/AAC	Front (1.5A)	•
KD-X240BT	•	•	MP3/WMA/WAV/FLAC/AAC	Front (1.5A)	•
KW-R925BTS	•	—	MP3/WMA/WAV/FLAC	Front x 1/Rear x 1 (1.5A)	•
KW-R920BTS	•	—	MP3/WMA/WAV/FLAC	Front (1.5A)	•
KD-R97MBS	•	—	MP3/WMA/WAV/FLAC	Front (1.5A)	•
KD-X33MBS	•	—	MP3/WMA/WAV/FLAC	Front (1.5A)	•


	Sound Optimization		Expandability, etc.		
	Time Alignment	13-Band EQ	Audio Preout	Wireless Remote Control	Steering Remote Control Ready
KD-R985BTS	•	•	3 Pre-Outs/4.0V	—	•
KD-R980BTS	•	•	2 Pre-Outs/4.0V	—	•
KD-R885BTS	•	•	3 Pre-Outs/4.0V	—	•
KD-R880BT	•	•	2 Pre-Outs/4.0V	—	•
KD-R780BT	•	•	1 Pre-Out/4.0V	•	•
KD-R680S	—	—	2 Pre-Outs/2.5V	•	•
KD-R480	—	—	1 Pre-Out/2.5V	•	•
KD-R370	—	—	1 Pre-Out/2.5V	—	•
KD-X340BTS	•	•	3 Pre-Outs/4.0V	—	•
KD-X240BT	•	•	1 Pre-Out/4.0V	—	•
KW-R925BTS	—	•	3 Pre-Outs/4.0V	•	•
KW-R920BTS	—	•	2 Pre-Outs/4.0V	•	•
KD-R97MBS	—	•	3 Pre-Outs/4.0V	—	•
KD-X33MBS	—	•	3 Pre-Outs/4.0V	—	•

Hear Every Sound, Feel Every Beat

DR Series Speakers

Carbon Mica Cone
Robust and lightweight carbon mica material provides highly responsive, clear and undistorted reproduction.

Balanced Neodymium Tweeter
Provides detailed high range and smooth mid range. Installable vehicle types are greatly increased thanks to its shorter height.




Wide Opening Grill
Grill's opening ratio is 30% wider than the conventional model, enabling increased durability and clear sound.

Hybrid Surround
Rubber Coated Cloth with increased mobility enables high efficiency and improved follow-up to audio signals.

Small-Design Tweeter Cover
Newly developed small cover significantly reduces areas that interfere with the woofer cone. High-quality sound is assured.

DR Series Amplifiers



Toroidal Transformer
Stable power supply is assured thanks to a large-size toroidal transformer. Its high winding density and low flux leakage improves conversion efficiency of the power. The result is natural and powerful music playback throughout the volume range.

Enhanced GND

KS-DR3001D/DR3005D offers a copper plate for the ground. Its low resistance value reduces loss of voltage to deliver clear sound with less distortion.

Speaker-level Inputs for Easy Installation

DR Series amplifiers feature speaker level inputs with Auto Turn-on function. Installation is possible without having to detach the headunit.

AX5 Series Amplifiers

- One Side Wiring
- Detachable Side Covers
- RCA & Speaker Inputs

	KS-AX5101D	KS-AX5102	KS-AX5104
Type	Class-D	Class-AB	Class-AB
Channels	Mono	2-ch	4-ch
Max Power	1000W	600W	1000W
RMS Power (2Ω)	500W x 1	150W x 2	100W x 4
RMS Power (4Ω)	300W x 1	100W x 2	70W x 4
Bridged (4Ω)	-	300W x 1	200W x 2
Frequency Response	20Hz - 200Hz	5Hz - 50kHz	5Hz - 50kHz

	KS-AX5101D	KS-AX5102	KS-AX5104
Type	Class-D	Class-AB	Class-AB
Channels	Mono	2-ch	4-ch
Max Power	1000W	600W	1000W
RMS Power (2Ω)	500W x 1	150W x 2	100W x 4
RMS Power (4Ω)	300W x 1	100W x 2	70W x 4
Bridged (4Ω)	-	300W x 1	200W x 2
Frequency Response	20Hz - 200Hz	5Hz - 50kHz	5Hz - 50kHz

ZX Series Speakers

- Carbon Mica 3D Cone Woofer
- Rubber Surround

	CS-ZX6940	CS-ZX640	CS-ZX630	CS-ZX530
Type	6 x 9" 4-Way Coaxial	6-1/2" 4-Way Coaxial	6-1/2" 3-Way Coaxial	5-1/4" 3-Way Coaxial
Peak Power	550W	350W	300W	300W
RMS Power at 4Ω	80W	50W	40W	40W
Frequency Response	35Hz - 25kHz	40Hz - 25kHz	40Hz - 25kHz	40Hz - 25kHz

HX Series Speakers

- Carbon Mica Cone Woofer
- Rubber Surround

	CS-HX6949	CS-HX649	CS-HX639	CS-HX539
Type	6 x 9" 4-Way Coaxial	6-1/2" 4-Way Coaxial	6-1/2" 3-Way Coaxial	5-1/4" 3-Way Coaxial
Peak Power	600W	350W	320W	320W
RMS Power at 4Ω	80W	50W	40W	40W
Frequency Response	25Hz - 25kHz	30Hz - 25kHz	30Hz - 25kHz	30Hz - 25kHz

J Series Speakers

	CS-J6930	CS-J6820	CS-J620
Type	6 x 9" 3-Way Coaxial	6 x 8" 2-Way Coaxial	6-1/2" 2-Way Coaxial
Peak Power	400W	250W	300W
RMS Power at 4Ω	45W	30W	30W
Frequency Response	30Hz - 22kHz	35Hz - 22kHz	35Hz - 22kHz

AX2 Series Amplifiers

	KS-AX201	KS-AX202	KS-AX204
Type	Class-AB	Class-AB	Class-AB
Channels	Mono	2-ch	4-ch
Max Power	500W	300W	600W
RMS Power (2Ω)	250W x 1	60W x 2	60W x 4
RMS Power (4Ω)	150W x 1	40W x 2	40W x 4
Bridged (4Ω)	-	120W x 1	120W x 2
Frequency Response	20Hz - 200Hz	5Hz - 50kHz	5Hz - 50kHz

DR Series Speakers

- Carbon Mica Cone Woofer
- Hybrid Rubberized Cloth Surround



	CS-DR600C	CS-DR1700C	CS-DR6940	CS-DR6930	CS-DR6820	CS-DR1720	CS-DR620	CS-DR520	CS-DR420
Type	6-1/2" 2-Way Coaxial Component	6-3/4" 2-Way Coaxial Component	6 x 9" 4-Way Coaxial	6 x 9" 3-Way Coaxial	6 x 8" 2-Way Coaxial	6-3/4" 2-Way Coaxial	6-1/2" 2-Way Coaxial	5-1/4" 2-Way Coaxial	4" 2-Way Coaxial
Peak Power	360W	360W	550W	500W	300W	300W	300W	260W	220W
RMS Power at 4Ω*	60W	55W	90W	70W	45W	50W	50W	40W	35W
Frequency Response*	76Hz - 24kHz	66Hz - 23.8kHz	56Hz - 21kHz	58Hz - 21kHz	65Hz - 25.4kHz	74Hz - 25kHz	85Hz - 23.8kHz	85Hz - 25kHz	114Hz - 23kHz



V Series Speakers

- Carbon Mica Cone Woofer
- Hybrid Rubberized Cloth Surround

	CS-V4627	CS-V618	CS-V518	CS-V418
Type	4 x 6" 2-Way Coaxial	6-1/2" Dual Cone	5-1/4" Dual Cone	4" Dual Cone
Peak Power	140W	230W	200W	180W
RMS Power at 4Ω	20W	30W	25W	20W
Frequency Response	55Hz - 25kHz	42Hz - 20kHz	52Hz - 20kHz	70Hz - 20kHz



G Series Subwoofers

	CS-GD1210	CS-G1210
Type	12" Dual Voice Coil Subwoofer Unit	12" Single Voice Coil Subwoofer Unit
Peak Power	1400W	1200W
RMS Power at 4Ω	400W	250W
Frequency Response	20Hz - 2,000Hz	25Hz - 2,500Hz
Surround	Butyl Rubber	High-Density Foam
Magnet	62.6 oz Motor	39 oz Motor

J Series Speakers

CS-J6930
6 x 9" 3-Way Coaxial Speakers

CS-J6820
6 x 8" 2-Way Coaxial Speakers (without Speaker Grille)

CS-J620
6-1/2" 2-Way Coaxial Speakers

	CS-J6930	CS-J6820	CS-J620
Type	6 x 9" 3-Way Coaxial	6 x 8" 2-Way Coaxial	6-1/2" 2-Way Coaxial
Peak Power	400W	250W	300W
RMS Power at 4Ω	45W	30W	30W
Frequency Response	30Hz - 22kHz	35Hz - 22kHz	35Hz - 22kHz

AX2 Series Amplifiers



Subwoofer
CS-W120
12" Subwoofer Unit



	CS-W120
Type	12" Subwoofer Unit
Peak Power	1000W
RMS Power at 4Ω	150W
Frequency Response	25Hz - 2,500Hz
Surround	High-Density Foam
Magnet	21.3 oz Motor