



KNOCKING ON DOORS SINCE 1984



- **TACTICAL WEAPONS**
- **BREACHING MUNITION** • **Less Lethal Munition**
- **EXPLOSIVE ENTRY EQUIPMENT**
- **R & D**
- **TRAINING**
- **TOOLS**
- **BREACHING ACCESSORIES**

BREACHING AMMO



TESAR #1

Orange Cap 2-3/4" 275 Grain Compressed Copper Frangible 12 Ga Shotgun Slug

Slug Material: Copper Powder
Velocity: 1,750 Ft p/sec -18" Barrel
Use: For Wood Doors, Solid & Hollow
Defeats: Solid Wood Doors, Locks & Hinges

TESAR #2

Black Cap 2-3/4" 420 Grain Compressed Copper Frangible 12 Ga Shotgun Slug

Slug Material: Copper Powder
Velocity: 1,525 Ft p/sec -18" Barrel
Use: For Metal Doors, Locks & Hinges
Defeats: Heavy Locks, Cross-bolts and Hinges (Solid Oak - Steel Doors)

TESCR #3

Green Cap 2-3/4" 365 Grain Clayvon® Frangible 12 Ga Shotgun Slug

Slug Material: Clay with S-70 Steel Shot
Velocity: 1,650 Ft p/sec -18" Barrel
Use: All Doors, Locks & Hinges
Defeats: All Locks, Cross-bolts and Hinges. (Hollow Core Doors - Light Steel doors)

TESAR #4

Copper Top 2-3/4" 750 Grain Copper/S-70 Steel Frangible 12 Ga Shotgun Slug

Slug Material: Copper with S-70 Steel Shot
Velocity: 1,285 Ft p/sec -18" Barrel
Use: For Class 3 Heavy Steel Doors
Defeats: Class 3 Doors, Locks & Hinges

HP CUTTER

Silver Cap 2-3/4" 450 Grain Hardened Steel Slug
NON-Frangible 12 Ga Shotgun Slug

Slug Material: 4140 Chromoly Steel
Velocity: 1,400 Ft p/sec -18" Barrel
Use: Cuts Re-bar, Penetrates Security glass, Car doors, Punches into Engine Blocks

ROYAL ARMS

INTERNATIONAL



Royal Arms Breaching Shotgun




Standard Features:

- #STB-870 - 18 1/4" Breaching Barrel
- #TQS-SP2 - Single Point Tactical Sling
- #RMX-1 - 1 Shot Extension tube
- #FOL - Hi Viz Follower
- #MX - Heavy Magazine Spring
- #SSremMT - 6 Round Side Saddle

Available Shotguns:

- #RBS-1 Remington 870 Express Breaching Shotgun
- #RBS-2 Remington 870 Police Model Breaching Shotgun (shown above w/ 12.5" barrel)
- #RBS-3 Keltec KSG 14 Round bullpup Breaching Shotgun (shown in middle 28" OAL)
- #RBS-4 SRM1216 Semi Auto Breaching Shotgun (shown in bottom)





STAND OFF'S/ BREACHERS

- **POSITIVE PLACEMENT - INCREASED VELOCITY**
- **DEFLECT DEBRIS AND GASES AWAY FROM SHOOTER**
- **100% KINETIC ENERGY & MUZZLE BLAST**
- **SIGNIFICANT RECOIL REDUCTION ON ALL APPLICATIONS**
- **ELIMINATES MOST OR ALL MUZZLE LIFT**

STAND OFF / BREACHER UNITS



“G” 12 Point



“BA” 6 Point



“VA” 4 Point



“HF Special

Royal arms can Modify your existing barrel

Please send only the barrel to Royal Arms. Please include your Business card or purchase order with a return address and provide clear instruction as to what you want done & specify the Overall length.

RAI Recommend a 18-1/4” barrel for several reasons

1. Allows the use of an extended mag tube
2. It is not considered an NFA Weapon & does not need to be registered with ATF
3. Does not need to be kept locked in the trunk of your patrol vehicle

Any length less than 18” negates all above benefits

Since the Breacher is NOT installed internally like a choke tube you can shoot any type of round with no harm to barrel or shotgun and never worry about the breacher going downrange. Furthermore the Breacher reduces sustained pressure on the barrel increasing it's life. The breacher is locked onto the external threads of the Barrel making it permanently affixed and part of the O.A.L. Specified by ATF



Barrels in Stock

- #STB-870 (rem 870)
- #STB-500 (Moss 500)
- #STB-590 (Moss 590)

Limited Quantities

- #STB-SRM (SRM1216)
- #STB-M1 (Benelli M1/90)
- #STB-9200 (Moss 9200)
- #STB-1187 (Rem 1187)

Breaching Barrels Details

Royal Arms carries a wide variety of complete breaching barrels in many different lengths ready to go. Just remove your existing barrel and drop in ours. We use only high quality factory OEM replacement barrels that are cylinder smooth bore Police Model Parkerized. We then cut, crown, polish, and thread the barrel and attach our Royal Arms Stand off Breacher of your choice. When ordering please specify the make and model.



1 OR 2 SHOT REM 870 EXTENSION TUBE

Manufactured from 7075 Mil spec Aircraft aluminum hard anodized for long wear, supplied with a heavy extended spring for fail safe loading & Black follower.

- #RMX- 1 1 Shot extension for Remington 870
- #RMX- 2 2 Shot extension for Remington 870



Weapon Name: FLASH BANG TRAINER Sound concussion Grenade 12 Gauge (Model# FBG MkII)

Description: The FBG-MKII is a Revolutionary Impact Detonated Flash Bang Device which creates 175dB, 4psi of over pressure and 500K CP. The FBG-MKII Flash Bang was designed to provide realistic training at a low cost per bang.

History/Background: The Impact Flash Bang was developed to overcome the shortcomings of traditional M201 Fuse type. Standard M201 fuse type Flash Bangs have a delay of 1.5sec +/- .03 seconds, which creates uncertainty where the flashbang will detonate (anywhere from 1.2 – 1.8 sec). The M201 fuse is also a safety concern as they are dangerous, catch items / houses on fire and the M201 Fuse itself can become a projectile hazard. Our Impact Flash Bang (FBG-MKII) solves all of the problem associated with traditional M201 fuse type Flash Bangs. Our Impact Flash Bangs are not a time delay they are detonated where they strike. The operator can deploy against a Wall, Window, Slider, Car door, Car Window, Second Story, ceiling wall couch or any other object they strike. Our FBG-MKII is not an explosive, and will never take off like a rocket. Our FBG-MKII will not become so hot they start fires, in fact they are cool to the touch upon initiation. With the FBG-MKII you will never have to worry about the fuse separating and injuring personnel. The FBG-MKII produces a loud bang with minimal smoke eliminating the operational hazard associated with smoke. The most important feature of the FBG-MKII is its ability to be serviced and re-loaded by the user on site at a cost of approximately \$4.00 per load. Unique ammunition (FBC) avoids accidental use of standard 12 ga ammunition.

Potential Targets/Applications: Training Environments, New operator Inoculation, Individual Targets, Prison/Civil Rioters Training, Active Shooter Training, Animal Control/Conditioning. Other Training applications

Primary Users: Law Enforcement, Military Incapacitation Mechanism/Technology: The FBG2 round creates 4psi of over pressure at 175dB and 500K CP brightness, producing controlled and directed impact ensures the safe deployment and use.

Physical Data:

- A. Size: Length= 4 1/2 inch,
- B. Weight: 300 Grams (universal chamber)
- C. Payload: 175dB, 4psi of over pressure and 500K CP brightness
- D. Power Requirements: None
- E. Delivery Means: Hand Held Thrown / Tossed

Performance Characteristics:

- A. Effect on target: Incapacitation caused by loss of sight, sound, orientation and/or pain and extreme discomfort.
- B. Time to Effect: Instantaneous
- C. Duration of Effect: several minutes
- D. Effective Range: 0 – 75ft (limited to how far you can throw it accurately)



Documentation Requirements: It is recommended that officers training records be annotated to indicate proper training of less lethal

!WARNING!

!!! THIS IS A TRAINING DEVICE AND SHOULD NEVER BE THROWN / DEPLOYED DIRECTLY AT ANY PERSON. THE OVERPRESSURE CAN BE LETHAL !!!

FLASH BANG #FB-82H

Less Lethal / Diversionary Round **185 dB** will Breach solid wood doors, light Steel, sliders, Car windows and use in crawl spaces

Material: Powder Compressed with two hard fiber wads

Use: Diversionary / Breaching / Disorientation Crowd control

Hearing Protection MUST be worn by team Only to be used in 21" or shorter Cylinder bore Barrel (RAI recommends use of a stand off)



DISPOSABLE DISRUPTER SELF CONTAINED (great for hostage / school scenario's)



Royal Arms newest Item. Single use Disrupter perfect for Rapid deployment / crisis situations.No heavy equipment, just a few different loads and an igniter or 9V battery in a pinch. Can be used with an optional stop ring for placement in Robots or holders. Inexpensive alternative to dearmers. Five standard models Produced, for various targets / situations to ensure proper disruption.

#DD- Disposable Disrupters

- **DD-PCA** Clayvon (clay/steel Mix)
- **DD-PBA** Copper frangible
- **DD-Slug** Hollow Point (Solid steel)
- **DD-PBB** Blank (Air or Water Shot)
- **DD-FB** Flash BANG (Air ONLY!)
- **DD-CSL** Customer Specified Load

#DDRC- RECOILLESS Disposable Disrupter

Same specs as above but RECOILLESS with the use of the recoil tube

- **DDRC-PCA** Clayvon (clay/steel Mixture)
- **DDRC-PBA** Copper Compressed
- **DDRC-Slug** Hollow point (Solid steel)
- **DDRC-PBB** Blank (Air or Water Shot)
- **DDRC-FB** Flash BANG (Air ONLY!)
- **DDRC-CSL** Customer Specified Load





ROYAL ARMS

LAW ENFORCEMENT DIVISION

INTERNATIONAL

2015 PRICE LIST

Law Enforcement/Military



- TACTICAL WEAPONS • BREACHING MUNITION
- Explosive Entry Equipment
- Less Lethal Munition
- R & D
- Training
- TOOLS
- BREACHING ACCESSORIES





2015 Law Enforcement/Military Price List

DESCRIPTION	Catalog Number	LE/Mil	Retail
12 Ga. TACTICAL AMMUNITION		Price	Price
AVONS LOCK & HINGE 275 Grain	T.E.S.A.R. #1 ORANGE CAP		
AVONS HEAVY LOCK & HINGE 420 Grains	T.E.S.A.R. #2 BLACK CAP		
CLAYVON ALL LOCK & HINGE 365	T.E.S.C.R. #3 GREEN CAP		
FlashBANG 180/185 db @ 1-1/2 Atmospheres	FB-82 Hard RED CAP		
	QTY 1-95	5.00	
	QTY 100-245	4.75	
	QTY 250-995	4.50	
	QTY 1000-5000	4.00	
	QTY 5000+	3.75	
AVONS COPPER/CLAYVON 750 Grain	T.E.S.A.R.-#4 COPPER CAP		
STEEL SLUG Cuts Re-bar, Bank Glass, 1/4" Steel	HP CUTTER SILVER CAP		
	QTY 1-95	5.50	
	QTY 100-245	5.25	
	QTY 250-995	5.00	
	QTY 1000-5000	4.50	
	QTY 5000+	4.00	
DOOR BREACHERS Stand off Device (made from 4140 Heat treated to 52RC)			
7/8" X 24 T.P.I. (Min. BBL Dia. .860) or W/Choke Tube	12-SB7-	99.00	149.95
.824 X 40 T.P.I. (Min. BBL Dia. .820) Fit All BBLs	12-SB8-	109.00	159.95
G - 12 Points Serrated/Grabber end, VA - 4 Point Re-Bar Cutting, BA - 6 Point hybrid of G&VA			
SHOTGUN RECOIL REDUCERS - 12 GA. Aluminum For Recoil Reduction		ONLY	
7/8" X 24 T.P.I. or W/Choke Tube <i>All Alu Hard Anodized</i>	Aluminum 12-AR7	70.00	99.00
12 Point 12-AB7-G 6 Point 12-AB7-BA 4 Point 12-AB7-VA Slotted Hex	12-AB7-H	80.00	109.00
7/8" X 24 T.P.I. - (Min. BBL Dia. .860) or W/Choke Tube	Steel 12-SR7 12-SB7	90.00	119.00
.824 X 40 T.P.I. (Min. BBL Dia. .820) Fits All Barrels	Steel 12-SR8 12-SB8	95.00	124.00
CHOKE TUBES -Extended w/ 7/8"x24 T.P.I. (17-4 Stainless Heat treated)			
Benelli/Beretta Mobi Choke	12C-BC 12C-BI 12C-BM 12C-BF 12C-BXF	46.00	59.00
Beretta/Benelli Crio Choke	12C-B2B 12C-B2I 12C-B2M 12C-B2F	49.00	62.00
Remington Choke available in	12C-RC 12C-RI 12C-RM 12C-RF 12C-RXF	46.00	59.00
BARRELS AND INSTALLATION SERVICES			
OEM Remington 870 Barrel /w Serrated Breacher			
12 Point STB-G	6 Point STB-BA	4 Point STB-VA	
			300.00 329.00
Remington 870 Barrel by Mossberg /w Serrated Breacher		STB-	279.00 310.00
Mossberg 500 Barrel /w Serrated Breacher		STB-M500-	279.00 310.00
Mossberg 590 Barrel /w Serrated Breacher		STB-M590-	295.00 330.00
G - 12 Points Serrated/Grabber end, VA - 4 Point Re-Bar Cutting, BA - 6 Point hybrid of G&VA			
Thread Customer-Supplied Shotgun BBL & Mount RR or Breacher	TB	59.00	75.00



Description	Catalog Number	LE/Mil Price	Retail Price
GUN SLINGS -Black, 3/8" Bungee Woven Cord, Royal Quick Sling			
RQS-1 36" Rifle/Camera RQS-2 39" Shotgun/Camera		19.00	24.95
Tactical Quick Sling - 46" Shotgun/Tactical	TQS-3	20.00	26.95
Single point 11" LAPD Tactical Gear Sling	TQS-SP1	12.25	19.95
Single point 22" Tactical Sling - Carbine M4 / SMG	TQS-SP2	16.50	21.95
Tactical Quick Sling Universal Mount	TQS-UM	13.25	17.95
12 GA. GRIPS, Extension Tubes, Rails & Accessories			
AR 15/M16 Pistol Grip w/Hardware	ARG	49.95	69.95
Remington 870 & Clones Solid Pistol Grip w/Hardware	RHG	38.95	64.95
Remington 870 Alum Extension Tube 1 Shot w/ Spring	RMX-1	42.00	59.95
Remington 870 Alum Extension Tube 2 Shot w/ Spring	RMX-2	50.00	69.95
Remington 870 Side Saddle 6-round carrier	SS-REM6	62.00	79.95
Remington 870 Side Saddle 4-round carrier	SS-REM4	60.00	71.95
Houge Over Molded Forend for Remington 870	870-FE	38.95	44.95
Remington 870 Tri Rail Picatinny Forend	870 TRFE	83.00	109.95
12 GA BREACHING SHOTGUNS			
Royal 870 Remington Express Breaching Shotgun	RBS-1	795.00	899.95
Royal 870 Remington Police Parkerized Shotgun	RBS-2	925.00	999.95
Express Breaching Shotgun Kit With Ammunition in Case	PCC1700K	1850.00	1995.95
Police Breaching Shotgun Kit with Ammunition in Case	PCC1700K2	1975.00	2149.00
Custom Breaching Shotgun Case Only (No Ammo or Shotgun)	PCC1700C	399.00	449.00
EXPLOSIVE ENTRY AND MISC. OTHER EQUIPMENT			
Royal Dual Igniter Double Safety uses 12 Ga primers	RDI	449.00	550.00
Shock Tube Single Igniter - NAVY Pen style	STI	149.00	189.00
Flash Bang Stun Grenade trainer	FBG-MKII	249.00	
Flash Bang Grenade Rounds 25 Pack	FBC	99.00	
EIT 15 Cap Electric Blasting Machine Built in Continuity Tester	EBM-15	299.00	
EIT C-3 Continuity Tester on Pull String	EIT-CT	88.00	
Electric Cable Reel- 330 Ft. Cable on Winder Reel	REEL	189.00	220.00
Travel Reel With 270' Electric Cable -w/1 folding and straight handle)	T REEL-E	175.00	200.00
Travel Reel - Blank Only	TRB	21.00	33.00
Wedge Door / Hinge Stop Available in Black, Neon Green, Orange and Yellow	Wedge	9.95	11.95
Dual Shock Tube / Fuse Cutter	DC-5	159.00	249.00
Dual Shock Tube Fuse / Cutter Replacement Blades	DC-5 blade	4.25	5.50
Dual Blasting Cap Crimp non-magnetic, non-sparking	DC-6	149.00	239.00
EOD Safety Mirror Kit and accessories	ESM K2	350.00	400.00

!ALL ROYAL ARMS AMMUNITION MAY ONLY BE USED IN A 21" OR SHORTER CYLINDER BORE BARREL!

Royal Arms Breaching Barrel is Recommended to guarantee proper function of all of our Breaching Rounds.

Royal Arms Intl., Inc. Assumes no Liability for improper use, lack of equipment, or training not from a certified Royal Arms Course.

All ammunition sales must have tax exempt certificate or 11% FET will be added, Purchase order on agency letterhead required!

ROYAL ARMS

INTERNATIONAL



All Prices Subject to change without notice, based on availability of raw materials.

Delivery Terms: All shipments are F.O.B. Oxnard, CA or Freight Collect

Payment Terms: Net 20 Days on approved credit with Company check, or Credit Card (Visa-Master Card-Discover) with an order. Invoices not paid within 30 days are subject to interest, at a rate of 18% per annum.

All orders under \$250.00 are subject to a \$10.00 minimum handling fee

Ammunition / Gun Terms: We must have an FET (Federal Excise Tax Exemption Form) exemption from the end user along with a copy of their Purchase Order on file in order to eliminate the Excise tax. Otherwise a tax of 11% on ammunition and 10% on gun sales will be charged to the buyer. All gun sales to dealers will have a copy of their current FFL licenses in our files.

International Orders: Add 35% minimum - Export orders must be pre-paid via Company Check, Credit Card or Wire Transfer prior to shipping. Prices are always higher than domestic prices, add 35% minimum depending on the specific country in question.

No Letter of Credit Accepted under \$50,000.00 U.S.D. Subject to RAI Approval First.

Export Foreign Sales: Required documents are a signed PO, End User Certificate (DSP -83) and import License from your Customs for us to make application for our export license. All foreign order sales are subject to acceptance by Royal Arms International, Inc and the US Dept of State with no exceptions. All foreign sales will be in US dollars. All shipments are F.O.B. Oxnard, CA U.S.A. or freight collect. All International shipments will be shipped after acceptance of goods by a carrier. Electric Ammunition must fly on Cargo Aircraft only or by sea.

Canada, U.S Possessions, and South American Countries - License must be obtained thru Dept. of Commerce Authority which may take a minimum of 6-12 weeks on delivery. End User Certificate, Customer Import License, and Purchase Order from the end user, are Required before shipment is made.



1300 Graves Avenue • Oxnard, CA 93030-8014 • (805) 288-5250 • Fax (805) 288-5253
Website: [Http://www.RoyalArms.com](http://www.RoyalArms.com) • E-mail: Sales@RoyalArms.com

#RDI - ROYAL DUAL IGNITER

Royal Arms dual shock tube igniter is the smallest most reliable mechanical igniter on the market today. It has been tested and proved in Iraq, Afghanistan and other Hostile environments. when your shot is on the line trust our RDI every time.

Weight: 0.75 lbs.

Overall Length: 6"
w/ brass heads & nuts

Overall Height: 1.325"
w/ Trigger button

Body Length: 4.950"

Body Height: 0.635"

Body Width: 1.5"

RDI Body Material: 6061 T6 Black anodized Aluminum

Firing Pins, Stops, Trigger, Primary Safety, Springs, Bolts & Cross Bar Material: made of Stainless and Steel- Zinc Coated for rust protection.

Receiver Heads: Knurled Brass 1.580" X 0.5" Lock Nuts: Hex Brass


Dual Safeties: *Primary Safety:* Trigger Sear Block Rotate forward to engage Safety showing green When rotated 180° backwards, shows a Red for fire ready.

Secondary Safety: Quick release pins which blocks firing pins



#STI

Single Pen Shock Tube igniter



One Tool every Breacher should have.

Fits perfect in your pocket.

STI Body is made of Solid 6061 T-6 Aluminum that's been milled out. Stainless Steel Internal parts, and a brass head with quick lock down. Dual Safeties, one internal and one on the body. Length 6-1/2" Dia. 1/2" Wt. 3 Oz.


RDI - w/QDB



#RDI-QDB

Navy Style Quick Connect Block with Clamp head Pictured at right attached to RDI






#BHQ (Lower Base Half)
Replacement Brass Head for Any Shock tube igniter with 7/16-20 threads (Mark 54, Mark 55, Omni, DX10 RDI, STI)

- Slotted back for easy extraction
- Lower half base unit that accepts the primer



#BH-OSC
Upper Half
(1 needed per unit)
Compression Fit holds in Shock Tube from .080 - .150 Dia.



#STC-B
Upper Half
1/8" Instant fit for use with standard Commercial Shock tube



#STC-B2
Upper Half
5/32 Instant fit for use with Military Grade Nonel Shock tube



#STC-B4
Upper Half
1/4 Instant fit for use with Time Fuse



FROM LEFT TO RIGHT
BHQ w/ STC-B, BHQ w/ STC-B2, BHQ, BH-OSC & BHQ w/ BH-OSC



Blasting Cap Dual Crimper

#DC-6

Key Features:

1. Dual Blasting Cap Crimper, Fuse Cutter & Explosive Punch
2. Light Weight 3 oz.
3. Symmetrical uniform Teeth
4. Machined from Solid 7075 Billet Aircraft Aluminum
5. Hard Black Anodized to Rc 50
6. Non-reflective black coating

Technical Specs:

- Length: 7.05 in. (179mm)
- Width: 1.750 in. (44.5mm)
- Thickness: 0.35 in. (8.9mm)
- Weight: 3 oz. (0.09 kg)
- Powder Punch Diameter: .25 in. (6.5mm)
- Powder Punch Length: 2.2 in. (56mm)
- Materials: 7075 Hi Strength Billet Aircraft Aluminum
- Finish: Mil Spec Type III Class II Hard Black Anodized to RC 50
- GSA Schedule: GS-07F-0407V



Det Cord / Shock Tube Cutter

#DC-5

Key Features:

1. Dual Edge Razor Blade w/ guillotine action cutting
2. Machined from Solid 7075 Billet Aircraft Aluminum
3. German Stainless Steel Razor Blade
4. Hard Black Anodized to Rc 50
5. Non-reflective black coating
6. Light Weight 3 oz.

Technical Specs:

- Length: 6.85 in. (174mm)
- Width: 1.625 in. (41.25mm)
- Thickness: 0.35 in. (8.9mm)
- Weight: 3 oz. (0.09 kg)
- Materials: 7075 Hi Strength Billet Aircraft Aluminum
- Blade: 316 Surgical German Stainless
- Finish: Mil Spec Type III Class II Hard Black Anodized to RC 50
- GSA Schedule: GS-07F-0407V



Model# ESMK2 - EOD/ ICE MIRROR Kit

The finest observation mirror available. Rugged, dependable and lightweight. A great addition to any department

Description: A revolutionary EOD / SWAT /ICE Search Mirror **Model# ESMK2** that is quickly deployable and can be configured with multiple heads for any environment or situation. The unique flat mirror will not distort or Fish Eye the area to be cleared or checked. The Mirrors are made from a light weight acrylic that is very durable and inexpensive to replace, unlike tradition glass it will not crack or shatter and leave sharp dangerous parts for a suspect to pick up. Our Universal thread adaptor is the heart of the quick change system, this allow the use of most any threaded type extentions painter pole

History/Background: The EOD ICE Mirror (ESMK2) was created to overcome the stress and weight of traditional search mirrors which are heavy,bulky and hard for the operator to use on extended periods. One of the major design flaws with traditional search mirror is that you need a separate mirror for a given situation. Which then adds more bulk and weight.

Benefits/Advantages: Our EOD ICE Mirror (ESMK2) solves all of the problem associated with traditional search mirrors. Our EOD ICE Mirror are not limited to only one mirror shape or size. One of the major design features is the ability rapidly configure or change out the mirror in a matter of seconds depending on the situation or change tools to a glass breaker, door stop /wedge, Door Latch opener and a variety of other tools. This is accomplished by our universal thread adaptor which is the heart of the quick change system. The universal thread adaptor mounts to virtually any standard threaded painter pole, so no costly proprietary hardware is needed. This allows the operator to change between a compact 2 ft search mirror all the way to a 16ft extension search mirror and still be able to quickly change the head for different mirrors and or tools. Our EOD ICE Mirrors are durable and will not break if dropped or stepped on. The pole is very light weight the whole package weighs only 2 lbs for a 4ft - 8ft extension search mirror.

Potential Targets/Applications: Car Inspections, Suspect Apprehension

Building Clearing, Prison/Civil Rioters

Primary Users: Law Enforcement, Military

Physical Data:

- Length Collapsed = 24", 48" or 96"
- Length Extended = anywhere from 24" to 16ft
- Weight = 2lbs (4ft - 8 ft pole)
- Mirror Sizes = 10x10, 8x14

Performance Characteristics:

- 10"x10" acrylic mirror, replaceable.
- Swivel head rotates 210 degrees.
- Impervious to Heat / Cold, Shatter resistant
- CNC Machined Aerospace Aluminum fittings.
- Threaded to fit most paint roller extensions.
- Quick detach head allows rapid deployment.
- Optional tools - Glass spike, Door Wedge.
- Folds flat for easy storage



ROYAL ARMS

LAW ENFORCEMENT DIVISION

INTERNATIONAL



**MADE IN AMERICA
BY AMERICANS**

ROYAL ARMS INTERNATIONAL, Inc, based in Oxnard, California manufactures the finest Tactical Breaching equipment for Law Enforcement, Military & Government Agencies, worldwide, bar none. With great pride and a strong commitment to quality, ROYAL ARMS offers a leading line of precision-engineered, durable and effective products. Our line is manufactured using the highest Quality Alloys and state of the art manufacturing techniques. The result is a superior product, with enhanced technical capabilities, which in turn offers law enforcement and military personnel the ultimate tactical advantage in the field.

NOT ONLY ARE OUR PRODUCTS BACKED UP BY AN UNCONDITIONAL LIFETIME WARRANTY THEY ARE ALSO 100% PROUDLY MADE IN THE USA.



ROYAL ARMS is the original inventor, as well as oldest manufacturer of the "Breaching Stand-Off Device", "12 Gauge Breaching Shotgun", "Copper & Clay Frangible Breaching Rounds", "12 Gauge Flash Bang Muzzle Blast", "Rebar Cutter Round", "MK54II Dual Shock Tube Initiator" and many other breaching products.

Royal Arms INTERNATIONAL has more experience and expertise in "Shotgun Breaching" than any OTHER MANUFACTURER/COMPETITOR. Royal Arms is the oldest "LAW ENFORCEMENT TRAINERS AND ADVISORS" in the U.S.A. furthermore we are the only company to offer a FREE comprehensive "ballistic breaching training program" to help get you started.

ROYAL ARMS believes in American industry so strongly that when presented with the possibility of outsourcing our products/labor and materials to China, India or Mexico, Royal Arms International has declined these money saving procedures. Instead, we invested in our infra-structure by acquiring a 10,000 square foot facility located in Oxnard, CA, to better serve our customer needs and to support the manufacturing in the United States.

As other companies are raising prices by as much as 60% and cutting jobs, here at ROYAL ARMS, we are finding new ways to be more efficient and reduce our manufacturing costs. We pass the savings on to you by not raising prices. ROYAL ARMS principals are founded on making quality products at fair prices, being loyal to our customers and listening to their needs.

We encourage you to stop by our shop FOR A TOUR OF OUR MANUFACTURING FACILITY AND PRODUCTION. WE WANT YOU TO WITNESS FOR YOURSELF OUR COMMITMENT TO QUALITY AND CUSTOMER SERVICE Ask yourself how important it is to have a product MADE IN THE U.S.A. by American Ingenuity. We look forward to hearing from you.

GOD BLESS THE U.S.A. and our firearms.

1300 Graves Avenue Oxnard, CA 93030 U.S.A. • (805) 288-5250 • Fax (805) 288-5253
Website: www.RoyalArms.com • E-mail: Sales@RoyalArms.com
