

# Kraner – Konstruktion generelt – Del 3-1: Grænsetilstande og sikkerhedsdokumentering af stålkonstruktioner

Cranes – General Design – Part 3-1: Limit States  
and proof competence of steel structure

# DS/EN 13001-3-1

København

DS projekt: M248050

ICS: 53.020.20

Første del af denne publikations betegnelse er:

**DS/EN**, hvilket betyder, at det er en europæisk standard, der har status som dansk standard.

Denne publikations overensstemmelse er:

**IDT med: EN 13001-3-1:2012.**

**DS**-publikationen er på engelsk.

Denne publikation erstatter: **DS/CEN/TS 13001-3-1:2005** og **DS/CEN/TS 13001-3-1/AC:2006**.

---

## DS-publikationstyper

Dansk Standard udgiver forskellige publikationstyper.

Typen på denne publikation fremgår af forsiden.

Der kan være tale om:

### **Dansk standard**

- standard, der er udarbejdet på nationalt niveau, eller som er baseret på et andet lands nationale standard, eller
- standard, der er udarbejdet på internationalt og/eller europæisk niveau, og som har fået status som dansk standard

### **DS-information**

- publikation, der er udarbejdet på nationalt niveau, og som ikke har opnået status som standard, eller
- publikation, der er udarbejdet på internationalt og/eller europæisk niveau, og som ikke har fået status som standard, fx en teknisk rapport, eller
- europæisk præstandard

### **DS-håndbog**

- samling af standarder, eventuelt suppleret med informativt materiale

### **DS-hæfte**

- publikation med informativt materiale

Til disse publikationstyper kan endvidere udgives

- tillæg og rettelsesblade

## DS-publikationsform

Publikationstyperne udgives i forskellig form som henholdsvis

- fuldtekstpublikation (publikationen er trykt i sin helhed)
- godkendelsesblad (publikationen leveres i kopi med et trykt DS-omslag)
- elektronisk (publikationen leveres på et elektronisk medie)

## DS-betegnelse

Alle DS-publikationers betegnelse begynder med DS efterfulgt af et eller flere præfikser og et nr., fx **DS 383**, **DS/EN 5414** osv. Hvis der efter nr. er angivet et **A** eller **Cor**, betyder det, enten at det er et **tillæg** eller et **rettelsesblad** til hovedstandard, eller at det er indført i hovedstandard.

DS-betegnelse angives på forsiden.

## Overensstemmelse med anden publikation:

Overensstemmelse kan enten være IDT, EQV, NEQ eller MOD

- **IDT:** Når publikationen er identisk med en given publikation.
- **EQV:** Når publikationen teknisk er i overensstemmelse med en given publikation, men præsentationen er ændret.
- **NEQ:** Når publikationen teknisk eller præsentationsmæssigt ikke er i overensstemmelse med en given standard, men udarbejdet på baggrund af denne.
- **MOD:** Når publikationen er modificeret i forhold til en given publikation.

English Version

## Cranes - General Design - Part 3-1: Limit States and proof of competence of steel structure

Appareils de levage à charge suspendue - Conception générale - Partie 3-1: Etats limites et vérification d'aptitude des charpentes en acier

Krane - Konstruktion allgemein - Teil 3-1: Grenzzustände und Sicherheitsnachweis von Stahltragwerken

This European Standard was approved by CEN on 11 February 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

# Contents

Page

Foreword.....	4
Introduction .....	5
1 Scope .....	6
2 Normative references .....	6
3 Terms ,definitions, symbols and abbreviations .....	7
3.1 Terms and definitions .....	7
3.2 Symbols and abbreviations .....	7
4 General.....	11
4.1 Documentation.....	11
4.2 Materials for structural members.....	12
4.2.1 Grades and qualities .....	12
4.2.2 Impact toughness .....	14
4.3 Bolted connections.....	16
4.3.1 Bolt materials .....	16
4.3.2 General.....	16
4.3.3 Shear and bearing connections .....	17
4.3.4 Friction grip type (slip resistant) connections .....	17
4.3.5 Connections loaded in tension .....	17
4.4 Pinned connections.....	17
4.5 Welded connections.....	18
4.6 Proof of competence for structural members and connections.....	18
5 Proof of static strength .....	19
5.1 General.....	19
5.2 Limit design stresses and forces.....	19
5.2.1 General.....	19
5.2.2 Limit design stress in structural members .....	19
5.2.3 Limit design forces in bolted connections .....	21
5.2.4 Limit design forces in pinned connections .....	28
5.2.5 Limit design stresses in welded connections .....	32
5.3 Execution of the proof.....	35
5.3.1 Proof for structural members .....	35
5.3.2 Proof for bolted connections.....	35
5.3.3 Proof for pinned connections.....	36
5.3.4 Proof for welded connections .....	36
6 Proof of fatigue strength.....	37
6.1 General.....	37
6.2 Limit design stresses .....	38
6.2.1 Characteristic fatigue strength.....	38
6.2.2 Weld quality.....	40
6.2.3 Requirements for fatigue testing .....	41
6.3 Stress histories .....	41
6.3.1 General.....	41
6.3.2 Frequency of occurrence of stress cycles .....	42
6.3.3 Stress history parameter .....	42
6.3.4 Stress history classes S .....	43
6.4 Execution of the proof.....	44
6.5 Determination of the limit design stress range .....	45
6.5.1 Applicable methods.....	45

6.5.2	Direct use of stress history parameter.....	45
6.5.3	Use of class S .....	45
6.5.4	Independent concurrent normal and/or shear stresses.....	47
7	Proof of static strength of hollow section girder joints .....	47
8	Proof of elastic stability .....	47
8.1	General .....	47
8.2	Lateral buckling of members loaded in compression .....	48
8.2.1	Critical buckling load .....	48
8.2.2	Limit compressive design force .....	49
8.3	Buckling of plate fields subjected to compressive and shear stresses.....	51
8.3.1	General .....	51
8.3.2	Limit design stress with respect to longitudinal stress $\sigma_x$ .....	53
8.3.3	Limit design stress with respect to transverse stress $\sigma_y$ .....	55
8.3.4	Limit design stress with respect to shear stress $\tau$ .....	57
8.4	Execution of the proof .....	58
8.4.1	Members loaded in compression .....	58
8.4.2	Plate fields.....	58
Annex A	(informative) Limit design shear force $F_{v,Rd}$ per bolt and per shear plane for multiple shear plane connections .....	60
Annex B	(informative) Preloaded bolts .....	61
Annex C	(normative) Design weld stresses $\sigma_{W,Sd}$ and $\tau_{W,Sd}$ .....	63
C.1	Butt joint.....	63
C.2	Fillet weld .....	64
C.3	T-joint with full and partial penetration .....	65
C.4	Effective distribution length under concentrated load.....	66
Annex D	(normative) Values of slope constant $m$ and characteristic fatigue strength $\Delta\sigma_c$ , $\Delta\tau_c$ .....	67
Annex E	(normative) Calculated values of limit design stress ranges $\Delta\sigma_{Rd}$ and $\Delta\sigma_{Rd,1}$ .....	88
Annex F	(informative) Evaluation of stress cycles (example).....	90
Annex G	(informative) Calculation of stiffnesses for connections loaded in tension .....	92
Annex H	(informative) Hollow Sections .....	95
Annex I	(informative) Selection of a suitable set of crane standards for a given application .....	107
Annex ZA	(informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC.....	108
Bibliography	.....	109

## Foreword

This document (EN 13001-3-1:2012) has been prepared by Technical Committee CEN/TC 147 “Cranes”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2012, and conflicting national standards shall be withdrawn at the latest by September 2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

This European Standard is one Part of EN 13001, *Cranes – General design*. The other parts are as follows:

- *Part 1: General principles and requirements;*
- *Part 2: Load actions;*
- *Part 3-2: Limit states and proof of competence of wire ropes in reeving systems;*
- *Part 3-3: Limit states and proof of competence of wheel/rail contacts;*
- *Part 3-4: Limit states and proof of competence of machinery;*
- *Part 3-5: Limit states and proof of competence of forged hooks.*

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Introduction

This European Standard has been prepared to be a harmonized standard to provide one means for the mechanical design and theoretical verification of cranes to conform with the essential health and safety requirements of the Machinery Directive, as amended. This standard also establishes interfaces between the user (purchaser) and the designer, as well as between the designer and the component manufacturer, in order to form a basis for selecting cranes and components.

This European Standard is a type C standard as stated in EN ISO 12100.

The machinery concerned and the extent to which hazards, hazardous situations and events are covered are indicated in the scope of this standard.

When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard.

## 1 Scope

This European Standard is to be used together with EN 13001-1 and EN 13001-2 and as such they specify general conditions, requirements and methods to prevent mechanical hazards of cranes by design and theoretical verification.

NOTE Specific requirements for particular types of cranes are given in the appropriate European Standard for the particular crane type.

The following is a list of significant hazardous situations and hazardous events that could result in risks to persons during intended use and reasonably foreseeable misuse. Clauses 4 to 8 of this standard are necessary to reduce or eliminate risks associated with the following hazards:

- a) exceeding the limits of strength (yield, ultimate, fatigue);
- b) exceeding temperature limits of material or components;
- c) elastic instability of the crane or its parts (buckling, bulging).

This European Standard is not applicable to cranes which are manufactured before the date of its publication as EN and serves as reference base for the European Standards for particular crane types (see Annex I).

NOTE EN 13001-3-1 deals only with the limit state method in accordance with EN 13001-1.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1990:2002, *Eurocode — Basis of structural design*

EN 1993-1-8:2005, *Eurocode 3: Design of steel structures — Part 1-8: Design of joints*

EN 10025-2:2004, *Hot rolled products of structural steels — Part 2: Technical delivery conditions for non-alloy structural steels*

EN 10025-3:2004, *Hot rolled products of structural steels — Part 3: Technical delivery conditions for normalized/normalized rolled weldable fine grain structural steels*

EN 10025-4:2004, *Hot rolled products of structural steels — Part 4: Technical delivery conditions for thermomechanical rolled weldable fine grain structural steels*

EN 10025-6:2004, *Hot rolled products of structural steels — Part 6: Technical delivery conditions for flat products of high yield strength structural steels in the quenched and tempered condition*

EN 10029:2010, *Hot rolled steel plates 3 mm thick or above — Tolerances on dimensions and shape*

EN 10045-1:1990, *Metallic materials — Charpy impact test — Part 1: Test method*

EN 10149-2:1995, *Hot-rolled flat products made of high yield strength steels for cold forming — Part 2: Delivery conditions for thermomechanically rolled steels*

EN 10149-3:1995, *Hot-rolled flat products made of high yield strength steels for cold forming — Part 3: Delivery conditions for normalized or normalized rolled steels*



EN 10160:1999, *Ultrasonic testing of steel flat product of thickness equal or greater than 6 mm (reflection method)*

EN 10163-1:2004, *Delivery requirements for surface conditions of hot-rolled steel plates, wide flats and sections — Part 1: General requirements*

EN 10163-2:2004, *Delivery requirements for surface conditions of hot-rolled steel plates, wide flats and sections — Part 2: Plate and wide flats*

EN 10163-3:2004, *Delivery requirements for surface conditions of hot-rolled steel plates, wide flats and sections — Part 3: Sections*

EN 10164:2004, *Steel products with improved deformation properties perpendicular to the surface of the product — Technical delivery conditions*

EN 13001-1, *Cranes — General design — Part 1: General principles and requirements*

EN 13001-2, *Crane safety — General design — Part 2: Load actions*

EN 20273:1991, *Fasteners — Clearance holes for bolts and screws (ISO 273:1979)*

EN ISO 286-2:2010, *Geometrical product specifications (GPS) — ISO code system for tolerances on linear sizes — Part 2: Tables of standard tolerance classes and limit deviations for holes and shafts (ISO 286-2:2010)*

EN ISO 898-1:2009, *Mechanical properties of fasteners made of carbon steel and alloy steel — Part 1: Bolts, screws and studs with specified property classes — Coarse thread and fine pitch thread (ISO 898-1:2009)*

EN ISO 5817:2007, *Welding — Fusion-welded joints in steel, nickel, titanium and their alloys (beam welding excluded) — Quality levels for imperfections (ISO 5817:2003, corrected version:2005, including Technical Corrigendum 1:2006)*

EN ISO 9013:2002, *Thermal cutting — Classification of thermal cuts — Geometrical product specification and quality tolerances (ISO 9013:2002)*

EN ISO 12100:2010, *Safety of machinery — General principles for design — Risk assessment and risk reduction (ISO 12100:2010)*

EN ISO 17659:2004, *Welding — Multilingual terms for welded joints with illustrations (ISO 17659:2002)*

ISO 4306-1:2007, *Cranes — Vocabulary — Part 1: General*

### **3 Terms, definitions, symbols and abbreviations**

#### **3.1 Terms and definitions**

For the purposes of this document, the terms and definitions given in EN ISO 12100:2010 and the basic list of definitions as provided in EN 1990:2002 apply. For the definitions of loads, Clause 6 of ISO 4306-1:2007 applies.

#### **3.2 Symbols and abbreviations**

The symbols and abbreviations used in this Part of the EN 13001 are given in Table 1.