

CITY/AD	COORD	ELEV FT	RWY NR	Landing Area						Lighting					AD OPR HR	Authority Supervising the Aerodrome and Remarks
				Dimensions (M)			Runway			APCH	THR	RWY	Other	GND SER		
	Location	T CEN	RWY	SWY	CWY	Slope	ICF	Strength								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
AERODROME																
FRANCISTOWN /Francistown	21 09 38.77S 0272855.54E	-	-	-	-	-	-	-	-	-	-	-	-	-	-	AVA Refer AD 2 FBFT
GABORONE/ Sir Seretse Khama Intl	24 32 21S 025 55.08E	-	-	-	-	-	-	-	-	-	-	-	-	-	-	AVA Refer AD 2 FBKS
KASANE/ Kasane	17 39 51.05S 0250945.63E	-	-	-	-	-	-	-	-	-	-	-	-	-	-	AVA Refer AD 2 FBKE
MAUN/ Maun	19 58 19. 60S 023247.62E	-	-	-	-	-	-	-	-	-	-	-	-	-	-	AVA Refer AD 2 FBMN
SELEBI- PHIKWE/ Selebi-Phikwe	22 03 23.76S 027413.65E	-	-	-	-	-	-	-	-	-	-	-	-	-	-	AVA Refer AD 2 FBSP

INTERNATIONAL MAJOR AERODROMES

This section lists in alphabetical order Civil Aviation Authority of Botswana International Major Aerodromes, and relevant information is listed under AD2 sub-sections -

CITY/AD	COORD Location	ELEV FT T CEN	RWY NR	Landing Area					Lighting				AD OPR HR	Authority Supervising the Aerodrome and Remarks		
				Dimensions (M)		Runway			APCH	THR	RWY	Other			GND SER	
1	2	3	4	RWY	SWY	CWY	Slope	SFC					Strength	11		12
AERODROME GHANZI/ Ghanzi	214148.90S 0213911.80E	AVA Refer AD 2 FBGZ

INTERNATIONAL MINOR AERODROME

This section lists in alphabetical order Civil Aviation Authority of Botswana International Minor Aerodromes, open to public use, and relevant information is listed under AD 2 subsections.

CITY/AD	COORD	ELEV FT	RWY NR	Landing Area						Lighting					AD OPR HR	Authority Supervising the Aerodrome and Remarks
				Dimensions (M)			Runway			APCH	THR	RWY	Oth- er	GND SER		
	RWY	SWY		CWY	Slope	SFC	Stre- ngth									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
BOKSPITS/ Bokspits	26 53S 020 42E	3400	05 23	1100 X 18	-	-	-	Gravel/ Sand	-	-	-	-	-	-	HJ	MAUW 5700KG.
GOODHOPE/ Goodhope	25 26 06S 025 2431E	4218	08 26	1100 X 18	-	-	-	Biitumen	-	-	-	-	-	-	HJ	MAUW 5700KG
GUMARE/ Gumare	19 20S 022 09E	3150	07 25	1100 X 18	30 18	-	-	Bitumen Seal	-	-	-	-	-	-	HJ	MAUW 5700KG - . Perimeter fence damaged due to MOV'T of animals. Pilots to EXER CTN on LDG/ TKOF.
GWETA/ Gweta	20 11S 025 12E	3000	10 28	1100 X 18	90 75	-	-	Gravel	-	-	-	-	-	-	HJ	MAUW 5700KG
HUKUTSI/ Hukutsi	23 59S 021 45E	3600	14 32	1100 X 18	67 60	-	-	Compa- cted Calcrete	-	-	-	-	-	-	HJ	MAUW 5700KG
KA Kaa	24 20S 020 38E	3800	02 20	1200 X 18	-	-	-	Calcrete	-	-	-	-	-	-	HJ	Dept. of Wildlife and National Parks. P. O. Box 131 Gaborone, Tel: 3971405. Fax: 3912354.

MINOR AERODROMES

No facilities at these aerodromes. Pilots to verify and inspect the landing area before landing.

Hours of service for the following aerodromes shall be from 0530 to 1430 UTC. Daily from Monday to Friday, excluding weekends and public holidays

CITY/AD	COORD	ELEV FT	RWY Nr	Landing Area						Lighting					AD OPR HR	Authority Supervising the Aerodrome and Remarks
				Dimensions (M)			Runway			APCH	THR	RWY	Other	GND SER		
				RWY	SWY	CWY	Slope	SCF	Stre- ngth							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
SERONGA/ Seronga	18 50S 022 25E	3000	12 30	1100 X 18	30 18	-	-	Gravel	-	-	-	-	-	-	HJ	MAUW 5700KG. APN dimensions: 50MX50M
SHAKAWE/ Shakawe	18 22S 021 49E	3380	11 29	1400 X 18	30 30	-	-	Bitumen Seal	-	-	-	-	-	-	HJ	MAUW 5700KG. Birds concentration in and around the airfield.
TSABONG/ Tsabong	26 02S 022 24E	3184	05 23	1000 X18	70 65	-	-	Calcrete	-	-	-	-	-	-	HJ	MAUW 5700KG. AVGAS AVBL, Contact Tsabong Oasis Super Market for Service
TSAU/ Tsau	20 10S 022 27E	3200	10 28	1102 X25	75 100	-	-	Sand	-	-	-	-	-	-	HJ	MAUW 5700KG. AVA Occasional MAINT. Mast 1.2M FM RWY edge PSN 2010S 022 27E. HGT 90M.
TSODILO HILLS/ Tsodilo Hills	1847S 021 45E	3275	09 27	800 X18	-	-	-	Grass/ Calcrete	-	-	-	-	-	M	HJ	MAUW 5700KG
XAKANAKA /Xakanaka	19 12S 023 26E	3100	08 26	840 X18	-	-	-	Compac- ted Sand	-	-	-	-	-	-	HJ	MAUW 5700KG Dept. Of Wild Life and National Parks. P O Box 131, Gaborone. Tel: 267 3971406. Fax: 267 3912354. Pilots to ascertain serviceability FM the owner and OPR at their own discretion. RWY Unidirectional, TKOF FM 08 and LDG 26. Trees on the side of strip.

CITY/AD	COORD	ELEV FT	RWY Nr	Landing Area						Lighting					AD OPR HR	Authority Supervising the Aerodrome and Remarks
				Dimensions (M)			Runway			APCH	THR	RWY	Oth- er	GND SER		
				RWY	SWY	CWY	Slope	SFC	Stre- ngth							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
KANG/ Kang	23 41S 022 49E	3520	08 26	1100 X 18	06 24	-	-	Bitumen	-	-	-	-	-	-	HJ	MAUW 5700KG
KANYE/ Kanye	25 03S 025 19E	4200	03 21	1100 X 18	140 70	-	-	Seal Natural	-	-	-	-	-	-	HJ	MAUW 5700KG
MAKALAMA- BEDI/ Makalamabe di	23 41S 022 49E	3100	08 26	890 X 18	140 70	-	-	Sand	-	-	-	-	-	-	HJ	MAUW 5700KG
MAMUNO/ Mamuno	22 17S 020 03E	4140	05 23	1500 X18	50 43	-	-	Bitumen Seal	-	-	-	-	-	-	HJ	MAUW 5700KG
MOTOPI/ Motopi	20 11S 024 10E	3200	08 26	1100 X 18	50 35	-	-	Calcrete	-	-	-	-	-	-	HJ	MAUW 5700KG
NATA/ Nata	20 14S 026 10E	3200	08 26	1100 X 18	90 25	-	-	Gravel	-	-	-	-	-	-	HJ	MAUW 5700KG
NOKANENG/ Nokaneng	19 20S 022 10E	3200	06 24	835 X 18	30 30	-	-	Sand	-	-	-	-	-	-	HJ	MAUW 5700KG
PALAPYE/ Palapye	22 33S 02708E	3000	07 25	1100 X 18	-	-	-	Natural Grounds	-	-	-	-	-	-	HJ	MAUW 5700KG. Hazard Mast PSN 223446S 0270651E. Painted red and white

PRIVATE LICENCED AERODROMES CATEGORY 'A'

These aerodromes are intended for handling aircraft operations involving the public transport of passengers, mail or cargo including aircraft exceeding maximum weight authorized of 5,700kg. The weight restriction is shown against each aerodrome.

These aerodromes can only be used by the prior permission of the owner, from whom full details of the aerodrome and its serviceability can be obtained.

These aerodromes are not available for aircraft take off and landing during the night and in IMC except where specifically permitted.

This section lists in alphabetical order privately owned aerodromes licenced by the Civil Aviation Authority of Botswana for the operations of aircraft. The private aerodromes are licenced under 'A', 'B', 'C' and 'D'. As described below.

Licence Category 'A': Aerodromes intended for handling aircraft operations involving the public transport of passengers, mail or cargo including aircraft **exceeding** maximum weight authorized of 5700kg.

Licence Category 'B': Aerodromes intended for handling aircraft operations involving the public transport of passengers, mail or cargo including aircraft **not exceeding** maximum weight authorized of 5700kg.

Licence Category 'C': Aerodromes intended for handling aircraft operations involving the public transport of passengers, mail or cargo including aircraft **not exceeding** maximum weight authorized of 3500kg.

Licence Category 'D': Aerodromes intended for private use utilising aircraft **not exceeding** maximum weight authorized of 5700kg.

These aerodromes are licenced on annual basis. The period of validity of the licence is promulgated by NOTAM.

Many of these aerodromes are situated in remote regions therefore, up to date information regarding the serviceability of the aerodromes is not always available.

Some of these aerodromes may be abandoned in the rainy season - November to April approximately.

These aerodromes can only be used by the prior permission of the owner, from whom full details of the aerodrome and its serviceability can be obtained.

Pilots must over-fly and inspect these aerodromes thoroughly before landing since most of these aerodromes are not fenced.

After take off from any of these aerodromes, pilots must broadcast their intentions so that other traffic in the vicinity would be aware of their position.

These aerodromes are not available for aircraft take off and landing during the night and in IMC except where specifically permitted.

PRIVATE LICENCED AERODROMES CATEGORY 'B'

This section lists in alphabetical order privately owned aerodromes licenced by the Civil Aviation Authority of Botswana for the operations of aircraft of which the maximum weight authorised does not exceed 5700kg. These aerodromes are licenced on annual basis. The period of validity of the the licence is promulgated by NOTAM.

The majority of these aerodromes are situated in remote regions therefore, up to date information regarding the serviceability of the aerodromes is not always available.

Some of these aerodromes may be abandoned during the rainy season - November to April approximately.

These aerodromes can only be used by the prior permission of the owner, from whom full details of the aerodrome and its serviceability can be obtained.

Pilots must overfly and inspect aerodromes thoroughly before landing since most of these aerodromes are not fenced.

After take off from any of these aerodromes, pilots must broadcast their intentions so that other traffic in the vicinity would be aware of their position.

These aerodromes are not available for aircraft take off and landing during the night and in IMC except where specifically permitted.

CITY/AD	COORD Location	ELEV FT T CEN	RWY NR	Dimensions (M)	Runway	Lighting	AD OPR HR	Owner - Remarks
(1)	(2)	(3)	(4)	(5) RWY (6) SWY (7) CWY	(8) Slope (9) SFC (10) Strength	(11) APCH (12) THR (13) RWY (14) OTHER (15) GND SER	(16)	(17)
LIMPOPO VALLEY/ Limpopo	221125.05S 0290735.25E	1770	12 30	1500 x 30 NIL NIL	- Bitumen (Single Seal) PCN9/F/B/ W/T	NIL NIL NIL NIL NIL	0400 to 1600	Limpopo Valley Aerodrome. P.O Box 26, Lentswe Le Moriti, North East, Tuli Block. TEL:+267 264 5321 FAX:+267 264 5263 MAUW 21 000KG.
ORAPA/ Orapa	2116S 02519E	3100	07 25	1675 x 25 NIL NIL	NIL Tarmac NIL	NIL NIL NIL NIL NIL	HJ	DEBSWANA DIAMOND CO. (Pty) Ltd Orapa Mine. Tel: 2970201 Fax 2970243 PPR ARP 2116000S 02151900E. Site 481.4M FM THR RWY 07 Direction 239° CUST/IMM by prior arrangement. Hazard mast 210FT(64M), Painted/LGTD. PSN 211952S 0252141E PAPI RWY 07/25. Norminal slope 3° on both RWY, and edge LGT. Remote ACT on FREQ 131.0MHz. Use at own discretion. MAUW 7980kg.

CIVIL AVIATION AUTHORITY OF BOTSWANA

AMDT 1

AIP
BOTSWANA

AERODROMES / HELIPOINTS - INTRODUCTION

AD 1.4-15
18 OCT 12

CITY/AD	COORD	ELEV FT	RWY NR	Landing Area						Lighting					AD OPR HR	Authority Supervising the Aerodrome and Remarks
	Location	T CEN		Dimensions (M)			Runway			APCH	THR	RWY	Other	GND SER		
				RWY	SWY	CWY	Slope	SFC	Stre- ngth							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
DECEPTION VALLEY/ Deception Valley	20 59S 023 09E	3050	02 20	1100 X 18	-	-	-	Calcrete	-	-	-	-	-	-	HJ	Grannic Farmong Pty Ltd T/A Deception Valley, P.O.Box 818 Ghanzi.
GRASSLAND/ Grassland	21 43S 02 221E	3465	09 27	1000 X 18	-	-	-	Calcrete	-	-	-	-	-	-	HJ	Willem DE Graaff P.O.Box 19, Ghanzi Tel:72104270 Fax : 6596293
GUDIGWA/ Gudigwa	18 37S 022 54E	3150	09 27	1100 X 18	-	-	-	Calcrete	-	-	-	-	-	-	HJ	Big Foot P.O.Box 45324 Gaborone
GUMA/ /Guma	18 57S 022 22E	3270	15 33	1000 X 20	-	-	-	Clay	-	-	-	-	-	-	HJ	Ansyl (Pty) Ltd. P/Bag 013 MaunTel 6874022, Fax: 6874021
HAINA VENTURE/ Haina Venture	20 57S 023 45E	3200	04 22	1200 X 18	-	-	-	Sand	-	-	-	-	-	-	HJ	Seteba Wiela Signs (Pty) LTD. P/Bag B019 Maun. Tel: 6861154 Fax: 6860812
HUNDA/ Hunda	19 16S 022 28E	3240	10 28	1000 X 18	-	-	-	Calcrete	-	-	-	-	-	-	HJ	Ngamiland Adventure (Pty) LTD. P/Bag 0019 Maun. Tel 6861182 Fax 6860556
JAO/ Jao	19 18S 022 35E	3400	09 27	1000 X 18	-	-	-	Calcrete	-	-	-	-	-	-	HJ	Ngamiland Adventure (Pty) LTD. P/Bag 0019 Maun. Tel 6861182 Fax 6860556

AMDT 1

CIVIL AVIATION AUTHORITY OF BOTSWANA

AIP
AD 1.4-14
18 OCT 12

AERODROMES / HELIPOINTS - INTRODUCTION

BOTSWANA
AIP

CITY/AD	COORD	ELEV FT	RWY NR	Landing Area						Lighting					AD OPR HR	Authority Supervising the Aerodrome and Remarks
	Location	T CEN		Dimensions (M)			Runway			APCH	THR	RWY	Other	GND SER		
				RWY	SWY	CWY	Slope	SFC	Stre- ngth							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
ABU/ Abu	19 24S 022 33E	3170	05 23	1000 X 18	-	-	-	Calcrete	-	-	-	-	-	-	HJ	Elephant Back Safaris (Pty) Ltd P/Bag 332, Maun. Tel: 6861260 Fax: 6861005
BIG GAME/ Big Game	26 19S 022 05E	3200	15 33	-	-	-	-	Hard sand	-	-	-	-	-	-	HJ	Botswana Development Company. (Pty) LTD P.O.Box 40185, Gaborone
BOTTLE PAN/ Bottle Pan	18 46S 02515E	3200	07 25	1000 X19	-	-	-	Sand & Grass	-	-	-	-	-	-	HJ	Bottle Pan Safaris (Pty) Ltd. P. O. Box 55, Kasane. Fax 6250233
CEMENT/ Cement	19 32S 022 35E	3170	12 30	1000 X 19	-	-	-	Calcrete	-	-	-	-	-	-	HJ	Elephant Back Safaris (Pty) Ltd. P/Bag 332, Maun.
CHITABE/ Chitabe	19 28S 023 22E	3100	12 30	1000 X 18	-	-	-	Calcrete	-	-	-	-	-	-	HJ	Flamingo Investments, P/Bag 159 Maun Tel: 6861230 Fax: 6861649
CHOBE/ Chobe	18 31S 023 38E	3200	12 30	1000 X 18	-	-	-	Compacted Clay	-	-	-	-	-	-	HJ	Linyanti Investments P/ Bag 209 Maun Tel: 6860056 Fax: 68601332

CITY/AD	COORD	ELEV FT	RWY NR	Landing Area						Lighting					AD OPR HR	Authority Supervising the Aerodrome and Remarks
				Dimensions (M)			Runway			APCH	THR	RWY	Other	GND SER		
	Location	T CEN			RWY	SWY	CWY	Slope	SFC							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
KINGS POOL/ Kings Pool	18 27S 023 41E	3100	06 24	1000 X 18	-	-	-	Compacted Calcrete	-	-	-	-	-	-	HJ	Linyanti Investments (Pty) LTD, C/o P/Bag 14, Maun, Tel: 6860086 Fax 6860632
KIRI/ Kiri	19 37S 023 02E	3100	15 33	1000 X 18	-	-	-	Compacted Soil	-	-	-	-	-	-	HJ	Safari South P.O.Box Box 40 Maun
KWALATA/ Kwalata	23 03S 027 54E	2650	03 21	900 X 18	-	-	-	Compacted Gravel	-	-	-	-	-	-	HJ	Dewet Drilling Pty (LTD) P.O.Box 3, Gaborone, Tel/ Fax:5729000
KWARA/ Kwara	19 06S 02317E	3200	12 30	1000 X 18	-	-	-	Compacted Clay	-	-	-	-	-	-	HJ	Bird Safari s Botswana (Pty) LTD P.O. Box 15 Maun.
MASAME/ Masame	19 20S 024 50E	3100	15 33	1000 X 18	-	-	-	Compacted Clay	-	-	-	-	-	-	HJ	Nemesis Botswana (Pty) Ltd P O Box 9 Maun., Tel 6860284 Fax 6860593
MATSIENG /Matsieng	24 21S 026 05E	3300	18 36	850 X18	-	-	-	Compacted Clay	-	-	-	-	-	-	HJ	Dewet Drilling. P.O.Box 3, Gaborone. Fax: 5729000
MOMBO/ Mombo	19 13S 022 48E	3200	06 24	1000 X 18	-	-	-	Stabilised/ Calcrete	-	-	-	-	-	-	HJ	Okavango Wilderness Safaris (Pty) Ltd P/Bag 014 Maun. Tel: 6860086 Fax 6860632

CITY/AD	COORD	ELEV FT	RWY NR	Landing Area						Lighting					AD OPR HR	Authority Supervising the Aerodrome and Remarks
				Dimensions (M)			Runway			APCH	THR	RWY	Other	GND SER		
	Location	T CEN			RWY	SWY	CWY	Slope	SFC							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
JWALA/ Jwala	22 02S 029 01E	2200	13 31	900 X 20	-	-	-	Stabilized Sand	-	-	-	-	-	-	HJ	Safari Ranches (PTY) LTD P.O.Box 1874, Gaborone
JWANENG/ Jwaneng	24 36S 024 40E	3900	08 26	1675 X 25	-	-	-	Calcrete	-	-	-	-	-	-	HJ	Debswana Diamond Company (Pty) LTD Jwaneng Mine, P/ Bag 02 Jwaneng, Tel 5880220 Fax: 5881063 PPR. CUST /IMM by prior arrangement if not possible land at Sir Seretse Khama APT. Hazard Mast 150FT AGL PSN 25585s 02442e. PAPI RWY 08/26 nominal slope 3° on both RWY and edge Lights. Remote ACT on FREQ 131.0MHZ Hazard Mast 150FT AGL PSN 2448S 02442E
KAA/Kaa	24 20S 020 38E	3800	02 20	1200 X 18	25 100	-	-	Hard Sand	-	-	-	-	-	-	HR	Director, Wildlife and National Parks, P.O. Box 131, Gaborone. Tel: 391405 Fax: 3912354.
KHWAI RIVER LODGE/ Khwai River Lodge	19 09S 023 47E	3200	12 30	1000 X 18	-	-	-	Sand/ Grass	-	-	-	-	-	-	HI	Game Trekkers Botswana (Pty) LTD. P O Box 100 Maun. Tel 6860302 Fax 6860153

CITY/AD	COORD	ELEV FT	RWY NR	Landing Area						Lighting					AD OP R HR	Authority Supervising the Aerodrome and Remarks
				Dimensions (M)			Runway			APCH	THR	RWY	OTHER	GND SER		
	Locatio n	T CEN	RWY	SWY	CWY	Slop e	SFC	Strengt h								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
SANTAWANI /Santawani	19 30S 023 37E	3140	14 32	960 X20	-	-	-	Compac ted Gravel	-	-	-	-	-	-	HJ	Sankuyo Tswaragano Management Trust, P/bag 0013, Maun. Tel:6800446. Fax: 6860571
SELINDA/ Selinda	18 34S 023 31E	3170	06 24	900X 20	-	-	-	Calcrete	-	-	-	-	-	-	HJ	Squacc Heron Projects T/A Wild Scenes P/Bag 114, Maun
SERIBE/ Seribe	21 38S 021 23E	3130	09 27	1000 X 18	30 20	-	-	Calcrete	-	-	-	-	-	-	HJ	Linyanti Explorations P. O. Box 22, Kasane. Tel:6250505 Fax :6250352
SHINDI/ Shindi	19 06S 023 09E	3100	09 27	1200 X 18	-	-	-	Calcrete	-	-	-	-	-	-	HJ	Ker & Downey (Pty) LTD Box 27 Maun. TEL 6860375 Fax 6861282
STANLEYS/ Stanleys	19 37S 023 09E	3050	12 30	1000 X18	-	-	-	Stabilise d/ Calcrete	-	-	-	-	-	-	HJ	Okavango Kopano Mokoro Community Trust, P/bag 383 Maun.
SUA PAN/ Sua Pan	20 33S 026 06E	2985	11 29	1640 X20	-	-	-	Bitumen Dressed	PCN50/ F/F/A/ X/T	-	-	-	-	-	HJ	Botswana Ash (Pty), P/Bag SOW7, Sowa Town, Cat: D Tel 613210 Fax: 613213, Hazard 54M Radio mast at Plan ste 64M hill apprx 15nm NE of AD, MAG VAR - 11°W AC 1' INCREASING

CITY/AD	COORD	ELEV FT	RWY NR	Landing Area						Lighting					AD OP R HR	Authority Supervising the Aerodrome and Remarks
				Dimensions (M)			Runway			APCH	THR	RWY	Other	GND SER		
	Location	T CEN	RWY	SWY	CWY	Slope	SFC	Strengt h								
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
MOTSWIRI/ Motswiri	184627S 0230250E	3280	06 24	1200 X 20	-	-	-	Calcrete	-	-	-	-	-	-	HJ	Linyanti Explorations, (PTY) LTD, Box 22 Kasane, plot 31 Kazungula
NITANI/ Nitani	22 03S 029 00E	2100	06 24	850 X 18	-	-	-	Calcrete	-	-	-	-	-	-	HJ	Majoli Estate (Pty) Ltd P. O. Box 1587, Bobonong Tel: 72103239
NXAI PAN/ Nxai Pan	19 52S 024 40E	3000	02 20	1020 X18	-	-	-	Calcrete	-	-	-	-	-	-	HJ	Kwando Safaris, P. O. Box 550, Maun. Tel:6861449/ Fax:6861457
OAKDENE/ Oakdene	21 20S 024 50E	3760	15 33	1200 X 20	-	-	-	Grass	-	-	-	-	-	-	HJ	Mr Eaton, P. O. Box 6, Ghanzi.
PIAJIO/ Piajio	19 18S 022 54E	3150	14 32	1020 X 18	-	-	-	Calcrete	-	-	-	-	-	-	HJ	Abercrombie and Kent Botswana P/ Bag 45, Maun. Tel: 6862688 Fax: 6863526
POM POM/ Pom Pom	19 09S 022 48E	3160	15 33	1000 X18	-	-	-	Calcrete	-	-	-	-	-	-	HJ	Heart and Soulm P O Box 492 Maun. Tel: 6860565.
SAILE/ Saile	18 07S 02404E	3124	14 32	1130 X 22	-	-	-	Compresse d Calcrete	-	-	-	-	-	-	HJ	Crane Nest Safaris (PTY) Ltd P/ Bag 114 Maun. Fax 9234307 Tel: 7230582.6

**PRIVATE LICENCED AERODROMES
CATEGORY 'C'**

This section lists in alphabetical order privately owned aerodromes licenced by the Civil Aviation Authority of Botswana for the operations of aircraft of which the maximum weight authorized does not exceed 3500kg. These aerodromes are licenced on annual basis. The period of validity of the licence is promulgated by NOTAM.

The majority of these aerodromes are situated in remote regions: therefore, up to date information regarding the serviceability of the aerodromes is not always available.

Some of these aerodromes may be abandoned in the rainy season - November to April approximately.

These aerodromes can only be used by the prior permission of the owner, from whom full details of the aerodrome and its serviceability can be obtained.

Pilots must overfly and inspect aerodromes thoroughly before landing since most of these aerodromes are not fenced.

Pilots, after take off from any of these aerodromes, must broadcast their intentions so that other traffic in the vicinity would be aware of their position.

These aerodromes are not available for aircraft take off and landing during the night and in IMC except where specifically permitted.

CITY/AD	COORD Location	ELEV FT T CEN	RWY NR	Dimensions (M)					Landing Area				APCH	THR	RWY	Other	GND SER	AD OPR HR	Authority Supervising the Aerodrome and Remarks
				RWY	SWY	CWY	Slo -pe	SFC	Runway	Stran -gth									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17			
TONUNGA/ Tonunga	19 30S 025 05E	2985	15 33	1190 X20	-	-	-	Clay	-	-	-	-	-	-	HJ	17	Destination South Botswana (PTY) LTD. P/Bag 357 Maun TEL/FAX :6861857		
TSIGARO/ Tsigaro	20 27S 025 09S	3080	09 27	950 X18	-	-	-	Sand	-	-	-	-	-	-	HJ		Uncharted Africa Safaris (Pty) Ltd. P O Box 173, Francistown Tel: 2412277 Tel: 24113458. Okavango		
VEGRO/ Vegro	23 22S 027 28E	2516	05 23	1000 X 20	-	-	-	Hard sand	-	-	-	-	-	-	HJ		Thorn Park (Pty) Ltd. P/Bag SK12, Gaborone. Tel: 3907533 Fax: 3903447		
VUMBURA/ Vumbura	18 57S 022 49E	3200	15 33	1015 X18	-	-	-	Compacted Gravel	-	-	-	-	-	-	HJ		Okavango Wilderness Safari, P/Bag 14, Maun. Tel: 6860086 Fax:6860632		
XARAKAI/ Xarakai	18 52S 022 42E	3100	09 27	1000 X20	-	-	-	Compacted Gravel	-	-	-	-	-	-	HJ		Mapula Lodge P. O. Box 22149 Beseja, Maun. Tel: 686336/ 6860154 Fax: 6863368.		
XIGERA/ TXICHIRA	19 23S 022 44S	3100	12 30	1000 X18	-	-	-	Calcrete	-	-	-	-	-	-	HJ		Great Explorations (Pty) Ltd Validity of Licence: 06/0708 Tel: 6860955 Fax: 6860829		
XUDUM/ Xudum	19 40S 022 25E	3200	15 33	TBN	-	-	-	Calcrete	-	-	-	-	-	-	HJ		Okavango Development (PTY) LTD Box 40 Maun TEL/FAX 6860211 FAX:6860237		

PRIVATE LICENCED AERODROMES CATEGORY 'D'

This section lists in alphabetical order privately owned aerodromes licenced by the Civil Aviation Authority of Botswana for the operations of private aircraft of which the maximum weight authorized does not exceed 5700kg. These aerodromes are not used by Public Transport Aircraft. These aerodromes are licenced on annual basis. The period of validity of the licence is promulgated by NOTAM.

The majority of these aerodromes are situated in remote regions: therefore, up to date information regarding the serviceability of the aerodromes is not always available.

Some of these aerodromes may be abandoned in the rainy season - November to April approximately.

These aerodromes can only be used by the prior permission of the owner, from whom full details of the aerodrome and its serviceability can be obtained.

Pilots must overfly and inspect aerodromes thoroughly before landing since most of these aerodromes are not fenced.

Pilots, after take off from any of these aerodromes, must broadcast their intentions so that other traffic in the vicinity would be aware of their position.

These aerodromes are not available for aircraft take off and landing during the night and in IMC except where specifically permitted.

Airfields	Coordinates	Elevation FT	RWY QDM	RWY Length x Width (M)	Owner - Remarks
ALPHA/ Alpha	25 12S 025 43E	3850	05/23	850 x 25	The Hurvitz Group P.O.Box 5, Lobatse Tel: 5330519, Fax: 5330132
CAMP OKAVANGO/ Camp Okavango	19 07S 023 06E	3150	14/32	890 x 18.5	Desert and Delta Safaris. P O Box 32, Kasane. Tel: 6250340, Fax: 6250280
DELTA/ Delta Camp	19 32S 023 05E	3100	14/32	600 x 18	Lodges Botswana (Pty) Ltd. P O Box 39, Maun, Tel: 6860220, Fax: 6860589
GRAIGNAR/ Graignar	23 39S 021 58E	2750	17/35	930 x 19	Mr M.G. Wheipton. P.O.Box 2345 Mahalapye. Tel: 27 832635350 Fax: 27 (12) 3485664
KANANA/Kanana	1935S 02252E	3100	12/30	800 x 18	Kanana Ventures. P O Box 27, Maun,
KGORO PAN/ Kgoro Pan	21 12S 022 29E	3400	08/26	940 x 20	John Kempf. P/Bag 10, Ghanzi of Tel/Fax: 598104 (Private Category) MAUW 2300kg Not for use by public transport ACFT.
LEBALA (James Camp) Lebala	18 22S 023 33E	3100	12/30	1000 x 18	Hunter Africa (Pty) Ltd. P O Box 550, Maun. Tel: 267-6861449, Fax: 267-6861457
MUKUSI/Mukusi	19 10S 025 37E	3200	09/27	1000 x 18	John Coltz Hunting Safaris. P O Box 335, Maun, Tel: 6861574, Fax: 6861574
NTSWI ISLAND/ Ntswisi Island	19 32S 023 08E	3150	11/29	600 x 18	Trans Okavango (Pty) Ltd. P/Bag 33, Maun. Surface: Clay Tel: 6860023, Fax: 6860040
NXABEGA/ Nxabega	19 30S 022 48E	3100	14/32	900 x 18	Alro Ventures (Pty) Ltd. P O Box 323, Kasane. surface calcrete. Tel 625 0119, Fax 625 0456
NXAMASERI/ Nxamaseri	18 36S 022 04E	3200	12/30	900 x 18	Nxamaseri Lodge (Pty) Ltd. P/Bag 23, Maun. Surface: Calcrete
OMDOP/ Omdop	19 01S 022 42E	3200	12/30	1000 x 18	Okavango Community Trust. P O Box 119, Maun. Tel: 6860953
VEGRO/ Vegro	23 22S 027 28E	2516	05/23	1000x20	Thorn Park (Pty) Ltd. P.bag SK12, Gaborone. Surface: Hard Sand Tel: 3907533 Fax 3903447
XAI XAI/ Xai Xai	1952S 02104E	3070	11/29	900 x 18	Cgae Cgae Ihabologo Trust Private Bag 235, Maun. Surface: Clay. Tel/Fax: 267 352413
XAXABA/ Xaxaba	19 32S 023 03E	3140	15/33	1100 x 20	Game Trackers Botswana (Pty) Ltd. P O Box 100, Kasane. 08, Tel 6860 302, Fax 6860 153
XAKANAKA/ Xakanaka	19 04S 023 04E 19 12S 023 02E	3100	09/27	840 18 1000	Department of Wildlife and National Parks P. O. Box 131 Gaborone Tel 3971405 Fax: 580775. Validity of Licence: 31/01/08 DESERT AND DELTA P.O.Box 310 MAUN
XOROGOM/ Xorogom	18 42S 023 06E	3000	09/27		Linyanti Explorations (Pty) Ltd. P.O.Box 22, Kasane. Tel: 6250505 Fax: 6250352
XUGANA/ Xugana	19 04S023 04E	3100	01/19	800X18	Okavango Explorations (Pty) Ltd. P.O.Box 48, Maun. Tel:686877

EMERGENCY LANDING GROUNDS

This section lists landing grounds which could in dire necessity, be considered usable in such emergency.

Exercise caution and inspect before use, if possible.

Name	Elevation FT	Coordinates	Owner - Remarks
MABUTSANE	3500	24 23S 023 33E	Salt pan, very prone to water logging during the rainy season.
MORWAMOSU	3500	24 06S 023 04E	Salt pan, very prone to water logging during the rainy season.
SEKOMA	3600	24 31S 023 55E	Salt pan, very prone to water logging during the rainy season.
ELG I	3145	19 40S 026 02E	Surface: Compressed gravel LEN: 1300M QDM: 16/34 Shell camp approx. 5km north of ELG II HF radio and fire extinguisher avbl at the camp.
ELG II	3390	19 02S 025 42E	Surface: Compressed gravel LEN: 1300M QDM: 34/16 Tall trees in the app/take off areas.
ELG III	3488	18 07S 025 18E	Surface: Compressed gravel LEN: 1300M QDM: 11/29 Three 20FT high poles at 30 to 130m before RWY 29 touchdown.
NOTE : ELGs ARE ON THE NATA - KAZUNGULA ROAD			

Airfields	Coordinates	Elevation FT	RWY QDM	RWY Length x Width (M)	Owner - Remarks
ARIZONA/ Arizona	22 36S 028 17E	2450	09/27	1130 x 13	Eastern Company (Pty) Ltd. P.O. Box 20255 Francistown. Tel: 2416001, Fax 202112, Tarmac RWY-Surface
BIG GAME/ Big Game	26 19S 022 05E	3200	15/33	1000 x 20	Development Company Botswana (Pty) Ltd P. O. Box 40185 Gaborone RWY Surface: Hard sand.
CHANDIA/ Chandia	18 31S 025 29E	3500	02/20	1200 x 18	Mr Philip Minnaar P. O. Box 137 Kasane. Tel 72104292 Fax 72102749
DTC BOTSWANA/ DTC Botswana	24 35 08S 025 54 52 E	-	-	-	DTC Botswana. P/Bag 0074 Helipad Surface: Concrete
GRAIGNIAR/ Graignar	23 39S 021 58E	2750	17/35	930 x 19	Mr M. G. Whelpton P.O. Box 2345 Mahalapye. Tel: (27) 83 2635350 Fax (12) 3485664
KGORO PAN/ Kgoro Pan	21 12S 022 29E	3400	08/26	940 x 20	John Kempf. P/Bag 10, Ghanzi Tel/Fax: 598104
KWALATA/ Kwalata	23 03S 027 54E	2650	03/21	900 x 18	Kwaatala Racnh P. O. Box 3, Gaborone
SUNNY SIDE/ Sunny Side	23 02S 027 44E	2725	06/24	1000X15	Sunny Side (Pty) Ltd. P.O.Box 495 Gaborone. Tel: 3912641 Fax: 3973411