



ETESIA

PRODUCT LIST

COMING SOON...

The Hydro 80 e-connect



- Recognition and display of nearby machines on the app via Bluetooth.
- Information about the machines or machines connected to the application:
model, serial no. machine photo, entry into service card, list of accessories available for the machine
- Online ordering of accessories and spare parts.
- Setting-up-certificate filled in online. This application matches the machine to its unique virtual owner.
- One-click access to online documentation:
machine instructions, exploded view, range catalogue
- Real-time monitoring of information about the machine or the machine base.
- Machine maintenance monitoring:
next service date, reseller information, costs
- Possibility to delegate machine rights to other users (restricted or equivalent to one's own rights).

NOW AVAILABLE...

Etesia has launched the MSC45 – a professional powered pedestrian scarifier for the use on lawns and amenity areas.

Working width	45cm
Area coverage	up to 1500 m ² /h
Motor	Honda GX 160
Capacity	5.5 HP
Scarifier unit	Scarifier unit with fixed blades and torque overload safety clutch
Accessories	Scarifier unit with loose blades or spring mounted tines
Special features	Steel rims with ball bearings, step-less adjustment of operating height



PRO – MULCH ONLY

Hydro 144 (Mulch)



Model Code	H1444MX
Cutting Width	57" (144cm)
Engine	Lombardini – 3 Cylinder
Drive	Hydraulic – 4 Wheel Drive
Fuel	Diesel
Collection	n/a

PRO CUT & COLLECT MODELS

Hydro 124



Model Code	H124DX
Cutting Width	50" (124cm)
Engine	Lombardini – 3 Cylinder
Drive	Hydraulic – 4 Wheel Drive
Fuel	Diesel
Collection	High Lift (electric)

Hydro 124



Model Code	H124DN
Cutting Width	50" (124cm)
Engine	Lombardini – 3 Cylinder
Drive	Hydraulic
Fuel	Diesel
Collection	High Lift (electric)

PRO CUT & COLLECT MODELS *(cont)*

Hydro 124



Model Code	124DL
Cutting Width	50" (124cm)
Engine	Lombardini – 3 Cylinder
Drive	Hydraulic
Fuel	Diesel
Collection	High Lift (hydraulic)

Buffalo



Model Code	HVHPX
Cutting Width	50" (124cm)
Engine	Briggs & Stratton (3 yr warranty)
Drive	Hydraulic – 4 Wheel Drive
Fuel	Petrol
Collection	High Lift (hydraulic)

Buffalo



Model Code	HVHP
Cutting Width	50" (124cm)
Engine	Briggs & Stratton (3 yr warranty)
Drive	Hydraulic
Fuel	Petrol
Collection	High Lift (hydraulic)

PRO CUT & COLLECT MODELS *(cont)*

Buffalo



Model Code	BPHPX2
Cutting Width	39" (100cm)
Engine	Perkins – 3 Cylinder
Drive	Hydraulic – 4 Wheel Drive
Fuel	Diesel
Collection	High Lift (hydraulic)

Buffalo



Model Code	BPHP2
Cutting Width	39" (100cm)
Engine	Perkins – 3 Cylinder
Drive	Hydraulic
Fuel	Diesel
Collection	High Lift (hydraulic)

Buffalo



Model Code	BVHP
Cutting Width	39" (100cm)
Engine	Briggs & Stratton (3 yr warranty)
Drive	Hydraulic
Fuel	Petrol
Collection	High Lift Tip

PRO CUT & COLLECT MODELS *(cont)*

Buffalo



Model Code	BVHPX2
Cutting Width	39" (100cm)
Engine	Briggs & Stratton (3 yr warranty)
Drive	Hydraulic – 4 Wheel Drive
Fuel	Petrol
Collection	High Lift Tip

Hydro 100 III



Model Code	MKEHH
Cutting Width	39" (100cm)
Engine	Kawasaki – Twin Cylinder
Drive	Hydraulic
Fuel	Petrol
Collection	Ground Tip

Hydro 80



Model Code	MKHP3
Cutting Width	32" (80cm)
Engine	Kawasaki – Twin Cylinder
Drive	Hydrostatic
Fuel	Petrol
Collection	Ground Tip

SEMI PRO CUT & COLLECT MODELS

Bahia



Model Code	MBHE2
Cutting Width	32" (80cm)
Engine	Briggs & Stratton – Single Cylinder
Drive	Hydrostatic
Fuel	Petrol
Collection	Ground Tip

Bahia



Model Code	MHHE2
Cutting Width	32" (80cm)
Engine	Honda – Single Cylinder
Drive	Hydrostatic
Fuel	Petrol
Collection	Ground Tip

Bahia



Model Code	MKHE3
Cutting Width	32" (80cm)
Engine	Kawasaki – Twin Cylinder
Drive	Hydrostatic
Fuel	Petrol
Collection	Ground Tip

SEMI PRO – MULCH ONLY

Bahia



Model Code	MKM
Cutting Width	33" (85cm)
Engine	Kawasaki – Twin Cylinder
Drive	Hydrostatic
Fuel	Petrol
Collection	n/a

ATTACHMENTS & ACCESSORIES

Scarifier Rake



For keeping lawns and turf looking good all-year-round, a scarifier attachment is now available to fit three model sizes in the Etesia ride-on mower range. Fits all Bahia, Hydro 80 and SKD models.

Scarifier Attachment



The front-mounted scarifier attachment, which can be quickly fitted with no tools, has two fully-floating heads which allows it to follow ground contours. It has a working width of 1.25 metres and has been specifically designed for fast and effective coverage on large areas such as sports grounds and large ornamental lawns. Fits all Hydro 124 models (Front linkage kits may also be required).

Mulching Kit



Fitted with an optional mulching kit, your Etesia ride-on mower becomes to an outstanding mulching mower. Variants available to fit all Bahia, Hydro 80 and Hydro 100 models.



Street Sweeper

Transform your Etesia ride-on mower into a multi-purpose machine with an optional street sweeper. Fits all Hydro 100 and Hydro 124 models.

ATTACHMENTS & ACCESSORIES



Snow Plough

The Etesia snow plough provides effortless clearance of snow from your driveways, paths and access areas. Fits all Etesia ride-on mower models.

Weeding Brush

The weeding brush attachment is compatible with Etesia's Hydro 124 DN and Hydro 124 DX machines for the safe removal of weeds and algae without the use of any chemicals. Ideal for use on block paving and tarmac, the 500mm diameter brushes with a working width of 150mm.



Sand Spreader

The Etesia spreader can be used for spreading fertiliser or winter work of spreading grit or sand. Fits all Etesia ride-on mower models. (Requires a tow bar).



RK41



RK46

Roller Kits

Easy, effortless striping – in all weathers.

RK41 fits 41cm machines including NACS, NACTS, NBCS, NBCT.

RK46 fits 46cm machines including PKCTM, PHCT, PHCS.

BRUSHCUTTERS

(no collection)

Attila



Model Code	AD51
Cutting Width	20" (51cm)
Engine	Briggs 6hp
Drive	Hydraulic
Fuel	Petrol

Attila



Model Code	SKD
Cutting Width	33" (85cm)
Engine	Kawasaki 16hp
Drive	Hydrostatic by lever
Fuel	Petrol

Attila



Model Code	AK88
Cutting Width	34" (88cm)
Engine	Kawasaki 16hp
Drive	Hydrostatic
Fuel	Petrol

Attila



Model Code	AK95
Cutting Width	38" (95cm)
Engine	Kawasaki 18hp
Drive	Hydrostatic
Fuel	Petrol

BRUSHCUTTERS

(no collection)

Attila



Model Code	AK98
Cutting Width	40" (98cm)
Engine	Kawasaki 22hp
Drive	Hydrostatic
Fuel	Petrol

Attila



Model Code	AK98X
Cutting Width	40" (98cm)
Engine	Kawasaki 24hp
Drive	Hydrostatic – 4 Wheel Drive
Fuel	Petrol

Attila



Model Code	A180
Cutting Width	71" (180cm)
Engine	Yanmar 30hp – 3 Cylinder
Drive	Hydraulic
Fuel	Diesel



Pro46 Evolution (New Model)

Model Code	PHCS
Cutting Width	18" (46cm)
Engine	Honda GCV160
Drive	Push
Collection/Grass Box	Standard
Mulch	Standard



Pro46 Evolution (New Model)

Model Code	PHCT
Cutting Width	18" (46cm)
Engine	Honda GCV160
Drive	Single Speed 3.6 Km/h
Collection/Grass Box	Standard
Mulch	Standard



Pro46 Evolution (New Model)

Model Code	PKCTM
Cutting Width	18" (46cm)
Engine	Kawasaki Kai
Drive	Single Speed 4.3 – km/h + blade clutch
Collection/Grass Box	Standard
Mulch	Standard



Pro Mulcher (Biocut)

Model Code	ME53C
Cutting Width	21" (53cm)
Engine	Kohler
Drive	3 Speed 2.9 – 4.6 – km/h
Collection/Grass Box	n/a
Mulch	Standard



Pro53

Model Code	LH2
Cutting Width	21" (53cm)
Engine	Honda
Drive	Hydraulic 0 to 5.5 – km/h
Collection/Grass Box	Standard
Mulch	Standard



Pro53

Model Code	LKX2
Cutting Width	21" (53cm)
Engine	Kawasaki
Drive	Hydraulic 0 to 5.5 – km/h
Collection/Grass Box	Standard
Mulch	Standard



Pro51

Model Code	PRO51X
Cutting Width	19" (51cm)
Engine	Honda GXV160
Drive	Variable Drive 3.2 – 4.4km/h
Collection/Grass Box	Optional
Mulch	N/A

Model Code	PRO51D
Cutting Width	19" (51cm)
Engine	Briggs & Stratton InStart
Drive	Variable Drive 3.2 – 4.4km/h
Collection/Grass Box	Optional
Mulch	N/A

DUO CUT SEMI PRO MODELS



Duo Cut 41 (Semi-Pro)

Model Code	NBCS
Cutting Width	16" (41cm)
Engine	Briggs & Stratton
Drive	Push
Collection/Grass Box	Standard
Mulch	Standard



Duo Cut 41 (Semi-Pro)

Model Code	NBCT
Cutting Width	16" (41cm)
Engine	Briggs & Stratton
Drive	Single Speed 3.4 – km/h
Collection/Grass Box	Standard
Mulch	Standard



Duo Cut 46 (Semi-Pro)

Model Code	RMCS
Cutting Width	18" (46cm)
Engine	Kohler
Drive	Push
Collection/Grass Box	Standard
Mulch	Standard



Duo Cut 46 (Semi-Pro)

Model Code	RMCB
Cutting Width	18" (46cm)
Engine	Kohler
Drive	Single Speed 3.6 – km/h
Collection/Grass Box	Standard
Mulch	Standard

DUO CUT SEMI PRO MODELS *(cont)*



Duo Cut 46 (Semi-Pro)

Model Code	RMHB	Model Code	RMBE
Cutting Width	18" (46cm)	Cutting Width	18" (46cm)
Engine	Honda	Engine	Briggs & Stratton E Start
Drive	Variable 3.3 - 4.3 - km/h	Drive	Variable 3.3 - 4.3 - km/h
Collection/Grass Box	Standard	Collection/Grass Box	Standard
Mulch	Standard	Mulch	Standard



Duo Cut 53 (Semi-Pro)

Model Code	LKCGM
Cutting Width	21" (53cm)
Engine	Kawasaki
Drive	3 speed
Collection/Grass Box	Standard
Mulch	Standard

DUO CUT DOMESTIC MODEL



Duo Cut 37 (Domestic)

Model Code	VECS
Cutting Width	14" (37cm)
Engine	1300w Electric Motor
Drive	Push
Collection/Grass Box	Standard
Mulch	Standard



Bahia

Model Code	M2E
Cutting Width	32" (80cm)
Engine	Electric
Drive	Semi
Collection	Ground Tip



Bahia

Model Code	VTE
Cutting Width	Optional Deck
Engine	Electric
Drive	Electric
Collection	n/a



Donky Electric Wheel Barrow

Model Code	MBE
Capacity	250kg
Engine	Electric Motor (2 Speed)
Water Tank	85 litres



Duo Cut

Model Code	NACS
Cutting Width	16" (41cm)
Engine	Battery
Drive	Push
Collection	Standard
Mulch	Standard



Duo Cut

Model Code	NACTS
Cutting Width	16" (41cm)
Engine	Battery
Drive	Single Speed
Collection	Standard
Mulch	Standard



Duo Cut

Model Code	PACS
Cutting Width	18" (46cm)
Engine	Battery
Drive	Push
Collection	Standard
Mulch	Standard



Duo Cut

Model Code	FACTS
Cutting Width	18" (46cm)
Engine	Battery
Drive	Single Speed
Collection	Standard
Mulch	Standard



Etesia Joyride

Model Code	Etesia Joyride
Cutting Width	32" (80cm)
Engine	Briggs & Stratton – Single Cylinder
Drive	Hydrostatic
Fuel	Petrol
Collection	Ground Tip

The Etesia Joyride ride-on mower impresses with an innovative way of control and operation.

The mower is controlled exclusively by means of a joystick.

The technical equipment, such as the optional automatic grass box emptying or the switching on and off of the mower deck, is selected via the central operating fittings.

Due to the ergonomically very advantageous arrangement of the control element as well as the comfortable armrest, a full working day with the Bahia "SLT Joyride" is no longer a physical challenge.



Attila SKD ExxDrive Brushcutter

Model Code	SKD ExxDrive
Cutting Width	33" (85cm)
Engine	Kawasaki 16hp – Twin Cylinder
Drive	Hydrostatic by lever
Fuel	Petrol

The Etesia Attila SKD ExxDrive can also be controlled remotely by the use of a supplied iPad for the safe use on banks and slopes.

This model also comes complete with a set of dual wheels for extra stability.

Noise and Vibration for Etesia Grass Cutting Equipment

Machine Type	Noise Level at Control position (dba)	Vibration Levels at Handles (ms2)	Vibration Levels at Steering (ms2)	Vibration Levels at Seat (ms2)	Vibrations at the body (stationary)
PBE	Old Handle bars	86	4		
PBTS	Old Handle bars	86	3.85		
PHE	Old Handle bars	84	2.7		
PHB	Old Handle bars	84	4.6		
PHTS	Old Handle bars	84	4.6		
PHTB	Old Handle bars	84	3		
PKTB	Old Handle bars	82	3		
PBEO	New handle bars	85	3.5		
PBTSO	New handle bars	85	3.5		
PHEO	New handle bars	84	2.5		
PHTSO	New handle bars	84	2.5		
PHBO	New handle bars	84	2.5		
PHTBO	New handle bars	84	2.5		
PHCS		86	2.9		
PHCT		86	2.9		
PKCTM		86	3		
RMCB		83	4.2		
RMCS		83	4.2		
RMHB		85	5.2		
PRO 51B		81	4		
PRO 51H		82	3.7		
PRO 51K		81	3		
PRO51X		85	4.1		
LKX2		83	3.5		
ME53C		85	4		
LKGCM		88	4		
NACTS		82	2.5		
NECTS		80	1.6		
VECS		77	2.5		
AV51		79	2.9		
AK51		79	2.5		
MBHEN		86		2.67	1.1
MHHE		86		2.67	1.1
MKHE		86		2.67	1.1
MKHP		86		2.67	1.1
MVEHH		88			1.85
MKEHH		88			1.53
BLSP		85		1.87 whole body	2.3 upper body
BLHP		85		1.87 whole body	2.3 upper body
BPHP				1.66	2.12
BPSP				1.66	2.12
H124DX		90		0.81	1.42
H124DN		90		0.81	1.42
H144M		90		0.81	1.42
AK85		97		3.9	1.5
AV95		88.4		1.43	1.26
AV98		88.4		2.41	0.61
AV98X		88.3		2.41	0.64
SKD		85		2.49	1.2
SKM		85		2.49	1.07
SKF		85		2.49	1.07

Also available from Etesia UK...



Oeliatec UK

– the environmentally-friendly weed removal alternative

www.oeliatec.co.uk



Planet Etesia website for customer reviews

www.planet-etesia.com

*gives visitors the opportunity to read
customer reviews and comment on its
extensive range of innovative products*



PLANET ETESIA

ETESIA

Etesia UK Ltd • Greenway House • Sugarswell Business Park
Shenington • Oxon OX15 6HW

Tel: 01295 680120 • email: sales@etesia.co.uk

www.etesia.co.uk



Etesia UK



@EtesiaUK



EtesiaUK

#SeeingsIsBelieving