

Normalization

Lecture 9




Outline

1. Context
2. Normalization Objectives
3. Functional Dependencies
4. Normal Forms
 - 1NF
 - 2NF
 - 3NF



Database Design and Implementation Process



Normalization

- Theory and process by which to evaluate and improve relational database design
- Typically divide larger tables into smaller, less redundant tables
- Spans both logical and physical database design



Objectives of Normalization

- Make the schema informative
- Minimize information duplication
- Avoid **modification anomalies**
- Disallow **spurious tuples**

Note: during physical tuning we may prioritize query execution speed and thus *denormalize* (e.g. OLTP vs. OLAP)



Example Schema

EMPLOYEE

Ename	<u>Ssn</u>	Bdate	Address	Dnumber
Smith, John B.	123456789	1965-01-09	731 Fondren, Houston, TX	5
Wong, Franklin T.	333445555	1955-12-08	638 Voss, Houston, TX	5
Zelaya, Alicia J.	999887777	1968-07-19	3321 Castle, Spring, TX	4
Wallace, Jennifer S.	987654321	1941-06-20	291Berry, Bellaire, TX	4
Narayan, Ramesh K.	666884444	1962-09-15	975 Fire Oak, Humble, TX	5
English, Joyce A.	453453453	1972-07-31	5631 Rice, Houston, TX	5
Jabbar, Ahmad V.	987987987	1969-03-29	980 Dallas, Houston, TX	4
Borg, James E.	888665555	1937-11-10	450 Stone, Houston, TX	1

DEPARTMENT

Dname	<u>Dnumber</u>	Dmgr_ssn
Research	5	333445555
Administration	4	987654321
Headquarters	1	888665555



Straw Man Schema

EMP_DEPT

Ename	<u>Ssn</u>	Bdate	Address	Dnumber	Dname	Dmgr_ssn
Smith, John B.	123456789	1965-01-09	731 Fondren, Houston, TX	5	Research	333445555
Wong, Franklin T.	333445555	1955-12-08	638 Voss, Houston, TX	5	Research	333445555
Zelaya, Alicia J.	999887777	1968-07-19	3321 Castle, Spring, TX	4	Administration	987654321
Wallace, Jennifer S.	987654321	1941-06-20	291 Berry, Bellaire, TX	4	Administration	987654321
Narayan, Ramesh K.	666884444	1962-09-15	975 FireOak, Humble, TX	5	Research	333445555
English, Joyce A.	453453453	1972-07-31	5631 Rice, Houston, TX	5	Research	333445555
Jabbar, Ahmad V.	987987987	1969-03-29	980 Dallas, Houston, TX	4	Administration	987654321
Borg, James E.	888665555	1937-11-10	450 Stone, Houston, TX	1	Headquarters	888665555



Make the Schema Informative

- Design a relational schema so that it is easy to explain its meaning
- Do **not** combine attributes from multiple entity types and relationship types into a single relation; semantic ambiguities will result and the relation cannot be easily explained
- Normalized tables, and the relationship between one normalized table and another, mirror real-world concepts and their interrelationships



Example Schema

What is this table about?

- Employees? Departments?

EMP_DEPT

Ename	<u>Ssn</u>	Bdate	Address	Dnumber	Dname	Dmgr_ssn
Smith, John B.	123456789	1965-01-09	731 Fondren, Houston, TX	5	Research	333445555
Wong, Franklin T.	333445555	1955-12-08	638 Voss, Houston, TX	5	Research	333445555
Zelaya, Alicia J.	999887777	1968-07-19	3321 Castle, Spring, TX	4	Administration	987654321
Wallace, Jennifer S.	987654321	1941-06-20	291 Berry, Bellaire, TX	4	Administration	987654321
Narayan, Ramesh K.	666884444	1962-09-15	975 FireOak, Humble, TX	5	Research	333445555
English, Joyce A.	453453453	1972-07-31	5631 Rice, Houston, TX	5	Research	333445555
Jabbar, Ahmad V.	987987987	1969-03-29	980 Dallas, Houston, TX	4	Administration	987654321
Borg, James E.	888665555	1937-11-10	450 Stone, Houston, TX	1	Headquarters	888665555



Minimize Information Duplication

- Avoid data redundancies

Redundancy

EMP_DEPT

Ename	Ssn	Bdate	Address	Dnumber	Dname	Dmgr_ssn
Smith, John B.	123456789	1965-01-09	731 Fondren, Houston, TX	5	Research	333445555
Wong, Franklin T.	333445555	1955-12-08	638 Voss, Houston, TX	5	Research	333445555
Zelaya, Alicia J.	999887777	1968-07-19	3321 Castle, Spring, TX	4	Administration	987654321
Wallace, Jennifer S.	987654321	1941-06-20	291 Berry, Bellaire, TX	4	Administration	987654321
Narayan, Ramesh K.	666884444	1962-09-15	975 FireOak, Humble, TX	5	Research	333445555
English, Joyce A.	453453453	1972-07-31	5631 Rice, Houston, TX	5	Research	333445555
Jabbar, Ahmad V.	987987987	1969-03-29	980 Dallas, Houston, TX	4	Administration	987654321
Borg, James E.	888665555	1937-11-10	450 Stone, Houston, TX	1	Headquarters	888665555

- Avoid excessive use of NULLs (e.g. fat tables)
 - Wastes space
 - Can make information querying/understanding complicated and error-prone



Avoid **Modification Anomalies**

An undesired side-effect resulting from an attempt to modify a table (that has not been sufficiently normalized)

Types of modifications:

- Insertion
- Update
- Deletion



Insertion Anomaly

Difficult or impossible to insert a new row

- Add a new employee
 - Unknown manager
 - Typo in department/manager info
- Add a new department
 - Requires at least one employee

EMP_DEPT

Ename	<u>Ssn</u>	Bdate	Address	Dnumber	Dname	Dmgr_ssn
Smith, John B.	123456789	1965-01-09	731 Fondren, Houston, TX	5	Research	333445555
Wong, Franklin T.	333445555	1955-12-08	638 Voss, Houston, TX	5	Research	333445555
Zelaya, Alicia J.	999887777	1968-07-19	3321 Castle, Spring, TX	4	Administration	987654321
Wallace, Jennifer S.	987654321	1941-06-20	291 Berry, Bellaire, TX	4	Administration	987654321
Narayan, Ramesh K.	666884444	1962-09-15	975 FireOak, Humble, TX	5	Research	333445555
English, Joyce A.	453453453	1972-07-31	5631 Rice, Houston, TX	5	Research	333445555
Jabbar, Ahmad V.	987987987	1969-03-29	980 Dallas, Houston, TX	4	Administration	987654321
Borg, James E.	888665555	1937-11-10	450 Stone, Houston, TX	1	Headquarters	888665555



Update Anomaly

Updates may result in logical inconsistencies

- Change the department name/manager

EMP_DEPT

Ename	<u>Ssn</u>	Bdate	Address	Dnumber	Dname	Dmgr_ssn
Smith, John B.	123456789	1965-01-09	731 Fondren, Houston, TX	5	Research	333445555
Wong, Franklin T.	333445555	1955-12-08	638 Voss, Houston, TX	5	Research	333445555
Zelaya, Alicia J.	999887777	1968-07-19	3321 Castle, Spring, TX	4	Administration	987654321
Wallace, Jennifer S.	987654321	1941-06-20	291 Berry, Bellaire, TX	4	Administration	987654321
Narayan, Ramesh K.	666884444	1962-09-15	975 FireOak, Humble, TX	5	Research	333445555
English, Joyce A.	453453453	1972-07-31	5631 Rice, Houston, TX	5	Research	333445555
Jabbar, Ahmad V.	987987987	1969-03-29	980 Dallas, Houston, TX	4	Administration	987654321
Borg, James E.	888665555	1937-11-10	450 Stone, Houston, TX	1	Headquarters	888665555



Deletion Anomaly

Deletion of data representing certain facts necessitates deletion of data representing completely different facts

- Delete James E. Borg

EMP_DEPT

Ename	<u>Ssn</u>	Bdate	Address	Dnumber	Dname	Dmgr_ssn
Smith, John B.	123456789	1965-01-09	731 Fondren, Houston, TX	5	Research	333445555
Wong, Franklin T.	333445555	1955-12-08	638 Voss, Houston, TX	5	Research	333445555
Zelaya, Alicia J.	999887777	1968-07-19	3321 Castle, Spring, TX	4	Administration	987654321
Wallace, Jennifer S.	987654321	1941-06-20	291 Berry, Bellaire, TX	4	Administration	987654321
Narayan, Ramesh K.	666884444	1962-09-15	975 FireOak, Humble, TX	5	Research	333445555
English, Joyce A.	453453453	1972-07-31	5631 Rice, Houston, TX	5	Research	333445555
Jabbar, Ahmad V.	987987987	1969-03-29	980 Dallas, Houston, TX	4	Administration	987654321
Borg, James E.	888665555	1937-11-10	450 Stone, Houston, TX	1	Headquarters	888665555



Disallow **Spurious Tuples**

Avoid relational design that matches attributes across relations that are not (foreign key, primary key) combinations because joining on such attributes may produce invalid tuples



Example Decomposition

CAR

ID	Make	Color
1	Toyota	Blue
2	Audi	Blue
3	Toyota	Red

**CAR1**

ID	Color
1	Blue
2	Blue
3	Red

**CAR2**

Make	Color
Toyota	Blue
Audi	Blue
Toyota	Red



Natural Join

ID	Make	Color
1	Toyota	Blue
1	Audi	Blue
2	Toyota	Blue
2	Audi	Blue
3	Toyota	Red

**CAR1**

ID	Color
1	Blue
2	Blue
3	Red

CAR2

Make	Color
Toyota	Blue
Audi	Blue
Toyota	Red



Additive Decomposition

CAR	ID	Make	Color
	1	Toyota	Blue
	2	Audi	Blue
	3	Toyota	Red

JOIN	ID	Make	Color
	1	Toyota	Blue
	1	Audi	Blue
	2	Toyota	Blue
	2	Audi	Blue
	3	Toyota	Red



Game Plan

- We are going to build up to a set of “tests” (*Normal Forms*) that will indicate degrees of design quality
- To do so, we must first formalize some notions regarding how data relates within a relation



Functional Dependency (FD)

In a relation r , a set of attributes \mathbf{Y} is *functionally dependent* upon another set of attributes \mathbf{X} ($X \rightarrow Y$) iff...

for all pairs of tuples t_1 and t_2 in $r...$

if $t_1[\mathbf{X}] = t_2[\mathbf{X}]...$

it **MUST** be the case that $t_1[\mathbf{Y}] = t_2[\mathbf{Y}]$



FD Example (1)

	StudentID	Year	Class	Instructor
t_1	1	Sophomore	COMP355	Wu
t_2	2	Sophomore	COMP285	Wu
t_3	3	Junior	COMP355	Wu
t_4	3	Junior	COMP285	Wu
t_5	2	Sophomore	COMP355	Russo
t_6	4	Sophomore	COMP355	Russo

What FDs hold in the current state of this relation?

$$\{StudentID\} \rightarrow \{Year\}$$

$$\{StudentID, Class\} \rightarrow \{Instructor\}$$



FDs & Keys

- One cannot determine whether FDs hold for *all* relation states unless the meaning of and relationships among the attributes are known



FD Example (2)

	StudentID	Year	Class	Instructor
t_1	1	Sophomore	COMP355	Wu
t_2	2	Sophomore	COMP285	Wu
t_3	3	Junior	COMP355	Wu
t_4	3	Junior	COMP285	Wu
t_5	2	Sophomore	COMP355	Russo
t_6	4	Sophomore	COMP355	Russo

What FDs hold in the current state of this relation?

$\{StudentID\} \rightarrow \{Year\}$

$\{StudentID, Class\} \rightarrow \{Instructor\}$

Multiple sections?
Co-instruction?
Re-takes?



FDs & Keys

- One cannot determine whether FDs hold for *all* relation states unless the meaning of and relationships among the attributes are known
 - These are the “data dependencies” foreshadowed in Lecture 2 (Relational Model)
 - If you *do* have this domain knowledge, it is possible to identify candidate keys (minimal subsets of attributes that FD all attributes)
- One can state an FD does *not* hold given a relation state by identifying violating tuple(s)



FD Example (3)

	StudentID	Year	Class	Instructor
t_1	1	Sophomore	COMP355	Wu
t_2	2	Sophomore	COMP285	Wu
t_3	3	Junior	COMP355	Wu
t_4	3	Junior	COMP285	Wu
t_5	2	Sophomore	COMP355	Russo
t_6	4	Sophomore	COMP355	Russo

$\{StudentID\} \rightarrow \{Year\}$

$\{StudentID, Class\} \rightarrow \{Instructor\}$

- Every student is classified as either a Freshman, Sophomore, Junior, or Senior.
- Students can take only a single section of a class, taught by a single instructor.

Key(s): $\{StudentID, Class\}$



FD Example (4)

	StudentID	Year	Class	Instructor
t_1	1	Sophomore	COMP355	Wu
t_2	2	Sophomore	COMP285	Wu
t_3	3	Junior	COMP355	Wu
t_4	3	Junior	COMP285	Wu
t_5	2	Sophomore	COMP355	Russo
t_6	4	Sophomore	COMP355	Russo

 $\{StudentID\} \twoheadrightarrow \{Instructor\}$
 $\{Class\} \twoheadrightarrow \{Year\}$
 $\{StudentID\} \twoheadrightarrow \{Class\}$
 $\{Class\} \twoheadrightarrow \{StudentID\}$
 $\{Year\} \twoheadrightarrow \{StudentID\}$
 $\{Class\} \twoheadrightarrow \{Instructor\}$
 $\{Year\} \twoheadrightarrow \{Instructor\}$
 $\{Instructor\} \twoheadrightarrow \{Class\}$
 $\{Year\} \twoheadrightarrow \{Class\}$
 $\{Instructor\} \twoheadrightarrow \{Year\}$
 $\{Instructor\} \twoheadrightarrow \{StudentID\}$


FD Example (5)

	StudentID	Year	Class	Instructor
t_1	1	Sophomore	COMP355	Wu
t_2	2	Sophomore	COMP285	Wu
t_3	3	Junior	COMP355	Wu
t_4	3	Junior	COMP285	Wu
t_5	2	Sophomore	COMP355	Russo
t_6	4	Sophomore	COMP355	Russo

$\{StudentID, Instructor\} \twoheadrightarrow \{Class\}$

$\{Year, Class\} \twoheadrightarrow \{Instructor\}$

$\{Year, Class\} \twoheadrightarrow \{StudentID\}$

$\{Class, Instructor\} \twoheadrightarrow \{StudentID\}$

$\{Class, Instructor\} \twoheadrightarrow \{Year\}$


$\{Year, Class, Instructor\} \twoheadrightarrow \{StudentID\}$



Exercise

Consider the following visual depiction of the functional dependencies of a relational schema.

1. List all FDs in algebraic notation
2. Identify all key(s) of of this relation



Answer

Functional Dependencies

Keys

$$A \rightarrow B$$


$$DA$$

$$CD \rightarrow E$$

$$DB$$

$$BD \rightarrow A$$

$$D \rightarrow C$$



Normalization Process

- Submit a relational schema to a set of tests (related to FDs) to certify whether it satisfies a **normal form**
- If it does not pass, decompose into smaller relations that satisfy the normal form
 - Must be non-additive (i.e. no spurious tuples!)
- The normal form of a relation refers to the highest normal form that it meets
 - As of 2002 the most constraining is 6NF
- The normal form of a database refers to the lowest normal form that any relation meets
 - Practically, a database is normalized if all relations \geq 3NF




1NF – First Normal Form

- The domain of an attribute must include only atomic values and that the value of any attribute in a tuple must be a single value from the domain of that attribute
- No relations within relations or relations as attribute values within tuples
- Considered part of the formal definition of a relation in the basic (flat) relational model
 - In other words, an *implicit* constraint (Lecture 2)



1NF Violation (1)



DEPARTMENT

Dname	<u>Dnumber</u>	Dmgr_ssn	Dlocations

Diagram showing dependencies: Dnumber is the primary key. Dmgr_ssn is a foreign key to Dnumber. Dlocations is a foreign key to Dnumber, indicated by a dashed line.

DEPARTMENT


Dname	<u>Dnumber</u>	Dmgr_ssn	Dlocations
Research	5	333445555	{Bellaire, Sugarland, Houston}
Administration	4	987654321	{Stafford}
Headquarters	1	888665555	{Houston}

DEPARTMENT

Dname	<u>Dnumber</u>	Dmgr_ssn	<u>Dlocation</u>
Research	5	333445555	Bellaire
Research	5	333445555	Sugarland
Research	5	333445555	Houston
Administration	4	987654321	Stafford
Headquarters	1	888665555	Houston



1NF Violation (2)



EMP_PROJ

Ssn	Ename	Projs	
		Pnumber	Hours

EMP_PROJ

Ssn	Ename	Pnumber	Hours
123456789	Smith, John B.	1	32.5
		2	7.5
666884444	Narayan, Ramesh K.	3	40.0
453453453	English, Joyce A.	1	20.0
		2	20.0
333445555	Wong, Franklin T.	2	10.0
		3	10.0
		10	10.0
		20	10.0
999887777	Zelaya, Alicia J.	30	30.0
		10	10.0
987987987	Jabbar, Ahmad V.	10	35.0
		30	5.0
987654321	Wallace, Jennifer S.	30	20.0
		20	15.0
888665555	Borg, James E.	20	NULL

EMP_PROJ1

Ssn	Ename
-----	-------

EMP_PROJ2

Ssn	Pnumber	Hours
-----	---------	-------



Important FD Definitions

Trivial FD	$X \rightarrow Y, Y \subseteq X$
Non-Prime	An attribute that does not occur in any key (opposite: Prime)
Full FD	$X \rightarrow Y, \forall A \in X ((X - \{A\}) \not\rightarrow Y)$
Transitive FD	$X \rightarrow Z \because X \rightarrow Y \text{ and } Y \rightarrow Z$



2NF – Second Normal Form

- 1NF **AND** every non-prime attribute is fully FD on the primary key
 - Must test all FDs whose LHS is part of the PK
- To fix, decompose into relations in which non-prime attributes are associated only with the part of the primary key on which they are fully functionally dependent




2NF Example

<u>StudentID</u>	<u>Course</u>	StudentAddress
1	COMP570	555 Huntington
1	COMP285	555 Huntington
2	COMP570	610 Huntington
3	COMP355	Louis Prang
3	COMP553	Louis Prang

$\{StudentID, Course\} \rightarrow \{StudentAddress\}$

$\{StudentID\} \rightarrow \{StudentAddress\}$



<u>StudentID</u>	StudentAddress
1	555 Huntington
2	610 Huntington
3	Louis Prang

<u>StudentID</u>	<u>Course</u>
1	COMP570
1	COMP285
2	COMP570
3	COMP355
3	COMP553



2NF Can Suffer Update Anomalies

<u>Year</u>	Winner	Nationality
1994	Miguel Indurain	Spain
1995	Miguel Indurain	Spain
1996	Bjarne Riis	Denmark
1997	Jan Ullrich	Germany

- Relation is in 2NF?
 - Trivially true (why?)
- List all non-trivial FDs for this relation state
 - $\{Year\} \rightarrow \{Winner, Nationality\}$
 - $\{Winner\} \rightarrow \{Nationality\}$
- What if we insert (1998, Jan Ullrich, USA)?



3NF – Third Normal Form



- **2NF AND** every non-prime attribute is non-transitively dependent on every key
“A non-key field must provide a fact about the key, the whole key, and nothing but the key. So help me Codd.”
- To fix, decompose into multiple relations, whereby the intermediate non-key attribute(s) functionally determine other non-prime attributes



3NF Example

<u>Year</u>	Winner	Nationality
1994	Miguel Indurain	Spain
1995	Miguel Indurain	Spain
1996	Bjarne Riis	Denmark
1997	Jan Ullrich	Germany

$Year \rightarrow Nationality$::
 $Year \rightarrow Winner$ and
 $Winner \rightarrow Nationality$




<u>Year</u>	Winner
1994	Miguel Indurain
1995	Miguel Indurain
1996	Bjarne Riis
1997	Jan Ullrich

<u>Winner</u>	Nationality
Miguel Indurain	Spain
Bjarne Riis	Denmark
Jan Ullrich	Germany




Exercise



Consider the schema for relation **T**, as well as all FDs. What is the normal form of **T**? If **T** violates 3NF, provide a 3NF decomposition that satisfies the FDs (including the primary key) and does not produce spurious tuples. Show and explain all steps of your analysis and decomposition (if applicable).



Answer (1)



List non-trivial FDs

$$AD \rightarrow BCE$$

$$A \rightarrow BC$$


$$C \rightarrow B$$

Written algebraically

$$T(\underline{A}, B, C, \underline{D}, E)$$



Answer (2)



T is in ...

- Both B & C are FD on A
 - Thus not fully FD on PK (AD)

Decompose!



Answer (3)

T1

<u>A</u>	<u>D</u>	E
----------	----------	---

T2

<u>A</u>	B	C
----------	---	---

T1 is in ...

- 2NF: E is fully FD on AD
- 3NF: No transitive FDs (trivially true)

T2 is in ...

- 2NF: B and C fully FD on A (trivially true)
- !3NF: B is transitively FD on A [via C]

Decompose!

$$T1(\underline{A}, \underline{D}, E)$$


$$T2(\underline{A}, B, C)$$

$$AD \rightarrow E$$

$$A \rightarrow BC$$

$$C \rightarrow B$$


Answer (4)



$$T1(\underline{A}, \underline{D}, E)$$

$$T2_1(\underline{A}, C)$$

$$T2_2(\underline{C}, B)$$

$$AD \rightarrow E$$

$$A \rightarrow C$$

$$C \rightarrow B$$


Database is in 3NF

- Why?



Answer (5)

Supplies



Supplier_Parts



Suppliers



Cities



$$\{SupplierID, PartID\} \rightarrow \{Qty\}$$

$$\{SupplierID\} \rightarrow \{City\}$$

$$\{City\} \rightarrow \{Status\}$$



Summary

- Normalization is the theory and process by which to evaluate and improve relational database design
 - Makes the schema informative
 - Minimizes information duplication
 - Avoids modification anomalies
 - Disallows spurious tuples
- Make sure all your relations are *at least* 3NF!
 - Higher normal forms exist
 - We may reduce during physical design

