

REPORT

Report No.: 618502/1

Sample number: 2009057

Customer name/address:	CBD Life Hungary Kft. 2615 Csóvár Madách út 1.
Project:	Microbiological analysis (2020/E/06028)
Description of sample:	Magna G&T 2.5% CBD olívaoljaban
Sample ID:	MA010250
Producer:	
Sample type:	Foodstuff (Food-supplements)
Sampling by:	Labocan S.A.
Sampling date / Sampling place:	05. 06. 2020. / Liestal Svájc
Packaging / Quantity:	Original Packaging / 2*10 ml
Time of shipment:	09:10 30. 06. 2020.
Beginning of analysis / end:	30. 06. 2020. - 06. 07. 2020.
Comments:	

Microbiological parameters

Parameter	Result	Standards
Total plate count (cfu/g)	<10	MSZ EN ISO 4833-1:2014
Enterobacteriaceae (cfu/g)	<10	MSZ EN ISO 21528-2:2017
Yeasts count (cfu/g)	<10	MSZ ISO 7954:1999 (withdrawn standard)
Moulds count (cfu/g)	<10	

 Judit dr. Reichardt Gasparikné
 Deputy Head of Laboratory

This test report was generated from a validated system and is valid without a signature.
 The laboratory accepts no responsibility for the information provided by the customer.
 In the case of samples not taken by the laboratory, results refer only to the samples delivered to the laboratory.
 The report shall not be reproduced except in full without the written approval of the WESSLING Hungary Kft.



Certificate validity check.

 The laboratory is accredited under Reg.
 No: NAH-1-1009/2019 by NAH

 Project:
 Microbiological analysis
 (2020/E/06028)

 Report No.:
 618502/1;
 25.08.2020

REPORT

Report No.: 618503/1

Sample number: 2009061

Customer name/address:	CBD Life Hungary Kft. 2615 Csóvár Madách út 1.
Project:	Microbiological analysis (2020/E/06028)
Description of sample:	Magna G&T 5% CBD kendermagolajban
Sample ID:	MA010501
Producer:	
Sample type:	Foodstuff (Food-supplements)
Sampling by:	Labocan S.A.
Sampling date / Sampling place:	05. 06. 2020. / Liestal Svájc
Packaging / Quantity:	Original Packaging / 2*10 ml
Time of shipment:	09:10 30. 06. 2020.
Beginning of analysis / end:	30. 06. 2020. - 06. 07. 2020.
Comments:	

Microbiological parameters

Parameter	Result	Standards
Total plate count (cfu/g)	<10	MSZ EN ISO 4833-1:2014
Enterobacteriaceae (cfu/g)	<10	MSZ EN ISO 21528-2:2017
Yeasts count (cfu/g)	<10	MSZ ISO 7954:1999 (withdrawn standard)
Moulds count (cfu/g)	<10	

Judit dr. Reichardt Gasparikné
Deputy Head of Laboratory

This test report was generated from a validated system and is valid without a signature.
 The laboratory accepts no responsibility for the information provided by the customer.
 In the case of samples not taken by the laboratory, results refer only to the samples delivered to the laboratory.
 The report shall not be reproduced except in full without the written approval of the WESSLING Hungary Kft.



Certificate validity check.

The laboratory is accredited under Reg.
No: NAH-1-1009/2019 by NAH

Project:
Microbiological analysis
(2020/E/06028)

Report No.:
618503/1;
25.08.2020

REPORT

Report No.: 618504/1

Sample number: 2009064

Customer name/address:	CBD Life Hungary Kft. 2615 Csóvár Madách út 1.
Project:	Microbiological analysis (2020/E/06028)
Description of sample:	Magna G&T 5% CBD olívaolajban
Sample ID:	MA010502
Producer:	
Sample type:	Foodstuff (Food-supplements)
Sampling by:	Labocan S.A.
Sampling date / Sampling place:	05. 06. 2020. / Liestal Svájc
Packaging / Quantity:	Original Packaging / 2*10 ml
Time of shipment:	09:10 30. 06. 2020.
Beginning of analysis / end:	30. 06. 2020. - 06. 07. 2020.
Comments:	

Microbiological parameters

Parameter	Result	Standards
Total plate count (cfu/g)	<10	MSZ EN ISO 4833-1:2014
Enterobacteriaceae (cfu/g)	<10	MSZ EN ISO 21528-2:2017
Yeasts count (cfu/g)	<10	MSZ ISO 7954:1999 (withdrawn standard)
Moulds count (cfu/g)	<10	

 Judit dr. Reichardt Gasparikné
 Deputy Head of Laboratory

This test report was generated from a validated system and is valid without a signature.
 The laboratory accepts no responsibility for the information provided by the customer.
 In the case of samples not taken by the laboratory, results refer only to the samples delivered to the laboratory.
 The report shall not be reproduced except in full without the written approval of the WESSLING Hungary Kft.



Certificate validity check.

 The laboratory is accredited under Reg.
 No: NAH-1-1009/2019 by NAH

 Project:
 Microbiological analysis
 (2020/E/06028)

 Report No.:
 618504/1;
 25.08.2020

REPORT

Report No.: 618505/1

Sample number: 2009066

Customer name/address:	CBD Life Hungary Kft. 2615 Csóvár Madách út 1.
Project:	Microbiological analysis (2020/E/06028)
Description of sample:	Magna G&T 5% CBD fekete köménymagolajban
Sample ID:	MA010503
Producer:	
Sample type:	Foodstuff (Food-supplements)
Sampling by:	Labocan S.A.
Sampling date / Sampling place:	05. 06. 2020. / Liestal Svájc
Packaging / Quantity:	Original Packaging / 2*10 ml
Time of shipment:	09:10 30. 06. 2020.
Beginning of analysis / end:	30. 06. 2020. - 06. 07. 2020.
Comments:	

Microbiological parameters

Parameter	Result	Standards
Total plate count (cfu/g)	<10	MSZ EN ISO 4833-1:2014
Enterobacteriaceae (cfu/g)	<10	MSZ EN ISO 21528-2:2017
Yeasts count (cfu/g)	<10	MSZ ISO 7954:1999 (withdrawn standard)
Moulds count (cfu/g)	<10	

 Judit dr. Reichardt Gasparikné
 Deputy Head of Laboratory

This test report was generated from a validated system and is valid without a signature.
 The laboratory accepts no responsibility for the information provided by the customer.
 In the case of samples not taken by the laboratory, results refer only to the samples delivered to the laboratory.
 The report shall not be reproduced except in full without the written approval of the WESSLING Hungary Kft.



Certificate validity check.

 The laboratory is accredited under Reg.
 No: NAH-1-1009/2019 by NAH

 Project:
 Microbiological analysis
 (2020/E/06028)

 Report No.:
 618505/1;
 25.08.2020

REPORT

Report No.: 618506/1

Sample number: 2009067

Customer name/address:	CBD Life Hungary Kft. 2615 Csóvár Madách út 1.
Project:	Microbiological analysis (2020/E/06028)
Description of sample:	Magna G&T 10% CBD olívaolajban
Sample ID:	MA011002
Producer:	
Sample type:	Foodstuff (Food-supplements)
Sampling by:	Labocan S.A.
Sampling date / Sampling place:	05. 06. 2020. / Liestal Svájc
Packaging / Quantity:	Original Packaging / 2*10 ml
Time of shipment:	09:10 30. 06. 2020.
Beginning of analysis / end:	30. 06. 2020. - 06. 07. 2020.
Comments:	

Microbiological parameters

Parameter	Result	Standards
Total plate count (cfu/g)	<10	MSZ EN ISO 4833-1:2014
Enterobacteriaceae (cfu/g)	<10	MSZ EN ISO 21528-2:2017
Yeasts count (cfu/g)	<10	MSZ ISO 7954:1999 (withdrawn standard)
Moulds count (cfu/g)	<10	

 Judit dr. Reichardt Gasparikné
 Deputy Head of Laboratory

This test report was generated from a validated system and is valid without a signature.
 The laboratory accepts no responsibility for the information provided by the customer.
 In the case of samples not taken by the laboratory, results refer only to the samples delivered to the laboratory.
 The report shall not be reproduced except in full without the written approval of the WESSLING Hungary Kft.



Certificate validity check.

 The laboratory is accredited under Reg.
 No: NAH-1-1009/2019 by NAH

 Project:
 Microbiological analysis
 (2020/E/06028)

 Report No.:
 618506/1;
 25.08.2020

REPORT

Report No.: 618507/1

Sample number: 2009068

Customer name/address:	CBD Life Hungary Kft. 2615 Csóvár Madách út 1.
Project:	Microbiological analysis (2020/E/06028)
Description of sample:	Magna G&T 20% CBD kendermagolajban
Sample ID:	MA012001
Producer:	
Sample type:	Foodstuff (Food-supplements)
Sampling by:	Labocan S.A.
Sampling date / Sampling place:	05. 06. 2020. / Liestal Svájc
Packaging / Quantity:	Original Packaging / 2*10 ml
Time of shipment:	09:10 30. 06. 2020.
Beginning of analysis / end:	30. 06. 2020. - 06. 07. 2020.
Comments:	

Microbiological parameters

Parameter	Result	Standards
Total plate count (cfu/g)	<10	MSZ EN ISO 4833-1:2014
Enterobacteriaceae (cfu/g)	<10	MSZ EN ISO 21528-2:2017
Yeasts count (cfu/g)	<10	MSZ ISO 7954:1999 (withdrawn standard)
Moulds count (cfu/g)	<10	

 Judit dr. Reichardt Gasparikné
 Deputy Head of Laboratory

This test report was generated from a validated system and is valid without a signature.
 The laboratory accepts no responsibility for the information provided by the customer.
 In the case of samples not taken by the laboratory, results refer only to the samples delivered to the laboratory.
 The report shall not be reproduced except in full without the written approval of the WESSLING Hungary Kft.



Certificate validity check.

 The laboratory is accredited under Reg.
 No: NAH-1-1009/2019 by NAH

 Project:
 Microbiological analysis
 (2020/E/06028)

 Report No.:
 618507/1;
 25.08.2020

REPORT

Report No.: 618508/1

Sample number: 2009073

Customer name/address:	CBD Life Hungary Kft. 2615 Csóvár Madách út 1.
Project:	Microbiological analysis (2020/E/06028)
Description of sample:	Magna G&T 30% CBD MCT olajban
Sample ID:	MA013001
Producer:	
Sample type:	Foodstuff (Food-supplements)
Sampling by:	Labocan S.A.
Sampling date / Sampling place:	05. 06. 2020. / Liestal Svájc
Packaging / Quantity:	Original Packaging / 2*10 ml
Time of shipment:	09:10 30. 06. 2020.
Beginning of analysis / end:	30. 06. 2020. - 06. 07. 2020.
Comments:	

Microbiological parameters

Parameter	Result	Standards
Total plate count (cfu/g)	<10	MSZ EN ISO 4833-1:2014
Enterobacteriaceae (cfu/g)	<10	MSZ EN ISO 21528-2:2017
Yeasts count (cfu/g)	<10	MSZ ISO 7954:1999 (withdrawn standard)
Moulds count (cfu/g)	<10	

 Judit dr. Reichardt Gasparikné
 Deputy Head of Laboratory

This test report was generated from a validated system and is valid without a signature.
 The laboratory accepts no responsibility for the information provided by the customer.
 In the case of samples not taken by the laboratory, results refer only to the samples delivered to the laboratory.
 The report shall not be reproduced except in full without the written approval of the WESSLING Hungary Kft.



Certificate validity check.

 The laboratory is accredited under Reg.
 No: NAH-1-1009/2019 by NAH

 Project:
 Microbiological analysis
 (2020/E/06028)

 Report No.:
 618508/1;
 25.08.2020

REPORT

Report No.: 618509/1

Sample number: 2009075

Customer name/address:	CBD Life Hungary Kft. 2615 Csóvár Madách út 1.
Project:	Microbiological analysis (2020/E/06028)
Description of sample:	Magna G&T 4% CBD lágygél kapszula
Sample ID:	MA020402
Producer:	
Sample type:	Foodstuff (Food-supplements)
Sampling by:	Labocan S.A.
Sampling date / Sampling place:	05. 06. 2020. / Liestal Svájc
Packaging / Quantity:	Plastic box / 2*30 db
Time of shipment:	09:10 30. 06. 2020.
Beginning of analysis / end:	30. 06. 2020. - 06. 07. 2020.
Comments:	

Microbiological parameters

Parameter	Result	Standards
Total plate count (cfu/g)	<10	MSZ EN ISO 4833-1:2014
Enterobacteriaceae (cfu/g)	<10	MSZ EN ISO 21528-2:2017
Yeasts count (cfu/g)	<10	MSZ ISO 7954:1999 (withdrawn standard)
Moulds count (cfu/g)	<10	

 Judit dr. Reichardt Gasparikné
 Deputy Head of Laboratory

This test report was generated from a validated system and is valid without a signature.
 The laboratory accepts no responsibility for the information provided by the customer.
 In the case of samples not taken by the laboratory, results refer only to the samples delivered to the laboratory.
 The report shall not be reproduced except in full without the written approval of the WESSLING Hungary Kft.



Certificate validity check.

 The laboratory is accredited under Reg.
 No: NAH-1-1009/2019 by NAH

 Project:
 Microbiological analysis
 (2020/E/06028)

 Report No.:
 618509/1;
 25.08.2020

REPORT

Report No.: 618510/1

Sample number: 2009077

Customer name/address:	CBD Life Hungary Kft. 2615 Csóvár Madách út 1.
Project:	Microbiological analysis (2020/E/06028)
Description of sample:	Magna G&T 10% CBD lágygél kapszula
Sample ID:	MA021002
Producer:	
Sample type:	Foodstuff (Food-supplements)
Sampling by:	Labocan S.A.
Sampling date / Sampling place:	05. 06. 2020. / Liestal Svájc
Packaging / Quantity:	Plastic box / 2*20 g
Time of shipment:	09:10 30. 06. 2020.
Beginning of analysis / end:	30. 06. 2020. - 06. 07. 2020.
Comments:	

Microbiological parameters

Parameter	Result	Standards
Total plate count (cfu/g)	<10	MSZ EN ISO 4833-1:2014
Enterobacteriaceae (cfu/g)	<10	MSZ EN ISO 21528-2:2017
Yeasts count (cfu/g)	<10	MSZ ISO 7954:1999 (withdrawn standard)
Moulds count (cfu/g)	<10	

 Judit dr. Reichardt Gasparikné
 Deputy Head of Laboratory

This test report was generated from a validated system and is valid without a signature.
 The laboratory accepts no responsibility for the information provided by the customer.
 In the case of samples not taken by the laboratory, results refer only to the samples delivered to the laboratory.
 The report shall not be reproduced except in full without the written approval of the WESSLING Hungary Kft.



Certificate validity check.

 The laboratory is accredited under Reg.
 No: NAH-1-1009/2019 by NAH

 Project:
 Microbiological analysis
 (2020/E/06028)

 Report No.:
 618510/1;
 25.08.2020

REPORT

Report No.: 618511/1

Sample number: 2009078

Customer name/address:	CBD Life Hungary Kft. 2615 Csóvár Madách út 1.
Project:	Microbiological analysis (2020/E/06028)
Description of sample:	Magna G&T Melaform
Sample ID:	MA030000
Producer:	
Sample type:	Foodstuff (Food-supplements)
Sampling by:	Labocan S.A.
Sampling date / Sampling place:	05. 06. 2020. / Liestal Svájc
Packaging / Quantity:	Original Packaging / 2*30 ml
Time of shipment:	09:10 30. 06. 2020.
Beginning of analysis / end:	30. 06. 2020. - 06. 07. 2020.
Comments:	

Microbiological parameters

Parameter	Result	Standards
Total plate count (cfu/g)	<10	MSZ EN ISO 4833-1:2014
Enterobacteriaceae (cfu/g)	<10	MSZ EN ISO 21528-2:2017
Yeasts count (cfu/g)	<10	MSZ ISO 7954:1999 (withdrawn standard)
Moulds count (cfu/g)	<10	

 Judit dr. Reichardt Gasparikné
 Deputy Head of Laboratory

This test report was generated from a validated system and is valid without a signature.
 The laboratory accepts no responsibility for the information provided by the customer.
 In the case of samples not taken by the laboratory, results refer only to the samples delivered to the laboratory.
 The report shall not be reproduced except in full without the written approval of the WESSLING Hungary Kft.



Certificate validity check.

 The laboratory is accredited under Reg.
 No: NAH-1-1009/2019 by NAH

 Project:
 Microbiological analysis
 (2020/E/06028)

 Report No.:
 618511/1;
 25.08.2020