

# LESCO DISTRIBUTING

Consumer Electronics and Communications Specialists

## BUYING GUIDE

2013-2014



Featuring

**ROSEN**  
ENTERTAINMENT SYSTEMS

and other Quality Electronics



# LESCO

# DISTRIBUTING

## INDEX (National Edition)

ALPHA-NAV .....	83	GALAXY .....	121/131	RACE SPORT .....	122
AMPHENOL .....	124	HAMMERHEAD .....	124	RANGER .....	121
ARIES .....	124-128	HUSTLER .....	119	RE AUDIO .....	57 - 58
ASTATIC .....	123	INTRAPHEX .....	75	RENEGADE .....	49 - 50
AUDIOPIPE .....	41 - 45	KINETIK .....	86	RF LIMITED .....	118
AUTOPAGE .....	113-114	LIGHTNING AUDIO .....	47 - 48	ROADKING .....	120
AVITAL .....	110	MASSIVE .....	30 - 35	ROCKY MOUNTAIN .....	121
BAZOOKA .....	36 - 38	METRA .....	99 - 104	ROSEN .....	1 - 4
BEYMA .....	51 - 52	MIDLAND .....	132-133	ROSTRA .....	59 - 66
BLACKMORE .....	115	MONKEY MADE .....	120	SCYTEK .....	111
BOYO .....	84 - 85	NAV-TV .....	76	SIRIUS XM .....	56
BRANDMOTION .....	67 - 69	OMEGA .....	142-155	SOLAR GARD .....	98
BRUTAL BASS .....	92	PAC .....	105-108	SOUNDSTREAM .....	19 - 29
CARSHOW .....	115	PARROT .....	95 - 96	SPAL .....	77 - 78
CLARION .....	5 - 10	PHILIPS .....	94	STINGER .....	108
COBRA .....	138-141	POWER ACOUSTIK .....	11 - 18	TOP DAWG .....	74
CONCEPT .....	46	PRECISION POWER .....	53 - 55	TVIEW .....	79 - 81
ECHOMASTER .....	70 - 73	PREDATOR 10-K .....	122	ULTRA START .....	112
DIRECTED .....	109	PROBOX .....	93	UNIDEN .....	134-137
DOSY .....	118	PROCOMM .....	129-130	VIZUALOGIC .....	82
DUAL .....	39 - 40	PYRAMID .....	116	WILSON .....	123
FIRESTIK .....	120	QPOWER .....	88 - 91	WORKMAN/BANDIT .....	117
FRANCIS .....	123	QUICK CONNECT .....	97	XS POWER .....	87

**ROSEN**  
ENTERTAINMENT SYSTEMS

## X & Z-Series Overhead DVD Systems

**ALL-NEW  
X10**

**XR1020G - Gray**  
**XR1020N - Neutral**

- 10.2" Wide-Screen Flip-Down LCD Display with Side-Load DVD/CD/MP3 Player
- Wireless-FM Transmitter • Dual Hi-Intensity Dome Lights with 3-Way Switch (On-Auto-Off)
- Includes: Two 1-Channel Wireless Fold-Flat Headphones and Wireless Remote Control
- HDMI Input for Smartphones (X10)
- Includes 50 Video Games (up from 25), Wireless Game Controller, and has Made for iPhone & iPod Interface (optional AP1096 Harness)



**ZR8500N - Neutral**

- 8.5" Wide-Screen Flip-Down LCD Display with Side-Load DVD/CD MP3 Player • Wireless-FM Transmitter
- Dual High-Intensity Dome Lights with 3-Way Switch (On-Auto-Off) • Includes: (2) 1-Channel Wireless Fold-Flat Headphones and Wireless Remote Control

# LESCO

800-327-2830 Miami  
800-348-2888 Indiana

• 800-444-8896 Orlando  
• 800-527-2939 Texas



**LESCO**

**DISTRIBUTING**

**ROSEN**  
ENTERTAINMENT SYSTEMS

# Factory-Look Navigation

## Standard Piranha Series Features:

- Factory-Look Faceplate for True OEM Styling
- 6.5" - 7" Hi-Res Touchscreen LCD Display
- Play CD's, DVD's & MP3's
- 50W x 4 RMS MOSFET Audio Amplifier
- AM/FM Tuner w/RDS + 18FM & 12AM Presets
- SAT Radio Ready
- USB & Micro SD Media Ports



- Made for iPod Interface w/Album Art & Search Functions
- Parrot Bluetooth w/Phonebook Download, Voice-Dialing
- Pandora iPhone Interface w/Album Art
- NavNGo Primo 2.0 Nav Software w/U.S. Maps, 2D/3D Views, 11+ Million POI Library, 5 Languages, Lane Assist & Junctions Views, Speed Warnings, Green Routing and Much More



Chrysler/Dodge/Jeep Series



GM Series



2012 Honda Civic



2013 Honda CR-V



2012-13 Toyota Camry



2008-12 Toyota Highlander



2012-13 Toyota Prius Two



08-13 Toyota Sequoia / 07-13 Tundra



Toyota / Scion Series



VW Series



2013 Nissan Altima



**2010 - 14 FORD MUSTANG w/ SYNC** This adds Nav + color back-up camera (included). Retains all factory audio system components. Vehicle must be SYNC equipped



Scan for More Info



**LESCO**

**D I S T R I B U T I N G**

**ROSEN**  
ENTERTAINMENT SYSTEMS

# Seat Back Entertainment Systems for BMW, Chrysler, Dodge, Jeep, Lexus, Mercedes & Universal Application



Now w/50 Video Games & Hi-Def LCD



**AV7700™** – Available in Silver & Black  
Standard System Features:

- Dual 7.0 Hi-Def LCD Displays
- Dual DVD/CD/MP3 Players
- Dual Video Games
- Vehicle Specific & Universal Mounting Systems
- USB Media Port For Flashdrives
- AUX Input For Connecting iPod or Other MP3 Devices
- Plays Through Vehicles Audio System Via An All-Channel FM Transmitter OR Audio Direct Connect Capable

- Each Entertainment Pod Operates Independently or can Share Media Between Pods (watch same movie, etc)
- System Control Module Includes (2) A/V Output, (1) A/V Input and Remote Eye Inputs for Optional Parental Front Seat IR Repeaters
- Full System Controls On Front
- Front-to-Back Screen Tilt For Optimum Viewing Angle
- System Includes: (2) Wireless Fold-Flat Headphones, (1) Wireless Game Controller, (1) Wireless Remote Control, Quick Start Guide, Owners & Installation Manuals

# Double DIN In-Dash, Piranha Series Parrot Multimedia and Navigation System



**PR-UN1170-US**

- 6.5" High Definition Touch-screen LCD Display with Tuning/Volume Knob • Parrot Bluetooth w/Phonebook Download, A2DP and Internal and External Microphones Included • Nav-N-Go Primo Software includes Visual and Text-to Speech Turn-by-Turn Directions, 11 + Million Points-of-Interest Library, 3D Route and Building Views for Major Cities, 3D Topography Terrain Views, Green Routing Options and Fuel Tracker • 5 Language Options (English, Spanish, Japanese, Korean, Chinese) • Made For iPod/Works with iPhone Interface with Direct Connect USB Input • Play DVD Movies, Audio CD's or Discs with MP3 Music Files • AM/FM Tuner with RDS, 18 FM/12 AM Presets, Seek-Scan • Sirius SAT Radio Ready • Micro SD Card Slot • 10 Function Steering Wheel Control Interface with Vehicle Presets • Programmable On-Screen Quick Command Keys for Source Selection • 7 User Selectable Back-light & Screen Highlight Colors • 50W x 4 Audio Amplifier with Built-in Crossover and 3v Subwoofer Controls • DSP with Graphic EQ • Back-Up Camera Interface • Smart Dual-Zone Interface • One Audio/Video Input, One Composite Video and Audio Output, One Line Level Output, Subwoofer Output with Amplifier Turn-On • Software Up-dates via Rosen Web Site and Micro SD Card • User Quick Start Guide and Detailed Installation Manual



**LESCO**

D I S T R I B U T I N G

**ROSEN**  
ENTERTAINMENT SYSTEMS

# Multi-Media Solutions

## AV7900 Headrest Entertainment System "QUICK-CHANGE SERIES"

### Features:

- Tablet-Look Styling • 7.0" High Definition LCD Display
- Capacitive Touch Controls • Modular Component Design allows for 6 System Options: 1. *Dual DVD System* 2. *Single DVD System* 3. *Single DVD plus iDoc+™ System* 4. *Dual iDoc+™ System* 5. *Single iDoc+™ System* 6. *Dual Monitor System*



## iDoc+™ MEDIA CENTER:

*Patent Pending*

- Support for iPhone® 3G/3GS/4/4S
- iPod Touch® 4/iPod Classic® (GEN 6)
- Charges Apple® Devices
  - 16GB USB and Micro SD Ports



**50 VIDEO GAMES**  
(including Monitor only)

# Factory Display Radio Interfaces

**Rosen's OE** Display Radio Interfaces include NavGo Primo 2.0 Navigation, the capability to add a color back up camera and simplicity of installation. The Nissan-Infiniti model takes this category to new heights with the Hi-Res LCD replacement display that is included on select models. No more playing electronics surgeon by dis-assembling sensitive factory modules, adding a touch-screen layer and risking damage to the factory system. This system is 100% Plug'n Play and includes an on-screen NAV button to easily switch between factory radio or other sources to Nav and back again.



**Fits These 2009 - 2013 Vehicles NISSAN:** Armada, Murano, Pathfinder, Maxima **INFINITI:** EX, FX, G25/35/37, Quest, QX  
**GM Models Coming Soon:** 2014 Chev Silverado, GMC Sierra & More • 2013-14 Buick Enclave, Chev Traverse, GMC Acadia  
• 2010-14 Chev Equinox, GMC Terrain



**LESCO**

**D I S T R I B U T I N G**

**Clarion®**

## Multimedia Units w/Navigation



### NX702

- Double DIN Motorized 7" Touch-panel WVGA Monitor/DVD Receiver
- Built-in Navigation • Pandora Internet Radio • HD Radio • Built-in Parrot Bluetooth • SiriusXM Ready • Rear Camera Video Input
- Rear USB Port • 6 Channel 4v RCA Output • Audio/Video Inputs (Rear RCA) • Remote Control Included

with **SMART ACCESS**



### NX603

- Double DIN Multimedia Smart Access DVD Receiver w/6.2" Touch-panel WVGA Monitor • Built-in NAV • Smart Access with Apple iPhone & Android Smart Phone • MP3/WMA Playback via DVD/CD & MicroSD • Built-in Bluetooth • Pandora Station Link with USB using Pandora App • SiriusXM-Ready • Audio/Video Inputs
- Rear USB Port • 6 Ch 4v RCA Output • Rearview Camera Input

### NZ503

- Single DIN Multimedia DVD Receiver with 7" Touchpanel WVGA Monitor • Built-in NAV • Built-in Parrot Bluetooth • Built-in iGo Primo Mapping on Preloaded Micro SD Card • Pandora Station Link with USB using Pandora App • HD Radio & SiriusXM-Ready
- Rear USB Port • 6 Channel 4v RCA Output • Audio/Video Inputs (Front 3.5mm/Rear RCA) • Remote Control Included



## Multimedia



### VZ401

- Single DIN Multimedia Motorized 7" Touch-Screen LCD Monitor
- Hi-Res Widescreen VGA • DVD/CD/MP3/WMA Playback • Built-in Bluetooth • NAV Ready • 40 Watts x 4 • SIRIUS & HD Radio Ready
- USB Input • 2 Audio/Video Inputs • Audio/Video Output • Rear Camera Video Input • iPod Audio/Video Control • 6 Channel/2v RCA Output • Remote Control Included



### VX401

- Double DIN Multimedia 6.5" Touch-Screen LCD Monitor • Hi-Res Widescreen VGA • DVD/CD/MP3/WMA Playback • Built-in Bluetooth • NAV Ready • SIRIUS and HD Radio Ready • 40 Watts x 4
- USB Input • 6 Channel 2v RCA Output • Rearview Camera Input
- 2 Audio/Video Inputs • Audio Video Output • Remote Control

## Rear-view Camera

### CC510

- Rear Vision CMOS Camera with Distance Guide Lines • 1/4" Color CMOS Sensor Technology • 150° Horizontal Viewing Angle • 100° Vertical Viewing Angle • High Visibility Day and Night • 0.5 LUX Low Light Sensitivity • Mirror Image • Auto Gain Control • Water Ingress Protection • Tilt and Swivel Mounting Bracket Included



**Authorized Dealers Only**  
 – Call your Sales-Rep for Details –  
 – Territory Restrictions –



Clarion®

## Single & Double DIN Source Units



### CZ202 – Made for iPod/iPhone

- Single DIN CD Receiver • CD/MP3/WMA Playback • Pandora Internet Radio Station Link • Front 3.5mm Audio Auxiliary Input
- Front USB Port • 4-Channel/2v RCA Output • Subwoofer Volume Control • OEM Steering Wheel Remote Ready • Built-in Low Pass Filters • 45 Watts x 4 • EX Dynamic Bass Enhancement • Remote Control Included



### CZ102

- Single DIN CD Receiver • CD/MP3/WMA Playback • 3.5mm Audio Auxiliary Front Input • 45 Watts x 4 • 2-Channel/2v RCA Output
- Subwoofer Volume Control • EX Dynamic Bass Enhancement • OEM Steering Wheel Remote Ready • Built-in Low Pass Filters • Remote Control Included



### CZ702 – Made for iPod/iPhone

- Single DIN CD Receiver • CD/USB/MP3/WMA Playback • Built-in Parrot Bluetooth Interface • 728 Color Variable Lighting Buttons & Display • Front 3.5mm Audio Auxiliary Input • Pandora Internet Radio Station Link • HD Radio & SiriusXM Ready • 50 Watts x 4
- Rear USB Port • 6-Channel/5v RCA Output • Subwoofer Volume Control • OEM Steering Wheel Remote Ready • Built-in High/Low Pass Filters • Beat EQ Plus • Remote Control Included



### CZ302 – Made for iPod/iPhone

- Single DIN CD Receiver • CD/USB/MP3/WMA Playback • Built-in Parrot Bluetooth Interface • 3.5mm Audio Auxiliary Front Input
- Front USB Port • Pandora Internet Radio Station Link • SiriusXM Ready • 45 Watts x 4 • 4-Channel/2v RCA Output • Subwoofer Volume Control • OEM Steering Wheel Remote Ready • Built-in High/Low Pass Filters • Remote Control Included



### FZ150

- Single DIN AM/FM/MP3/WMA Receiver with Front USB Port • 3.5 mm Front AUX Input • Front SD Card Slot • High Visibility Display • 12 AM/18 FM Presets • 40 Watts x 4 • 4 Preset EQ Modes • Rotary Volume Knob • 6 Preset Buttons • 2-Channel RCA Output • Shallow Mounting Depth



### CX501 – Made for iPod/iPhone

- Double DIN CD/USB/MP3/WMA Receiver with Built-in Bluetooth • 728 Color Variable Lighting Display and Buttons • Front 3.5mm Auxiliary Input and Front USB Port • Sirius and HD Radio Ready • 50 Watts x 4 • 6 Channel/4v RCA Output • OEM Steering Wheel Remote Ready • Remote Control Included

## Signal Processors & HD Radio Tuner



### EQS746

- 7-Band Graphic Equalizer
- 6-Channel/7v RCA Outputs (F/R/Sub)
- Independent Master Volume and Subwoofer Level Control • 2-Channel RCA AUX Input with Adjustable Gain • Fader Control • Selectable Low-Pass Crossover • Gold Plated Terminals



### MCD360


- 3-Way Electronic Crossover
- 2/4/6 Channel Input • High-Pass Crossover Frequency Multiplier • 6-Channel/5v RCA Outputs (F/R/Sub) • Subwoofer Equalizer & Boost Level Controls • Remote Subwoofer Level Control Included • Gold Plated Terminals



### THD301

- HD Radio Module for Select Clarion Head Units • iTunes® Tagging Ready • Provides Crystal Clear FM Broadcasts • Displays Song Title, Artist and Song information on the Display • Digital Multi-band Broadcast Reception

**Authorized Dealers Only**  
 – Call your Sales-Rep for Details –  
 – Territory Restrictions –



**Clarion®**

## Class A/B XR Amplifiers



- Black Anodized Aluminum • MOS-FET Power Supply • Selectable Bass Boost
- Gold Plated Connectors • 2 ohm Stable (2 ohm Stereo Stable: XR2220)

Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω	Max Power Output
<b>XR2120</b>	1	280W x 1	400W x 1	-	570W
<b>XR2420</b>	4/3/2	60W x 4	90W x 4	180W x 2	480W
<b>XR2220</b>	2	65W x 2	95W x 2	190W x 1	280W

## Class D Amplifiers



- MOS-FET Power Supply • Conformally Coated PC Board • Soft Turn-On & Turn-Off Circuitry • Hi/Low Pass Electronic Crossover • Ground Loop Isolation Circuit
- Stainless Hardware • Corrosion Resistant Nickel Plated RCA, Power, and Speaker Connections • 2 ohm Stable

Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω	Max Power
<b>XC6610</b>	6/5/4/3	85W x 6	125W x 6	250W x 3 @ 4Ω	1000W
<b>XC6410</b>	4/3/2	85W x 4	125W x 4	250W x 2 @ 4Ω	600W
<b>XC6210</b>	2	85W x 2	125W x 2	250W x 1 @ 4Ω	350W

## Micro Size Full Range Class D Amplifier




- Power Mosfet Switching Transistors • Soft Turn-On and Turn-Off Circuitry
- Selectable Hi/Low Gain Control • Ground Loop Isolation Circuit • 2Ω Stability

Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω	Max Power
<b>XC1410</b>	4	50W x 4	75W x 4	-	300W

**Authorized Dealers Only**  
 – Call your Sales-Rep for Details –  
 – Territory Restrictions –





Clarion®

## SRG Speakers



- Full Range of Multiaxial & Coaxial Speakers
- Powerful Strontium Magnet for Dynamic Bass Response

Model	Size	Power RMS/Max	Tweeter	Grills
SRG6932R (6933)	6 x 9" – 3-Way	50 Watts/400 Watts	11/16" Dome	Yes
SRG6832C (6833)	6 x 8" – 3-Way	45 Watts/300 Watts	5/16" Dome	-
SRG1622R (1623)	6-1/2" – 2-Way	35 Watts/250 Watts	1" Metallized	Yes
SRG1322R (1323)	5-1/4" – 2-Way	30 Watts/230 Watts	1" Metallized	Yes
SRG1022R (1023)	4" – 2-Way	30 Watts/180 Watts	1" Metallized	Yes
SRG5732C	5 x 7" – 3-Way	40 Watts/250 Watts	5/16" Dome	-
SRG4622C (4623)	4 x 6" – 2-Way	30 Watts/200 Watts	1" Metallized	-
SRG922C (923)	3-1/2" – 2-Way	20 Watts/80 Watts	1" Metallized	-

## Subwoofers



- Reinforced SPP Cone • Aluminized IPP Dust Cap • Nitrile Butadiene Rubber High-Excursion Surround • Custom Stamped Steel Powder Coated Basket • Hyper Extended Rear Vented Pole Piece • Heavy Duty Black Aluminum Voice Coils

Model	Size	RMS/Max
WG3020D	12" – Dual 4 ohm	300 Watts/1000 Watts
WG3020	12" – Single 4 ohm	300 Watts/1000 Watts
WG2520D	10" – Dual 4 ohm	300 Watts/1000 Watts
WG2520	10" – Single 4 ohm	300 Watts/1000 Watts
WF2520D	10" – Dual 4 ohm (Shallow Mount)	300 Watts/1000 Watts
WF2520	10" – Single 4 ohm (Shallow Mount)	300 Watts/1000 Watts

## Amplified Subwoofer Enclosure



### SRV250

- Compact Enclosure with 6-3/4" Subwoofer Speaker & Built-in Mosfet Power Amplifier • 150 Watts Maximum Output • AMI-PP Cone w/Aramid Fiber Mixed in Polypropylene • Rigid Aluminum Die-cast Enclosure for Tight Bass Reproduction • Independent Buttons for Gain Control/Low-pass Filter Cut-off Frequency/Phase Switching on Wired Remote Control (cable: 6.5ft) • RCA/Speaker Level Inputs • Low-profile Design allows Installation Under Seat • Remote Control Extension Cable (13 feet) Included

**Authorized Dealers Only**  
 – Call your Sales-Rep for Details –  
 – Territory Restrictions –

## Marine Receivers/Accessories



### M704

- Marine USB/MP3/WMA Receiver w/Watertight Faceplate • Humi Seal Coated PCB • Stainless Steel Chassis • Pandora® Control via USB iPod/iPhone App • SiriusXM™ Satellite Radio Tuner Ready
- Dual 2.1 Amp Rear USB Ports • 2-Channel RCA Audio AUX Inputs
- 6-Channel/4v RCA Output (Front/Rear/Subwoofer) • Wireless IR Remote Included



### CMD8

- Marine CD/USB/MP3/WMA Receiver with Watertight Flipdown Console • Pandora® Control via USB iPod/iPhone App • Humi Seal Coated PCB • SiriusXM™ Satellite Radio Tuner Ready • Built-in Hi/Low Pass Filters • Rear USB Port • 2-Channel RCA Audio AUX Inputs • 4-Channel/2v RCA Output (Front/Rear/Sub) • Magna Bass EX Sound Enhancement • Wireless Remote Control Ready



### CMS5

- Marine MP3/WMA/MP4 Digital Media Receiver with 4.3" Color LCD Watertight Controller • HumiSeal Coated PCB • Watertight Black Box • Built-In Bluetooth® • Pandora® Control via USB iPod/iPhone App • HumiSeal Coated PCB • SiriusXM-Ready™ • Dual 2.1 Amp USB Ports • SiriusXM-Ready™ • 6-Channel 4v RCA Output (Front/Rear/Subwoofer) • Wireless IR Remote Included



### M303

- Marine Bluetooth/CD/USB/MP3/WMA Receiver • Built-in Parrot Bluetooth® Interface • Humi Seal Coated PCB • Pandora® Control via USB iPod/iPhone App • Built-in Hi/Low Pass Filters • Magna Bass EX Dynamic Bass Enhancement • Rear USB Port • SiriusXM™ Satellite Radio Tuner Ready • 4-Channel/2v RCA Output • Rear RCA Auxiliary Input



### M109

- Single DIN AM/FM/CD/MP3/WMA Receiver • Detachable Control Panel & Case • Bluetooth Ready • Covered Front 3.5mm & Rear AUX Inputs with Level Contro • Z-Enhancer Plus/Magna Bass EX
- 50 Watts x 4 • HumiSeal Coated PCB • 4 Channel 2v RCA Output
- Wireless Remote Control Ready



### M502

- Marine Digital Media Receiver • 7-Way Rotary Volume Control and 20 Key Remote • PANDORA Internet Radio • Built-in Parrot Bluetooth Interface • USB/MP3/WMA Playback • SiriusXM Ready
- OEM Steering Wheel Remote Ready • Rear USB Port • Audio AUX Input (Rear) • 4-Channel 2v RCA Output (F/R/Subwoofer)



### CMS1

- Source Commander • Marine Receiver plus Hide-away Tuner
- Dot Matrix Display • SIRIUS Radio Ready • iPod Audio Control with Optional CCUIPOD2 iPod Interface Cable • AM/FM/Weather Band Tuner • 40 Watts x 4 • Water Resistant Escutcheon • USB Port • 2 Channel/2v RCA Output • 2 Channel RCA Auxiliary Input

### BKU001

- Pedestal Mount for the CMS1
- Suction or Screw-In Mounting • Multi Angle Adjustable



### MW1

- Watertight Marine Remote Control w/LCD for CMV1, CMD6 and M309



### MW4

- Marine Watertight Wired Remote Control w/3" Color LCD • IP66 Dust/Water Ingress Protection Rating
- System Control from anywhere Onboard



### MF1CLARION

- Waterproof Marine RF Floating Remote Control
- Up to 100 ft. Range, No Line of Sight Required



### MWRXCRET

- 25 ft. Marine Remote Extension Cable for MW1/2




### MWRYCRET

- Remote Y-Cable for MW1



**Authorized Dealers Only**  
– Call your Sales-Rep for Details –  
– Territory Restrictions –



**clarion**  
MARINE

## Marine Speakers



### CMQ2512W

- Marine 10" Hi-Performance Subwoofer • Single 4 ohm Voice Coil
- 180 Watts RMS/400 Watts Max • Mica-Injection Polypropylene Cone Woofer • Santoprene Rubber Surround • Rubber Mounting Gasket • Liquid Drainage System • Water Resistant • Magnetic Shielding Integrated into Basket • Gold Plated Speaker Terminals
- Grille Included • Stainless Steel Mounting Hardware Included



### CMQ6922R

- Marine 6 x 9" Hi-Performance Series Coaxial Speaker System
- 80 Watts RMS/160 Watts Max • Mica-Injection Polypropylene Cone Woofer • Rubber Mounting Gasket • 1-1/4" Compression Horn Tweeter • Water Resistant • Grilles Included • Stainless Steel Mounting Hardware Included



### CMQ1622R

- Marine 6-1/2" Hi-Performance Series Coaxial Speaker System
- 60 Watts RMS/120 Watts Max • Mica-Injection Polypropylene Cone Woofer • Rubber Mounting Gasket • 1-1/4" Compression Horn Tweeter • Water Resistant • Grilles Included • Stainless Steel Mounting Hardware Included



### CMG2512W

- Marine 10" Subwoofer • Single 4 ohm Voice Coil • Mica-Injection Polypropylene Cone Woofer • 150 Watts RMS/350 Watts Max
- Santoprene Rubber Surround • Rubber Mounting Gasket • Water Resistant • Liquid Drainage System • Grille Included • Stainless Steel Mounting Hardware Included



### CMG1622S

- Marine 6-1/2" Component Speaker System • Water Resistant
- 60 Watts RMS/120 Watts Max • Liquid Drainage System • Mica-Injection Polypropylene Cone Woofer • Rubber Mounting Gasket
- 1-1/4" PEI Cone Tweeter • Stainless Steel Mounting Hardware Included • Gold Plated Speaker Terminals • Grilles Included



### CMG1722R

- Marine 7" Coaxial 2-Way Speaker • 50 Watts RMS/100 Watts Max
- Mica-Injection Polypropylene Cone Woofer • 1 1/4" Cone Tweeter • Rubber Mounting Gasket • Water Resistant • Grilles Included • Stainless Steel Mounting Hardware Included



### CMG1622R

- Marine 6-1/2" Coaxial 2-Way Speaker • 50 Watts RMS/100 Watts Max
- Mica-Injection Polypropylene Cone Woofer • 1 1/4" Cone Tweeter • Rubber Mounting Gasket • Water Resistant • Grilles Included • Stainless Steel Mounting Hardware Included



- Water Resistant illuminated Subwoofer Grilles • Clear Center Section illuminates with Soft Blue Glow • Blue LED Lighting Pre-installed • Call for Speaker Size Application

**CML1600** – 6.5" (Sold in Pairs)

**CML2500** – 10" (Sold Individually)

**Authorized Dealers Only**  
– Call your Sales-Rep for Details –  
– Territory Restrictions –



# INGENIX Source Units



**PNX-761** **TOMTOM**  
 • Double Din INGENIX AVN Source Unit w/Digital 7" TFT/LCD Touch-Screen • Motorized Faceplate with Preset Angle Adjustment • Front Panel USB 2.0 and SDHC Readers • Front Panel 3.5mm Auxiliary Audio/Video Input



**PNX-721** **TOMTOM**  
 • Single Din INGENIX AVN Source Unit w/Detachable Digital 7" TFT/LCD Touch Screen • Motorized Faceplate w/Preset Angle Adjustment • Front Panel USB 2.0 and SDHC Readers • Front Panel 3.5mm Auxiliary Audio/Video Input

# In-Dash Multimedia Source Units



**PD-769NB - Made for iPod/iPhone**  
 • Double DIN Inteq Multimedia Source Unit with Detachable Motorized 7" LCD Touch-Screen  
 • Built-in Bluetooth • NAVIBOX-2 Ready • AUX Audio/Video Input • Rear-View Camera Input



**PD-622NB - Made for iPod/iPhone**  
 • Double DIN Inteq Multimedia Source Unit with 6.2" LCD Touch-Screen • Built-in Bluetooth  
 • NAVIBOX-2 Ready • AUX Audio/Video Input • Rear-View Camera Input



**PD-740NB - Made for iPod/iPhone**  
 • Single DIN Inteq Multimedia Source Unit with Flip-up 7" LCD Touch-Screen • Built-in Bluetooth  
 • NAVIBOX-2 Ready • Auxiliary Audio/Video Input • Rear View Camera Input



**PD-718NB - Made for iPod/iPhone**  
 • Single DIN Inteq Multimedia Source Unit with Detachable Motorized 7" LCD Touch-Screen  
 • Built-in Bluetooth • NAVIBOX-2 Ready • Auxiliary Audio/Video Input • Rear Camera Input



**PD-650**  
 • Double DIN Multimedia Source Unit w/Motorized 6.5" LCD Touch-Screen • Auxiliary Audio/Video Input • Sub Output • Rear View Camera Input  
**PD-650B - w/Bluetooth V2.0**



**PTID-8920**  
 • Single DIN Multimedia Source Unit w/Motorized Detachable Flip-up 7" LCD Touch-Screen • Dual Zone • AUX A/V Input • Rear View Camera Input  
**PTID-8920B - w/Bluetooth V2.0**



**PD-712**  
 • Single DIN Multimedia Source Unit w/Motorized Detachable 7" LCD Touch-Screen • Auxiliary Audio/Video Input • Rear View Camera Input  
**PD-712B - w/Bluetooth V2.0**



**PD-710**  
 • Single DIN Multimedia Source Unit w/Detachable 7" LCD Touch-Screen • Subwoofer Output • AUX Audio/Video Input • Rear View Camera Input  
**PD-710B - w/Bluetooth V2.0**



**PD-450**  
 • Single DIN A/V Source Unit w/Detachable 4.5" LCD Screen • Theft Deterrent Detachable Faceplate • Auxiliary Audio/Video Input • Subwoofer Output • Rear View Camera Input



**PD-535**  
 • Single DIN Multimedia Source Unit w/Motorized Detachable 5.3" LCD Touch-Screen • DVDR/RW/CDR/RW/32GB SD Card/USB of MP3/MP4/DivX Playback • AUX Audio/Video Input • Sub Output



**PD-344**  
 • Single DIN A/V Source Unit w/3.4" LCD Screen • Theft Deterrent Detachable Faceplate • Auxiliary Audio Input • Audio/Video RCA Outputs • Fixed Subwoofer RCA Output



**NAVIBOX-2**  
 • Plug-n-Play Turn-By-Turn GPS NAV Module  
 • Works with all Inteq Powered Source Units  
 • Navteq USA & Canada Mapping with 12 Million POI Database • Windows CE 5.0 OS

## OverHead DVD Solutions

### PMD-156CM

- Ceiling Mount DVD w/15.6" Wide Screen LCD High Definition Display
- DVDR/RW/CDR/RW/16GB SD Card/USB of MP3/MP4 DivX Playback • FM Stereo Transmitter • Single Channel Wireless Infrared Transmitter • Auxiliary A/V Input



### PMD-112CMX

- Ceiling Mount DVD w/11.2" Widescreen High-Definition LCD Display • DVDR/RW CDR/RW 16GB SD Card/USB of MP3/MP4 DivX Playback • 3 Interchangeable Color Skins • Color Match Trim Rings for Sculptured Ceilings Included • Single Channel Wireless IR Transmitter • FM Stereo Transmitter • Auxiliary A/V Input



### PMD-115CM

- Ceiling Mount DVD w/11.2" Widescreen High-Definition LCD
- DVDR/RW/CDR/RW/16GB SD Card/USB of MP3/MP4 DivX Playback
- 3 Interchangeable Color Skins • Color Match Trim Rings for Sculptured Ceilings Included • FM Stereo Transmitter • Single Channel Wireless Infrared Transmitter • Auxiliary A/V Input



### PMD-105CM

- Ceiling Mount DVD w/10.2" Widescreen High-Definition LCD
- DVDR/RW/CDR/RW/16GB SD Card/USB of MP3/MP4 DivX Playback
- 3 Interchangeable Color Skins • Color Match Trim Rings for Sculptured Ceilings Included • FM Stereo Transmitter • Single Channel Wireless Infrared Transmitter • Auxiliary A/V Input



### PMD-102X

- Ceiling Mount DVD w/10.2" Widescreen High-Definition LCD
- DVDR/RW/CDR/RW/16GB SD Card/USB of MP3/MP4 DivX Playback
- 3 Interchangeable Color Skins • Single Channel Wireless IR Transmitter • FM Stereo Transmitter • AUX Audio/Video Input • Audio/Video Output



### PMD-121CMX

- 12.1" Combo Flip-Down Monitor with DVD • 3-Snap-on Color Skins: Gray, Beige, Black) • SD Card Slot • Slide-in iPod Video Docking Station • 2 A/V Inputs • 1 A/V Output • USB Mini Input • Remote Control • Extra Trim Ring for Sculptured Ceilings Included



### PMD-90CM

- 9" Hi-Res Flip-Down Monitor w/DVD
- Swivel Screen • SD Card Slot • USB Input
- 3-Snap-on Color Skins: Gray/Beige/Black
- FM Transmitter • Wireless IR Transmitter
- 2 Audio/Video Inputs/1 Output • Overhead Dome Lights • NTSC/PAL Auto Selection



### PMD-104X

- Ceiling Mount 10.3" Hi-Res LCD Wide Screen w/DVD • 3 Interchangeable Color Skins (Beige/Black/Grey) • Playback from 32GB SD Card/USB/DVDR/RW • Infrared/FM Stereo Transmitters • Audio/Video RCA Inputs • Rear Panel RCA Audio/Video Input



## Ceiling Mount Monitor/DVD Combos

### PT-91CM

- Ceiling Mount 9" Wide screen High-Definition Swivel LCD • 3 Interchangeable Color Skins • Color Matched Trim Rings for Sculptured Ceilings Included • Audio/Video Inputs for Auxiliary Source • Single Channel Wireless Infrared Transmitter



### PT-151CM

- 15.2" Universal Ceiling Mount Monitor • Built-in Infrared Transmitter
  - Dual Audio/Video Inputs • NTSC/PAL • On-Screen Display w/Remote Control
- 1502GM – Trim Ring for '05-Up Later GM SUVs**



### PT-120CM

- 12.1" Universal Ceiling Mount Monitor • Built-in Infrared Transmitter
- Dual Audio/Video Inputs • 3-Snap-on Color Skins: Gray, Beige, Black • On-Screen Display with Remote Control



### PT-110CM

- 11.2" (4:3) Ceiling Mount Swivel Monitor
- 3-Snap-on Color Skins: Gray/Black/Beige
- IR Transmitter • NTSC/PAL Auto Selection
- Built-in Dome Lights • Dual Audio/Video Inputs • Color Matched Trim Rings for Sculptured Ceilings Included





# Universal Replacement Headrests

## PHDM-103

- 10.3" Hi-Resolution 16:9 Widescreen LCD Display
- Forward/Backwards Tilting Headrest • 3 Changeable Color Skins (Grey/Beige/Black) • 32GB USB Readers
- Dual Channel Wireless IR Transmitter • FM Stereo Transmitter • HDMI Input • Accepts Fahrenheit MHL Interface Cables • 2 RCA Audio/Video Input • RCA Audio Outputs • Hardwired Headphone Output • Full Function Remote Control Included • 3/8" Locking Pole with 1/2" & 9/16" Adapters • 4.75" - 8.25" Pole Width Adjustment • NTSC/PAL Auto Selection



## HDVD-9GR – Gray/HDVD-9BK – Black

- 1-Pair Pre-Loaded 8.8" Wide 16:9 Touch Screen Universal Replacement Headrest Monitors • SD Card Reader and USB Mini Input • Swivel Screen
- 2 Remote Controls • 1 Audio/Video Output • 2 RF 2-Channel Wireless Headphones Included



## HDVD-91CC

- 9" LCD Widescreen (16:9) Universal Replacement Headrest w/Front Loading DVD Player • 3 Sets of Interchangeable Snap-on Color Skins (Grey/Beige/Black) • SDHC Card Reader • 3.5mm AUX Audio Input • USB 2.0 Port • FM & Dual Channel Wireless Infrared Transmitters • DVD/MP4/DivX Playback
- Pole Width Adjustment • Audio/Video RCA Input

## H-91CC – Headrest Monitor Only



## HDVD-71CC

- 7" LCD Widescreen (16:9) Universal Replacement Headrest w/Front Loading DVD Player • 3 Sets of Interchangeable Snap-on Color Skins (Grey/Beige/Black) • SDHC Card Reader • 3.5mm AUX Audio Input • USB 2.0 Port • FM & Dual Channel Wireless Infrared Transmitters • DVD/MP4/DivX Playback
- Pole Width Adjustment • Audio/Video RCA Input

## H-71CC – Headrest Monitor Only



## H-71CC

- 7" LCD Widescreen (16:9) Universal Replacement Headrest • SDHC Card Reader • 3.5mm Auxiliary Audio Input • FM & Dual Channel Wireless Infrared Transmitters • 3 Sets of Interchangeable Snap-on Color Skins (Grey/Beige/Black) • 2 RCA A/V Input
- Pole Width Adjustment



## H-91CC

- 9" LCD Widescreen (16:9) Universal Replacement Headrest • SDHC Card Reader • 3.5mm Auxiliary Audio Input • FM & Dual Channel Wireless Infrared Transmitters • 3 Sets of Interchangeable Snap-on Color Skins (Grey/Beige/Black) • 2 RCA A/V Input
- Pole Width Adjustment



## H-70CC

- 7" LCD Universal Replacement Headrest • Dual Channel Wireless Infrared Transmitter • Forward/Backwards Tilting Headrest • 3 Changeable Color Skins Included (Grey/Beige/Black) • Hardwired Headphone Output • NTSC/PAL • Audio/Video RCA Input • Pole Width Adjustment • Remote Control

# Headrest LCD Monitors & Rear View Mirror



## PT-712IRA

- 7" (16:9) Dual Channel Infrared Headrest Monitor
- Low Reflection TFT/LCD Monitor • Dual Channel Wireless Infrared Transmitter • Ultra Bright LED Backlighting • 2 A/V Inputs • Remote Control




## PT-700MHR

- 7" (16:9) TFT/LCD Headrest Monitor • Ultra Bright LED Backlighting • Single Video Input • NTSC/PAL Color System • Remote Control Included



## PT-727MSV

- 7" Wide (16:9) Sunvisor Monitor • Ultra Bright LED Backlighting • NTSC/PAL Selection • Single Video Input • Remote Control Included



## Digital Media Receivers



- PDR-780**
- Single DIN Receiver w/Flip-up Motorized 7" LCD Touch Screen • Detachable Theft Deterrent Front Panel • 32GB SD/MMC Card or USB Flash Drive Playback • MP3/AAC AC3/WMA/MP4/DIVX/AVI/JPEG/PNG/GIF • AUX Audio Input • 18FM/12AM Station Memory • 1 Set RCA Audio Outputs • Custom Audio Staging and EQ Controls



- PDR-654**
- Double DIN Receiver w/6.5" LCD Touch Screen • 32GB SD/MMC Card or USB Flash Drive Playback • MP3/AAC AC3/WMA/MP4/DIVX/AVI/JPEG/PNG/GIF • AUX Audio Input • 18FM/12AM Station Memory • 1 Set RCA Audio Outputs • Custom Audio Staging and EQ Controls



- PDR-760**
- Single DIN Receiver w/Detachable 7" LCD Touch Screen • Detachable Motorized Faceplate w/Angle Adjustment • 32GB SD/MMC Card or USB Flash Drive Playback • MP3 AAC/AC3/WMA/MP4/DIVX/AVI/JPEG/PNG/GIF • AUX Audio Input • 18FM/12AM Station Memory • 1 Set RCA Audio Outputs



- PDR-340**
- Single DIN Digital Media Receiver w/Detachable 3.4" LCD Screen • Theft Deterrent Detachable Flip-Down Front Faceplate • 32GB SD/MMC Card or USB Flash Drive Playback • MP3/AAC/AC3/WMA/MP4/DIVX/AVI/JPEG/PNG/GIF • AUX Audio Input • 18FM/12AM Station Memory • 1 Set RCA Audio Outputs



- PCD-40**
- Single DIN CD/MP3 Receiver with Detachable Theft Deterrent Faceplate • Playback from CDR/CDRW and 32GB SD and USB • Flash Drive of MP3, WAV, WMA • Front Panel 3.5mm Auxiliary Audio Input • 2-Channel 2v Pre-Amp RCA Audio Outputs • 18FM/12AM Presets • Custom and Preset EQ Settings • Remote Control



- PL-10A**
- Single DIN In-Dash Mechless Receiver w/Detachable Theft-Deterrent Faceplate • USB/SD Card Port • MP3 Playback • 26 Column LCD Analyzer • White on Black Display • 30 AM/FM Presets • 52 Watts x 4 • Auxiliary Input • 2v RCA Output • Fixed Sub Output • Includes Wireless Remote Control

## DVD Players



- PADVD-390**
- Single DIN DVD Player • DVDR/RW/CDR/RW/32GB SD Card/USB of MP3/MP4/DivX Playback • Auxiliary A/V Input • A/V Preamp Outputs 2v • In-Dash/Floor and Vertical Mounting Brackets Included • Remote Control & IR Repeater Included



- PADVD-490**
- Half DIN DVD Player • DVDR/RW/CDR/RW/32GB SD Card/USB of MP3/MP4/DivX Playback • Auxiliary A/V Input • A/V Preamp Outputs 2v • Floor and Vertical Mounting Brackets Included • Remote Control and Infrared Repeater Included

## Video Cameras




- LP-2CSB-Black**  
**LP-2CSC-Chrome**
- License Plate Frame w/Camera and Sensors • 0.5 LUX 1/4" Color CCD Camera • 8 IR LED for Night Viewing • 3 Object Sensors with Proximity Alert



- LP-1CA**
- Chrome License Plate Frame w/Camera • 1/4" CCD Wide View Color Camera • 0.1 LUX Low Light Lens • 163° Capture Angle • RCA Video Output



- CCD-4XS**
- Surface Mount Rear View Camera • 1/4" CCD Color Camera • 1/4" Lux Low Light Lens • Wide Angle 163° • RCA Video Outputs • Reversed Image



## Razor Class D Full Range Amplifiers



- MOSFET PWM Power Supply • High Pass/Low Pass Crossover • Small Compact 4.75" Wide Chassis • Low Level Input Sensitivity • High Level Input • Dash Mount Remote Gain Control Included

Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω	Max Power	Remote Gain
RZ4-1200D	4	100W x 4	150W x 4	300W x 2	1200W	-
RZ4-2000D	4	160W x 4	250W x 4	500W x 2	2000W	-
RZ1-1500D	1	600W x 1	900W x 1	-	1500W	Yes
RZ1-2300D	1	900W x 1	1400W x 1	-	2300W	Yes

## Gothic Class A/B Full Range Amplifiers




- Regulated PWM Mosfet Power Supply • 2 ohm Stereo/4 ohm Bridged Stable Class A/B • Black Brushed Aluminum Finish • High Level Input w/Signal Sense
- Low Level Inputs • Variable Hi/Low/Subsonic Crossovers • Variable Bass Boost
- 3-Way Protection Circuitry • 4ga Power/Ground & 8ga Speaker Terminals

Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω	Max Power	Remote Gain
GT2-400	2	60W x 2	80W x 2	160W x 1	400W	-
GT2-600	2	90W x 2	120W x 2	240W x 1	600W	-
GT2-900	2	135W x 2	180W x 2	360W x 1	900W	-
GT2-1300	2	200W x 2	260W x 2	520W x 1	1300W	Yes
GT2-1800	2	280W x 2	360W x 2	720W x 1	1800W	Yes
GT4-400	4	30W x 4	40W x 4	90W x 2	400W	-
GT4-900	4	75W x 4	95W x 4	190W x 2	900W	-
GT4-1200	4	100W x 4	125W x 4	250W x 2	1200W	-
GT4-1800	4	150W x 4	190W x 4	380W x 2	1800W	-
GT4-2600	4	215W x 4	275W x 4	550W x 2	2600W	-
GT5-2500	5	100W x 4/480W x 1	125W x 4/600W x 1	250W x 2/600W x 1	2500W	Yes

## Class D Monoblock Amplifiers

Model	Channels	4Ω RMS	2Ω RMS	1Ω RMS	Max Power	Remote Gain
GT1-1000(A/B)	1	375W x 1	470W x 1	-	1000W	Yes
GT1-1600(A/B)	1	600W x 1	750W x 1	-	1600W	Yes
GT1-2400D	1	900W x 1	1150W x 1	1500W x 1	2400W	Yes
GT1-3500D	1	1300W x 1	1600W x 1	2100W x 1	3500W	Yes
GT1-4500D	1	1700W x 1	2200W x 1	2700W x 1	4500W	Yes
GT1-6000D	1	2300W x 1	3000W x 1	3700W x 1	6000W	Yes





## Crypt Class A/B Full Range Amplifiers



- Regulated PWM Power Supply • MOSFET PSU Transistors • Extruded Aluminum Heatsink • Black Texture Finish w/Silver Trim & Cast Metal Badge • Hi/Low Pass, and Subsonic Filters • 3-Way Protection Circuitry • Pre-Amp Outputs • Low Level Inputs • 4 Gauge Power and 8 Gauge Speaker Terminals

Model	Channels	4Ω RMS	2Ω RMS	Bridged @ 4Ω	Max Power	Bass Knob
CPT2-400	2	80W x 2	100W x 2	200W x 1	400W	No
CPT2-600	2	100W x 2	125W x 2	250W x 1	600W	No
CPT2-900	2	150W x 2	200W x 2	400W x 1	900W	No
CPT2-1500	2	250W x 2	325W x 2	650W x 1	1500W	No
CPT4-800	4	80W x 4	100W x 4	200W x 2	800W	No
CPT4-1200	4	100W x 4	125W x 4	250W x 2	1200W	No
CPT4-1400	4	120W x 4	150W x 4	300W x 2	1400W	No
CPT4-1700	4	150W x 4	190W x 4	380W x 2	1700W	No

## Mono-Block Amplifiers

Model	Channels	4Ω RMS	2Ω RMS	Bridged @ 4Ω	Max Power	Bass Knob
CPT1-1500 (A/B)	1	500W x 1	650W x 1	-	1500W	Yes
CPT1-2000 (A/B)	1	670W x 1	870W x 1	-	2000W	Yes
CPT1-2200D	1	700W x 1	950W x 1	-	2200W	Yes
CPT1-3200D	1	1000W x 1	1400W x 1	-	3200W	Yes
CPT1-4000D	1	1200W x 1	1700W x 1	-	4000W	Yes
CPT1-5500D	1	1700W x 1	2500W x 1	-	5500W	Yes

## Reaper Class A/B Full Range Amplifiers




- Class A/B & D MOSFET Power Amplifier • 2 ohm Stable Class A/B Full Range • 2 ohm Stable Class A/B Monoblock • 1 ohm Stable Class D Monoblocks • Class D Monoblocks Strapable w/2 ohm • Variable Hi/Low/Subsonic Crossovers • High Level Speaker Signal Inputs • Low Level RCA Signal Inputs • 4ga Power/Ground & 8ga Speaker Terminals • Dash Mount Remote Gain Control (class D models) • Tri-Mode Capable (class A/B models) • 3-Way Protection Circuitry

Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω RMS	Max Power	Remote Gain
REP2-450	2	85W x 2	110W x 2	220W x 1	450W	-
REP2-1300	2	200W x 2	260W x 2	520W x 1	1300W	-
REP4-900	4	85W x 2	110W x 4	220W x 2	900W	-
REP4-1400	4	120W x 4	160W x 4	320W x 2	1400W	-
REP4-1700	4	160W x 4	210W x 4	420W x 2	1700W	-
REP4-2300	4	200W x 4	260W x 4	520W x 2	2300W	-

## Class D Monoblock Amplifiers

Model	Channels	4Ω RMS	2Ω RMS	1Ω RMS	Max Power	Remote Gain
REP1-2000(A/B)	1	650W x 1	900W x 1	-	2000W	Yes
REP1-2100D	1	700W x 1	950W x 1	1200W x 1	2100W	Yes
REP1-2700D	1	950W x 1	1200W x 1	1500W x 1	2700W	Yes
REP1-3500D	1	1200W x 1	1500W x 1	2000W x 1	3500W	Yes
REP1-6000D	1	1900W x 1	2500W x 1	3300W x 1	6000W	Yes



## Mofo Subwoofers

- Die-Cast Aluminum Frame • Royal Blue Finish with Diamond Cut Accents
- Non-Pressed Pulp Cone • Polyether Foam Surround • Die Cast Aluminum Voice Coil Heatsink • Nickel Plated 8 gauge Compression Wire Terminals
- Vented Pole Piece

Model	Size	Power Max/RMS	Impedance
MOFO-122X	12"	2700 Watts/1500 Watts	Dual 2Ω
MOFO-124X	12"	2700 Watts/1500 Watts	Dual 4Ω
MOFO-152X	15"	3000 Watts/1700 Watts	Dual 2Ω
MOFO-154X	15"	3000 Watts/1700 Watts	Dual 4Ω



## Gothic Subwoofers

- Twisted and Woven Flax Fiber Cone • Extended Excursion NBR Surround
- Overcast Stitched Cone Assembly • 100% OFC 4-Layer Voice Coil • Back Plate and T-Yoke Venting • 2.50" Voice Coil Configuration

Model	Size	Power Max/RMS	Impedance
GW3-10	10"	2200 Watts/1000 Watts	Dual 2Ω
GW3-12	12"	2500 Watts/1200 Watts	Dual 2Ω
GW3-15	15"	3000 Watts/1400 Watts	Dual 2Ω



## Reaper Subwoofers

- Closed Cell Polyurethane Surround • Overcast Stitched Cone Assembly
- Back Plate & T-Yoke Venting • 100% OFC 4-Layer Voice Coil • 2.0" Voice Coil Configuration

Model	Size	Power Max/RMS	Impedance
RW1-8	8"	600 Watts/240 Watts	Single 4Ω
RW1-10	10"	900 Watts/360 Watts	Single 4Ω
RW1-12	12"	1200 Watts/500 Watts	Single 4Ω




## Reaper Coaxial Speakers

- Vacuum Form Polypropylene Cone • NBR Rubber Surround • 1" Voice Coil on Aluminum Former • 4 Ω System Impedance • 1" Mylar Tweeter
- 2" Mylar Midrange (RF-693) • Quick Disconnect Terminals

Model	Size & Type	Power Max	Magnet (oz.)
RF-693	6 x 9" 3-Way	330 Watts	24.3
RF-573	5 x 7" 3-Way	200 Watts	6.50
RF-652	6.5" 2-Way	190 Watts	6.50
RF-502	5.25" 2-Way	160 Watts	4.25
RF-402	4" 2-Way	140 Watts	4.00





## Pro Audio Neodymium Midrange Speakers

- PR.654N - 6.5" - 250 Watts Maximum, 4 ohm Impedance
- PR.804N - 8" - 350 Watts Maximum, 4 ohm Impedance



## Pro Audio Midrange Speakers

- PRO.654 - 6.5" - 170 Watts Maximum, 4 ohm Impedance
- PRO.658 - 6.5" - 170 Watts Maximum, 8 ohm Impedance
- PRO.804 - 8" - 200 Watts Maximum, 4 ohm Impedance
- PRO.808 - 8" - 200 Watts Maximum, 8 ohm Impedance
- PRO.104 - 10" - 350 Watts Maximum, 4 ohm Impedance



## Midrange Speaker

- MID-65
- Midrange/Bass Driver • 1.25" Hi-Temperature Voice Coil • Heavy Stamped Steel Basket • 4Ω Impedance • 300 Watts Maximum • Hi-Strength Magnet



## Tweeters



- NB-1**
- 2-Way Mount Tweeter • Built-In Crossover
- 100 Watts RMS/200 Watts Peak • Niobium Rare Earth Ferroelectric Transducer Magnet
- Surface/Angle Mount



- NB-2**
- 3-Way Mount Tweeter • Niobium Rare Earth Ferroelectric Transducer Magnet • Built-In Crossover • 100 Watts RMS/200 Watts Peak
- Surface/Angle Mount



- NB-4**
- 4-Way Mount Tweeter • Built in Crossover
- Niobium Rare Earth Ferroelectric Transducer Magnet • 250 Watts • Swivel/Surface/Angle Mount/Flush Mount • 4 ohm Impedance

## Pro Audio Tweeters



- NX-5**
- Bullet Tweeter • Titanium Diaphragm • Cast Aluminum Frame • 1.25" High Temperature Voice Coil • Heavy Stamped Steel Basket
- High Strength Magnet • 200 Watts • 4 ohm



- NX-6**
- Horn Tweeter • Cast Aluminum Frame • Horn Loaded • 1" Copper Clad Aluminum Voice Coil
- Ferro Fluid Cooled Voice Coil • 200 Watts
- 8 ohm Impedance

## In-Dash Multimedia Source Units



### VIR-7832Bi - w/Bluetooth V2.0

- Single DIN Multimedia Source Unit with Motorized Detachable Flip-up 7" LCD Touch-Screen • DVDR/RW/CDR/RW/32GB SD Card/USB of MP3/MP4/DivX Playback • iPod Ready • Dual Zone • AUX A/V Input • Sub Output • Rear View Camera Input



### VIR-7830

- Single DIN Multimedia Source Unit with Motorized Detachable Flip-up 7" LCD Touch-Screen • DVDR/RW/CDR/RW/32GB SD Card/USB of MP3/MP4/DivX Playback • Dual Zone • AUX A/V Input • Sub Output • Rear View Camera Input

### VIR-7830B - w/Bluetooth V2.0



### VR-732

- Single DIN Multimedia Source Unit with Motorized Detachable 7" LCD Touch-Screen • DVDR/RW/CDR/RW/32GB SD Card/USB of MP3/MP4/DivX Playback • 52W x 4 • AUX A/V Input • Sub Output • Rear View Camera Input

### VR-732B - w/Bluetooth V2.0



### VR-730

- Single DIN Multimedia Source Unit w/Detachable 7" LCD Touch-Screen • DVDR/RW/CDR/RW/32GB SD Card/USB of MP3/MP4/DivX Playback • Auxiliary A/V Input • 52W x 4 • Subwoofer Output • Rear View Camera Input

### VR-730B - w/Bluetooth V2.0



### VR-535B

- Single DIN Multimedia Source Unit with Motorized Detachable 5.3" LCD Touch-Screen • DVDR/RW/CDR/RW/32GB SD Card/USB of MP3/MP4/DivX Playback • AUX A/V Input • 52W x 4 • Subwoofer Output



### VR-450

- Single DIN A/V Source Unit with Detachable 4.5" LCD Screen • DVDR/RW/CDR/RW/32GB SD Card/USB of MP3/MP4/DivX Playback • AUX A/V Input • Subwoofer Output • Rear View Camera Input



### VR-769NB

- Double DIN Inteq Multimedia Source Unit with Detachable Motorized 7" LCD Touch-Screen • Built-in Bluetooth • NAVI-BOX-2 Ready • DVDR/RW/CDR/RW/32GB SD/USB of MP3/MP4/DivX Playback • 52W x 4 • AUX A/V Input • Rear View Camera Input



### VR-652NB

- Double DIN Inteq Multimedia Source Unit w/6.5" LCD Touch-Screen • Built-in Bluetooth • NAVI-BOX-2 Ready • DVDR/RW/CDR/RW/32GB SD/USB of MP3/MP4/DivX Playback • 52 Watts x 4 • AUX A/V Input • Rear View Camera Input



### VR-750NB

- Single DIN Inteq Multimedia Source Unit w/Flip-up 7" LCD Touch-Screen • Built-in Bluetooth • NAVI-BOX-2 Ready • DVDR/RW/CDR/RW/32GB SD/USB of MP3/MP4/DivX Playback • 52 Watts x 4 • AUX A/V Input • Rear View Camera Input



### VR-931NB

- Single DIN Inteq Multimedia Source Unit with Detachable Motorized 9.3" LCD Touch-Screen • Accepts Optional KS-1 Desktop Media Player • Built-in Bluetooth • NAVI-BOX-2 Ready • DVDR/RW/CDR/RW/32GB SD/USB of MP3/MP4/DivX Playback • USB Adapter Included • AUX A/V Input • Rear Camera Input

Optional KS-1 Desktop Media Player



### VR-738NB

- Single DIN Inteq Multimedia Source Unit with Detachable Motorized 7" LCD Touch-Screen • Accepts Optional KS-1 Desktop Media Player • Built-in Bluetooth • NAVI-BOX-2 Ready • DVDR/RW/CDR/RW/32GB SD/USB of MP3/MP4/DivX Playback • USB Adapter Included • AUX A/V Input • Rear Camera Input

Optional KS-1 Desktop Media Player

**Authorized Dealers Only**  
 – Call your Sales-Rep for Details –  
 – Territory Restrictions –

## In-Dash Multimedia DVD Source Units



### VDVD-165

- Single DIN DVD Player • DVDR/RW/CDR/RW/32GB SD Card/USB of MP3/MP4/DivX Playback • Auxiliary A/V Input • A/V Preamp Outputs 2v • In-Dash/Floor and Vertical Mounting Brackets Included • Remote Control & Infrared Repeater Included



### VDVD-210

- Half DIN DVD Player • DVDR/RW/CDR/RW/32GB SD Card/USB of MP3/MP4/DivX Playback • Auxiliary A/V Input • A/V Preamp Outputs 2v • Floor and Vertical Mounting Brackets Included • Remote Control and Infrared Repeater Included



### VCD-30

- Single DIN DVD/MP3 Receiver w/Detachable Faceplate • SD Card Reader • USB 2.0 Port • 3.5mm Auxiliary Audio Input • 2-Channel 2v Pre-Amp RCA Audio Outputs • Remote Control Included

## Headrests plus Video Monitors



### VH-70CC

- 7" LCD Widescreen (16:9) Universal Replacement Headrest • SDHC Card Reader • 3.5mm Auxiliary Audio Input • 3 Sets of Interchangeable Snap-on Color Skins (Grey/Beige/Black) • FM and Dual Channel Wireless IR Transmitters • 2 RCA Audio/Video Input • Pole Width Adjustment



### VH-90CC

- 9" LCD Widescreen (16:9) Universal Replacement Headrest • SDHC Card Reader • 3.5mm Auxiliary Audio Input • 3 Sets of Interchangeable Snap-on Color Skins (Grey/Beige/Black) • FM and Dual Channel Wireless IR Transmitters • 2 RCA Audio/Video Input • Pole Width Adjustment



### VHD-70CC

- 7" LCD Widescreen (16:9) Universal Replacement Headrest w/Front Loading DVD Player • 3 Sets of Interchangeable Snap-on Color Skins (Grey/Beige/Black) • SDHC Card Reader • 3.5mm Auxiliary Audio Input • USB 2.0 Port • FM & Dual Channel Wireless IR Transmitters • DVD/MP4/DivX Playback • Pole Width Adjustment • Audio/Video RCA Input



### VHD-90CC

- 9" LCD Widescreen (16:9) Universal Replacement Headrest w/Front Loading DVD Player • 3 Sets of Interchangeable Snap-on Color Skins (Grey/Beige/Black) • SDHC Card Reader • 3.5mm AUX Audio Input • USB 2.0 Port • FM & Dual Channel Wireless IR Transmitters • DVD/MP4/DivX Playback • Pole Width Adjustment • Audio/Video RCA Input



### VHD-9GR - Gray/VHD-9BK - Black

### VHD-9BG - Beige/VHD-9GRDK - Dark Gray

- 1-Pair Pre-Loaded 8.8" Wide (16:9) Touchscreen Universal Replacement Headrest Monitors with Swivel Screen • SD Card Reader and USB Mini Input • 1 A/V Output • 2 RF 2-Channel Wireless Headphones and 2 Wireless Remote Controls Included



### VHR-72IR

- 7" (16:9) Low Reflection TFT/LCD Dual Channel IR Headrest Monitor • Ultra Bright LED Backlighting • Dual Channel Wireless Infrared Transmitter • New Slim Design • NTSC/PAL Switchable • Wired Headphone Output • 2 Audio/Video Inputs

**Authorized Dealers Only**  
 – Call your Sales-Rep for Details –  
 – Territory Restrictions –



## Reference Amplifiers



- Regulated Mosfet Power Supply • Bi-Linear Variable High/Low/Band Pass Cross-overs • Hawkins Bass Control • Trident Amplifier Protection • Bias Input Protection
- Multi-Channel Input Selection (4 & 5 Ch Models)

Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω RMS	Max Power	Remote Gain
REF2.370	2	110W x 2	185W x 2	370W x 1	-	-
REF2.640	2	190W x 2	320W x 2	640W x 1	-	-
REF4.400	4	70W x 4	100W x 4	200W x 2	-	-
REF4.760	4	115W x 4	160W x 4	380W x 2	-	-
REF4.920	4	145W x 4	215W x 4	460W x 2	-	-
REF5.1000	5	95W x 4/270W x 1	135W x 4/460W x 1	270W x 2	-	Yes
REF1.550	1	-	500	-	500	Yes
REF1.1000	1	-	1000	-	1000	Yes

## Tarantula Class A/B Full Range Amplifiers



- Full Range Class A/B Circuitry Design Amplifiers • Monoblock High Efficiency Class D Technology

Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω RMS	Max Power	Remote Gain
TA2.160	2	55W x 2	80W x 2	160W x 1	160W	-
TA2.400	2	135W x 2	200W x 2	400W x 1	400W	-
TA4.280	4	50W x 4	70W x 4	140W x 2	280W	-
TA4.480	4	90W x 4	120W x 4	240W x 2	480W	-
TA4.720	4	120W x 4	180W x 4	360W x 2	720W	-
TA5.1250	5	75W x 4 + 325W x 1	125W x 4 + 500W x 1	250Wx2 + 750Wx1(1Ω)	1250W	Yes

## Class D Monoblock Amplifiers

Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω RMS	Max Power	Remote Gain
TA1.600D	1	250W x 1	375W x 1	-	600W	Yes
TA1.1000D	1	400W x 1	700W x 1	-	1000W	Yes
TA1.2000D	1	700W x 1	1300W x 1	-	2000W	Yes
TA1.3000D	1	800W x 1	1400W x 1	2500W x 1 (1Ω)	3000W (.5Ω)	Yes

## Tarantula Nano Class D Full Range Amplifiers



- Class D Full Range SMT Circuitry • Double Sided Composite Epoxy PCB • Variable High, Low, Subsonic Crossover • Variable Bass Boost • Input Source Selector • 3-Way Protection Circuitry

Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω	Max Power	Remote Gain
TN2.600D	2	200W x 2	300W x 2	600W x 1	-	-
TN4.900D	4	150W x 4	225W x 4	450W x 2	-	-
TN5.950D	5	85W x 4/270W x 1	130W x 4/430W x 1	-	-	Yes
TN1.1200D	1	660W x 1	1050W x 1	-	1200W	Yes

**Authorized Dealers Only**  
 – Call your Sales-Rep for Details –  
 – Territory Restrictions –



## Picasso Class A/B Full Range Amplifiers

- Brushed Black Aluminum Finish w/Accent Lighting • Variable High, Low, and Subsonic Crossovers • Bass Boost • High Level or Low Level Input • 4g Power and 8ga Speaker Terminals



Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω	Max Power	Remote Gain
P2.150	2	50W x 2	75W x 2	150W x 1	-	-
P2.200	2	70W x 2	100W x 2	200W x 1	-	-
P2.400	2	125W x 2	200W x 2	400W x 1	-	-
P4.140	4	25W x 4	35W x 4	70W x 2	-	-
P4.260	4	45W x 4	65W x 4	130W x 2	-	-
P4.500	4	80W x 4	125W x 4	250W x 2	-	-
P4.800	4	125W x 4	200W x 4	400W x 2	-	-
P5.610	5	60W x 4/170W x 1	85W x 4/270W x 1	170W x 2/270W x 1	-	-

## Class D Monoblock Amplifiers

Model	Channels	4Ω RMS	2Ω RMS	1Ω RMS	Max Power	Remote Gain
P1.210	1	130W x 1	210W x 1	-	-	Yes
P1.600D	1	240W x 1	400W x 1	600W x 1	-	Yes
P1.1000D	1	400W x 1	750W x 1	1000W x 1	-	Yes
P1.1200D	1	500W x 1	900W x 1	1200W x 1	-	Yes
P1.1500D	1	600W x 1	1000W x 1	1500W x 1	-	Yes

## Picasso Nano Class D Full Range Amplifiers

- Mosfet PWM Power Supply • Small Compact 4.75" Wide Chassis • Low Level Input Sensitivity • High Level Input



Model	Channels	4Ω RMS	2Ω RMS	Bridged 4Ω	Max Power	Remote Gain
PN4.320D	4	60W x 4	80W x 4	160W x 2	-	-
PN4.520D	4	100W x 4	130W x 4	260W x 2	-	-
PN1.450D	1	260W x 1	450W x 1	-	-	Yes
PN1.650D	1	400W x 1	650W x 1	-	-	Yes
PN2.350D	2	115W x 2	175W x 2	350W x 1	-	-

## Synthesis Digital Signal Processor

### SYNTHESIS

- Allows Full Control of your System • Balanced or Unbalanced RCA Inputs • 8v RCA Output/Balanced
- 4 Way Crossover • 31 Band Graphic EQ
- 9 Band Parametric Equalizer • Time Alignment
- USB 2.0 interface • Plug and Play-No Driver Required
- WinXP/Vista/7 and MAC Compatible • Firmware Upgradable for future expansion



## ICQ Integration Modules

- Allows Integration of Aftermarket Systems without Sacrificing Key OEM Features • Up to 8-Ch OEM Integration Module
- Multi-Channel High Level Inputs on Direct Wire Connectors
- AUX Source Hi-Level Input • Remote Gain Control Included



Model	Chs	Sub Input	Model	Chs	Sub Input
ICQ-2	2 x 2	-	ICQ-6	6 x 6	Yes
ICQ-4	4 x 4	-	ICQ-8	8 x 8	Yes

**Authorized Dealers Only**  
 – Call your Sales-Rep for Details –  
 – Territory Restrictions –



## Rubicon Amplifiers

- MOSFET Pulse Width Modulated Power Supply • Midnight Blue Finish w/Brushed Accents • 3-Way Protection Circuitry
- Variable Crossovers (HPF/Full/LPF/Band) • Variable Bass Boost • Tri-Mode Capable • High Level Input



Model	Channels	4Ω RMS	2Ω RMS	4Ω RMS Bridged	Remote Gain Control
RUB2.250	2	75W x 2	125W x 2	250W x 1	No
RUB2.600	2	180W x 2	300W x 2	600W x 1	Yes
RUB4.500	4	75W x 4	124W x 4	250W x 2	No
RUB4.600	4	100W x 4	150W x 4	300W x 2	No
RUB5.800	5	70Wx4/200x1	115Wx4/340x1	230W x 2	No

## Mono Amplifiers

Model	Channels	4Ω RMS	2Ω RMS	1Ω RMS	Remote Gain Control
RUB1.1000D	1	-	800W x 1	1000 x 1	Yes
RUB1.1600D	1	-	1100W x 1	1600 x 1	Yes
RUB1.2500D	1	-	1700W x 1	2500 x 1	Yes

## Bass Processors



- BX-10X – Digital Bass Reconstruction Processor**
- PWM Hi-Head Room Power Supply • Max. Bass Control • Bass Restoration Lighted Display • PFM Subsonic Filter • Parametric Bass Control • Bass Output Control • Dash Mount Remote Control



- BX-12 – Digital Bass Reconstruction Processor**
- Parametric EQ with Crossover and Sub Volume
  - 2 Selectable Inputs w/Variable Input Gain • F/R/ Sub RCA Outputs • Variable Bass Boost • Variable Subsonic Filter • Dash Mount Remote Control



- BX-15 – Digital Bass Reconstruction processor**
- PWM Hi-Head Room Power Supply • Max. Bass Control • Bass Restoration Lighted Display • PFM Subsonic Filter • Balanced Inputs • Bass Output Control • Dash Mount Remote Control



- BX-20Z – Digital Bass Reconstruction processor**
- PWM Hi-Head Room Power Supply • Max. Bass Control • Bass Restoration Lighted Display • PFM Subsonic Filter & Bass Level Control • Balanced Inputs • Dash Mount Remote Control



- XBP-10 – SPL Competition Signal Processor**
- 2 Signal Paths – Sound Quality & SPL • Variable Bass EQ • 4 Pairs of Outputs • Turn On/Off Delay to Eliminate Pops • Plexi Glass Setting Cover Included • Dash Mount Remote Control



- BX-10 – Digital Bass Reconstruction Processor**
- PWM Hi-Head Room Power Supply • Max. Bass Control • Bass Restoration Lighted Display • PFM Subsonic Filter • Parametric Bass Control • Bass Output Control • Dash Mount Remote Control

- BX-221 – Digital Bass Reconstruction Processor**
- Hi-Tolerance SMD Technology • Parametric Bass Equalizer • Variable PWM Subsonic Filter • Low Level RCA Input/Output • 13.5v Maximum Output Level • Optional Remote Turn-On Input



**Authorized Dealers Only**  
 – Call your Sales-Rep for Details –  
 – Territory Restrictions –





## X3 Amplifiers

- 1-ohm Stable Class D Competition Amplifiers • Non-regulated Mosfet Power Supply • Up to 16v Power & 10v Audio Input • 0 gauge Input and 8 gauge Output Terminals • 4 Channel Bridgeable with 2Ω, 1Ω Stereo
- Monoblocks Strapable w/2Ω Load • Variable 18dB 45Hz Bass Boost



**NEW**

Model	RMS 4Ω 14.4v 1% THD	RMS 2Ω 14.4v 1% THD	RMS 1Ω 14.4v 1% THD	RMS 4Ω 16.4v 10% THD	RMS 2Ω 16.4v 10% THD	RMS 1Ω 16.4v 10% THD	Remote Gain Control
X3.2K4	250W x 4	400W x 4	600W x 4	-	-	-	Yes
X3.60	1050W x 1	1920W x 1	2780W x 1	3180W x 1	2300W x 1	3180W x 1	Yes
X3.71	1750W x 1	3240W x 1	4450W x 1	2010W x 1	3780W x 1	5180W x 1	Yes

## XXX Class D Amplifier

- Non-Regulated Mofet Power Supply • Low-Pass & Subsonic Crossovers
- Bass Boost • Up to 16v Power and 7v Audio Input • 0 ga. Input and 8 ga. Output Terminals • Clear Plexi Glass Bottom Included • Remote Cain Control



Model	Channels	RMS @ 2Ω, 14.4V, 5%	RMS @ 1Ω, 14.4V, 5%	RMS @ 2Ω, 16V, 5%	RMS @ 1Ω, 16V, 5%
XXX-15000D	- 1	9360	14800	10400	16800

## X3 Subwoofers

- New Triple Spider Assembly • 4" DVC 2 ohm Voice Coil Configuration
- Revolutionary Asymmetrical S-Block Surround • Embossed Blocks on Upper Roll Surround

Model	Size	Burp Power	RMS Power
X3-122	12"	95v (9000W)	71v (5000W)
X3-152	15"	100v (10000W)	77v (6000W)
X3-182	18"	105v 1(1000W)	84v (7000W)



## SPLX Subwoofers

- Epoxy Coated Spruce Pulp Cone • Cast Aluminum Frame • Dual 2 ohm 3" CCAW Coils • High Frequency • Dual NOMEK Spiders • Easy-to-Install Re-Cone Kits Available

Model	Size	Impedance	RMS Power
SPLX-122HF	12"	Dual 2Ω	1000 Watts
SPLX-152HF	15"	Dual 2Ω	1000 Watts




## Rubicon Subwoofers

- Closed Cell Polyurethane Surround • Overcast Stitched Cone Assembly
- Back Plate and T-Yoke Venting • 100% OFC 4-Layer Voice Coil

Model	Size	RMS	Voice Coil Configuration
RUB.102W	10"	450 Watts	2.0" DVC 2Ω
RUB.104W	10"	450 Watts	2.0" DVC 4Ω
RUB.122W	12"	500 Watts	2.0" DVC 2Ω
RUB.124W	12"	500 Watts	2.0" DVC 4Ω
RUB.152W	15"	550 Watts	2.0" DVC 2Ω
RUB.154W	15"	550 Watts	2.0" DVC 4Ω



**Authorized Dealers Only**  
 – Call your Sales-Rep for Details –  
 – Territory Restrictions –



## Reference Components

### RF3.6C

- 6.5" Midbass with Kevlar-reinforced Pulp Paper Cone • Laminated Foam Backing Cone • 1" Tweeter with Silk Surround • 2.5" Midrange w/Aluminum Cone and Sustcap • 100 Watts Power Handling



## Stealth Components

### STL.65C

- 6.5" 2-Way Shallow Mount High Efficiency Component Set • 1-Piece Polypropylene Dome Cone • 1" Titanium Inverted Dome Tweeter • Low Resonance Polycarbonate Frame • 80 Watts Handling Power • Passive Crossover Included • PTC Tweeter Protection • 1" Mounting Depth



## Tarantula Components

### TC.6

- 6.5" 2-Way Speakers • 14 Watts Handling Power • Woven Fiber Woofer Cone • Forge Cast Aluminum Frame • 1" Voice Coil on Aluminum Former • Crossover with Tweeter Attenuation • Machined Aluminum Tweeter Housing • 1" Horn Loaded Teteron Silk Dome Tweeter • Machined Aluminum Tweeter Housing • Direct Connect Wire Terminals



## Picasso Components

### PC.6

- 6.5" 2-Way Components • Polypropylene Injection Cone • Solid Aluminum Phase Plug • NBR Rubber Surround • 1" Voice Coil on Aluminum Former • 120 Watts Power Handling • Conex Spider Suspension • 1" Teteron Dome Tweeter • Passive Crossover Included • Pivoting Flush Mount Tweeter • Quick Disconnect Terminals • Tarantula Spider Grill Included



## Arachnid Components

### SC-6T

- 6.5" Component Speaker • Zolon Coated Low Resonance Basket • White Zirconium Coated Cone • 1" Aluminum Voice Coil • 13mm Super Dome Tweeter • 80 Watts Power Handling • 4 ohm Impedance • White Terminal Connections • Rubber Magnet Cover • 20 oz Magnet



**Authorized Dealers Only**  
 – Call your Sales-Rep for Details –  
 – Territory Restrictions –



**LESCO**


**D I S T R I B U T I N G**

**SOUNDSTREAM**

## Reference R1 Subwoofers

- Oversized Concave IMPP Primary Cone • Clandestine Inverted Roll Polyether Foam Surround • Non-Transfer Cellulose Pulp Sub-Cone • Cast Aluminum Frame
- Extreme Temperature DVC Voice Coil • Sub-Cone Assembly and T-Yoke Venting
- 12ga Compression Wire Terminals

Model	Size	RMS	Voice Coil Configuration
<b>R1.122</b>	12"	850 Watts	2.5" DVC 2Ω
<b>R1.124</b>	12"	850 Watts	2.5" DVC 4Ω



## Reference R3 Subwoofers

- Woven Fiberglass Composite Cone • Extended Excursion Polyurethane Surround • 100% OFC 4-Layer Voice Coil • 2.0" Voice Coil Configuration
- Back Plate and T-Yoke Venting

Model	Size	RMS	Voice Coil Configuration
<b>R3.8</b>	8"	500 Watts	2.0" DVC 2Ω
<b>R3.10</b>	10"	700 Watts	2.5" DVC 2Ω
<b>R3.12</b>	12"	800 Watts	2.5" DVC 2Ω
<b>R3.15</b>	15"	900 Watts	2.5" DVC 2Ω



## Reference

Model	Size	RMS	Voice Coil Configuration
<b>RF-8W</b>	8"	180 Watts	2.0" DVC 4Ω



## Tarantula Subwoofers

- Non Pressed Paper Pulp Cone • Polyether Foam Surround • Aluminum Heat-sink Dust-cap • 2.5" 4300 Voice Coil on Aluminum Former • Die-Cast Aluminum Frame w/Textured Finish • Vented T-Yoke Back-plate • Dual Poly Cotton Suspension Spiders • Nickel Plated 8 gauge Compression Wire Terminals • 170oz. Strontium Ferrite Magnet

Model	Size	RMS Power	Impedance
<b>T7.102</b>	10"	700 Watts	Dual 2 ohms
<b>T7.104</b>	10"	700 Watts	Dual 4 ohms
<b>T7.122</b>	12"	800 Watts	Dual 2 ohms
<b>T7.124</b>	12"	800 Watts	Dual 4 ohms
<b>T7.152</b>	15"	900 Watts	Dual 2 ohms
<b>T7.154</b>	15"	900 Watts	Dual 4 ohms



**Authorized Dealers Only**  
 – Call your Sales-Rep for Details –  
 – Territory Restrictions –



**LESCO**

**D I S T R I B U T I N G**

**SOUNDSTREAM**

## Picasso Subwoofers

- Injection Molded Polypropylene Cone • Overcast Stitched Cones
- NBR Rubber Surround • Embossed Dust Cap • Frame Voice Coil Venting
- Vented T-Yoke & Back Plate

Model	Size	RMS	Voice Coil Configuration
<b>PCO.8</b>	8"	250 Watts	2.0" SVC 4Ω
<b>PCO.10</b>	10"	300 Watts	2.0" SVC 4Ω
<b>PCO.12</b>	12"	350 Watts	2.0" SVC 4Ω



## Stealth Shallow Mount Subwoofer

### STEALTH-13

- 13" - 200 Watt Subwoofer • Solid Aluminum Cone • Semi-Circular Frame Venting • Proprietary Cast Aluminum Basket • 5" Single 4 ohm Voice Coil Configuration • Inverted Motor Assembly • 2" Mounting Depth



## Subwoofer Spider Grills

### W-GRILL.12C-Chrome

### WGRILL.12B-Black

- 12" Soundstream Spider Grill for Picasso, Tarantula, Rubicon, and Reference R3 Subwoofers



## Stealth Loaded Enclosure

### STEALTH-13EN

- 13" Stealth Series Loaded Enclosure • Single 4Ω Voice Coil • 200 Watts RMS/400 Watts Peak Power Handling
- Solid Aluminum Cone Woofer • Carpeted Black with Embroidered Accents • Dimensions: 30 x 14.5 x 5.25/2.25



## Enclosure w/Amplifier

### USB-8A

- 8" Preloaded Under Seat Enclosure w/150 Watt Amplifier Built-in
- 180° Phase Switch • Variable Low Pass Crossover • Variable Bass Boost
- Remote Gain Control Included • 3" (H) x 9.5" (W) x 14.5 (L)




**Authorized Dealers Only**  
 – Call your Sales-Rep for Details –  
 – Territory Restrictions –



## Tarantula Full Range Speakers

- Black Zirconium Coated Cones • 1" Swivel Silk Dome Tweeters
- Progressively Slanted Surrounds • Ferro Fluid Cooling • 3 ohms Impedance • 2-Way Crossovers Included with all Models

Model	Size & Configuration	RMS Power (Watts)
<b>SST6.9</b>	6 x 9" 2-Way	150 Watts
<b>SST6.5</b>	6.5" 2-Way	120 Watts
<b>SST5.7</b>	5 x 7" 2-Way	130 Watts
<b>SST5.25</b>	5.25" 2-Way	100 Watts
<b>SST4.6</b>	4 x 6" 2-Way	100 Watts
<b>SST4.0</b>	4" 2-Way	85 Watts



## Rubicon Full Range Speakers

- Nomex Composite Cone • 1" Teteron/Silk Dome Tweeter
- 1" Kapton Voice Coil • Butyl Rubber Surround • Nomex Spider Suspension • Quick Disconnect Terminals

Model	Size & Configuration	RMS Power (Watts)
<b>RUB.692</b>	6 x 9" 2-Way	130 Watts
<b>RUB.652</b>	6.5" 2-Way	90 Watts
<b>RUB.572</b>	5 x 7" 2-Way	110 Watts
<b>RUB.502</b>	5.25" 2-Way	75 Watts
<b>RUB.402</b>	4" 2-Way	65 Watts



## Arachnid Full Range Speakers

- Polypropylene Injection Cone • NBR Rubber Surround
- 1" Voice Coil on Aluminum Former • 1" Mylar Tweeter
- 4 ohm • Quick Disconnect Terminals • Grilles Included

Model	Size & Configuration	RMS Power (Watts)
<b>SF-573T</b>	5 x 7" 3-Way	60 Watts
<b>SF-502T</b>	5.25" 2-Way	50 Watts
<b>SF-402T</b>	4" 2-Way	40 Watts
<b>SF-652T</b>	6.5" 2-Way	60 Watts
<b>SF-693T</b>	6 x 9" 3-Way	100 Watts



**Authorized Dealers Only**  
 – Call your Sales-Rep for Details –  
 – Territory Restrictions –

## Tweeters

### TWT.2

- 1" Horn Loaded Titanium Tweeter
- Rated Input Power: 120W • Flush Mount Aluminum Housing • 12dB/Octave Passive Crossover Included
- Impedance: 4Ω • Ferrofluid Cooled
- Neodymium Magnet



### TWS.1

- 1" Soft Dome Tweeter • Tri-Mounting: Flush/Surface and Surface Angle • Rated Input Power: 110 Watts • Impedance: 4 ohm • 12dB/Octave Passive Crossover Included • Ferrofluid Cooled



### TWS.3N

- 1" PEI Dome Tweeter • Impedance: 4 ohm • Adjustable Eyeball Design
- 12 dB In-Line Crossover Network
- Tri-Mounting: Flush/Surface/Surface Angle • Rated Input Power: 110W



### TWS.4

- Tantalum 2-way Mount Tweeter
- Polished Aluminum Housing
- 12 dB In-Line Crossover Network
- Rated Input Power: 110 Watts
- Impedance: 4 ohm



### TWT.5

- 1" PEI Dome Tweeter Surface or Angled Mounting • 12dB Passive Crossover Included • Rated Input Power: 110W • 4 ohm Imp.
- Freq. Resp. 2KHZ-21KHZ



### TWT.6T

- 1" Titanium Dome Tweeter
- 12dB/Octave Passive Crossover
- Ferrofluid Cooled • Rated Input Power: 110W • 4 ohm Imp.
- Freq. Resp. 3KHZ - 20KHZ



## Equalizers



### MPQ-4US – Half DIN 4-Band Parametric EQ

- On-Board USB/SD/MMC Input & Control • Fade Control • Independent Subwoofer Level Control
- Variable Sub Low-Pass Crossover • F/R/Sub Outputs • Blue Backlit Control Knobs



### MPQ-7XO – Half DIN Dual Ch Parametric EQ

- 2 Selectable Balanced RCA Inputs w/Input Gain
- Dual Channel Multi-Band Parametric Equalizer
- Selectable Subsonic Filter • Variable Bass Boost
- F/R/Sub Outputs



### MPQ-5XO – 4 Band Parametric Equalizer

- Parametric EQ w/Crossover and Sub Volume
- 2 Selectable Inputs w/Variable Input Gain • F/R/Sub RCA Outputs • Variable Bass Boost • Variable Subsonic Filter




### MPQ-7B – Half DIN 7-Band Graphic EQ

- Graphic EQ w/Subwoofer Level Control • Front, Rear, and Subwoofer RCA Outputs • 2 Selectable Balanced RCA Inputs with Input Gain • Selectable Low-Pass Filter

**Authorized Dealers Only**

– Call your Sales-Rep for Details –

– Territory Restrictions –



## V Multi-Channel & Mono Amplifier



- Full Range Class A/B Amplifiers • Smooth Raven Black Aluminum "Finless" Heat Sink • Switchable LP/HP Crossovers • Variable Bass Boost • Advanced Protection • Nickel Plated RCA Connectors

Model	Channels	RMS	Maximum	MIN ohm
V 500.2	2	80 Watts x 2	500 Watts x 1	2 ohm
V 1000.4	4	80 Watts x 4	500 Watts x 2	2 ohm
V 1000.1	1	455 Watts x 1	1000 Watts x 1	2 ohm

## Nano Block Amplifiers



- Full Range Class A/B Amplifiers • Mosfet Power Supply • Heavy Duty Aluminum Alloy Heatsink • Adjustable Hi/Low Pass Filters • Subsonic Filter • 3-Way Protection • Chrome Plated RCA Level Inputs & Screw Terminals

Model	Channels	RMS @ 4 Ω	Maximum	MIN ohm
NX2	2	120 Watts x 2	480 Watts x 1	2 ohm
NX3	3	120W x 2 + 800W x 1	480W x 1 + 1600	2 ohm + 1 ohm
NX4	4	100 Watts x 4	400 Watts x 2	2 ohm
NX5	5	120W x 4 + 800W x 1	480W x 2 + 1600	2 ohm + 1 ohm

## Nano Block Class D Mono Amplifiers



Model	Channels	RMS @ 1 Ω	Maximum	MIN ohm
N2	1	800 Watts	1600 Watts	1 ohm
N3	1	1400 Watts	2800 Watts	1 ohm
N4	1	2000 Watts	4000 Watts	1 ohm

## D Block Amplifier




- Full Range Class A/B Amplifiers • Mosfet Power Supply • Brushed Aluminum "Finless" Heat Sink • Adjustable Low/High Pass Filter • Adjustable Parametric Bass EQ • 6-Way Protection Circuitry • Nickel-plated Connectors

Model	Channels	RMS	Maximum	MIN ohm
D800.4	2	120 Watts x 4	480 Watts x 2	2 ohm

## D Block Mono Amplifiers



Model	Channels	RMS	Maximum	MIN ohm
D1200	1	600 Watts	1200 Watts	1 ohm
D2400	1	1200 Watts	2400 Watts	1 ohm
D3600	1	1800 Watts	3600 Watts	1 ohm
D8000	1	4000 Watts	8000 Watts	0.5 ohm



## Nano Bit Amplifiers

- Full Range Class D (Digital) Amplifiers • SMD Hi-Fi Audio Components
- High Pass Subsonic Filter • LPF/FULL/HPF Crossover • Bass Boost EQ
- Remote Gain Control • High Level Input • Nickel Plated Connectors



Model	Channels	RMS	Maximum	Min ohm
<b>BX2</b>	2	120 Watts x 2	480 Watts x 1	2 ohm
<b>BX4</b>	4	120 Watts x 4	480 Watts x 2	2 ohm
<b>B 2</b>	1	800 Watts x 1	1600 Watts x 1	1 ohm

## Volt Subwoofers

- Custom Steel Basket • Polymica Cone w/Woven Glass Fiber Dust Cap • 1.5" Four Layer Voice Coil with Aluminum Former and Reinforce Neck Joint • 1" N-Roll Polyester Foam Surround



Model	Size	Power RMS/Peak	Impedance	Magnet
<b>V 104 II</b>	10"	300W/600W	Dual 4 ohm	40 oz.
<b>V 102 II</b>	10"	300W/600W	Dual 2 ohm	40 oz.
<b>V 124 II</b>	12"	300W/600W	Dual 4 ohm	40 oz.
<b>V 122 II</b>	12"	300W/600W	Dual 2 ohm	40 oz.
<b>V 12S4 II</b>	12"	300W/600W	Single 4 ohm	45 oz.

## Neo Subwoofers

- New Ultra-Hi Skillfully Handcrafted Performance Subwoofers Incorporate the Latest Design and Advances in Motor Structure, Voice Coil Geometric Winding and Cone Structure



Model	Size	Power RMS/Peak	Impedance	Magnet
<b>NEO 8</b>	8"	300W/600W	Dual 4 ohm	45 oz.
<b>NEO 10</b>	10"	400W/800W	Dual 4 ohm	75 oz.
<b>NEO 12</b>	12"	400W/800W	Dual 4 ohm	75 oz.
<b>NEO 15</b>	15"	500W/1000W	Dual 4 ohm	75 oz.

## Kilo Subwoofers

- Heavy Cast Basket • Deep Cycle/Sound Quality Subwoofers • Super Efficient Low Frequencies, Ultra Low Distortion



Model	Size	Power RMS/Peak	Impedance	Magnet
<b>KILO 104</b>	10"	600W/1000W	Dual 4 ohm	100 oz.
<b>KILO 124</b>	12"	600W/1000W	Dual 4 ohm	100 oz.
<b>KILO 122</b>	12"	600W/1000W	Dual 2 ohm	100 oz.


## Toro Subwoofers

- Powder Coated Thick Aluminum Cast Baskets • Paper/Woven Fiber Cones
- 65mm Voice Coils for Greater Handling Power • 5-Way Binding Posts • Push or Banana Nickel Plated Terminals



Model	Size	Power RMS/Peak	Impedance	Magnet
<b>TORO 104</b>	10"	1200W/2400W	Dual 4 ohm	155 oz.
<b>TORO 124</b>	12"	1200W/2400W	Dual 4 ohm	155 oz.
<b>TORO 122</b>	12"	1200W/2400W	Dual 2 ohm	155 oz.





## Hippo Subwoofers

- Heavy Die-Cast Alloy Basket • Light Weight/Heavy Duty Fiber/Non-Pressed Paper Cone • 3" Voice Coil • Push Pin Banana Style Terminals

Model	Size	Power RMS/Peak	Impedance	Magnet
<b>HIPPO 122</b>	12"	2500W/5000W	Dual 2 ohm	405 oz.
<b>HIPPO 152</b>	15"	2500W/5000W	Dual 2 ohm	405 oz.
<b>HIPPO 84</b>	8"	500W/1000W	Dual 4 ohm	100 oz.



## Rebel Subwoofer

### REBEL 124

- 12" Dual 4 ohm Subwoofer • Polyglass Fiber Caped UV Treated Paper Cone
- Dual Wave Roll Surround • Stamp Steel Basket w/Heavy Powder Coat Finish
- 500 Watts RMS/1000 Watts Peak • Reinforced Aluminum Former • 65 oz. Magnet Weight



## DX Coaxial Speakers

- DX Series Speakers are made to Replace Factory OEM Speakers
- High Sensitivity and Universal Fit

Model	Size	Power RMS/Peak	Impedance	Tweeter
<b>DX2</b>	2.75", 1-Way	20W/100W	4 ohm	n/a
<b>DX3</b>	3.5", 2-Way	25W/120W	4 ohm	13mm Dome
<b>DX4</b>	4", 2-Way	30W/60W	4 ohm	13mm Dome
<b>DX46</b>	4 x 6", 2-Way	40W/80W	4 ohm	13mm Dome
<b>DX5</b>	5.25", 2-Way	40W/80W	4 ohm	13mm Dome
<b>DX57</b>	5 x 7", 2-Way	50W/100W	4 ohm	13mm Dome
<b>DX6</b>	6.25", 2-Way	50W/100W	4 ohm	13mm Dome
<b>DX65</b>	6.5", 2-Way	60W/250W	4 ohm	13mm Dome
<b>DX65S</b>	6.5", 2-Way Shallow Mount	45W/200W	4 ohm	13mm Dome
<b>DX69S</b>	6 x 9", 2-Way Shallow Mount	66W/230W	4 ohm	13mm Dome
<b>DX693</b>	6 x 9", 3-Way	60W/120W	4 ohm	13mm Dome




## LX Coaxial Speakers

- New LX Series High Power Speakers • Ultra-Light Injected PP Cones
- Supple Surgical Rubber Surrounds • Pure German Silk 20mm Swivel Dome Tweeters • Stamped Steel Baskets • 25mm-35mm ASV Voice Coils

Model	Size	Power RMS/Peak	Impedance	Tweeter
<b>LX4</b>	4", 2-Way	50W/220W	4 ohm	20mm Swivel
<b>LX5</b>	5.25", 2-Way	60W/250W	4 ohm	20mm Swivel
<b>LX6</b>	6.5", 2-Way	75W/300W	4 ohm	20mm Swivel
<b>LX46</b>	4 x 6", 2-Way	60W/250W	4 ohm	20mm Swivel
<b>LX57</b>	5 x 7", 2-Way	70W/2800W	4 ohm	20mm Swivel
<b>LX69</b>	6 x 9", 2-Way	80W/320W	4 ohm	25mm Swivel
<b>LX8</b>	8", 2-Way	120W/500W	4 ohm	25mm Swivel





## Slim Coaxial Speaker

- Mica Filled Poly Cone with Butyl Rubber Surround • Slim Mount Heavy Gauge Steel Basket with Thick Power Coating • 30mm Voice Coil • Ferro Fluid Cooled Voice Coil • 20mm Silk Nomax Tweeter • 4 ohm Impedance

Model	Size	Power RMS/Peak	Tweeter
SX5II	5.25", 2-Way	50W/160W	25mm Silk Dome



## Slim Component Speakers

Model	Size	Power RMS/Peak	Tweeter
SK5II	5.25", 2-Way	90W/210W	25mm Silk Dome
SK6II	6.5", 2-Way	100W/220W	25mm Silk Dome



## RX Coaxial Speaker

RX 6

- 6.5" 2-Way Coaxial Speaker • Designed with Cast Aluminum Basket • Glass Fiber Cone • Soft Rubber Surrounds • 50-200 Watts RMS/400 Watts Peak • 25mm Soft Silk Dome Tweeter • 2-Piece Paintable Grills • 4 ohm Impedance • Powerful 35 oz. Magnets



## CK Component Speakers

- Cast Basket • Carbon Fiber Cones • 18 Db External Crossover

Model	Size	Power RMS/Peak	Tweeter
CK 6X	6.5", 2-Way	200W/400W	28mm Silk Dome
CK69X	6 x 9", 2-Way	250W/500W	28mm Silk Dome



## DK65 Component

DK65

- 6.5" Speaker • Heavy Gage Steel Baskets with Thick Powder Coating • Laminated Paper Cones with Pressed Foam Surround • Polyester Fiber with Cloth Spiders • 60 Watts RMS/250 Watts Peak • Hi-Temperature 1" ASV Voice Coils • 4 ohm Impedance • High Flux Strontium 5.4 oz. Ferrite Magnet • 13mm Hard Dome Tweeter • 2 Piece Paintable Grills



## Hard Dome Tweeter

DT05

- 13mm 2-Way Hard Dome Tweeter • Hi-Temperature 0.52" KSV Voice Coil • 10 Watts RMS/50 Watts Peak • Flexible Mounting Options Including: Surface, Angle or Flush Mount • 4 ohm Impedance




## CT Tweeters

- 12 dB Crossovers • Neodymium Magnets • Surface or Flush Mount

Model	Description	Power RMS/Max
CT1	25mm, Silk Soft Dome Tweeter	60 Watts RMS/110 Watts Max
CT1A	25mm, Aluminum Dome Tweeter	60 Watts RMS/120 Watts Max
CT2	28mm, Silk Dome Tweeter	80 Watts RMS/160 Watts Max





## M Pro Audio Speakers

Model	Size	Power RMS/Peak	Impedance
M6	- 6" Midrange	140W/300W	8 ohm v.c.
M8	- 8" Midrange	150W/300W	8 ohm v.c.
M10	- 10" Midrange	150W/350W	8 ohm v.c.
M12	- 12" Midrange	180W/400W	8 ohm v.c.
M15	- 15" Midrange	200W/400W	8 ohm v.c.



## MC Cast Basket Pro Audio Speakers

Model	Size	Power RMS/Peak	Impedance
MC10	- 10" Midrange	350W/700W	8 ohm v.c.
MC12	- 12" Midrange	350W/700W	8 ohm v.c.



## M Pro Audio Shallow Mount Speakers

Model	Size	Power RMS/Peak	Impedance
M6S	- 6.5" Midrange	130W/300W	4 ohm v.c.
M8S	- 8" Midrange	140W/300W	4 ohm v.c.



## M Pro Audio Closed Back Shallow Mount

Model	Size	Power RMS/Peak	Impedance
M6C	- 6.5" Midrange	70W/140W	8 ohm v.c.
M8C	- 8" Midrange	80W/160W	8 ohm v.c.
M69C	- 6 x 9" Midrange	60W/240W	8 ohm v.c.
M57C	- 5 x 7" Midrange	50W/200W	8 ohm v.c.



## M Pro Audio Midbass Midrange Speakers

Model	Size	Power RMS/Peak	Impedance
M6M	- 6.5" Midrange	140W/400W	4 ohm v.c.
M6B	- 6.5" Midrange	150W/400W	4 ohm v.c.
M8B	- 8" Midrange	150W/400W	4 ohm v.c.



## T Pro/Car Audio Bullet Tweeters

Model	Size	Power RMS/Peak	Impedance
CT 4	- 1" VC	30/60W	4 ohm
CT 6	- 1" VC	60/120W	8 ohm
T40	- 40mm	30/120W	4 ohm
T50	- 44mm	60/300W	8 ohm





## Pat Pro Audio Compression Drivers

Model	Description
PAT 1	1" Throat, 1" vc, Neodymium Magnet, Screw Mount Driver, 50W Max, 8Ω
PAT 2	1" Throat, 1" vc, Neodymium Magnet, Screw Mount Driver, 200W Max, 4Ω
PAT 3	25.5mm vc, Ferrite Magnet, Screw Mount Driver, 200W Max, 8Ω
PAT 34	34mm, Titanium Magnet, Bolt Mount Driver, 200W Max, 8Ω
PAT 50	1" Throat, 2" vc, 30 oz Magnet, Screw Mount Driver, 300W Max, 8Ω
PAT 50A	1" Throat, 2" vc, 30 oz Magnet, Bolt Mount Driver, 300W Max, 8Ω
PAT 200	77.2mm vc, Ferrite Magnet, Bolt Mount Driver, 500W Max, 8Ω
PAT 250	51.3mm vc, Ferrite Magnet, Screw Mount Driver, 200W Max, 8Ω
PAT 400	100mm vc, Ferrite Magnet, Bolt Mount Driver, 800W Max, 8Ω



## Pro Audio Flare Horns

Model	Description
F1	1" Throat, Srew-on, ABS Plastic Material, 45 x 45 Dispersion
F2	1" Throat, Bolt-on, Fiberglass, 90 x 90 Dispersion
F3	1" Throat, Srew-on, Plastic Material, 60 x 40 Dispersion
F4	2" Throat, Bolt-on, Aluminum, 45 x 45 Dispersion



## 2 & 4 Farad Digital Capacitors

- Automatic Standby Mode • Extreme Low ESR For Faster Charge/Discharge
- 4 or 3 Digits Precision Display Indicator • Chrome Plated Metal Parts

Model	Description
CAP2	2 Farad Capacitor, Digital Volt Meter
CAP4	4 Farac Capacitor, Digital Volt Meter



## Signal Processors/ Media Player/Converter

Model	Description
EQ7	1/2 DIN, 7 Band Stereo Equalizer, 8v Line Driver, AUX Input
EQM	1/2 DIN, All-in-One Media EQ, USB, MP3, AUX, 1/4" Inputs
HI-LOW	High/Low Line Converter, 2-Channel Operation, 12 Volt Remote Output




## Amplifier Wiring Kits

- Amplifier Hookup Kits Provide everything you need in one kit, all necessary Wire, Fuses & Terminals in one Package
- Wires are Oxygen Free Pure Copper Cable • Signal Cables use Custom Molded RCA Plugs

Model	Power/Ground	Speaker	Turn-On	RCA	Fuse
AK-8	8 AWG	16 AWG	18 AWG	17 ft.	60A
AK-4	4 AWG	16 AWG	18 AWG	17 ft.	150A
AK-0	0 AWG	16 AWG	18 AWG	17 ft.	150A
G4	4 AWG	16 AWG	-	17 ft.	-
G8	8 AWG	16 AWG	-	17 ft.	-





## Amplified Class D Bass Tubes



- Fixed 85Hz Crossover • ABS Plastic Amplifier Cover
- Built-In Subsonic Filter • 1 Year Warranty

Model	Description	Power
BTA6250D	6" Class D	250 Watts
BTA8250D	8" Class D	250 Watts
BTA10250D	10" Class D	250 Watts

## Double-Ended Amplified Class D Bass Tubes



- Durable Construction • Patented Bass Tubes Enclosure Design • Simple Installation • Includes Mounting Straps

Model	Description	Power
BTA8250D-DE	8" Class D	250 Watts

## Amplified Bass Tubes



- Fixed 85Hz Crossover • ABS Plastic Amplifier Cover
- Built-In Subsonic Filter • 1 Year Warranty


Model	Description	Power
BTA6100	6"	100 Watts
BTA8100	8"	100 Watts
BTA10100	10"	100 Watts

## Bass Tube Passive



- Spring Loaded Terminal Cups • Foam Edge Roll
- 1 Year Warranty

Model	Description	Power
BT6014	6" 4 ohm/BT6018 - 8 ohm	100 Watts
BT8014	8" 4 ohm/BT8018 - 8 ohm	100 Watts
BT1014	10" 4 ohm/BT1018 - 8 ohm	100 Watts
BT1214	12" 4 ohm	100 Watts
BT6024DVC	6" 4 ohm DVC/BT6028DVC - 8 ohm DVC	200 Watts
BT8024DVC	8" 4 ohm DVC/BT8028DVC - 8 ohm DVC	200 Watts
BT1024DVC	10" 4 ohm DVC/BT1028DVC - 8 ohm DVC	200 Watts
BT1224DVC	12" 4 ohm DVC/BT6028DVC - 8 ohm DVC	200 Watts
NOS8	8" 4 ohm Blue Nitrous-Oxide Look	150 Watts



# "Tubbies"

Hot Item for Ski, Wakeboard, Sport Boats, ATV



- MT8100B** - Black
- MT8100W** - White
- MAC8002C** - Camo
- Marine Grade
- 8" Woofers
- Aluminum Dome Tweeters
- Waterproof
- MT6502BS** - Black
- MT6502WS** - White
- 6.5" Woofers

- MT6502C** - 6.5" Camo
- MT6502CHB** - 6.5" Compression Horn (Black)
- MT6502CHW** - 6.5" Compression Horn (White)
- MT6552BS** - Double Ended Tubbie 6.5" + 5.25" (Black)
- MT6552WS** - Double Ended Tubbie 6.5" + 5.25" (White)
- MT8265B** - Double Ended Tubbie 8" + 6.5" (Black)
- MT8265W** - Double Ended Tubbie 8" + 6.5" (White)

Call your Sales-rep for Required Mounting Brackets

## LED Lighted Tubbies



- MT81LKW** - White
- MT81LKB** - Black
- 8" Marine Single Ended Tubbies 2-Way Marine Tower Speakers with LED Dock Light • Water Resistant Single Ended Enclosure • Rubber Woofer Surround • New Slim Line Aerodynamic Design • 360° Rotation • Automotive Paint Finish
- 4 ohm Impedance • 150 Watts RMS per Pair Power Handling/75 Watts each • Internal Hidden Wiring
- New Lighted LED Light Cluster allows for Additional Convenience - can light up entire bow area or swivel to help load and unload in the dark • Waterproof Mid-Range and Tweeter • 12dB Per Octave Two Stage Crossover, Bi-ampable • Salt, fog, and UV Certified • Composite Grill and Basket • Quick Disconnect Clamps • Custom Drawstring Storage Bags Included • Stainless Steel Mounting Hardware
- Various Mounting Clamps available and Sold Separately

## Marine Subwoofer Tubes

Model	Description
<b>MBT8014</b>	8" 4 ohm 150 Watt
<b>MBT1014</b>	10" 4 ohm 200 Watt
<b>MBTA8100</b>	8" 1 x 100 Watt Amplified
<b>MBTA10100</b>	10" 1 x 100 Watt Amplified
<b>MBTA8250D</b>	8" 1 x 250 Watt Mosfet Amplified
<b>MBTA10250D</b>	10" 1 x 250 Watt Mosfet Amplified





## Marine Amplifiers/PA



Model	Description
MPA1000B	(Black) PA Pre-Amp with Microphone
MPA1000W	(White) PA Pre-Amp with Microphone
MA275D	2 Channel - 100 Watts x 2 @ 2 ohms RMS
MA475D	4 Channel - 100 Watts x 4 @ 2 ohms RMS
MA1600D	1 Channel - 600 Watts x 1 @ 2 ohms RMS

## Marine/Camo Satellites Speakers



• Composite Speaker Baskets • Poly-Mica Woofer Cones • Aluminum Dome Tweeters • UV Resistant White Grills • Polyurethane Rubber Woofer Surrounds

Model	Description	Power
MAC6510W	6.5" 2-Way Coaxial, (White Enclosure)	100 Watts
MAC6510B	6.5" 2-Way Coaxial, (Black Enclosure)	100 Watts
MAC6502C	6.5" 2-Way Coaxial, (Camo Enclosure)	100 Watts
MAC6903W	6" x 9" 3-Way Coaxial, (White Enclosure)	150 Watts
MAC8100W	8" 2-Way Coaxial, (White Enclosure)	150 Watts
MAC8100B	8" 2-Way Coaxial, (Black Enclosure)	150 Watts
MAC8002C	8" 2-Way Coaxial, (Camo Enclosure)	150 Watts

## Motorcycle AudioKits

- MC-HD-AK2 - Harley - 2 Ch Amp w/5.25" Coax - FLHX
- MC-HD-AK4 - Harley - 4 Ch Amp w/5.25" Coax - FLH-'85 & Up
- MC-HON-AK4 - Honda - 4 Ch Amp w/4" Coax - GL1800



Motorcycle not included



**Dual**



**USB Port**

**XDVD1170 – DVD Multimedia Receiver**  
 • Single DIN DVD Receiver with Motorized 7" Touchscreen Display & Detachable Front Panel • Controls most iPod/iPhone Devices • Front SD Card/USB/AUX Inputs • Rear RCA A/V Input • 2 Pairs RCA Preamp Outputs (F/R) • Remote Control Included  
**XDVD1175BT – w/Bluetooth**



**USB Port**

**XDVD1262 – DVD Multimedia Receiver**  
 • Double DIN DVD Receiver with 6.2" Touchscreen Display • Controls most iPod/iPhone Devices • Rear USB • Front SD Card/AUX Inputs • Rear USB • Rear RCA Audio/Video Input • 2 Pairs of RCA Preamp Outputs (F/R) • Remote Control Included  
**XDVD1265BT – w/Bluetooth**



**USB Port**

**DXV3D – DVD Multimedia Receiver**  
 • Double DIN 6.2" LED Backlit Touchscreen Display • Front USB and AUX Inputs • SD Card Reader • iPod and iPhone Ready • 2-Way iPod Control • Bluetooth Ready • Backup Camera Input • 3 Sets 2v Preamp Outputs • Rear RCA Video Output • Rear RCA Audio Video Input • Remote Control Included



**XDVD3201 – DVD Receiver**  
 • Double DIN 6.2" TFT/LCD Touchscreen • Front Panel SDHC Card & 3.5mm A/V Inputs • Direct USB Control for iPod/iPhone • DVD/CD/MP3/ WMA/JPG Playback • 2 Pairs RCA Outputs (F/R) • 1 Sub Output • 1 Rear RCA A/V Input • 1 Rear High Speed USB 2.0 Input • 1 Rear Camera Input • Steering Wheel Interface



**XDMA6370 – CD Receiver**  
 • Single DIN In-Dash CD Receiver w/Detachable Face • Direct USB Control for iPod® • Front USB & SD Card Inputs • Front Panel 3.5mm Input • CD/MP3/WMA Playback • 18FM/12AM Presets • Steering Wheel Control Compatible • 2 Pairs Pre-amp RCA Outputs



**with Bluetooth**

**XDMA550BT – AM/FM/CD/MP3/WMA/USB Receiver**  
 • Single DIN with Built-in Bluetooth (mic included) • USB Front Panel Input & 3.5mm Front Panel Input • Direct USB Control for iPod/iPhone • Charges iPod iPhone while Connected • 50 Watts x 4 • Preamp RCA Outputs • Remote Control Included



Phone not included

**XDMA6540 – AM/FM/CD Receiver**  
 • Single DIN with Detachable Faceplate • Direct USB Control for iPod & iPhone • Built-in Bluetooth • SD Card Input • SiriusXM and HD Radio Ready • CD-R/RW/MP3/WMA/AAC Playback • 18FM/12AM Presets • Front USB Input • 3 Pairs of RCA Outputs • Portable Device Mount & Remote Control Included



**XD1228 – AM/FM/CD Receiver**  
 • Single DIN CD Player/Receiver w/Detachable Facepanel • Blue/Black Display Color Type LCD • Front Panel USB Charge Port • 3.5mm Front Panel AUX Input • CD-R/RW Playback • 18FM/12AM Presets • 15 Watts x 4 • 1 Pair Preamp RCA Outputs



**Mechless**

**XR4115**  
 • Single DIN AM/FM/Mechless Receiver with Front Panel SD Card Reader • Front Panel 3.5mm Input • Front Panel USB Input • Import ISO/DIN Mountable • 18FM/12AM Presets • 1 Pair Preamp RCA Outputs • Remote Control



**LU43PB – Black**  
 • 3-Way Indoor/Outdoor Loud-Speakers  
 • Woofer: 4" Polypropylene • Midrange: 40mm Poly Cone • Tweeter: 20mm Piezo Dome • 4-6 ohm Imp  
 • 50 Watts RMS/100 Watts (IPP)  
**LU43PW – White**





# Marine Receivers/Speakers/Accessories

- MCP300GH—CD Receiver Pkg. w/2 Speakers**
- Single DIN AM/FM/USB/SD/CD Marine Receiver with Speakers & Universal Gimbal Housing
  - Front Panel USB
  - Front Panel 3.5mm Inputs
  - SD Card Input
  - Pair of Preamp RCA Outputs
  - (2) 6.5" Dual Cone Marine Speakers
  - Speaker Grilles Included
  - 20 Watts RMS/100 Watts Maximum



- AMCP400W**
- 1.0 DIN AM/FM/CD/MP3/WMA Marine Receiver
  - Direct USB Control for iPod/iPhone
  - Front Panel 3.5mm Inputs
  - Front Panel USB
  - 7 Ch NOAA Weatherband Tuner
  - Pair Preamp RCA Outputs
  - Remote Control
  - Two 6.5" Dual Cone Speakers
  - 20 Watts RMS/100 Watts Peak Power
  - Includes Speaker Grilles

**(SiriusXM)**  
SATELLITE RADIO  
READY



- AMB600W**
- Single DIN AM/FM/CD/MP3/WMA Marine Receiver w/Built-In Bluetooth
  - 7 Channel NOAA Weather Band Tuner
  - Front Panel USB and 3.5mm Input
  - SD Card Reader
  - Direct USB Control for iPod & iPhone
  - SiriusXM Ready
  - 18FM/12AM Presets
  - CEA-2006 Compliant
  - 2 Pairs Preamp RCA Outputs
  - Import ISO/DIN Mountable



- MH200**
- 1.0 DIN Marine-Grade Radio Gimbal Housing
  - Watertight Housing Encloses Receiver to Protect it against Harsh Marine Environments
  - Fully Adjustable Mounting Angle
  - Transparent Fold-Down Door with Rubber Seal
  - 1-Piece Mounting Bracket
  - Stainless Steel Mounting Hardware




- DMS365—6.5" 3-Way Marine Speakers**
- Corrosion & Rustproof Basket Design
  - Weather Resistant Injection-Molded Polypropylene Cone
  - 30 Watts RMS/120 Watts Peak
  - UV Impregnated ABS Heat-Resistant Weatherproof Grilles
  - Poly Coated Cloth Surround
  - 13mm Piezo Tweeter



- DMS651—6.5" Dual Cone Marine Speakers**
- Weather-Resistant Woofer
  - Rubber Surround
  - Magnetically Shielded
  - UV Impregnated ABS Heat-Resistant Weather-Proof Grilles
  - 4 ohms
  - 11 oz. Magnet
  - 150 Watts Maximum



- DMS369—6x9" 3-Way Marine Speakers**
- Corrosion & Rustproof Basket Design
  - Weather Resistant Injection-Molded Polypropylene Cone
  - 50 Watts RMS/200 Watts Peak
  - UV Impregnated ABS Heat-Resistant Weatherproof Grilles
  - Poly Coated Cloth Surround
  - 13mm Piezo Tweeter



## APCL Series Amplifiers



- Class D Mono Power Amplifiers • MOSFET Power Supply
- Variable Low Pass Electronic Crossover • Overload & Overheat Protection

Model	Chs/Class	4 ohm	2 ohm	1 ohm
<b>APCL-10001D</b>	1/D	400W x 1	600W x 1	1000W x 1
<b>APCL-15001D</b>	1/D	600W x 1	950W x 1	1500W x 1
<b>APCL-18001D</b>	1/D	700W x 1	1150W x 1	1800W x 1
<b>APCL-30001D</b>	1/D	-	-	3000W x 1
<b>APCL-3002</b>	2/AB	150W x 2	300W x 2	-
<b>APCL-2004</b>	4/AB	100W x 4	150W x 4	-

## APSM Series Mini-Amplifiers



- Mostfet Power Amplifiers • Mini-Design


Model	Channels	4 ohm RMS	2 ohm RMS	Max
<b>APSM-1300</b>	1	400W x 1	600W x 1	1000W
<b>APSM-1500</b>	1	600W x 1	950W x 1	1500W
<b>APSM-2000</b>	1	900W x 1	1400W x 1	2000W
<b>APSM-2075</b>	2	75W x 2	110W x 2	1000W
<b>APSM-2125</b>	2	125W x 1	200W x 1	1200W
<b>APSM-4080</b>	4	80W x 4	115W x 4	1200W
<b>APSM-55100</b>	5	75W x 4	120W x 4	1600W

## TXX-BD Series Subwoofers



- Air Cushion Foam Surround Composite Cone • Black Powdered Die-cast Aluminum Basket • 4 ohm 4-Layer Black Aluminum Dual Voice Coil • Nomex Spider

Model	Size	RMS Watt/Peak Watt	Magnet Wt.
<b>TXX-BD2-10</b>	10"	600Watts/1200Watts	100 oz.
<b>TXX-B22-12</b>	12"	750Watts/1500Watts	150 oz.
<b>TXX-BD2-15</b>	15"	900Watts/1800Watts	160 oz.
<b>TXX-BD1-10</b>	10"	400Watts/800Watts	60 oz.
<b>TXX-BD1-12</b>	12"	600Watts/1200Watts	60 oz.
<b>TXX-BD1-15</b>	15"	800Watts/1600Watts	75 oz.



## TXX-BD3 Series Subwoofers

- Powdered Black Paint Aluminum Basket • 4 Layer Dual Voice Coil BASV • Patent Pipe Multi-Connect Terminal
- Dual 4 ohms Impedance

Model	Size	Peak Watt/RMS Watt	Magnet Wt.
<b>TXX-BD3-10</b>	10"	1400Watts/700Watts	132 oz.
<b>TXX-BD3-12</b>	12"	1800Watts/900Watts	204 oz.
<b>TXX-BF3-15</b>	15"	2400Watts/1200Watts	220 oz.



## TS-VR Series Subwoofers

- Powdered Black Paint Steel Basket • Patent Pipe Multi-Connect Terminal • 2 x 4 ohm Impedance

Model	Size	Peak Watt/RMS Watt	Magnet Wt.
<b>TS-VR6</b>	6"	150Watts/ 75Watts	50 oz.
<b>TS-VR8</b>	8"	500Watts/250Watts	40 oz.
<b>TS-VR10</b>	10"	600Watts/300Watts	50 oz.
<b>TS-VR12</b>	12"	50Watts/375Watts	60 oz.
<b>TS-VR15</b>	15"	1000Watts/500Watts	73 oz.



## TS-AR Series Subwoofers

- Powdered Black Paint Steel Basket • Patent Pipe Multi-Connect Terminal • 4-Layer Single Voice Coil BASV

Model	Size	Peak Watt/RMS Watt	Magnet Wt.
<b>TS-AR10</b>	10"	600Watts/300Watts	50 oz.
<b>TS-AR12</b>	12"	750Watts/375Watts	60 oz.
<b>TS-AR15</b>	15"	1000Watts/500Watts	73 oz.





**Audiopipe®**  
MARINE

## Marine Mini Amplifier Series



- MOSFET Power Supply Mini Marine Amplifiers
- Remote Subwoofer Volume Control Included

Model	Channels	4 ohm RMS	2 ohm RMS	Max
<b>APMR-1300MINI</b>	1	300W x 1	600W x 1	1000W
<b>APMR-2075MINI</b>	2	75W x 2	110W x 2	1000W
<b>APMR-4080MINI</b>	4	80W x 4	115W x 2/230W x 2	1200W

## Marine Amplifiers



- Built-in Variable Hi-Pass/Low Pass Crossover
- Electronic Protection Circuitry (Short Circuit, DC Offset & Thermal Overload) • RCA Line Input/Output Jacks
- Remote Subwoofer Volume Control Included

Model	Channels	4 ohm RMS	2 ohm RMS	Max
<b>APMR-1504</b>	4	75W x 4	150W x 4	1500W
<b>APMK-4400</b>	4	75W x 4	115W x 4	1400W
<b>APMK-5600</b>	5	60W x 4 + 200W x 1	90W x 4 + 310W x 1	1600W

## Marine Subwoofer



- APSW-1031**
- 10" Subwoofer Marine Speaker • White ABS Basket
  - 250Watts RMS/500Watts Peak • Rubber Surround Piano Black IMPP Cone • 56oz. Magnet

## Marine Speakers



- Rubber Surround Piano Black IMPP Cone
- Titanium Dome Diaphragm High Performance Tweeter

Model	Description	Magnet Wt.	RMS/Max
<b>APSW-6032</b>	6.5" 2-Way Marine Coaxial (White)	15 oz	100/200
<b>APSW-6532B</b>	6.5" 2-Way Marine/ATV Coaxial (Black)	15 oz	100/200
<b>APSW-6932</b>	6 x 9" 2-Way Marine Coaxial (White)	20 oz	150/300
<b>APSW-8032</b>	8" 2-Way Marine Coaxial (White)	22 oz	175/350



**Audiopipe®**  
**Pipedream**

## Off Road/ Marine Sound System



**Common Features:**

- Built-in Removable Amplifier • IMPP Cone & Titanium Dome Diaphragm High Performance Tweeter • Rubber Surround • Tone & Gain Control Knobs on the Front Panel • Water Resistant
- Anticorrosion PCB • iPod Compatible • Input Jack 3.5mm

**ATVP-1200 – 100 Watts RMS/200 Watts Max**

**ATVP-3200 – 175 Watts RMS/350 Watts Max**

## Lighting Accessory Kit



**NL-7LEDX**

- 7 Color Accessory Kit for all your Lighting Needs • Choose your Favorite Color • Cycle through Colors • Constant On • Speed Control Setting • Gradual Mixing of 7 Colors • Light up your Car, Truck, or Motorcycle
- **Contains:**  
(2) 9" LED Tubes, (2) 6" LED Tubes, 4 Single LED Bulbs, 2 Slim Remotes, 4 Control Module
- Installation Hardware & Instructions Included

## Flexible Color LED Light Strip



**NL-FK116LED**

- 7 Color LED Flexible Strip (16ft.) LED Accent Light • 24 Key Super Thin IR Remote Controller allows user to Conveniently Set Color and Control Patterns • Retains Memory of Color and Pattern • A Clearly Marked Line Shows Exactly where to Cut • Create a Stunning Light Show on your Motor-cycle, Car, Truck Boat-just about anything

## LED Truck Tailgate Lights



**NL-TKLG**

- 60" LED Truck Tailgate Lights • 4 Functions: 3 Brake Light, Running Light, Left and Right Turn Signal and Back-up Light
- Self-Adhesive Mounting Pads • Simple 4-Pin Trailer-Styler Connector Installation

**NL-TKSM**

- 48" LED Truck Tailgate Lights

## LED Undercar Light Kit



**NL-3648 MULTI**

- Led Undercar Rigid Light Bars • 7 Changing Colors • Built-In Music Sensor • 2 x 48" Tubes Control Module • 2 x 36" Tubes Control Module • Installation Hardware Included

**NL-3648RSM**

- As above with Remote



# Professional DJ Speaker with Built-In Amplifier

## DJAP-1577AUSB

- 15" Woofer with 3" ASV High Temperature Voice Coil • Built In Crossover • 4-1/2" Titanium Driver • Steel Basket Woofer
- 70 oz Magnet
- Class A/B Amplifier • SD Card Reader and USB Port • MP3 Player with LED Display • AUX Line Output • 2-Way Microphone Input
- 500 Watts Max Power • 8Ω Impedance
- Stacking Grooves • Easy Carry Handles
- Rubber Feet



## DJAP-1257AUSB

- 12" Woofer with 2.5" ASV High Temperature Voice Coil • Built In Crossover • 3-1/2" Titanium Driver • Steel Basket Woofer
- 50 oz Magnet
- Class A/B Amplifier • SD Card Reader and USB Port • MP3 Player with LED Display • AUX Line Output • 2-Way Microphone Input
- 400 Watts Max Power • 8Ω Impedance
- Stacking Grooves • Easy Carry Handles
- Rubber Feet



## DJAP-1047AUSB

- 10" Woofer with 2" KSV Voice Coil • 3-1/2" Titanium Driver
- 2-Way Configuration w/Active Filter • 40 oz Magnet
- Class D Amplifier • USB Host MP3 • 1/4" Jack or RCA Line Input • XLR Microphone Input
- 100 Watts Power Capacity



# Wireless Microphone Systems



## GW-6002

- 2-Channels FM Wireless Microphone System • Carrier Frequency: UHF 500-580/MHz
- Stability: <± 20ppm • Dynamic Range: >98dB • T.H.D.: <0.5%
- Audio Out: Balanced: 0-700mV Mix: 0-300mV



## SM-38

- Uni-Directional Dynamic Microphone • Professional Sound Quality for Vocals and Instruments • Unidirectional Polar Pattern Reduces Pickup of Undesired Off-axis Sounds
- Well Suited for on Stage Vocal Instrument use as well as for the Karaoke Enthusiast • Imp: 600Ω



## SM-88

- Dynamic Microphone
- Professional Sound Quality for Vocals and Instruments
- Unidirectional Polar Pattern Reduces Pickup of Undesired Off-axis Sounds • Well Suited for on Stage Vocal/Instrument use as well as for the Karaoke Enthusiast • Imp: 600Ω



# DJ Lighting Accessories



## Mini Laser Stage Lighting

### ZYL-121M

- AC Power Supply Input
- AC 110v-240v/50-60Hz, Output 5v 2A
- Laser Generator: Wavelength 532nm Power 50mw, Wavelength 650nm Power 100mw
- Dimension: 130 x 92 x 52mm



## Mini Laser

### ZYL-321M

- Laser Power: Green 30mw, Red 120mw
- Voltage: AC 110v/60Hz
- Rated Power: 5 Watt
- Control Mode: Voice Activated Mode and Auto Mode
- Effects: Continuous Streamig Wave, Strobe and Back and Forth Motions



# LESCO

# DISTRIBUTING

# CONCEPT



- CFD-105**
- Flipdown 10.1" Digital Panel with LED Backlighting
  - NEW Touch Sensitive Controls • NEW HDMI Input
  - NEW Advanced ALC Technology for Improved Audio Volume • Three Sets of Interchangeable Chameleon Skins (Black/Gray/Tan) • FM Transmitter • DVD/USB SD Media • Dual Channel IR • Dual Stereo Speakers
  - 2 Audio/Video Inputs • 1 Audio/Video Output



- CFD-135**
- Flipdown 13.3" Digital Panel with LED Backlighting
  - NEW Touch Sensitive Controls • NEW HDMI Input
  - NEW Advanced ALC Technology for Improved Audio Volume • Three Sets of Interchangeable Chameleon Skins (Black/Gray/Tan) • FM Transmitter • DVD/USB SD Media • Dual Channel IR • Dual Stereo Speakers
  - 2 Audio/Video Inputs • 1 Audio/Video Output



- CLD-703**
- Headrest w/Built-in 7" TFT/LCD (16:9) Color Monitor and DVD Player • NEW Touch Sensitive Controls
  - NEW HDMI Input • NEW Advanced ALC technology
  - Three Interchangeable Color Covers (Black/Gray/Tan)
  - Mini USB Port • SD/MMC Card Slot • FM Transmitter
  - Dual Channel Infrared Transmitter • Built-in Speakers
  - 1 Audio/Video Output / 2 Inputs • Adjustable Poles for Universal Fit • Wireless Remote Control Included

- CLS-703**
- Similar to above no DVD Player



- CLD-903**
- Headrest w/Built-in 9" TFT/LCD (16:9) Color Monitor and DVD Player • NEW Touch Sensitive Controls
  - NEW HDMI Input • NEW Advanced ALC technology
  - Three Interchangeable Color Covers (Black/Gray/Tan)
  - Mini USB and SD/MMC Cards Slots • FM Transmitter
  - Dual Channel IR Wireless Headphone Transmitter
  - 1 Audio/Video Output / 2 Inputs • Adjustable Poles
  - Wireless Remote Control Included

- CLS-903**
- Similar to above no DVD Player

## Headphones

### CDC-IR30

- Compatible w/all In-Vehicle Audio/Video Applications using Wireless Infrared
- Dual Infrared Source A/B Selector Switch
- Power Supply Indicator Light • Rotating Earpiece for Compact Storage
- Closed Ear, Foam-padded Earpieces for Superior Comfort, Sound Isolation & Noise Cancellation
- Active Noise Reduction for Crystal Clear Sound
- Built-in 2" Mylar Speakers for Superior Sound Quality • Top-of -the-Line, Audiophile Sound Headphones with Self-Adjusting Headband



### CDC-IR20

- Compatible w/all In-Vehicle Audio/Video Applications using Wireless Infrared
- Adjustable Headband
- Dual Infrared Source A/B Selector Switch
- Power Supply Indicator Light • Rotating Earpiece for Compact Storage • Closed Ear, Foam-padded Earpieces for Superior Comfort, Sound Isolation & Noise Cancellation • Active Noise Reduction for Crystal Clear Sound • Built-in 2" Mylar Speakers for Superior Sound Quality



### CDC-IR10

- Compatible w/all In-Vehicle Audio/Video Applications using Wireless IR • Dual IR Source A/B Selector Switch • Power Supply Indicator Light • Rotating Earpiece for Compact Storage
- Closed Ear, Foam-padded Earpieces for Superior Comfort, Sound Isolation & Noise Cancellation



– Call for Quantity Pricing –



## LA Amplifiers



- Premium Build Quality • Master/Slave Operation • Variable Phase Shift
- Variable Q Control • Multi Inputs/Outputs • Remote Bass Control

Model	Channel	4 ohm	2 ohm	Remote Bass Control
LA-400M	1	300W x 1	400W x 1	Yes
LA-1000MD	1	500W x 1	750W x 1	Yes
LA-2000MD	1	1000W x 1	1500W x 1	Yes
LA-3000MD	1	1500W x 1	2250W x 1	Yes
LA-2100	2	100W x 2	200W x 2	-
LA-4100	4	100W x 4	200W x 4	-
LA-4200	4	200W x 4	400W x 4	Yes
LA-51000	5	125x4 @ 4Ω/400x1 @ 2Ω	200x4 @ 2Ω/500x1 @ 1Ω	Yes
LA-1000MDMINI	1	500W x 1	1000W x 1	Yes
LA-4100MINI	4	400W x 4	200W x 4	-

## LA Subwoofers



- Tall Profile Surround • Stamped Basket • Die-cast Basket • Half-Roll Surround • Multipoint Stitched Leads • Spring Loaded Terminals

Model	Size	Impedance	Capacity
L0-S410	10"	Single 4 ohm	300W Maximum
L0-S412	12"	Single 4 ohm	300W Maximum
L1-S410	10"	Single 4 ohm	300W Maximum
L1-S412	12"	Single 4 ohm	300W Maximum
L2-D210	10"	Dual 2 ohm	500W Maximum
L2-D410	10"	Dual 4 ohm	500W Maximum
L2-D212	12"	Dual 2 ohm	500W Maximum
L2-D412	12"	Dual 4 ohm	500W Maximum
L3-D210	10"	Dual 2 ohm	800W Maximum
L3-D410	10"	Dual 4 ohm	800W Maximum
L3-D212	12"	Dual 2 ohm	1000W Maximum
L3-D412	12"	Dual 4 ohm	1000W Maximum

## LA Loaded Enclosures

- Vented Design • Spring Loaded Terminals • Industrial Carpet

Model	Size	Power Handling (Max)
LA-1X12V	Single 12" Subwoofer	400 Watts - 4 ohm
LA-2X12V	Dual 12" Subwoofer	800 Watts - 2 ohm



**Authorized Dealers Only**  
 – Call your Sales-Rep for Details –  
 – Territory Restrictions –





## LA Components

- Mica Injected Polypropylene Cone • Foam Surround
- 18 AWG Cold Rolled Steel Frame • 1/2" Mylar Balanced Dome Tweeter • Flush Tweeter Mount with Swivel Action
- Speaker Grills and Speaker Wire Included

Model	Size
L5-S	5.25" 2-Way Component Speaker Kit
L65-S	6.50" 2-Way Component Speaker Kit



## Tweeter Kit

- LT
- 0.5" Tweeter Kit • 1/2" Mylar Balanced Dome Tweeter
- Integrated 6dB/Octave Butterworth Tweeter Crossover
- Flush Tweeter Mount with Swivel Action • Pair


## LA Coaxials

- Mica Injected Polypropylene Cone • Foam Surround
- 1/2" Mylar Balanced Dome Tweeter • 18 AWG Cold Rolled Steel Frame • Integrated 6dB/Octave Butterworth Tweeter Crossover • Pole Mounted Tweeter



Model	Description	Grilles
L4	4" 2-Way Full-Range Speaker	Yes
L46	4 x 6" 2-Way Full-Range Speaker	-
L5	5.25" 2-Way Full-Range Speaker	Yes
L65	6.50" 3-Way Full-Range Speaker/Mylar Piezo Super Tweeter	Yes
L675	6.75" 3-Way Full-Range Speaker/Mylar Piezo Super Tweeter	Yes
L57	5 x 7" 2-Way Full-Range Speaker	-
L68	6 x 8" 2-Way Full-Range Speaker	-
L69	6 x 9" 3-Way Full-Range Speaker/Mylar Piezo Super Tweeter	Yes

**Authorized Dealers Only**  
 – Call your Sales-Rep for Details –  
 – Territory Restrictions –



## Amplifier Series

- MOSFET Power Supply • Low Pass Filter • Bass Boost
- 2 ohm Stability • High Level Inputs • RCA Input • RCA Output



Model	Channels	4Ω RMS	2Ω RMS	Max 4Ω	Max 2Ω	Remote Bass Control
REN1100S	4	75W x 4	135W x 4	150W x 4	275W x 4	No
REN550S	2	75W x 2	135W x 2	150W x 2	275W x 2	No
REN850S	1	225W x 1	425W x 1	450W x 1	850W x 1	Yes

## BassReflex Enclosure Systems

- Loaded Bass Reflex Ported Subwoofer Enclosures
- Polypropylene Woofer Cone • 2" Voice Coil • Black Composite Foam Woofer Surround • 4 ohm Impedance
- Silver Spring Terminals • Black Carpet Finish with Logo-Embroidery



Model	Size	RMS/Max Power
RXV1202	Dual 12" Subwoofers	600 Watts/1200 Watts
RVX1200	Single 12" Subwoofers	300 Watts/600 Watts

## GTW Series Subwoofers

- 2" Voice Coil • 4 ohm Impedance




Model	Size	RMS/Max Power
RXW1200	12" Subwoofer	300 Watts/600 Watts
GTW1000B	10" Subwoofer	250 Watts/500 Watts

## Coaxial Speakers

- Full Range Speakers • 4 ohm Impedance



Model	Size	RMS/Max Power
RX42	4" (pr.) 2-Way Speakers	60 Watts/120 Watts
RX52	5.25" (pr.) 2-Way Speakers	80 Watts/160 Watts
RX62	6.5" (pr.) 2-Way Speakers	100 Watts/200 Watts
RX693	6 x 9" (pr.) 3-Way Speakers	150 Watts/300 Watts
RX830	8" (pr.) 3-Way Speakers	150 Watts/300 Watts



## Component System

- Capsuled Inline Crossover • 4 ohm Impedance
- 20mm Neodymium-Tweeter

Model	Size	RMS/Max Power
<b>RX6.2C</b>	6.5" 2-Way Component System	100 Watts/200 Watts



## PowerSport Sound System

### **RXA100B – Black**

- For use with MP3 Player & Traditional Source Units
- 50 Watts x 2 Maximum Amplifier • AUX & RCA Inputs
- Installation Hardware Included

### **RXA100C – Chrome**



## Amplifier Installation Kits

### **REN35KIT (Apx 2 Gauge)**

- 1 x 35 mm<sup>2</sup> Power Wire (Red), with Flexible Strands (0,15mm), 5m
- 1 x 35 mm<sup>2</sup> Ground Wire (Grey), with Flexible Strands (0,15mm), 0.8m
- 1 x RCA Stereo Audio Cable (Blue), Double Shielded, 5m
- 1 x 0,5 mm<sup>2</sup> Remote Wire, 5m
- 1 x ANL Fuseholder with 150 A ANL Fuse

### **REN20AKIT (Apx 4 Gauge)**

- 1 x 20 mm<sup>2</sup> Power Wire (Red), with Flexible Strands (0,15mm), 5m
- 1 x 20 mm<sup>2</sup> Ground Wire (Grey), with Flexible Strands (0,15mm), 0.8m
- 1 x RCA Stereo Audio Cable (Blue), Double Shielded, 5m
- 1 x 0,5 mm<sup>2</sup> Remote Wire, 5m
- Mini ANL Fuse

### **REN10AKIT (Apx 8 Gauge)**

- 1 x 10 mm<sup>2</sup> Power Wire (Red), with Flexible Strands (0,15mm), 5m
- 1 x 10 mm<sup>2</sup> Ground Wire (Grey), with Flexible Strands (0,15mm), 0.8m
- 1 x RCA Stereo Audio Cable (Blue), Double Shielded, 5m
- 1 x 0,5 mm<sup>2</sup> Remote Wire, 5m
- Mini ANL Fuse



## Power Capacitor

### **RX1200**

- 1.2 Fared Capacity • 4-Digit Voltmeter Display • Solid Acrylic Brackets





beyma //

# The Original Pro Audio Speakers



## 6.5" SPEAKERS

Model	Size/Imp	RMS/Max	Description
<b>CM6</b>	6.5" - 8Ω	80W/160W	Mid-Frequency Reproduction
<b>6M180</b>	6.5"- 4Ω	100W/200W	Mid-Frequency Reproduction
<b>PRO6MI</b>	6.5"- 4Ω	100W/200W	Medium Frequency Reproduction
<b>PRO65ND</b>	6.5"- 4Ω	100W/200W	Medium Frequency Reproduction



## 8" SPEAKERS

Model	Size/Imp	RMS/Max	Description
<b>8MFE</b>	8"- 4Ω	100W/200W	Mid-Frequency Reproduction
<b>PRO8MI</b>	8"- 4Ω	200W/400W	Medium Frequency Reproduction
<b>8MND</b>	8"- 4Ω	100W/200W	Mid-Frequency Reproduction



## 10" SPEAKERS

Model	Size/Imp	RMS/Max	Description
<b>10MI100</b>	10"- 8Ω	350W/700W	Mid-Frequency Reproduction
<b>PRO10MI</b>	10"- 4Ω	350W/700W	Medium Frequency Reproduction
<b>10MND</b>	10"- 4Ω	250W/500W	Mid-Frequency Reproduction



# The Original Pro Audio Speakers

## SOUND CONCEPT

Model	Size/Imp	RMS/Max	Description
<b>SC502</b>	5.25"- 4Ω	60W/120W	Special Glass Fibre Cone, Full Range Reproduction
<b>SC603</b>	6.5"- 4Ω	75W/150W	Special Glass Fibre Cone, Full Range Reproduction
<b>SC693</b>	6x9"- 4Ω	100W/200W	Special Glass Fibre Cone, Full Range Reproduction



## COMPONENTS

Model	Size/Imp	RMS/Max	Description
<b>SCK50</b>	5.25"- 4Ω	70W/140W	Glass Fibre Woofer Cone, Fabric Tweeter Diaphragm
<b>SCK65</b>	6.5"- 4Ω	80W/160W	Glass Fibre Woofer Cone, Fabric Tweeter Diaphragm



## TWEETERS

Model	Size/Imp	RMS/Max	Description
<b>PH35</b>	4"- 4Ω	25W/100W	Ferrite Magnet, High Frequencies Reproduction
<b>AST05</b>	1.5"- 4Ω	25W/100W	Neodymium Magnet, High Frequencies Reproduction
<b>AST09</b>	3.5"- 4Ω	35W/150W	Double Ferrite Magnet, High Frequencies Reproduction



## Phantom Class D Amplifiers

- Class D Full Range SMT Circuitry • Double Sided Composite Epoxy PCB • 2 ohm Stereo, 4 ohm Bridged Multi-Channel • 1 ohm Stable Class D Monoblock • 3-Way Protection Circuitry • Delayed On/Off Circuit
- Variable Hi/Low and Subsonic Crossovers • Direct Wire 8 ga. Power and Speaker Terminals • Delayed On/Off Circuit



Model	Channels	4 ohm RMS	2 ohm RMS	4 ohm RMS Bridged	Bass Knob
P600.2	2	190W x 2	300W x 2	600W x 1	-
P900.4	4	145W x 4	225W x 4	450W x 2	-
P900.5	5	70W x 4 & 270W x 1	115W x 4 & 440 X 1	230W x 2 & 440 x 1	Yes
P1000.1	1	580W x 1	725W x 1	-	Yes

## Black Ice Class A/B Amplifiers

- Full SMT Surface Mount Technology Circuitry • Double Sided Composite Epoxy PCB • Variable Hi/Low/Subsonic Filters • Band Pass Crossovers • Variable Bass Boost • Direct Wire Power and Speaker Terminals • 3-Way Protection Circuitry



Model	Channels	4 ohm RMS	2 ohm RMS	4 ohm RMS Bridged	Bass Knob
BK120.2	2	40W x 2	60W x 2	120W x 1	-
BK210.2	2	65W x 2	105W x 2	210W x 1	-
BK340.2	2	110W x 4	170W x 2	340W x 1	Yes
BK340.4	4	55W x 4	85W x 4	170W x 2	-
BK520.4	4	95W x 4	130W x 4	260W x 2	-
BK800.4	4	130W x 4	200W x 4	400W x 2	-
BK580.5	5	55W x 4/160W x 1	85W x 4/240W x 1	170W x 2/240W x 1	Yes

## Black Ice Class D Mono Amplifiers

Model	Channels	4 ohm RMS	2 ohm RMS	1 ohm RMS	Bass Knob
BK650.1D	1	240W x 1	450W x 1	650W x 1	Yes
BK1300.1D	1	500W x 1	900W x 1	1300W x 1	Yes
BK1800.1D	1	700W x 1	1100W x 1	1800W x 1	Yes

## PDX Amplifier

### PDX-10K

- Monoblock Class D 10000 Watt Competition Amplifier • Non-Regulated Mosfet PWM Power Supply • 6100 Watts x 1 @ 2Ω RMS
- Variable Bass Boost • 3-Way Protection Circuitry • Dual 0 gauge Power Inputs/4 gauge Speaker Outputs • Dash Mount Remote Gain Control




## Digital Signal Processor

### DEQ.8

- 31-Band Graphic Equalizer with Digital Signal Processing
- 9-Band Parametric Equalizer
- WinXP/Vista/7 & MAC Compatible
- SD Card Slot • USB 2.0 Interface • 8-Channel Outputs
- Plug and Play No Driver Required • 4-Way Crossover • Individually Adjust each Input Channel or Link Channels Together • Selectable Balanced or Unbalanced Inputs



**Authorized Dealers Only**  
– Call your Sales-Rep for Details –  
– Territory Restrictions –



# LESCO

# DISTRIBUTING

**PrecisionPower**  
*Absolutely State of the Art Mobile Audio*

## Power Class Subwoofers

**Common Features:**

- Die-Cast Aluminum Frame w/Candy Apple Finish • Non Pressed Paper Pulp Cone • Polyether Foam Surround • Cast Aluminum Heat-Sink Dust-Cap • 2.5" 4-layer Voice Coil on Anodized Aluminum Former • Strontium Ferrite Magnet • Nickel Plated 8ga. Compression Wire Terminals



Model	Size	RMS Power	Voice Coil Configuration	Magnet
PC.12	12"	800 Watts	2.5" Dual 2 ohm	170 oz.
PC.124	12"	800 Watts	2.5" Dual 4 ohm	170 oz.
PC.15	15"	900 Watts	2.5" Dual 2 ohm	170 oz.
PC.154	15"	900 Watts	2.5" Dual 4 ohm	170 oz.

## Phantom Subwoofers

- Woven Fiberglass Composite Cone • Extended Excursion Polyurethane Surround • 100% OFC 4-Layer Voice Coil • Back Plate and T-Yoke Venting



Model	Size	RMS Power	Voice Coil Configuration	Magnet
PH.10	10"	700 Watts	2.5" Dual 2 ohm	-
PH.12	12"	800 Watts	2.5" Dual 2 ohm	-
PH.15	15"	900 Watts	2.5" Dual 2 ohm	-

## Sedona Subwoofers

- Injection Molded Polypropylene Cone • NBR Rubber Surround • Over-cast Stitched Cone • Vented T-Yoke and Back Plate



Model	Size	RMS Power	Voice Coil Configuration	Magnet
SN.8	8"	250 Watts	2" Single 4 ohm	-
SN.10	10"	300 Watts	2" Single 4 ohm	-
SN.12	12"	350 Watts	2" Single 4 ohm	-

## Power Class Components

**6.5" Midbass**

- Kevlar Reinforced Paper Cone w/Laminated Foam Backing • Butyl Rubber Surround • Low Resonance Polyphenylene Sulfide Basket • CCAW 2" Voice Coil • Glass Fiber VC Former • High Strength Neodymium Motor

**2.5" Midrange**

- Aluminum Cone • Butyl Rubber Surround • Low Resonance Polyphenylene Sulfide Basket • Aluminum Dust Cap • CCAW 1" Voice Coil • Aluminum VC Former with Cooling Vents • High Strength Neodymium Motor

**20mm Tweeter**

- Inverted and Dimpled Aluminum Diaphragm • CCAW 20mm Voice Coil • Kapton VC Former • High Strength Neodymium Motor



Model	Size	Power Handling	Impedance	Mid Range	Tweeter
PC2.65C	6.5" Mid-Bass	90 Watts	3 ohm	-	20mm
PC3.65C	6.5" Mid-Bass	100 Watts	3 ohm	2.5"	20mm

**Authorized Dealers Only**  
 – Call your Sales-Rep for Details –  
 – Territory Restrictions –



# Power Class Full Range Speakers

- Low Resonance Composite Basket • Bi-Ampable Operation • UV Coated Paper Cone • Butyl Rubber Surround • 1" Kapton Coil Former
- 1" Swivel Silk Dome Tweeter • CONEX Spider Suspension • Passive Crossovers Included

Model	Size	RMS Power	Impedance
<b>PC.692</b>	6 x 9"	150 Watts	4 ohm
<b>PC.652</b>	6.5"	120 Watts	4 ohm
<b>PC.52</b>	5.25"	100 Watts	4 ohm
<b>PC.572</b>	5 x 7"	120 Watts	4 ohm



# Sedona Full Range Speakers

- Common Features:**
- Stamped Steel Basket • Carbon Injection Cone • Mylar Midrange and Tweeter • Butyl-Rubber Surround • 1" Aluminum Coil Former

Model	Size	RMS Power	Impedance	Mid Size	Tweeter
<b>S.693</b>	6 x 9"	80 Watts	3 ohm	2"	1/2"
<b>S.653</b>	6 x 5"	60 Watts	3 ohm	1/2"	Piezo
<b>S.573</b>	5 x 7"	60 Watts	3 ohm	1/2"	Piezo
<b>S.52</b>	5.25"	50 Watts	3 ohm	-	1/2"
<b>S.42</b>	4"	40 Watts	3 ohm	-	1/2"



# Pro Audio Full Range Speakers

Model	Size & Type	Peak Power	Impedance
<b>PT.2</b>	Bullet Tweeter (Pair)	90 Watts	3 ohm
<b>T.2</b>	1" Tweeter (Pair)	100 Watts	4 ohm
<b>PT.5</b>	Horn Tweeter	100 Watts	4 ohm
<b>PM.654NX</b>	6.5" Mid Range	250 Watts	4 ohm
<b>PM.658</b>	6.5" Mid Range	170 Watts	4 ohm
<b>PM.804</b>	8" Mid Range	200 Watts	4 ohm
<b>PM.808</b>	8" Mid Range	200 Watts	8 ohm
<b>PT.4</b>	Bullet Tweeter	100 Watts	4 ohm
<b>T.5</b>	1.25" Dome Tweeter	80 Watts	4 ohm
<b>PT.52</b>	2" Competition Tweeter	90 Watts	4 ohm
<b>PT.54</b>	2" Competition Tweeter	100 Watts	4 ohm
<b>PM.104</b>	10" Full Range	350 Watts	4 ohm
<b>PM2.654</b>	6.5" 2-Way Coaxial	225 Watts	4 ohm
<b>PM2.804</b>	8" 2-Way Coaxial	300 Watts	4 ohm
<b>PM2.104</b>	10" 2-Way Coaxial	450 Watts	4 ohm
<b>PM.654</b>	6.5" Full Range	170 Watts	4 ohm
<b>PM.804NX</b>	8" Full Range	200 Watts	4 ohm



**Authorized Dealers Only**  
 – Call your Sales-Rep for Details –  
 – Territory Restrictions –





**LESCO**

**DISTRIBUTING**



**SXV200V1**  
 • Compact Hideaway Vehicle Tuner for adding SiriusXM Satellite Radio to In-dash Receivers that are SiriusXM Ready • iTunes Tagging when iPod Connected • Control SiriusXM thru Vehicles Car Audio System • No need for any Translators or Cable Adapters



**XEZ1V1 – Onyx EZ Dock & Play Radio**  
 • Hear SiriusXM thru your Existing Vehicle Radio with Easy, Do-it-yourself Installation • One-Touch Jump™ to Traffic and Weather • Optimize Power Connect™ Performance • Includes PowerConnect™ Vehicle Kit • Listen at Home, the Office, Outdoors or in Additional Vehicles – all with just One Subscription • Works on the Sirius Network

**XEZ1H1 – For Home Use**



**XDNX1V1 – Onyx Dock-and-Play XM SAT Radio**  
 • Full-Color Display • 10 Channel Presets • Choose from Six Different Display Colors • PowerConnect System includes Auxiliary Output Cable & Power Adapter/FM Transmitter • Includes Car Accessories: Docking Station & Roof-Mount Antenna • Includes an Adhesive Dash Mount and Vent Mount

**XDNX1H1 – For Home Use**



**XADV2**  
 • XM Dock & Play PowerConnect Second Vehicle Kit • Easy to Install w/PowerConnect • Easy Do-It-Yourself Installation • Revolutionary SIRIUS XM Power Connect FM Transmitter • Includes: PowerConnect Vehicle Dock/Magnetic Mount Antenna/Mounting Accessories/PowerConnect/Power Adapter/AUX-in Cable/Quick Start and User Guides



**SSV7V1 – Dock & Play Radio**  
 • Hear SiriusXM thru your Existing Vehicle Radio with Easy, Do-it-yourself Installation • One-Touch Jump™ to Traffic and Weather • Optimize Power Connect™ Performance • Includes PowerConnect™ Vehicle Kit • Listen at Home, the Office, Outdoors or in Additional Vehicles – all with just One Subscription • Works on the Sirius Network



**FMDA25 – SIRIUS® Wired FM Relay Kit**  
 • FM Direct SIRIUS Adapter • Compatible with all SIRIUS Plug and Play Radios • Directly Connects to the FM Out Signal from the Plug & Play Unit's Internal FM Modulator to Head Unit FM Antenna Connection • Internal Relay Switches between SIRIUS Operation when Plug and Play Radio is Powered On and AM/FM Pass-through Operation when Plug and Play Radio is Powered Off



**CNP2000UCA**  
 • XMDirect2 Universal Car Adapter • Add XM Radio to your existing XM Ready Car Stereo and enjoy 170 Channels of Digital-Quality Music, Sports, News Talk & Comedy • Kit Includes: Interface Adapter XM MiniTuner & Dock, Mini-Micro Car Antenna and Programming Cable



**XMARINE**  
 • Marine Antenna with Water-Proof Sealed Housing • For use with Single Input Receivers • Suited for High Vibration, Salt Water Environment • Fits Standard 1"-14 Thread Marine Mount Brackets • 25' Cable Included




**XMICRO2**  
 • Micro-Sized, Magnetic Roof Mount Antenna • Replacement Antenna for Single Input XM Radios • Allows you to Wirelessly Transmit XM to any FM Stereo • Extra Long 23 ft. Cable • Recommended for all XM Radio Products

– Call for Additional Models –



Packed with Power  
Full of Features

Model	Channels	Qty/ Carton	Specification
			RMS (4Ω/2 Ω Stereo/4 Ω Bridged: Class A/B) RMS (4Ω/2 Ω/1 Ω Mono: Class D)
DTX-750.4	4	4	60W x 4 / 80W x 4 / 160W x 2
DTX-600.2	2	4	60W x 2 / 80W x 2 / 160W x 1
DTX-1600.1	Mono	4	330W x 1 / 560W x 1 / 800W x 1
DTX-2000.1	Mono	4	410W x 1 / 700W x 1 / 1000W x 1



MADE IN USA  
WITH  
FOREIGN & DOMESTIC  
PARTS

"Near Perfect Bass"

Model	Qty/ Carton	Description
XXX 12	1	12" Dual 2Ω or 4Ω
XXX 15	1	15" Dual 2Ω or 4Ω
XXX 18	1	18" Dual 2Ω or 4Ω



Due to continuing product improvement, prices and specifications are subject to change without notice.

- Territory Restrictions -



# REX



What We Call  
"Entry Level" is  
Anything But Entry Level



Model	Qty/ Carton	Description
REX 8	6	8" Single or Dual 4Ω
REX 10	4	10" Single or Dual 4Ω
REX 12	4	12" Single or Dual 4Ω

# SRX



Expect MONSTER  
Performance



Model	Qty/ Carton	Description
SRX 10	2	10" Dual 2Ω or 4Ω
SRX 12	2	12" Dual 2Ω or 4Ω
SRX 15	2	15" Dual 2Ω or 4Ω

# SEXv2

Redefining  
"Bang for the Buck!"



MADE IN USA  
with  
FOREIGN & DOMESTIC  
PARTS

Model	Qty/ Carton	Description
SEXv2-10	2	10" Dual 2Ω or 4Ω
SEXv2-12	2	12" Dual 2Ω or 4Ω
SEXv2-15	2	15" Dual 2Ω or 4Ω

# SXXv2

What a Daily  
Driving Sub Should Be



Model	Qty/ Carton	Description
SXXv2-10	2	10" Dual 2Ω or 4Ω
SXXv2-12	2	12" Dual 2Ω or 4Ω
SXXv2-15	2	15" Dual 2Ω or 4Ω
SX 18*	1	18" Dual 2Ω or 4Ω

\*18" is available in SX configuration



## Global Cruise® Cruise Control System

All the Features of Original Equipment . . . and More



Switch Kit # 250 3742 (sold separately)



Cruise Control Kit Part # 2501223  
(Switch sold separately)

### Improved Operation

- Set Speed
- Coast/Reduce Speed
- Resume/Accel
- Tap-Up, 1 MPH per tap
- Tap-Down, 1 MPH per tap
- Controlled Resume Rate
- Closer, More Accurate Control of Set Speed

### Enhanced Adaptability

- Works with 3, 4, 5, 6 or 8 Cylinders
- Select ECM, AC Generator, Magnets, or Pulse Sender as Speed Signal Source
- Select Square or Sine Wave Speed Signal Source
- Quiet Operation allows more mounting locations

- Select Acceleration Rate
- Select Gain Control
- Select Manual or Automatic Transmission
- Select Open Circuit or Closed Circuit Engagement Switches

### Enhanced Features

- Modular Design
- Removable Wiring Harness with Locking Device
- Redesigned Water Sealing
- Neutral Safety Switch (NSS) Compatible
- Cruise Engaged Output (Ground Signal) when engaged
- Self Diagnostic

### Easier Installation

- No Vacuum required
- Lost Motion built into the cable
- Smaller Module
- Single Unit Mounting
- New Connectors with positive contact and lock
- No Clutch Switch needed (except diesel)
- In-Line Fuses are closer to module
- VSS (Vehicle Speed Sensor) wire already in harness
- Additional throttle hardware included in kit
- Compatible with neutral safety
- Compatible with distributorless ignition systems
- Compatible with direct fire ignition systems

## Custom Drive by Wire RF (Radio Frequency) Switch Cruise Control Kits

- ♦ Drive by wire control switch
- ♦ Wireless switch (rf) radio frequency
- ♦ Set speed, tap up/tap down, resume
- ♦ Programmed receiver
- ♦ Complete system requires only 3 connections
- ♦ Custom developed harness for connection with original wiring
- ♦ Custom developed circuitry for specific vehicle applications
- ♦ Fully illustrated installation manual
- ♦ 1 Year/12,000 Mile warranty



**Kit Part # 2501774**  
**Kit Part # 2501775**  
**Kit Part # 2501779**



– Call for Additional Applications –



**LESCO DISTRIBUTING**

**Custom Pedal By Pass Cruise Control Kits for Drive by Wire Applications**

**Features:**

- Pre-programmed Modules
- Pedal By-pass circuit for enhanced reliability
- Utilizes the CAN-Bus (OBD-II) for Cruise
- Control Data Input
- LED Indicator Control Switch
- No Dealer Activation Required
- Set Speed/Coast/Reduce Speed/Resume/Accel
- 3 Year/36,000 Mile Warranty



**Kit Part #s: 9500 & 9600 Series**

**Custom Pedal Interface Cruise Control Kits for Drive by Wire Applications**



**Kit Part #s: 1800 Series**

**Features:**

- Drive By Wire pedal interface with plug in connectors
- LED display Control Switch
- No Dealer Activation Required
- Works on both automatic & manual
- Set Speed/Coast/Reduce Speed/Resume/Accel
- Fully illustrated installation manual
- 3 Year/36,000 Mile Warranty

**Custom Drive By Wire Cruise Control Kits & Smart Switch Kits**



**Kit Part #s 9000 Series**

**Features:**

- Drive By Wire control switch
- Set Speed/Coast/Reduce Speed/Resume/Accel
- Complete system requires only 3 connections
- Custom developed harness for connection with original wiring harness
- Custom developed circuitry for specific vehicle applications
- Fully illustrated installation manual
- 3 Year/36,000 Mile Warranty




**Kit Part # 2509008**


**Kit Part # 2509001**

**Features:**

- Drive By Wire pedal interface with plug in connectors
- No Dealer Activation Required
- Set Speed/Coast/Reduce Speed/Resume/Accel
- Fully illustrated installation manual
- 3 Year/36,000 Mile Warranty



## RearSight® Seamless TFT LCD Rearview Mirror with CMOS Back Up Camera System



\*Parking gridlines can be deactivated during product installation

### REARVIEW MIRROR

- 4.3" Seamless TFT LCD Mirror Monitor
- Meets OEM Standards
- Anti-Glare Coating
- LCD Automatically dims at night
- 2 Video Inputs
- High Resolution Display
- Reverse Trigger Over-ride

## Available Packaged as Listed

<b>250-8308FD-LCH</b>	FORD F150 Latch CMOS Camera & Seamless 4.3" TFT/LCD Standard Mirror
<b>250-8308GM-LCH</b>	4.3" Anti-Glare Mirror/Monitor with CMOS Tailgate Handle Camera (2007-2013 Chevrolet/GMC Silverado/Sierra)
<b>250-8308RM-LCH</b>	DODGE RAM Latch CMOS Camera & Seamless 4.3" TFT/LCD Standard Mirror
<b>250-8308TN-LCH</b>	TUNDRA Latch CMOS Camera & Seamless 4.3" TFT/LCD Standard Mirror
<b>250-8308</b>	Shrouded CMOS Camera w/Seamless 4.3" TFT Rearview Mirror
<b>250-8308FD-EMB</b>	FORD Factory Emblem CMOS Camera & Seamless 4.3" TFT Standard Mirror
<b>250-8309</b>	CMOS (250-8082) Camera w/Seamless 4.3" TFT Rearview Mirror
<b>250-8309B</b>	CMOS (250-8083) Bullet Camera w/Seamless 4.3" TFT Rearview Mirror
<b>250-8309-IR</b>	CCD Infrared Camera (250-8110) w/Seamless 4.3" TFT Rearview Mirror
<b>250-8309-LPB</b>	CMOS License Plate Camera (250-8092) w/Seamless 4.3" TFT Rearview Mirror
<b>250-8309-W</b>	CMOS (250-8147) Camera w/Seamless 4.3" TFT Rearview Mirror

– Call for Additional Applications –



# Custom RearSight®

## Chevy/GMC 07-Current



CMOS Camera w/Truck Latch Handle

**Part Number: 2508569**

- 1/4" Color CMOS Camera w/reverse Image
- Low Lux for Sharper Image in Low Light
- 160 Degree Lens w/Excellent Depth of Field
- Waterproof Case w/Anti-fog Lens
- 30' Harness

**Part Number: 2508569-NAV**

Same as above with navigation interface harness



Available with 250 8802  
Magna Mirror Kit # 2508802-LCH



Available with 2508803  
Magna Mirror Kit # 2508803-LCH

## Ford FSeries 04-Current

**Part Number: 2508595**

CCD Camera w/Truck Latch Handle

- 1/4" Color CCD Camera w/tailgate bezel
- Low Lux for Sharper Image in Low Light
- 150 Degree Lens w/Excellent Depth of Field
- Waterproof Case w/Anti-fog Lens
- 30' Harness



Available with 2508800  
Magna Mirror  
Kit # 2508800-FD-LCH



**Part Number: 2508094**

CCD Camera w/License Plate Light Fixture

## Ford Transit

- 1/4" Color CCD Camera w/reverse Image
- Replaces License Plate Light
- 1.0 Low Lux High Resolution Display
- 170 Degree Lens w/Excellent Depth of Field

## Dodge Ram 10-Current



CCD Camera w/Truck Latch Handle

**Part Number: 2508586**

- 1/4" Color CCD Camera w/tailgate bezel
- Low Lux for Sharper Image in Low Light
- 150 Degree Lens w/Excellent Depth of Field
- Waterproof Case w/Anti-fog Lens
- 30' Harness

Available with 2508800  
Magna Mirror  
Kit # 250 8800 RM LCH



## Toyota Tundra 07 Current

**Part Number: 2508587**

CCD Camera w/Truck Latch Handle

- 1/4" Color CCD Camera w/tailgate bezel
- Low Lux for Sharper Image in Low Light
- 150 Degree Lens w/Excellent Depth of Field
- Waterproof Case w/Anti-fog Lens
- 30' Harness



Available with 2508800  
Magna Mirror  
Kit # 2508800TN-LCH



F150

RAM

SILVERADO

TUNDRA

3 YEAR/36,000 MILE WARRANTY

– Call for Additional Applications –



# CMOS Hybrid Color Camera/ LCD Monitor Kits

## 4.3" TFT LCD Rear View Mirror Monitor & 1/4" CMOS Hybrid Color Camera Part Number: 2508081 (Tab/Hinge Style Camera)

**Camera Features:**

- .5 Low Lux High Resolution Display
- 160 Degree Lens w/Excellent Depth of Field
- Waterproof Case w/Anti-fog Lens
- Waterproof Connectors
- Protective Shroud Has Optional Tab Mount or
- Converts to Adjustable Hinge Mount



**Monitor Features:**

- High Resolution Display
- Anti-Glare Coating
- 2 Video Inputs
- Includes Straps For Placement Over Original Mirror
- Selectable Parking Gridlines
- Mirror/Normal Image Switching
- 15' Extension Harness
- Removable Stem
- Reverse Trigger Over-ride



tab style      Adjustable Hinge Mount

Rearview Mirror Part Number: 2508072  
Camera Part Number: 2508082

## 4.3" TFT LCD Rear View Mirror Monitor & 1/4" CMOS Hybrid Color Camera Kit Part Number: 2508081B (Bullet Style Camera)



**Monitor Features:**

- High Resolution Display
- Anti-Glare Coating
- 2 Video Inputs
- Reverse Trigger Over-ride
- Selectable Parking Gridlines
- Straps For Placement Over Original Mirror and Removable Stem
- Mirror/Normal Image Switching
- 15' Extension Harness



Camera Features: see above

Rearview Mirror Part Number: 2508072  
Camera Part Number: 2508083

## 4.3" TFT LCD Rear View Mirror Monitor & 1/4" CMOS Hybrid Color Camera Kit Part Number: 2508081LPB (License Plate Bracket)



Monitor Features: see above

**Camera Features:**

- 160 Degree Lens w/Excellent Depth of Field
- .5 Low Lux High Resolution Display w/ Parking Gridlines
- 8' Harness with Waterproof Case w/Anti-fog Lens
- License Plate Mounting Bracket
- 8' Harness with Waterproof Connectors
- 15' Extension Harness



Rearview Mirror Part Number: 2508072  
Camera Part Number: 2508092

## 4.3" TFT LCD Monitor & 1/4" CMOS Hybrid Color Camera Kit Part Number: 2508069



Tab Style

**Camera Features:**

- .5 Low Lux High Resolution Display
- 160 Degree Lens w/Excellent Depth of Field
- Waterproof Case w/Anti-fog Lens
- Waterproof Connectors
- Protective Shroud has Optional Tab Mount or Converts to Adjustable Hinge Mount

**Monitor Features:**

- Wide AngleView
- Reverse Over-ride
- 4 Video Inputs
- Mounts to Windshield
- 30' Extension Harness
- Touch Control w/Selectable Parking Gridlines



Monitor Part Number: 2508118  
Camera Part Number: 2508082





# Comfort Heat™

b y R O S T R A



Increase your driving pleasure with innovative comfort seating products

**Comfort Heat® Carbon Fiber Seat Heaters**

**Kit Part Number: 2501870 Driver Kit (single) w/3 Position Switch**

Product Features:

- ◆ Dual Elements for Cushion and Back Areas
- ◆ Separate Temperature Sensors for Cushion and Back Elements
- ◆ Provides Even Heating and Continual Temperature Monitoring
- ◆ Rapid Heat-up Time
- ◆ Thumb Dial or 3-Position, Illuminated Switch
- ◆ Universal Applications



**Kit Part Number: 2501872 Driver & Passenger Kit**  
5 Position Thumb Dial Switch (Dual)

**Kit Part Number: 2501871 Driver Kit (Single)**  
Single 5 Position Thumb Dial Switch



Dual 5 Position Thumb Dial Switch



Single 5 Position Thumb Dial Switch



3 Position Switch

## BACKZONE® Plus

### Ultrasonic Parking Aids



**2501903-BZP – BackZone® Plus Kit**

- Alerts Drivers to Objects as far away as 5' Behind the Vehicle • Ultrasonic Sensing Technology w/Triangulation Detection Software
- Universal Design fits Virtually all Vehicle Applications • Sensitivity Adjustment Features • Adjustable Audible Alarm (Hi/Low/Off)
- 4 Flat Black Sensors (paintable)

**2501919 – BackZone® Plus Truck Fit Kit**

- 18 Feet Truck Harness • U-Brackets • Upgrades 2501903-BZP

– Call for Additional Applications –



**LESCO**

**D I S T R I B U T I N G**

**Con-Verse**

**BY ROSTRA**

**Hands-Free Communication Car Kits Featuring the Latest in  Bluetooth® Technology!**

Now Offering Customized & Universal Plug-n-Play Options

**Product Features:**

- Plug-n-Play Harness for quick installation
- Features voice dial\*, manual dial and redial
- \* Cell phone must be compatible for voice recognition
- Latest Advanced Audio Distribution Profile (A2DP) streaming for music
- Volume control utilizing vehicle's stereo speakers
- Links automatically to handset when vehicle's ignition is turned on and transfers to handset when vehicle is turned off
- Highest quality sound features full duplex DSP (Digital Signal Processing) allows both parties to converse simultaneously
- Private call selection will transfer the call to your handset
- Excellent echo cancellation to prevent callers from hearing feedback
- Upgradable software
- Easily pairs up to 5 phones in 4 quick steps
- Ability to reject an incoming call
- Full color packaging
- 3 Year/36,000 Mile warranty

**Custom Toyota Kit**



Refer to [www.rostra.com](http://www.rostra.com) for Custom Kit & Universal Applications



Universal Chrome Switch  
Switch Part Number 2507526



Universal Black Switch  
Switch Part Number 2507567



Honda Switch    Mazda Switch    Nissan Switch    Subaru Switch    Toyota Switch



**Universal Kit**  
Kit Part Number 2507500-SPK2

Reference on line application guide for vehicle specific part numbers

– Call for Additional Applications –



## Universal Vehicle Daytime Running Lights

- ◆ Brilliant Appearance
  - ◆ Robust, Shatterproof Facings
  - ◆ Intensive Illumination
  - ◆ Superior Quality Build
  - ◆ Cast Aluminum Housing
  - ◆ 3 Year/60,000 Mile Warranty
- ◆ Pulse Width Modulated
  - ◆ Heat Sync and Ballast
  - ◆ Enhanced Distance Performance
  - ◆ Uniformly Matched LED Color
  - ◆ Seamless Contour Integration
  - ◆ Maximized Lifespan LED Performance

 <b>Kit Part # 2601002-UNI (4 LEDs)</b>	<p>Flat Rectangular Design*Clear Lens* Chrome Finish  <b>Ideal for cars with a flat front end design and large, long area for installation</b></p>	 <b>Kit Part # 2601000-UNI (5 LEDs)</b>
 <b>Kit Part #2601006-UNI (4 LEDs)</b>	<p>Slim Design*Clear Lens* Chrome Finish  <b>Ideal for cars with a highly curved front end design.</b></p>	 <b>Kit Part #2601004-UNI-M (5 LEDs)</b>
<p><b>Kit Part # 2601008-UNI (5 LEDs)</b>          Flat Slim Design*Clear Lens*Chrome Finish  <b>Ideal for cars with a flat square shaped front.</b></p>		 DRL Installation Kit Part Number 2605000-UNI

## Tundra Customized Light & Bezel Kit



All custom kits contain, two lights fixtures, two custom fit bezels and hardware.



- ◆ Brilliant Appearance
- ◆ Glass Facings (Stone Chip Rated)
  - ◆ Intensive Illumination
  - ◆ Superior Build Quality
- ◆ Cast Aluminum Housing & Bezel
  - ◆ Pulse Width Modulated
- ◆ Enhanced Distance Performance
  - ◆ Matched LED Color
- ◆ Seamless Contour Integration
- ◆ 50,000 Hour Maximized Lifespan LED Performance
- ◆ 3 Year/60,000 Mile Warranty

2601004 – (OEM Quality) Available Black, Chrome, Silver, White, Unpainted  
 2601022 – Available Chrome and Unpainted (Aftermarket Quality)  
 Call for Scion, Camry, Cruze, Tacoma and more!

– Call for Additional Applications –



# LESCO

# DISTRIBUTING

# BRANDMOTION

Seamless vehicle personalization

## New for 2014

### 2014 Silverado/ Sierra Rear Vision

### Complete Rear Vision System For 2014 Silverrado/Sierra

Our latest Authentic OEM Rear Vision System is an exclusive aftermarket solution designed specifically for the 2014 Silverado/Sierra

**P/N: 9002-1010**



3.5" LCD monitor w/OnStar Function • Parking gridlines • OEM Validated CCD Camera • Wide field of View • Factory Match Warranty

### F-150 Rear Vision System

### Complete Rear Vision System with Oval Emblem Camera and Mirror with Built-in Compass Driver

Fits 2011 to current F-150's With 16 pin mirror connector. The 1008-9528 Features an Authentic OEM mirror with 3.5 inch color monitor and built-in compass driver that eliminates the need to reposition old mirror components.

**P/N: 1008-9528**



3.5" LCD monitor w/built in compass driver • Parking gridlines • OEM Validated CCD Camera • Wide field of View • Factory Match Warranty

### Toyota Display Radio Camera Kit

This Authentic OEM Rear Vision Camera Kit provides a quick and simple installatin in Toyota Vehicles with 6.1" Display Audio Systems. The 9002-8530 Rear-Vision Camera kit is compatable with a growing list of late-model Toyota vehicle including:

- 2012-2013 Camry / 2013 Prius C / 2013 Corolla / 2013 Highlander
- 2013-2013 Prius V / 2013 Rav4 / 2012-2013 Prius / 2013 Venza

**P/N: 9002-8530**



Integrates to existing 6.1" Display Audio System • OEM Validated CCD Camera • Wide field of View • Factory Match Warranty


### RAM Display Radio Camera Kit

This Authentic OEM Rear Vision Camera Kit provides a quick and simple installation in RAM Trucks with 8.4" Display Radios. The 1009-6503 Back Up Camera kit provides a quick and simple installation using the included custom plug and play harness. Requires dealer activation.

**P/N: 1009-6503**



Integrates to existing 8.4" Display Radio • OEM CCD Camera • Factory Match Warranty • Authentic factory bezel and handles



# Authentic OEM Rear Vision Systems

## Authentic OEM Rear Vision Systems For GM Vehicles

Satisfy the needs of GM vehicle owners who demand the safety and security of an Authentic OEM rear vision system.

### Popular Applications

Buick Lacross / Buick Regal / Buick Verano / Cadillac CTS / Cadillac SRX  
Chevrolet Camaro / Chevrolet Equinox / Chevrolet Malibu / Chevrolet Sonic

**P/N 9002-8523** - for vehicles equipped with 10-pin mirror harness

**P/N 9002-8522** - for vehicles equipped with 16-pin mirror harness



OEM 3.5" LCD Display • Retains OnStar Functions • OEM Validated Camera • Wide Field of View • Factory Match Warranty

## Authentic OEM Rear Vision Systems

Satisfy the needs of your customers who demand the safety and security of an Authentic OEM Rear Vision System.

### Popular Applications

Dodge Caravan / Ford Edge / Ford Fiesta / Ford Mustang / Toyota 4Runner  
Hyundai Tucson / Jeep Liberty / Honda Pilot / Honda Accord / Honda Civic  
Nissan Maxima and more

**P/N 9002-8524** - Slim-line Rear Vision System

**P/N 9002-8521** - Rear Vision System for vehicles with outside auto-dimming



OEM 3.5" Widescreen LCD Display   Slimline Design   OEM Validated Camera   Wide Field of View   Factory Match Warranty

## Authentic OEM Rear Vision System With New Twist-Off Mirror

You can satisfy the needs of your customers who demand the safety and security of an Authentic OEM rear vision system.

### Popular Applications

Jeep Grand Cherokee / Ford Escape / Dodge Charger / Dodge Journey  
Ford Fusion / Ford Focus / Chrysler 300 / Ford C-MAX

**P/N 9002-8525** - Slim-line Rear Vision System with twist-off mirror



OEM 3.5" Widescreen LCD Display   Tri-Lobe Mount   OEM Validated Camera   Wide Field of View   Factory Match Warranty



**LESCO**

**D I S T R I B U T I N G**

**BRANDMOTION**  
seamless vehicle personalization

# Rear Vision Systems & More

**2007-13 Silverado/Sierra**



OEM Handle with Panasonic  
OEM Camera and Harness  
P/N 9002-9560



**2007-13 Suburban/Tahoe/Yukon**



OEM Rear Vision System W/  
Panasonic Camera and  
Harness  
P/N 9002-6500



**2007-13 RAM**



OEM Handle with Panasonic  
OEM Camera and Harness  
P/N 9002-9503



**2004-2013 F-Series**



OEM Handle with OEM Camera  
and Harness  
P/N 1008-6501 [Black]  
P/N 1008-6502 [Chrome]



OEM Recessed Lip Camera

**2008-2012 Traverse**



OEM Liftgate Handle with  
OEM Camera and Harness  
P/N 1022-9581



Dual Mount Universal Camera

**2009-2013 F-Series**



OEM Bezel, OEM Camera and  
Harness  
P/N 9002-6509



Ford Transit Camera



Panasonic Oem Recessed Lip  
Mount Camera  
P/N 9002-8501



Dual Mount Universal Aftermarket  
CMOS Camera with Opt. Gridlines  
P/N 9002-7601




Replaces Factory License Plate  
Light with all-in-one Camera  
P/N 9002-7605

**Curb Alert Pro Display**



P/N 5000-NFCAD

**Curb Alert PRO  
Parking Sensor**



P/N 5000-CA5

## PARKING SENSORS

### PRO SERIES: BACK-UP NAVIGATOR SYSTEM



- #EMPV7-B (BLACK)
- #EMPV7-S (SILVER)
- #EMPV7-W (WHITE)
- #EMPV7-P (PRIMER)

CUSTOM PAINTED SENSORS AVAILABLE

- 4 sensor ECU: 7 Foot Detection, optional 6 foot or 3 foot outside sensors
- 2 wide angle sensors (120°H 60°V) [19ft cable]
- 4 pairs of round flush mount angle sleeves for universal application
- Speaker with 6 inch pigtail with Hi/Low/Off settings [10ft cable]
- Designed for all plastic and metal bumpers
- Optional: 2 Extra Sensors (EMSP7), Visual Indicator (EMVI)

### PRO SERIES: FRONT NAVIGATOR SYSTEM



- #EMFN-B (BLACK)
- #EMFN-S (SILVER)
- #EMFN-W (WHITE)
- #EMFN-P (PRIMER)

CUSTOM PAINTED SENSORS AVAILABLE

- 4 sensor ECU: 2 Foot Detection, optional 2 foot or 1 1/2 foot outside sensors
- 2 wide angle sensors (120°H 60°V) [19ft cable]
- 1 pair of round flush mount angle sleeves for universal application
- Speaker with Hi/Low settings & Dash Mount On/Off Switch [both 6ft cables]
- Designed for all plastic and metal bumpers
- Optional: 2 Extra Sensors (EMSP7), Visual Indicator (EMVI)

### FS SERIES: BACK-UP NAVIGATOR SYSTEM



- #EMFS-3 (BLACK)
- #EMFS-4 (BLACK)

24MM Holesaw Included

- 3 or 4 sensor ECU: 6 Foot Detection
- Flat OE Style sensors 24mm [8ft cable]
- Integrated flush mount angle sleeves for universal application
- Speaker with LED and Hi/Low/Off settings [4ft cable]
- Designed for passenger vehicles with plastic bumpers
- Radio Mute feature

### 2 EXTRA SENSORS FOR EMPV7 & EMFN




- #EMSP7-B (BLACK)
- #EMSP7-S (SILVER)
- #EMSP7-W (WHITE)
- #EMSP7-P (PRIMER)

### INSTALLATION KIT - RECOMMENDED FOR PRO SERIES #EMIKIT



## REARVIEW MIRROR MONITORS

### REAR CAMERA DISPLAY WITH 3.5" OR 4.3"



- #VM-35R (3.5 INCH)      #VM-35R-AD (3.5 INCH WITH ADVANCE DIMMING)
- #VM-43M (4.3 INCH)      #VM-43M-AD (4.3 INCH WITH ADVANCE DIMMING)

- Screen Size: 3.5 inch or 4.3 inch, Ratio: 4:3, Video Inputs: 2
- Dimensions: 100(Height)/270(Width)/36(Depth) mm
- Cable Length: 5M (16ft) RCA

### COMMERCIAL GRADE 4.3" REAR CAMERA DISPLAY #VM-43R



- Screen Size: 4.3 inch, Ratio: 1.6:9, Video Inputs: 2
- Dimensions: 91(Height)/276(Width)/30(Depth) mm
- Cable Length: Commercial Grade 7M (21ft)

## CAMERA & MONITOR KITS

### MIRROR & LIP MOUNT CAMERA KIT

#K013R



- 3.5" Mirror Monitor (#VM-35R) with Lip Mount Camera (#VM-110)

### MIRROR & LICENSE PLATE/LIP MOUNT CAMERA KIT

#K103R



- 3.5" Mirror Monitor (#VM-35R) with License Plate Camera (#VM-10L)

## CAMERAS

### LICENSE PLATE/LIP MOUNT

#VM-10L



- Mounts behind license plate or on lip
- Programmable Parking Lines and Image Reverse
- 170°, IP67, Dim: 22(H)/22(W)/33(D) mm

### IR LICENSE PLATE/LIP MOUNT

#VM-10LI



- Infrared LEDs, mounts behind license plate or on lip
- Programmable Parking Lines and Image Reverse
- 170°, IP67, Dim: 20(H)/32(W)/30(D) mm

### LIP OR TRUCK MOUNT

#VM-110



Holesaw Included

- Mounts in lip, tailgate handles, and van doors
- Programmable Parking Lines and Image Flip
- 170°, IP67, Dim: 34(H)/34(W)/28(D) mm

### MINI LIP MOUNT

#VM-201



Holesaw Included

- Snaps into a 18.5mm hole
- Programmable Parking Lines and Image Reverse
- 170°, IP67, Dim: 30(H)/31(W)/31(D) mm

### LIP MOUNT

#VM-150



- Fastens with 2 screws into lip
- Programmable Parking Lines and Image Reverse
- 170°, IP67, Dim: 22(H)/22(W)/33(D) mm

### MULTI-ANGLE

#VM-360



Holesaw Included

- Adjusts to mount on side of vehicle, lip and more
- Programmable Parking Lines and Image Flip
- 170°, IP67, Dim: 34(H)/34(W)/32(D) mm

### UNIVERSAL FLEX MOUNT

#VM-11S



- Adjustable angle and mounts to roof or door
- Equipped with audio, Sony CCD
- 170°, IP69, Dim: 22(H)/22(W)/33(D) mm

### THIRD BRAKE LIGHT

#VM-15C



- Universal and mounts to rear of vehicle
- Equipped with built-in brake light
- 170°, IP67, Dim: 57(H)/242(W)/120(D) mm

### COMMERCIAL SIDE

#10SLR



- Mounts on either side of the vehicle
- Image flip for left or right side, Sony CCD
- 170°, IP67, Dim: 50(H)/83(W)/41(D) mm



## OE FIT BACK-UP CAMERAS

### FORD TRANSIT

#EV-FT822



- Works with: Transit 2010 - 2013
- Replaces license plate light, Built-in Parking Lines
- 170°, IP67, Dim: 57(H)/24(W)/80(D) mm
- Available with 4.3" Mirror (#VM-43R) Kit #FTK4R

### FORD E-SERIES

#EV-FE006



- Works with: E-Series 2003 - 2013
- Replaces license plate light, Built-in Parking Lines
- 170°, IP67, Dim: 48(H)/81(W)/65(D) mm
- Available with 4.3" Mirror (#VM-43R) Kit #ESK4R

### GM VAN

#EV-GM006



- Works with: Chevy Express/GMC Savana 2003-2013
- Replaces third brake light, Built-in Infrared LEDs
- 130°, IP67, Dim: 57(H)/242(W)/120(D) mm
- Available with 4.3" Mirror (#VM-43R) Kit #GMK4R

### SPRINTER

#EV-MS011



- Works with: Sprinter 2010 - 2013
- Replaces third brake light, Built-in Infrared LEDs
- 130°, IP67, Dim: 50(H)/343(W)/89(D) mm
- Available with 4.3" Mirror (#VM-43R) Kit #MS04R

### SPRINTER

#VM-11Y



- Works with: Sprinter 2000 - 2013
- Mounts on vehicle roof, Sony CCD
- 160°, IP68, Dim: 75(H)/134(W)/204(D) mm
- Available with 4.3" Mirror (#VM-43R) Kit #MSK4R

### NISSAN NV

#EV-NV404



- Works with: NV 2011 - 2013
- Replaces third brake light, Built-in Infrared LEDs
- 130°, IP67, Dim: 34(H)/34(W)/32(D) mm
- Available with 4.3" Mirror (#VM-43R) Kit #NVK4R

## TAILGATE BEZEL OE FIT

### DODGE RAM

#EV-DRAM



- Works with: Ram 2009 - 2013
- Programmable Parking Lines
- 160°, IP68, Dim: 104(H)/239(W)/93(D) mm
- Factory Connect Kit Available #FC-DRAM

### FORD F-SERIES

#EV-FF150



- Works with: F150 & Super Duty 2005 - 2013
- Built-in Parking Lines
- 160°, IP68, Dim: 120(H)/207(W)/30(D) mm
- Works with Factory Connect #FC-MYFT

### GM SILVERADO/SIERRA

#EV-GMTR



- Works with: Silverado & Sierra 2007 - 2013
- 160°, IP68, Dim: 124(H)/284(W)/85(D) mm

### TOYOTA TACOMA

#EV-TTAC



- Works with: Tacoma 2008 - 2013
- Comes with lock & keys
- 160°, IP68, Dim: 52(H)/250(W)/42(D) mm
- Factory Connect Kit Available #FC-TTAC

### TOYOTA TUNDRA

#EV-TTUN



- Works with: Tundra 2009 - 2013
- Programmable Parking Lines
- 160°, IP68, Dim: 124(H)/270(W)/48(D) mm
- Factory Connect Kit Available #FC-TTUN

### FORD LARGE OVAL

#EV-FORD-L



- Works with: F150 & Super Duty
- Programmable Parking Lines and Image Reverse
- 160°, IP68, Dim: 94(H)/235(W)/63(D) mm
- Works with Factory Connect #FC-MYFT

## FACTORY CONNECT REAR CAMERA SYSTEMS

Add a Back-up Camera directly to the Multi-Media Screen

### ACURA



ILX: 2012-13 (#FC-CIVIC)

### CHRYSLER DEALER PROGRAMMING REQUIRED



200: 2012-13 (#FC-CJDR)  
300/300C: 2012-13 (#FC-CJ300)

### DODGE DEALER PROGRAMMING REQUIRED



CHALLENGER: 2012-13 (#FC-CJDR)  
CHARGER: 2012-13 (#FC-CJ300)  
JOURNEY: 2012-13 (#FC-CJ300)  
RAM: 2012-13 (#FC-DRAM)

### FORD CAMERA NOT INCLUDED WITH FC-MYFT



C-MAX: 2013 (#FC-MYFT) FOCUS: 2011-13 (#FC-MYFT)  
EDGE: 2011-13 (#FC-MYFT) F-SERIES: 2013 (#FC-MYFT)  
ESCAPE: 2013-14 (#FC-MYFT) FIJUNION: 2013-14 (#FC-MYFT)  
FIESTA: 2014 (#FC-MYFT) TAURUS: 2013-14 (#FC-MYFT)  
FLEX: 2013-14 (#FC-MYFT)

### HONDA



CIVIC: 2011-13 (#FC-CIVIC)  
CR-V: 2011-12 (#FC-CIVIC)  
ODYSSEY: EX: 2011-12 (#FC-ODYS)

### HYUNDAI



VELOSTER: 2011-13 (#FC-VELOS)

### JEEP DEALER PROGRAMMING REQUIRED



COMPASS: 2013 (#FC-CJDR)  
GRAND CHEROKEE: 2014 (#FC-GCH)

### LINCOLN



MKX: 2011-13 (#FC-MYFT)

### MAZDA



3 SEDAN: 2013 (#FC-MAZ3) CX-5: 2013 (#FC-MAZX)  
3 WAGON: 2013 (#FC-MAZ3) CX-7: 2013 (#FC-MAZX)  
6 SEDAN: 2014 (#FC-MAZ3) CX-9: 2012 (#FC-MAZX)

### MERCEDES-BENZ



C-CLASS: 2008-12 (#FC-CCLAS)  
GLK: 2009-12 (#FC-GLK)

### SCION



FR-S: 2013 (#FC-TOYO)

### SUBARU



BRZ: 2013 (#FC-TOYO)

### TOYOTA



4 RUNNER: 2012-13 (#FC-TOYO)  
AVALON: 2012-13 (#FC-TOYO)  
CAMRY: 2012-13 (#FC-TOYO/FC-CAMRY)  
COROLLA: 2012-13 (#FC-TOYO)  
HIGHLANDER: 2012-13 (#FC-TOYO)  
PRIUS GEN 3: 2010-13 (#FC-TOYO)  
PRIUS C: 2012-13 (#FC-TOYO)

### VOLKSWAGEN

DEALER PROGRAMMING REQUIRED



CC: 2009-13 (#FC-VOLKS)  
GTI: 2009-13 (#FC-VOLKS)  
GOLF: 2009-13 (#FC-VOLKS)  
JETTA: 2009-13 (#FC-VOLKS)  
PASSAT: 2009-13 (#FC-VOLKS)  
TIGUAN: 2009-13 (#FC-VOLKS)

Add a Back-up Camera directly to the Multi-Media Screen





# LESCO

# DISTRIBUTING



## HD Dual Platinum Dash CAM

### TDHDCAM-02

- 2.7" Full Color LCD Screen • Hi-Def Video Playback • Records all Driver Sees and Hears • 92° Horizontal Viewing • Memory Card (Up to 32GB) • Includes: HD DVR Dash Cam, USB Charging/Data Line, DC Mobile Charger, 8GB Micro Card, Windshield Mount, Audio/Video Cables



## HD Dual DVR Dash CAM

### TDCAMDUAL

- Two Cameras (records 2 viewpoints at once) • Records all Driver Sees and Hears • Second Camera can be Mounted anywhere • 120° Viewing Angle (both cameras) • IR Night Vision • 2.0" TFT Color Display • Includes: Primary Camera, 2nd Camera w/30ft. Cable, Car Charger, Windshield Mount, Audio/Video Cable, 8 GB SD Card, Mic



## GPS DVR Dash CAM

### TDPSCAM01

- Ability to Track Dash Cam on Video Playback with Google Maps using GPS • 1.5" LCD Screen • 120° Viewing Angle • IR LEDs for Night Recording • Records all Driver Sees and Hears • Includes: GPS DVR Dash Cam, Heavy Duty Windshield Mount, USB Charging/Data Line, DC Charger, 8GB Micro Card Audio/Video Cables, User Guide



## Premium Night Vision DVR Dash CAM

### TDCAM01

- Records all Driver Sees & Hears • 1/4 Color CMOS WXGA Night Vision Camera • IR LED's for Night Recording • 2.4" TFT/LCD Color Display • 120° Viewing Angle • USB 2.0 • 8 GB SD Card • Audio/Video Cables • Heavy Duty Windshield Mount



## 2nd Gen Dual Ear Stereo Noise Canceling Headset

### TDDESOTH-02

- Exclusive 4x Noise Cancellation • Bluetooth 4.0 (30' Range) • Multi-Point Technology • 20 Hour Talk Time • 500 Hour Stand-by Time • Included: Dual Ear Stereo Bluetooth Headset • USB Charging Line, DC Charger/AC Charger, User Guide



## Behind the Head Stereo Bluetooth Headset

### TDBTS-01

- Software & CVC Echo/Noise Cancellation for Reducing Noise • Supports Bluetooth A2DP, AVRCP, and HS/HF Profiles (30' Range) • 20 Hour Talk Time • 400 Hour Stand-by Time • Included: Behind the Head Stereo Headset, USB Charging Line & DC Charger, AC Charger, User Guide



## Single Ear Stereo Noise Cancelling Headset

### TDSESOTH-02

- Exclusive 4x Noise Cancellation • Bluetooth 2.1 (30' Range) • Multi-Point Technology • 13 Hour Talk Time • 220 Hour Stand-by Time • Included: Single Ear Stereo Headset, USB Charging Line, DC Charger, AC Charger, User Guide



## Hi-Fi Mini Bluetooth Speaker

### TDMINIBSP02

- Ultra Small Portable Bluetooth Hi-Fi Loud Speaker • Bluetooth 4.0 (33' Range) • MicroSD Card Slot • Make & Receive Phone Calls • 10 Hr Talk/Play Time • Line-in Port • Included: USB Charging Line, User Guide



## 10" Heavy Duty Windshield Mount

### TD10MT

- Quick Lock & Release Lever • 360° Rotating Head • Adjustable Holder from 1.75" to 4.33" • Compatible with GPS, Cell Phone and other Electronic Devices





## PRODIGY ONE.2 NISSAN/INFINITI Touch Navigation Interface Kit

**NISSAN / INFINITI: 2009-2012 with Color Screen Display, ARMADA, PATHFINDER, MURANO, MAXIMA, QX, EX, G35, G37, G25, FX\* and QUEST\* (\*Custom Modification Required)**

### TD-NS-P1.2 System Features:

- 800MHz ARM 11 Processor • 256 MB of RAM • 8 GB SD Card Media • Automotive Grade Locking Cable Connectors for Power and Accessory Harnesses • New and Improved GPS Antenna with Locking Fakra Connector • Supports up to 7 Native Resolutions • Comes Standard with USB Wi-Fi Dongle • New Improved Internet Browser • Streamlined OS System with New HMI

### Navigation Software:

- Smart Mapping & 3D Mapping (upgradable) Smart Keyboard, Smart History, Driver Alerts, Real Junctions • Voice Active

**Kit Includes:** Prodigy One.2 System • 8GB SD Card with INTRAPHEX NAV • Navigation Software • Speaker and Mounting Bracket • USB Mouse • Power Harness • External GPS Antenna • USB Wi-Fi Adaptor



## MyFORD Touch Navigation Interface Kit

**FORD: EDGE 2011-2013, ESCAPE 2013, EXPLORER 2011-2013, F-150 2013, FLEX 2011-2013, FOCUS 2013, FUSION 2013, TAURUS 2011-2013  
LINCOLN: MKS 2011-2013, MKT 2011-2013, MKX 2011-2013, MKZ 2011-2013**

### TD-FORD2013-V2 System Features:

- Seamlessly Integrates OEM Grade Navigation System into the existing Full Interactive Touch-Screen Display while Retaining Factory Look and Feel without Replacing the Factory Radio
- Allows to Easily upgrade current Infotainment System to add on GPS NAV and Backup Camera
- Large Easy-to-See Graphics • Directly Integrated into the Factory Audio System

### Navigation Software:

- Smart Mapping & 3D Mapping (upgrade able) Smart Keyboard, Smart History, Driver Alerts, Real Junctions • Input for Address Entry, POI Search and General Navigation Features



## GM MyLINK Touch Navigation Interface Kit

**BUICK LACROSSE 2012-2013, BUICK VERANO 2013, CHEVROLET CAMARO 2013, CHEVROLET CRUZE 2013, CHEVROLET EQUINOX 2012-2013  
CHEVROLET MALIBU 2013, GMC TERRAIN 2012-2013, CHEVROLET VOLT 2012-2013**

### TD-GM2013MYLINK-V2 System Features:

- Seamlessly Integrates OEM Grade Navigation System into the existing Full Interactive Touch-Screen Display while Retaining Factory Look and Feel without Replacing the Factory Radio
- Upgrade Current Radio and Add on many of the INTRAPHEX Plug-in Features • Large Easy-to-See Graphics • Plug and Play Add-on of HD Quality Navigation

### Navigation Software:

- Smart Mapping & 3D Mapping (upgradable) Smart Keyboard, Smart History, Driver Alerts, Real Junctions

**Kit Includes:** GM2013MYLINK-V2 NAV Module • 8GB SD Card w/INTRAPHEX NAV • Malibu Factory T-Harness for P&P • Speaker • CANBUS Module • External GPS Antenna • Audio Input Harness





**LESCO**

D I S T R I B U T I N G

**NAV-TV**  
INTERFACING THE FUTURE

# REAR VIEW CAMERA INTEGRATION FOR MYFORD TOUCH VEHICLES



## MYFORD TOUCH CAMERA

Call LESCO for additional models from NAV-TV including Posche and Mercedes head unit replacements

**SKU#NTV-KIT391**

- 2013 Ford C-Max*
- 2011-2013 Ford Edge*
- 2013 Ford Escape*
- 2013 Ford F-Series Trucks*
- 2013 Ford Flex*
- 2014 Ford Fiesta*
- 2011-2013 Ford Focus*
- 2011-2013 Lincoln MKX*
- 2013 Ford Taurus*

**SKU# NTV-KIT392**

- 2011-2013 Ford Explorer*