



References on LSVT LOUD®, LSVT BIG®, Voice and Speech in Parkinson Disease and Other Neurological Disorders from Ramig and Fox Clinical Research Teams and Other Research Teams (Updated 3/2021)

**Indicates publications by other research teams

Contents (Click on the topic of interest to jump to that section of the document)

1. Randomized controlled trials on LSVT LOUD and LSVT BIG	1
2. Review papers on LSVT LOUD and LSVT BIG	2
3. Data-based articles evaluating the efficacy of the LSVT LOUD in Parkinson's and atypical PD	3
4. Data-based articles evaluating the efficacy of the LSVT BIG.....	7
5. Data-based articles describing voice, speech and communication in individuals with Parkinson's ...	9
6. Technology-enhanced delivery of LSVT LOUD: Telepractice and LSVT Companion®	12
7. LSVT LOUD in pediatric motor speech disorders	14
8. LSVT LOUD in other neurological disorders and aging	14
9. Books on neurological voice and speech disorders	16
10. Book chapters on neurological voice and speech disorders and treatment.....	16
11. Other papers of general interest.....	19
12. Select abstracts published from conference presentations	20
13. LSVT LOUD and LSVT BIG media and treatment resources.....	23

1. Randomized controlled trials on LSVT LOUD and LSVT BIG

Levy, E., Moya-Galé, G., Chang, Y., Freeman, K., Forrest, K., Brin, M. F., & Ramig, L. A. (2020). The effects of intensive speech treatment on intelligibility in Parkinson's disease: A randomised controlled trial. *The Lancet's EClinicalMedicine*, 24, 1–11. <https://doi.org/10.1016/j.eclim.2020.100429>

Ramig, L. O., Halpern, A., Spielman, J., Fox, C., & Freeman, K. (2018). Speech treatment in Parkinson's Disease: Randomized controlled trial (RCT). *Movement Disorders*, 33(11), 1777–1791. <https://doi.org/10.1002/mds.27460>

Ramig, L., Sapir, S., Countryman, S., Pawlas, A., O'Brien, C., Hoehn, M., & Thompson, L. (2001). Intensive voice treatment (LSVT®) for patients with Parkinson's disease: A 2 year follow up. *Journal of Neurology, Neurosurgery, and Psychiatry*, 71(4), 493–498. <http://doi.org/10.1136/jnnp.71.4.493>

Ramig, L., Sapir, S., Fox, C., & Countryman, S. (2001). Changes in vocal loudness following intensive voice treatment (LSVT®) in individuals with Parkinson's disease: A comparison with untreated patients and normal age-matched controls. *Movement Disorders*, 16(1), 79–83. [https://doi.org/10.1002/1531-8257\(200101\)16:1%3C79::aid-mds1013%3E3.0.co;2-h](https://doi.org/10.1002/1531-8257(200101)16:1%3C79::aid-mds1013%3E3.0.co;2-h)



**Ebersbach, G., Ebersbach, A., Gandor, F., Wegner, B., Wissel, J., & Kupsch, A. (2014). Impact of physical exercise on reaction time in patients with Parkinson's disease—Data from the Berlin BIG Study. *Archives of Physical Medicine and Rehabilitation*, 95(5), 996-999.
<https://doi.org/10.1016/j.apmr.2013.10.020>

**Ebersbach, G., Ebersbach, A., Edler, D., Kaufhold, O., Kusch, M., Kupsch, A., & Wissel, J. (2010). Comparing exercise in Parkinson's disease—The Berlin LSVT® BIG study. *Movement Disorders*, 25(12), 1902–1908. <https://doi.org/10.1002/mds.23212>

2. Review papers on LSVT LOUD and LSVT BIG

**McDonnell, M. N., Rischbieth, B., Schammer, T. T., Seaforth, C., Shaw, A. J., & Phillips, A. C. (2018). Lee Silverman Voice Treatment (LSVT) BIG to improve motor function in people with Parkinson's disease: A systematic review and meta-analysis. *Clinical Rehabilitation*, 32(5), 607–618.
<https://doi.org/10.1177/0269215517734385>

Mahler, L. A., Ramig, L. O., & Fox, C. (2015). Evidence-based treatment of voice and speech disorders in Parkinson disease. *Current Opinion in Otolaryngology & Head and Neck Surgery*, 23(3), 209–215.
<https://doi.org/10.1097/moo.0000000000000151>

Sapir, S. (2014). Multiple factors are involved in the dysarthria associated with Parkinson's disease: A review with implications for clinical practice and research. *Journal of Speech, Language, and Hearing Research*, 57(4), 1330–1343. https://doi.org/10.1044/2014_jslhr-s-13-0039

Fox, C., Ebersbach, G., Ramig, L., & Sapir, S. (2012). LSVT LOUD and LSVT BIG: Behavioral treatment programs for speech and body movement in Parkinson disease. *Parkinson's Disease*, 2012, 1–12. <http://doi.org/10.1155/2012/391946>

Sapir, S., Ramig, L., & Fox, C. (2011). Intensive voice treatment in Parkinson's disease: Lee Silverman Voice Treatment (LSVT). *Expert Review of Neurotherapeutics*, 11(6), 815–830.
<https://doi.org/10.1586/ern.11.43>

Farley, B. G., Fox, C. M., Ramig, L. O., & McFarland, D. H. (2008). Intensive amplitude-specific therapeutic approaches for Parkinson's disease: Toward a neuroplasticity-principled rehabilitation model. *Topics in Geriatric Rehabilitation*, 24(2), 99–114.
<https://doi.org/10.1097/TGR.0000318898.87690.0d>

Ramig, L. O., Fox, C., & Sapir, S. (2008). Speech treatment for Parkinson's disease. *Expert Review of Neurotherapeutics*, 8(2), 297–309. <https://doi.org/10.1586/14737175.8.2.297>

Sapir, S., Ramig, L., & Fox, C. (2008). Speech and swallowing disorders in Parkinson disease. *Current Opinion in Otolaryngology, Head & Neck Surgery*, 16(3), 205–210.
<https://doi.org/10.1097/moo.0b013e3282febd3a>



Ramig, L., & Fox, C. (2007). Voice treatment for individuals with Parkinson's disease. *Perspectives on Gerontology*, 12(1), 2–11. <https://doi.org/10.1044/gero12.1.2>

Fox, C., Ramig, L., Ciucci, M., Sapir, S., McFarland, D. H., & Farley, B. (2006). The science and practice of LSVT/LOUD: Neural plasticity-principled approach to treating individuals with Parkinson disease and other neurological disorders. *Seminars in Speech and Language*, 27(4), 283–299. <https://doi.org/10.1055/s-2006-955118>

Sapir, S., Ramig, L., & Fox, C. (2006). The Lee Silverman Voice Treatment [LSVT®] for voice, speech, and other orofacial disorders in people with Parkinson's disease. *Future Neurology*, 1(5), 563–570. <https://doi.org/10.2217/14796708.1.5.563>

Trail, M., Fox, C., Ramig, L. O., Sapir, S., Howard, J., & Lai, E. C. (2005). Speech treatment for Parkinson's disease. *NeuroRehabilitation*, 20(3), 205–221. <https://doi.org/10.3233/NRE-2005-20307>

Ramig, L., Fox, C., & Sapir, S. (2004). Parkinson's disease: Speech and voice disorders and their treatment with the Lee Silverman Voice Treatment (LSVT®). *Seminars in Speech and Language*, 25(2), 169–180. <https://doi.org/10.1055/s-2004-825653>

Fox, C., Morrison, C., Ramig, L., & Sapir, S. (2002). Current perspectives on the Lee Silverman Voice Treatment (LSVT®) for individuals with idiopathic Parkinson disease. *American Journal of Speech-Language Pathology*, 11(2), 111–123. [https://doi.org/10.1044/1058-0360\(2002/012\)](https://doi.org/10.1044/1058-0360(2002/012))

Ramig, L. (1998). Treatment of speech and voice problems associated with Parkinson's disease. *Topics in Geriatric Rehabilitation*, 14(2), 28–43. <https://doi.org/10.1097/00013614-199812000-00005>

Ramig, L. (1995). Voice therapy for neurologic disease. *Current Opinion in Otolaryngology Head and Neck Surgery*, 3(3), 174–182.

3. Data-based articles evaluating the efficacy of the LSVT LOUD in Parkinson's and atypical PD

**Bryans, L. A., Palmer, A. D., Anderson, S., Schindler, J., & Graville, D. J. (2021). The impact of Lee Silverman Voice Treatment (LSVT LOUD®) on voice, communication, and participation: Findings from a prospective, longitudinal study. *Journal of communication disorders*, 89, 106031. <https://doi.org/10.1016/j.jcomdis.2020.106031>

*Li, Q., Millard, K., Tetnowski, J., Narayana, S., & Cannito, M. (2021). Acoustic analysis of intonation in persons With Parkinson's disease receiving transcranial magnetic stimulation and intensive voice treatment. *Journal of Voice*, S0892-1997(20), 30475–6. Advance online publication. <https://doi.org/10.1016/j.jvoice.2020.12.019>



**Nozaki, S., Fujii-Kurachi, M., Tanimura, T., Ishizuka, K., Miyata, E., Sugishita, S., Imai, T., Nishiguchi, M., Furuta, M., & Yorifuji, S. (2021). Effects of Lee Silverman Voice Treatment (LSVT LOUD) on Swallowing in Patients with Progressive Supranuclear Palsy: A Pilot Study. *Progress in Rehabilitation Medicine*, 6, 20210012. <https://doi.org/10.2490/prm.20210012>

Levy, E., Moya-Galé, G., Chang, Y., Freeman, K., Forrest, K., Brin, M. F., & Ramig, L.A. (2020). The effects of intensive speech treatment on intelligibility in Parkinson's disease: A randomised controlled trial. *The Lancet's EClinicalMedicine*, 24, 1–11. <https://doi.org/10.1016/j.eclinm.2020.100429>

Nightingale, C., Swartz, M., Ramig, L. O., & McAllister, T. (2020). Using crowdsourced listeners' ratings to measure speech changes in hypokinetic dysarthria: A proof-of-concept study. *American Journal of Speech-Language Pathology*, 29(2), 873–882. https://doi.org/10.1044/2019_AJSLP-19-00162

**Nakayama, K., Yamamoto, T., Oda, C., Sato, M., Murakami, T., & Horiguchi, S. (2020). Effectiveness of Lee Silverman Voice Treatment® LOUD on Japanese-speaking patients with Parkinson's disease. *Rehabilitation Research and Practice*, 2020. <https://doi.org/10.1155/2020/6585264>

**Alharbi, G. G., Cannito, M. P., Buder, E. H., & Awan, S. N. (2019). Spectral/cepstral analyses of phonation in Parkinson's disease before and after voice treatment: A preliminary study. *Folia Phoniatrica et Logopaedica*, 71(5-6), 275–285. <https://doi.org/10.1159/000495837>

**Saffarian, A., Amiri Shavaki, Y., Shahidi, G. A., Hadavi, S., & Jafari, Z. (2019). Lee Silverman Voice Treatment (LSVT) mitigates voice difficulties in mild Parkinson's disease. *Medical Journal of the Islamic Republic of Iran*, 33. <https://doi.org/10.34171/mjiri.33.5>

** Baumann, A., Nebel, A., Granert, O., Giehl, K., Wolff, S., Schmidt, W., Baasch, C., Schmidt, G., Witt, K., Deuschl, G., Hartwigsen, G., Zeuner, K. E., & van Eimeren, T. (2018). Neural correlates of hypokinetic dysarthria and mechanisms of effective voice treatment in Parkinson disease. *Neurorehabilitation and Neural Repair*, 32(12), 1055–1066. <https://doi.org/10.1177/1545968318812726>

Ramig, L. O., Halpern, A., Spielman, J., Fox, C., & Freeman, K. (2018). Speech treatment in Parkinson's Disease: Randomized controlled trial (RCT). *Movement Disorders*, 33(11), 1777–1791. <https://doi.org/10.1002/mds.27460>

**Moya-Galé, G., Goudarzi, A., Bayés, A., McAuliffe, M., Bulté, B., & Levy, E. S. (2018). The effects of intensive speech treatment on conversational intelligibility in Spanish speakers with Parkinson's disease. *American Journal of Speech-Language Pathology*, 27(1), 154–165. https://doi.org/10.1044/2017_AJSLP-17-0032

**Miles, A., Jardine, M., Johnston, F., de Lisle, M., Friary, P., & Allen J. (2017). Effect of Lee Silverman Voice Treatment (LSVT LOUD®) on swallowing and cough in Parkinson's disease: A pilot study. *Journal of the Neurological Sciences*, 383, 180–187. <https://doi.org/10.1016/j.jns.2017.11.015>

**Sale, P., Castiglioni, D., De Pandis, M. F., Torti, M., Dall'armi, V., Radicati, F. G., & Stocchi, F. (2015). The Lee Silverman Voice Treatment (LSVT®) speech therapy in progressive supranuclear palsy. *European Journal of Physical and Rehabilitation Medicine*, 51(5), 569–574. PMID: 26138088



**Sauvageau, V. M., Roy, J. P., Langlois, M., & Macoir, J. (2015). Impact of the LSVT on vowel articulation and coarticulation in Parkinson's disease. *Clinical Linguistics & Phonetics*, 29(6), 424–440. <https://doi.org/10.3109/02699206.2015.1012301>

Dumer, A. I., Oster, H., McCabe, D., Rabin, L. A., Spielman, J. L., Ramig, L. O., & Borod, J. C. (2014). Effects of the Lee Silverman Voice Treatment on hypomimia in Parkinson's disease. *Journal of the International Neuropsychological Society*, 20(3), 302–312. <https://doi.org/10.1017/S1355617714000046>

**Cannito, M. P., Suiter, D. M., Beverly, D., Chorna, L., Wolf, T., & Pfeiffer, R. M. (2012). Sentence intelligibility before and after voice treatment in speakers with idiopathic Parkinson's disease. *Journal of Voice*, 26(2), 214–219. <https://doi.org/10.1016/j.jvoice.2011.08.014>

**Whitehill, T. L., Kwan, L., Lee, F. P.-H., & Chow, M. M.-N. (2011). Effect of LSVT on lexical tone in speakers with Parkinson's disease. *Parkinson's Disease*, 2011. <http://doi.org/10.4061/2011/897494>

Spielman, J., Mahler, L., Halpern, A., Gilley, P., Klepitskaya, O., & Ramig, L. (2011). Intensive voice treatment (LSVT® LOUD) for Parkinson's disease following deep brain stimulation of the subthalamic nucleus. *Journal of Communication Disorders*, 44(6), 688–700. <https://doi.org/10.1016/j.jcomdis.2011.05.003>

Narayana, S., Fox, P. T., Zhang, W., Franklin, C., Robin, D. A., Vogel, D., & Ramig, L. O. (2010). Neural correlates of efficacy of voice therapy in Parkinson's disease identified by performance–correlation analysis. *Human Brain Mapping*, 31(2), 222–236. <https://doi.org/10.1002/hbm.20859>

Sapir, S., Ramig, L., Spielman, J., & Fox, C. (2010). Formant centralization ratio (FCR): A proposal for a new acoustic measure of dysarthric speech. *Journal of Speech, Language, and Hearing Research*, 53(1), 114–125. [https://dx.doi.org/10.1044%2F1092-4388\(2009%2F08-0184\)](https://dx.doi.org/10.1044%2F1092-4388(2009%2F08-0184))

Sapir, S., Spielman, J., Ramig, L., Story, B., & Fox, C. (2007). Effects of intensive voice treatment (LSVT®) on vowel articulation in dysarthric individuals with idiopathic Parkinson disease: Acoustic and perceptual findings. *Journal of Speech, Language, and Hearing Research*, 50(4), 899–912. [https://doi.org/10.1044/1092-4388\(2007/064\)](https://doi.org/10.1044/1092-4388(2007/064))

Spielman, J., Ramig, L., Mahler, L., Halpern, A., & Gavin, W. J. (2007). Effects of an extended version of the Lee Silverman Voice Treatment on voice and speech in Parkinson's disease. *American Journal of Speech-Language Pathology*, 16(2), 95–107. [https://doi.org/10.1044/1058-0360\(2007/014\)](https://doi.org/10.1044/1058-0360(2007/014))

**Whitehill, T. L., & Wong, L. N. (2007). Effect of intensive voice treatment on tone-language speakers with Parkinson's disease. *Clinical Linguistics and Phonetics*, 21(11-12), 919–925. <https://doi.org/10.1080/02699200701602045>

Huber, J., Stathopoulos, E., Ramig, L., & Lancaster, S. (2003). Respiratory function and variability in individuals with Parkinson disease: Pre- and post-Lee Silverman Voice Treatment (LSVT®). *Journal of Medical Speech-Language Pathology*, 11(4), 185–201.



- Liotti, M., Ramig, L., Vogel, D., New, P., Cook, C., Ingham, R. J., Ingham, J. C., & Fox, P. (2003). Hypophonia in Parkinson's disease: Neural correlates of voice treatment revealed by PET. *Neurology*, 60(3), 432–440. <https://doi.org/10.1212/wnl.60.3.432>
- Spielman, J., Borod, J., & Ramig, L. (2003). Effects of intensive voice treatment (LSVT®) on facial expressiveness in Parkinson disease: Preliminary data. *Cognitive and Behavioral Neurology*, 16(3), 177–188. <https://doi.org/10.1097/00146965-200309000-00005>
- El Sharkawi, A., Ramig, L., Logemann, J., Pauloski, B., Rademaker, A., Smith, C., Pawlas, A., Baum, A., & Werner, C. (2002). Swallowing and voice effects of Lee Silverman Voice Treatment (LSVT®): A pilot study. *Journal of Neurology, Neurosurgery, and Psychiatry*, 72(1), 31–36. <http://doi.org/10.1136/jnnp.72.1.31>
- Sapir, S., Ramig, L., Hoyt, P., Countryman, S., O'Brien, C., & Hoehn, M. (2002). Speech loudness and quality 12 months after intensive voice treatment (LSVT) for Parkinson's disease: A comparison with an alternative speech treatment. *Folia Phoniatrica et Logopaedica*, 54(6), 296–303. <https://doi.org/10.1159/000066148>
- Baumgartner, C., Sapir, S., & Ramig, L. (2001). Voice quality changes following phonatory-respiratory effort treatment (LSVT®) versus respiratory effort treatment for individuals with Parkinson disease. *Journal of Voice*, 15(1), 105–114. [https://doi.org/10.1016/s0892-1997\(01\)00010-8](https://doi.org/10.1016/s0892-1997(01)00010-8)
- Ramig, L., Sapir, S., Countryman, S., Pawlas, A., O'Brien, C., Hoehn, M., & Thompson, L. (2001). Intensive voice treatment (LSVT®) for patients with Parkinson's disease: A 2 year follow up. *Journal of Neurology, Neurosurgery, and Psychiatry*, 71(4), 493–498. <http://doi.org/10.1136/jnnp.71.4.493>
- Ramig, L., Sapir, S., Fox, C., & Countryman, S. (2001). Changes in vocal loudness following intensive voice treatment (LSVT®) in individuals with Parkinson's disease: A comparison with untreated patients and normal age-matched controls. *Movement Disorders*, 16(1), 79–83. [https://doi.org/10.1002/1531-8257\(200101\)16:1%3C79::aid-mds1013%3E3.0.co;2-h](https://doi.org/10.1002/1531-8257(200101)16:1%3C79::aid-mds1013%3E3.0.co;2-h)
- Countryman, S., Hicks, J., Ramig, L., & Smith, M. (1997). Supraglottal hyperadduction in an individual with Parkinson disease: A clinical treatment note. *American Journal of Speech-Language Pathology*, 6(4), 74–84. <https://doi.org/10.1044/1058-0360.0604.74>
- Ramig, L., Countryman, S., O'Brien, C., Hoehn, M., & Thompson, L. (1996). Intensive speech treatment for patients with Parkinson's disease: Short- and long-term comparison of two techniques. *Neurology*, 47(6), 1496–1504. <https://doi.org/10.1212/wnl.47.6.1496>
- Ramig, L., & Dromey, C. (1996). Aerodynamic mechanisms underlying treatment related changes in vocal intensity in patients with Parkinson disease. *Journal of Speech and Hearing Research*, 39(4), 798–807. <https://doi.org/10.1044/jshr.3904.798>
- Dromey, C., Ramig, L., & Johnson, A. B. (1995). Phonatory and articulatory changes associated with increased vocal intensity in Parkinson disease: A case study. *Journal of Speech and Hearing Research*, 38(4), 751–764. <https://doi.org/10.1044/jshr.3804.751>



Ramig, L., Countryman, S., Thompson, L., & Horii, Y. (1995). Comparison of two forms of intensive speech treatment for Parkinson disease. *Journal of Speech and Hearing Research*, 38(6), 1232–1251. <https://doi.org/10.1044/jshr.3806.1232>

Smith, M. E., Ramig, L., Dromey, C., Perez, K. S., & Samandari, R. (1995). Intensive voice treatment in Parkinson disease: Laryngostroboscopic findings. *Journal of Voice*, 9(4), 453–459. [https://doi.org/10.1016/s0892-1997\(05\)80210-3](https://doi.org/10.1016/s0892-1997(05)80210-3)

Countryman, S., Ramig, L., & Pawlas, A. (1994). Speech and voice deficits in Parkinsonian plus syndromes: Can they be treated? *Journal of Medical Speech-Language Pathology*, 2(3), 211–225.

Ramig, L., Bonitati, C. M., Lemke, J. H., & Horii, Y. (1994). Voice treatment for patients with Parkinson disease: Development of an approach and preliminary efficacy data. *Journal of Medical Speech-Language Pathology*, 2(3), 191–209.

Countryman, S., & Ramig, L. (1993). Effects of intensive voice therapy on voice deficits associated with bilateral thalamotomy in Parkinson's disease: A case study. *Journal of Medical Speech-Language Pathology*, 1, 233–250.

4. Data-based articles evaluating the efficacy of the LSVT BIG

**Schaible, F., Maier, F., Buchwitz, T. M., Schwartz, F., Hoock, M., Schönau, E., Libuda, M., Hordt, A., van Eimeren, T., Timmermann, L., & Eggers, C. (2021). Effects of Lee Silverman Voice Treatment BIG and conventional physiotherapy on non-motor and motor symptoms in Parkinson's disease: a randomized controlled study comparing three exercise models. *Therapeutic advances in neurological disorders*, 14, 1756286420986744. <https://doi.org/10.1177/1756286420986744>

**Flood, M. W., O'Callaghan, B. P. F., Diamond, P., Liegey, J., Hughes, G., & Lowery, M. M. (2020). Quantitative clinical assessment of motor function during and following LSVT-BIG® therapy. *Journal of NeuroEngineering and Rehabilitation*, 17(1), 1–19. <https://doi.org/10.1186/s12984-020-00729-8>

**Peterka, M., Odorfer, T., Schwab, M., Volkmann, J., & Zeller, D. (2020). LSVT-BIG therapy in Parkinson's disease: physiological evidence for proprioceptive recalibration. *BMC Neurology*, 20(1), 276. <https://doi.org/10.1186/s12883-020-01858-2>

**Fillmore, S., Cavalier, G., Franke, H., Hajec, M., Thomas, A., & Moriello, G. (2020) Outcomes following LSVT BIG in a person with normal pressure hydrocephalus: A case report. *Journal of Neurologic Physical Therapy*, 44(3), 220–227. <https://doi.org/10.1097/NPT.0000000000000319>

** Proffitt, R., Henderson, W., Stupps, M., Binder, L., Irlmeier, B., & Knapp, E. (2021) Feasibility of the Lee Silverman Voice Treatment – BIG intervention in stroke. *OTJR: Occupation, Participation and Health*, 41(1), 40–46. <https://doi.org/10.1177/1539449220932908>



**Henderson, W., Boone, A. E., Heady, J., Nettleton, M., Wilhelm, T., & Bliss, J. (2020). Use of occupation-based measures in LSVT BIG research: A case study. *OTJR: Occupation, Participation and Health*, 40(2), 131–137. <https://doi.org/10.1177/1539449219886261>

**Hampton, B. A., Tunney, N., & Dubal, D. (2019). Impact of LSVT BIG on functional outcomes in a patient with Parkinson's disease: A case study. *GeriNotes*, 26(1), 20-23.

**Kleppang, T. T., & Jørgensen, L. (2019). Dynamic balance and gait speed improve in persons with Parkinson's disease after Lee Silverman Voice Treatment (LSVT) BIG training: A single subject experimental design study. *European Journal of Physiotherapy*, 22(2), 86–96.
<https://doi.org/10.1080/21679169.2018.1551420>

**Metcalfe, V., Egan, M., & Sauvé-Schenk, K. (2019) LSVT BIG in late stroke rehabilitation: A single-case experimental design study. *Canadian Journal of Occupational Therapy*, 86(2), 87–94.
<https://doi.org/10.1177/0008417419832951>

**Chatto, C. A., York, P. T., Slade, C. P., & Hasson, S. M. (2018). Use of a telehealth system to enhance a home exercise program for a person with Parkinson disease: A case report. *Journal of Neurologic Physical Therapy*, 42(1), 22–29. <https://doi.org/10.1097/npt.0000000000000209>

**Fishel, S. C., Hotchkiss, M. E., & Brown, S. A. (2018). The impact of LSVT BIG therapy on postural control for individuals with Parkinson disease: A case series. *Physiotherapy Theory and Practice*, 1–9.
<https://doi.org/10.1080/09593985.2018.1508260>

**Isaacson, S., O'Brien, A., Lazaro, J. D., Ray, A., & Fluet, G. (2018). The JFK BIG study: The impact of LSVT BIG® on dual task walking and mobility in persons with Parkinson's disease. *The Journal of Physical Therapy Science*, 30(4), 636–641. <https://dx.doi.org/10.1589%2Fjpts.30.636>

**Pascal, M. R., Ehlers, D., & Hindman, R. (2018). The effects of LSVT BIG home exercises and T'ai Chi on balance and gait in an individual with Parkinson's disease: A case study. *Physical Therapy and Rehabilitation*, 5(1), 1–4. <http://dx.doi.org/10.7243/2055-2386-5-1>

**Proffitt, R. M., Henderson, W., Scholl, S., & Nettleton, M. (2018). Lee Silverman Voice Treatment BIG® for a person with stroke. *American Journal of Occupational Therapy*, 72(5), 7205210010p1–7205210010p6. <https://dx.doi.org/10.5014%2Fajot.2018.028217>

**Millage, B., Vesey, E., Finkelstein, M., & Anheluk, M. (2017). Effect on gait speed, balance, motor symptom rating, and quality of life in those with stage I Parkinson's disease utilizing LSVT BIG®. *Rehabilitation Research and Practice*, 2017, 1–8. <https://doi.org/10.1155/2017/9871070>

**Ueno, T., Sasaki, M., Nishijima, H., Funamizu, Y., Kon, T., Haga, R., Arai, A., Suzuki, C., Nunomura, J., Baba, M., & Tomiyama, M. (2017). LSVT-BIG improves UPDRS III scores at 4 weeks in Parkinson's disease patients with wearing off: A prospective, open-label study. *Parkinson's Disease*, 2017. <https://doi.org/10.1155/2017/8130140>



**Walter, K., Pizzichetta, K., Metz, J., DiCarlo, D., Sieban, A., Toscano, M., Atkins, D., Benitez, J., & Babyar, S. (2017). Improved function and geriatric depression scale profile in outpatients with Parkinson's disease through the participation in Lee Silverman Voice Therapy BIG® program. *Physical Medicine and Rehabilitation Research*, 2(4), 1–6. <https://doi.org/10.15761/PMRR.1000152>

**Dashipour, K., Johnson, E., Kani, C., Kani, K., Hadi, E., Ghamsary, M., Pezeshkian, S., & Chen, J. J. (2015). Effect of exercise on motor and nonmotor symptoms of Parkinson's disease. *Parkinson's Disease*, 2015. <https://doi.org/10.1155/2015/586378>

**Ebersbach, G., Grust, U., Ebersbach, A., Wegner, B., Gandor, F., & Kuhn, A. A. (2015). Amplitude-oriented exercise in Parkinson's disease: A randomized study comparing LSVT-BIG and a short training protocol. *Journal of Neural Transmission*, 122(2), 253–256.
<http://dx.doi.org.aurarialibrary.idm.oclc.org/10.1007/s00702-014-1264-5>

**Janssens, J., Malfroid, K., Nyffeler, T., Bohlhalter, S., & Vanbellingen, T. (2014). Application of LSVT BIG intervention to address gait, balance, bed mobility, and dexterity in people with Parkinson disease: A case series. *Physical Therapy*, 94(7), 1014–1023. <https://doi.org/10.2522/ptj.20130232>

**Ebersbach, G., Ebersbach, A., Gandor, F., Wegner, B., Wissel, J., & Kupsch, A. (2014). Impact of physical exercise on reaction time in patients with Parkinson's disease—Data from the Berlin BIG Study. *Archives of Physical Medicine and Rehabilitation*, 95(5), 996–999.
<https://doi.org/10.1016/j.apmr.2013.10.020>

**Ebersbach, G., Ebersbach, A., Edler, D., Kaufhold, O., Kusch, M., Kupsch, A., & Wissel, J. (2010). Comparing exercise in Parkinson's disease—The Berlin LSVT® BIG study. *Movement Disorders*, 25(12), 1902–1908. <https://doi.org/10.1002/mds.23212>

**Farley, B. G., & Koshland, G. F. (2005). Training BIG to move faster: The application of the speed-amplitude relation as a rehabilitation strategy for people with Parkinson's disease. *Experimental Brain Research*, 167(3), 462–467. <https://doi.org/10.1007/s00221-005-0179-7>

5. Data-based articles describing voice, speech and communication in individuals with Parkinson's

Tsanas, A., Little, M. A., & Ramig, L. O. (2021). Remote assessment of Parkinson's disease symptom severity using the simulated cellular mobile telephone network. *IEEE Access: Practical Innovations, Open Solutions*, 9, 11024–11036. <https://doi.org/10.1109/ACCESS.2021.3050524>

Rusz, J., Tykalova, T., Ramig, L. O., & Tripoliti, E. (2020). Guidelines for speech recording and Acoustic analyses in dysarthrias of movement disorders. *Movement Disorders*. Advance online publication.
<https://doi.org/10.1002/mds.28465>



New, A. B., Robin, D. A., Parkinson, A. L., Eickhoff, C. R., Reetz, K., Hoffstaedter, F., Mathys, C., Sudmeyer, M., Grefkes, C., Larson, C. R., Ramig, L. O., Fox, P. T., & Eickhoff, S. B. (2015). The intrinsic resting state voice network in Parkinson's disease. *Human Brain Mapping*, 36(5), 1951–1962. <https://doi.org/10.1002/hbm.22748>

Tsanas, A., Zañartu, M., Little, M. A., Fox, C., Ramig, L. O., & Clifford, G. D. (2014). Robust fundamental frequency estimation in sustained vowels: Detailed algorithmic comparisons and information fusion with adaptive Kalman filtering. *The Journal of the Acoustical Society of America*, 135(5), 2885–2901. <http://doi.org/10.1121/1.4870484>

Tsanas, A., Little, M. A., Fox, C., & Ramig, L. O. (2014). Objective automatic assessment of rehabilitative speech treatment in Parkinson's disease. *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, 22(1), 181–190. <https://doi.org/10.1109/tnsre.2013.2293575>

Tsanas, A., Little, M. A., McSharry, P. E., Spielman, J., & Ramig, L. O. (2012). Novel speech signal processing algorithms for high-accuracy classification of Parkinson's disease. *IEEE Transactions on Biomedical Engineering*, 59(5), 1264–1271. <https://doi.org/10.1109/tbme.2012.2183367>

Hazan, H., Hilu, D., Manevitz, L., Ramig, L., & Sapir, S. (2012, Nov. 14). *Early diagnosis of Parkinson's disease via machine learning on speech data*. 2012 IEEE 27th Convention of Electrical Electronics Engineers in Israel (IEEEEI), Eilat, Israel. <https://doi.org/10.1109/EEEI.2012.6377065>

Tsanas, A., Little, M., McSharry, P., & Ramig, L. (2011). Nonlinear speech analysis algorithms mapped to a standard metric achieve clinically useful quantification of average Parkinson's disease symptom severity. *Journal of the Royal Society Interface*, 8(59), 842–855. <https://doi.org/10.1098/rsif.2010.0456>

Carroll, T., Meyers, A., & Ramig, L. (2010, March 19). *Laryngeal manifestations of Parkinson disease*. eMedicine from WebMD. <http://emedicine.medscape.com/article/867345-overview>

Tsanas, A., Little, M., McSharry, P., & Ramig, L. (2010). Accurate telemonitoring of Parkinson's disease progression by non-invasive speech tests. *IEEE Transactions on Biomedical Engineering*, 57(4), 884–893. <https://doi.org/10.1109/TBME.2009.2036000>

Tsanas, A., Little, M., McSharry, P., & Ramig, L. (2010, March 14-19). *Enhanced classical dysphonia measures and sparse regression for telemonitoring of Parkinson's disease progression*. IEEE Signal Processing Society, International Conference on Acoustics, Speech and Signal Processing (ICASSP), Dallas, TX, US (pp. 594-597). <https://doi.org/10.1109/ICASSP.2010.5495554>

Tsanas, A., Little, M., McSharry, P., & Ramig, L. (2010, Sept. 5-8). *New nonlinear markers and insights into speech signal degradation for effective tracking of Parkinson disease symptom severity*. International Symposium on Nonlinear Theory and its Applications (NOLTA), Krakow, Poland (pp. 457–460). <https://doi.org/10.34385/proc.44.C1L-A3>



Goetz, C. G., Stebbins, G. T., Wolff, D., DeLeeuw, W., Bronte-Stewart, H., Elble, R., Hallett, M., Nutt, J., Ramig, L., Sanger, T., Wu, A. D., Kraus, P. H., Blasucci, L. M., Shamim, E. A., Sethi, K. D., Spielman, J., Kubota, K., Grove, A. S., Dishman, E., & Taylor, C. B. (2009). Testing objective measures of motor impairment in early Parkinson's disease: Feasibility study of an at-home testing device. *Movement Disorders*, 24(4), 551–556. <https://doi.org/10.1002/mds.22379>

Little, M. A., McSharry, P. E., Hunter, E., Spielman, J., & Ramig, L. (2009). Suitability of dysphonia measurements for telemonitoring of Parkinson's disease. *IEEE Transactions on Biomedical Engineering*, 56(4), 1015–1022. <https://dx.doi.org/10.1109%2FTBME.2008.2005954>

Carroll, T., Meyers, A., & Ramig, L. (2006). *Laryngeal manifestations of Parkinson disease*. *EMedicine Journal*. <http://www.emedicine.com/ent/topic797.htm>

Quek, R., Harper, M. P., Hacihmetoglu, Y., Chen, L., & Ramig, L. (2002, Sept 16-20). *Speech pauses and gestural holds in Parkinson's disease*. Seventh International Conference on Spoken Language Processing, Denver, CO (pp. 2485–2488).

Kleinow, J., Smith, A., & Ramig, L. (2001). Speech motor stability in idiopathic Parkinson disease: Effects of rate and loudness manipulations. *Journal of Speech, Language, and Hearing Research*, 44(5), 1041–1051. [https://doi.org/10.1044/1092-4388\(2001/082\)](https://doi.org/10.1044/1092-4388(2001/082)

Quek, F., Bryll, R., Harper M. P., Chen, L., & Ramig, L. (2001, Nov. 4-6). *Audio and vision-base evaluation of Parkinson's disease from discourse video*. 2nd Annual IEEE International Symposium of BioInformatics and Bio-Engineering, Bethesda, MD, US (pp. 245–252). <https://doi.org/10.1109/BIBE.2001.974436>

Sapir, S., Pawlas, A., Ramig, L., Countryman, S., O'Brien, C., Hoehn, M., & Thompson, L. (2001). Voice and speech abnormalities in Parkinson disease: Relation to severity of motor impairment, duration of disease, medication, depression, gender and age. *Journal of Medical Speech-Language Pathology*, 9(4), 213–226. [https://doi.org/10.1016/S0892-1997\(01\)00010-8](https://doi.org/10.1016/S0892-1997(01)00010-8)

Luschei, E., Ramig, L., Baker, K., & Smith, M. (1999). Discharge characteristics of laryngeal single motor units during phonation in young and older adults and in persons with Parkinson disease. *Journal of Neurophysiology*, 81(5), 2131–2139. <https://doi.org/10.1152/jn.1999.81.5.2131>

Baker, K., Ramig, L., Luschei, E., & Smith, M. (1998). Thyroarytenoid muscle activity associated with hypophonia in Parkinson disease and aging. *Neurology*, 51(6), 1592–1598. <https://doi.org/10.1212/wnl.51.6.1592>

Baker, K., Ramig, L., Johnson, A. B., & Freed, C. (1997). Preliminary voice and speech analysis following fetal dopamine transplants in 5 individuals with Parkinson disease. *Journal of Speech & Hearing Research*, 40(3), 615–626. <https://doi.org/10.1044/jshr.4003.615>

Fox, C., & Ramig, L. (1997). Vocal sound pressure level and self-perception of speech and voice in men and women with idiopathic Parkinson disease. *American Journal of Speech-Language Pathology*, 6(2), 85–94. <https://doi.org/10.1044/1058-0360.0602.85>



Perez, K., Ramig, L., Smith, M., & Dromey, C. (1996). The Parkinson larynx: Tremor and videostroboscopic findings. *Journal of Voice*, 10(4), 354–361. [https://doi.org/10.1016/s0892-1997\(96\)80027-0](https://doi.org/10.1016/s0892-1997(96)80027-0)

King, J., Ramig, L., Lemke, J. H., & Horii, Y. (1994). Parkinson disease: Longitudinal changes in acoustic parameters of phonation. *Journal of Medical Speech-Language Pathology*, 2, 29–42.

Larson, K., Ramig, L., & Scherer, R. C. (1994). Acoustic and glottographic voice analysis during drug related fluctuations in Parkinson's disease. *Journal of Medical Speech-Language Pathology*, 2(3), 227239.

Ramig, L., & Gould, W. J. (1988). Speech characteristics in Parkinson's disease. *Neurologic Consultant*, 4(1), 1–8. New York: Lawrence Delia Corte Publications.

6. Technology-enhanced delivery of LSVT LOUD: Telepractice and LSVT Companion®

**Saiyed, M., Hill, A. J., Russell, T. G., Theodoros, D. G., & Scuffham, P. (2020). Cost analysis of home telerehabilitation for speech treatment in people with Parkinson's disease. *Journal of Telemedicine and Telecare*, 1357633X20948302. Advance online publication. <https://doi.org/10.1177/1357633X20948302>

** Covert, L. T., Slevin, J. T., & Hatterman, J. (2018). The effect of telerehabilitation on missed appointment rates. *International Journal of Telerehabilitation*, 10(2), 65–72. <https://doi.org/10.5195/ijt.2018.6258>

** Theodoros, D., Aldridge, D., Hill, A. J., & Russell, T. (2019). Technology-enabled management of communication and swallowing disorders in Parkinson's disease: A systematic scoping review. *International Journal of Language & Communication Disorders*, 54(2), 170–188. <https://doi.org/10.1111/1460-6984.12400>

** Quinn, R., Park, S., Theodoros, D., & Hill, A. J. (2019). Delivering group speech maintenance therapy via telerehabilitation to people with Parkinson's disease: A pilot study. *International Journal of Speech-Language Pathology*, 21(4), 385–394. <https://doi.org/10.1080/17549507.2018.1476918>

** Körner Gustafsson, J., Södersten, M., Ternström, S., & Schalling, E. (2019). Long-term effects of Lee Silverman Voice Treatment on daily voice use in Parkinson's disease as measured with a portable voice accumulator. *Logopedics, Phoniatrics, Vocology*, 44(3), 124–133. <https://doi.org/10.1080/14015439.2018.1435718>

** Griffin, M., Bentley, J., Shanks, J., & Wood, C. (2018). The effectiveness of Lee Silverman Voice Treatment therapy issued interactively through an iPad device: A non-inferiority study. *Journal of Telemedicine and Telecare*, 24(3), 209–215. <https://doi.org/10.1177/1357633X17691865>



**Theodoros, D. G., Hill, A. J., & Russell, R. G. (2016). Clinical and quality of life outcomes of speech treatment for Parkinson's disease delivered to the home via telerehabilitation: A noninferiority randomized controlled trial. *American Journal of Speech-Language Pathology*, 25(2), 214–232. https://doi.org/10.1044/2015_ajslp-15-0005

Halpern, A., Ramig, L., Matos, C., Petska-Cable, J., Spielman, J., Pogoda, J., Gilley, P., Sapir, S., Bennett, J., & McFarland, D. (2012). Innovative technology for the assisted delivery of intensive voice treatment (LSVT® LOUD) for Parkinson disease. *American Journal of Speech-Language Pathology*, 21(4), 354–367. [https://doi.org/10.1044/1058-0360\(2012/11-0125\)](https://doi.org/10.1044/1058-0360(2012/11-0125)) This article was awarded the 2012 Editors' Award for the *American Journal of Speech-Language Pathology*.

**Constantinescu, G., Theodoros, D., Russell, T., Ward, E., Wilson, S., & Wootton, R. (2011). Treating disordered speech and voice in Parkinson's disease online: A randomized controlled non-inferiority trial. *International Journal of Language and Communication Disorders*, 46(1), 1–16. <https://doi.org/10.3109/13682822.2010.484848>

Theodoros, D., & Ramig, L. (2011). Telepractice supported delivery of LSVT® LOUD. *Seminars in Speech and Language Pathology*, 21(3), 107–119. <https://doi.org/10.1044/nnsld21.3.107>

**Constantinescu, G. A., Theodoros, D. G., Russell, T. G., Ward, E. C., Wilson, S. J., & Wootton, R. (2010). Home-based speech treatment for Parkinson's disease delivered remotely: A case report. *Journal of Telemedicine and Telecare*, 16(2), 100–104. <https://doi.org/10.1258/jtt.2009.090306>

**Wenke, R. J., Theodoros, D., & Cornwell, P. (2010). Effectiveness of Lee Silverman Voice Treatment (LSVT) on hypernasality in non-progressive dysarthria: The need for further research. *International Journal of Language and Communication Disorders*, 45(1), 31–46. <https://doi.org/10.3109/13682820802638618>

**Tindall, L. R., Huebner, R. A., Stemple, J. C., & Kleinert, H. L. (2008). Videophone-delivered voice therapy: A comparative analysis of outcomes to traditional delivery for adults with Parkinson's disease. *Telemedicine Journal and E-Health*, 14(10), 1070–1077. <https://doi.org/10.1089/tmj.2008.0040>

**Howell, S., Tripoliti, E., & Pring, T. (2009). Delivering the Lee Silverman Voice Treatment (LSVT) by web camera: A feasibility study. *International Journal of Language and Communication Disorders*, 44(3), 287–300. <https://doi.org/10.1080/13682820802033968>

Cole, R., Halpern, A., Ramig, L., Van Vuuren, S., Ngampatipatpong, N., & Yan, J. (2006). A virtual speech therapist for individuals with Parkinson's disease. *Educational Technology*, 47(1), 51–55.



7. LSVT LOUD in pediatric motor speech disorders

Langlois, C., Tucker, B. V., Sawatzky, A. N., Reed, A., & Boliek, C. A. (2020). Effects of an intensive voice treatment on articulatory function and speech intelligibility in children with motor speech disorders: A phase one study. *Journal of Communication Disorders*, 86, 106003. <https://doi.org/10.1016/j.jcomdis.2020.106003>

Reed, A., Cummine, J., Bakhtiari, R., Fox, C. M., & Boliek, C. (2017). Changes in white matter integrity following intensive voice treatment (LSVT LOUD®) in children with cerebral palsy and motor speech disorders. *Developmental Neuroscience*, 39(6), 460–471. <https://doi.org/10.1159/000478724>

Bakhtiari, R., Cummine, J., Reed, A., Fox, C. M., Chouinard, B., Cribben, I., & Boliek, C. A. (2017). Changes in brain activity following intensive voice treatment in children with cerebral palsy. *Human Brain Mapping*, 38(9), 4413–4429. <https://doi.org/10.1002/hbm.23669>

Boliek, C. A., & Fox, C. M. (2017). Therapeutic effects of intensive voice treatment (LSVT LOUD®) for children with spastic cerebral palsy and dysarthria: A phase I treatment validation study. *International Journal of Speech-Language Pathology*, 19(6), 601–615. <https://doi.org/10.1080/17549507.2016.1221451>

Boliek, C. A., & Fox, C. M. (2014). Individual and environmental contributions to treatment outcomes following a neuroplasticity-principled speech treatment (LSVT LOUD) in children with dysarthria secondary to cerebral palsy: A case study review. *International Journal of Speech-Language Pathology*, 16(4), 372–385. <https://doi.org/10.3109/17549507.2014.917438>

**Levy, E. S. (2014). Implementing two treatment approaches to childhood dysarthria. *International Journal of Speech-Language Pathology*, 16(4), 344–354. <https://doi.org/10.3109/17549507.2014.894123>

Levy, E. S., Ramig, L. O., & Camarata, S. M. (2013). The effects of two speech interventions on speech function in pediatric dysarthria. *Journal of Medical Speech-Language Pathology*, 20(4), 82–87.

Fox, C. M., & Boliek, C. A. (2012). Intensive voice treatment (LSVT LOUD) for children with spastic cerebral palsy and dysarthria. *Journal of Speech, Language, and Hearing Research*, 55(3), 930–945. [https://doi.org/10.1044/1092-4388\(2011/10-0235\)](https://doi.org/10.1044/1092-4388(2011/10-0235))

8. LSVT LOUD in other neurological disorders and aging

**Moya-Galé, G., Galgano, J., Ferrone, C., Chang, Y. M., & Ramig, L. A. (2021). LSVT LOUD® Applied to an Adult With Cerebral Palsy: Acoustic Findings. *Communication Disorders Quarterly*. <https://doi.org/10.1177/1525740121993802>



**Baldanzi, C., Crispiatico, V., Foresti, S., Groppo, E., Rovaris, M., Cattaneo, D., & Vitali, C. (2020). Effects of intensive voice treatment (The Lee Silverman Voice Treatment [LSVT LOUD]) in subjects with multiple sclerosis: A pilot study. *Journal of Voice*, S0892-1997(20)30275-7. Advance online publication. <https://doi.org/10.1016/j.jvoice.2020.07.025>

**Lowit, A., Egan, A., & Hadjivassiliou, M. (2020) Feasibility and Acceptability of Lee Silverman Voice Treatment in Progressive Ataxias. *Cerebellum*. <https://doi.org/10.1007/s12311-020-01153-3>

**Lu, F. L., Presley, S., & Lammers, B. (2013). Efficacy of intensive phonatory-respiratory treatment (LSVT) for presbyphonia: Two case reports. *Journal of Voice*, 27(6), 11–23. <https://doi.org/10.1016/j.jvoice.2013.06.006>

Mahler, L., & Jones, H. N. (2012). Intensive treatment of dysarthria in two adults with Down syndrome. *Developmental Neurorehabilitation*, 15(1), 44–53. <https://doi.org/10.3109/17518423.2011.632784>

Mahler, L., & Ramig, L. O. (2012). Intensive treatment of dysarthria secondary to stroke. *Clinical Linguistics and Phonetics*, 26(8), 681–694. <https://doi.org/10.3109/02699206.2012.696173>

**Wenke, R. J., Cornwell, P., & Theodoros, D. G. (2010). Changes to articulation following LSVT(R) and traditional dysarthria therapy in non-progressive dysarthria. *International Journal of Speech-Language Pathology*, 12(3), 203–220. <https://doi.org/10.3109/17549500903568468>

Mahler, L., Ramig, L., & Fox, C. (2009). Intensive voice treatment (LSVT LOUD) for dysarthria secondary to stroke. *Journal of Medical Speech-Language Pathology*, 17(4), 165–182.

**Wenke, R. J., Theodoros, D., & Cornwell, P. (2008). The short- and long-term effectiveness of the LSVT for dysarthria following TBI and stroke. *Brain Injury*, 22(4), 339–352. <https://doi.org/10.1080/02699050801960987>

Sapir, S., Spielman, J., Ramig, L., Hinds, S., Countryman, S., Fox, C., & Story, B. (2003). Effects of intensive voice treatment (the Lee Silverman Voice Treatment [LSVT]) on ataxic dysarthria: A case study. *American Journal of Speech-Language Pathology*, 12(4), 387–399. [https://doi.org/10.1044/1058-0360\(2003/085\)](https://doi.org/10.1044/1058-0360(2003/085))

Sapir, S., Pawlas, A., Ramig, L., Seeley, E., Fox, C., & Corboy, J. (2001). Effects of intensive phonatory-respiratory treatment (LSVT[®]) on voice in individuals with multiple sclerosis. *Journal of Medical Speech-Language Pathology*, 9(2), 35–45.

Ramig, L., Gray, S., Baker, K., Corbin-Lewis, K., Buder, E., Luschei, E., Coon, H., & Smith, M. (2001). The aging voice: A review, treatment data and familial and genetic perspectives. *Folia Phoniatrica et Logopaedica*, 53(5), 252–265. <https://doi.org/10.1159/000052680>



9. Books on neurological voice and speech disorders

Theodoros, D., & Ramig, L. (2011). *Communication and swallowing in Parkinson's disease*. Plural Publishing.

Blitzer, A., Brin, M., & Ramig, L. (2009). *Neurological voice disorders of the larynx*. Thieme Medical, Inc.

10. Book chapters on neurological voice and speech disorders and treatment

**McNeill, D., Levy, E. T., & Duncan, S. (2015). Gesture in discourse. In D. Schiffrin, D. Tannen, & H. Hamilton (Eds.), *The handbook of discourse analysis* (2nd ed., pp. 262–290). Wiley-Blackwell.

Ramig, L., & Fox, C. (2014). Voice treatment for Parkinson disease. In J. Stemple (Ed.), *Voice therapy, clinical case studies* (4th ed.). Plural Publishing.

Smith, M., & Ramig, L. (2014). Neurological disorders and the voice. In J. S. Rubin, G. Korovin, & R. T. Sataloff (Eds.), *Diagnosis and treatment of voice disorders*. Igaku-Shoin.

Sapir, S., Ramig, L., & Fox, C. (2013). Speech therapy for Parkinson disease. In R. Pfieffer, M. Edabi, & Z. K. Wszolek (Eds.), *Parkinson's disease* (2nd ed.). Taylor and Francis Group.

McCabe, D., Creighton, J., Twaite, J. T., Teague, E. B., Spielman, J., Scorpio, K., Goldstein, M., Ramig, L. O., & Borod, J. C. (2012). Aprosodia. In S. Gilman (Ed.), *MedLink neurology*. MedLink Corporation.

Ciucci, M., Mahler, L., & McFarland, D. (2011). Swallowing disorders in Parkinson's disease. In D. Theodoros & L. Ramig (Eds.), *Communication and swallowing in Parkinson disease* (pp. 199–223). Plural Publishing.

McNeill, D., & Duncan, S. (2011). Gestures and growth points in language disorders. In J. Guendouzi, F. Loncke, & M. J. Williams (Eds.), *The handbook of psycholinguistic and cognitive processes: Perspectives in communication disorders*, (pp. 663–685). Psychology Press, Taylor & Francis Group.

Ramig, L., Fox, C., & Sapir, S. (2011). Speech and voice disorders in Parkinson disease. In W. Olanow, W. Stocchi, & A. Lang (Eds.) *The non-motor and non-dopaminergic features of Parkinson disease* (pp. 348–362). Blackwell Publishing.

Sapir, S., Ramig, L., & Fox, C. (2011). Assessment and treatment of the speech disorder in Parkinson disease. In D. Theodoros & L. Ramig (Eds.), *Communication and swallowing in Parkinson disease*. Plural Publishing.



McCabe, D. L., Borod, J. C., Meltzer, E., Spielman, J., & Ramig, L. O. (2010). Masked faces in Parkinson's disease: Emotional and motoric factors, neuropathology, Duchenne smiling, and treatment. In A. Freitas-Magalhaes (Ed.), *Emotional expression: The brain and the face*, vol. 2 (pp. 3–41). University Fernando Pessoa Press.

Halfacre, M., Dumer, A., Alterescu, K., McCabe, D., Ramig, L., Spielman, J., & Borod, J. (2009). Facial expression in Parkinson disease: Neural mechanisms. In A. Freitas-Maglhaes (Ed.), *Emotional expression: The brain and the face* (pp. 95–126). University of Fernando Pessoa Press.

**McNeill, D., Quaeghebeur, L., & Duncan, S. (2009). IW—"the man who lost his body". In S. Gallagher & D. Schmickin (Eds.), *Handbook of phenomenology and cognitive sciences* (pp. 519–546). Springer Verlag.

Ramig, L. (2009). Voice treatment for Parkinson disease. In R. Branski & L. Sulica (Eds.), *Classics in voice and laryngology*. Plural Publishing.

Ramig, L., & Fox, C. (2009). Voice treatment for Parkinson disease. In J. Stemple & L. T. Fry (Eds.), *Voice therapy, clinical case studies* (3rd ed.). Plural Publishing.

Sapir, S., Ramig, L., & Fox, C. (2009). Voice and speech treatment for neurological disorders. In A. Blitzer, M. Brin, & L. Ramig (Eds.), *Neurological voice disorders*. Thieme Medical Publishers.

Duncan, S. (2008). Gestural imagery and cohesion in normal and impaired discourse. In I. Wachsmuth, M. Lenzen, & G. Knoblich (Eds.), *Embodied communication in humans and machines* (pp. 305–328). Oxford University Press. <https://doi.org/10.1093/acprof:oso/9780199231751.001.0001>

Fox, C., Ramig, L., Halpern, A., Petska, J., & Mahler, L. (2008). A speech therapy home program for patients with Parkinson's disease. In M. Trail, E. Protos, & E. Lai (Eds.), *Neurorehabilitation in Parkinson's disease: An evidence based treatment model*. SLACK Inc. Professional Book Division.

Fox, C., Ramig, L., Sapir, S., Halpern, A., Petska, J., Farley, B., & Mahler, L. (2008). Voice and speech disorders in Parkinson disease and their treatment. In M. Trail, E. Protos, & E. Lai (Eds.), *Neurorehabilitation in Parkinson's disease: An evidence based treatment model*. SLACK Inc. Professional Book Division.

Mahler, L., Ciucci, M., Ramig, L., & Fox, C. (2008). Swallowing problems in Parkinson's disease. In M. Trail, E. Protos, & E. Lai (Eds.). *Neurorehabilitation in Parkinson's disease: An evidence based treatment model* (pp. 279–294). SLACK Inc. Professional Book Division.

Sapir, S., Countryman, S., Ramig, L., & Fox, C. (2008). Voice, speech, and swallowing disorders. In S. Factor & F. Weiner (Eds.), *Parkinson disease: Diagnosis and clinical management* (2nd ed., pp. 77–98). Demos Publishing.

**Duncan, S., & Pediety, L. (2007). Discourse focus, gesture, and disfluent aphasia. In S. D. Duncan, J. Cassell, & E. T. Levy (Eds.), *Gesture and the dynamic dimension of language* (pp. 269–284). John Benjamins. <https://doi.org/10.1075/gs.1>



- Ramig, L., & Fox, C. (2007). Lee Silverman Voice Treatment. In P. Auzou, V. Rolland-Monnoury, S. Pinto, and C. Ozsancak (Eds.), *Les Dysarthries* (pp. 301–306). Solal.
- Ramig, L., Fox, C., & Sapir, S. (2007). Speech, voice and swallowing in Parkinson disease. In W. Koller & E. Melamed (Eds.), *Handbook of clinical neurology: Parkinson's and parkinsonian disorders* (pp. 385–399). Elsevier.
- Sapir, S., Ramig, L., & Fox, C. (2007). Voice, speech and swallowing disorders in Parkinson disease and their treatment. In R. Pahwa & K. Lyons (Eds.), *Therapy Parkinson's disease* (4th ed., pp. 449–471). Marcel Dekker, Inc.
- Abaza, M., & Spielman, J. (2006). The larynx in Parkinson's disease, In A. Merati & S. Bielamowicz (Eds.), *Textbook of laryngology* (pp. 239–246). Plural Publishing.
- Brin, M., Vilecovic, M., Ramig, L., & Fox, C. (2004). Dysphonia due to Parkinson disease: Pharmacological, surgical and behavioral management perspectives. In J. Casper & C. Sapienza (Eds.), *Vocal rehabilitation in medical speech-language pathology* (pp. 209–269). Pro-Ed.
- Ramig, L., Countryman, S., Fox, C., & Sapir, S. (2001). Speech, voice and swallowing disorders. In S. Factor & F. Weiner (Eds.), *Parkinson disease: Diagnosis and clinical management* (pp. 75–87). Demos Publishing.
- Ramig, L., Countryman, S., Fox, C., & Sapir, S. (2001). Troubles et reeducation de la voix, de la parole et de la deglutition dans la maladie de Parkinson. In P. Auzou, C. Ozsancak, & V. Brun (Eds.), *Les Dysarthries* (pp. 257–274). Masson.
- Ramig, L. (2000). Voice problems of speakers with dysarthria. In M. Freeman & M. Fawcus (Eds.), *Voice Disorders and their management* (pp. 156–171). Whurr Publishers. <https://doi.org/10.1007/978-1-4899-2861-0>
- Ramig, L. (2000). Voice treatment for Parkinson disease. In J. Stemple (Ed.), *Voice therapy* (pp. 76–84). Singular Press.
- Ramig, L. (1996). Neurological disorders of the voice. In W. Brown, B. Vinson, & M. Crary (Eds.), *Organic voice disorders: Assessment and treatment, a tribute to G. Paul Moore* (pp. 323–343). Singular Press.
- Ramig, L. (1995). Speech therapy for patients with Parkinson's disease. In W. Koller & G. Paulson (Eds.), *Therapy of Parkinson's disease* (pp. 539–548). Marcel Dekker, Inc.
- Smith, M., & Ramig, L. (1995). Neurologic disorders and the voice. In W. Gould, J. S. Rubin, G. Korovin, & R. Sataloff (Eds.), *Diagnosis and treatment of voice disorders* (pp. 203–224). Igaku-Shoin.



Brin, M. F., Fahn, S., Blitzer, A., Ramig, L., & Stewart, C. (1992). Movement disorders of the larynx. In A. Blitzer, M. Brin, C. Sasaki, S. Fahn, & K. Harris (Eds.), *Neurologic disorders of the larynx* (pp. 248–278). Thieme Medical Publishing, Inc.

Ramig, L. (1992). The role of phonation in speech intelligibility: A review and preliminary data from patients with Parkinson's disease. In R. D. Kent (Ed.), *Intelligibility in speech disorders: Theory, measurement, and management* (pp. 119–156). John Benjamin. <https://doi.org/10.1075/sspcl.1.05ram>

Ramig, L., & Scherer, R. (1992). Speech therapy for neurologic disorders of the larynx. In A. Blitzer, M. F. Brin, C. T. Sasaki, S. Fahn, & K. S., Harris (Eds.), *Neurologic disorders of the larynx* (pp. 163–181). Thieme Medical Publishers, Inc.

11. Other papers of general interest

**Levy, E. S., Leone, D., Moya-Gale, G., Hsu, S.-C., Chen, W., & Ramig, L. O. (2016). Vowel intelligibility in children with and without dysarthria: An exploratory study. *Communication Disorders Quarterly*, 37(3), 171–179. <https://doi.org/10.1177%2F1525740115618917>

Miller, J. E., Hafzalla, G. W., Burkett, Z. D., Fox, C. M., & White, S. A. (2015). Reduced vocal variability in a zebra finch model of dopamine depletion: Implications for Parkinson disease. *Physiological Reports*, 3(11). <http://doi.org/10.14814/phy2.12599>

Grant, L. M., Richter, F. R., Miller, J. E., White, S. A., Fox, C. M., Zhu, C., Chesselet, M. F., & Ciucci, M. R. (2014). Vocalization deficits in mice over-expressing alpha-synuclein, a model of pre-manifest Parkinson's disease. *Behavioral Neuroscience*, 128(2), 110–121. <https://doi.org/10.1037/a0035965>

**Pick, L., Meltzer, E., & Borod, J. (2013). The neuropsychology of emotion recognition. In H. Pashler, T. Crane, F. Ferreira, M. Kinsbourne, & R. Zemel (Eds.), *The encyclopedia of the mind*. Sage Publications. <http://dx.doi.org/10.4135/9781452257044>

**Murray, E. M., Krause, W., Stafford, R., Bono, A., Meltzer, E., & Borod, J. C. (2012). Asymmetry of facial expressions of emotion. In M. K. Mandal & A. Awasthi (Eds.) *Facial expression of emotion: Perspectives from social, biological and computational sciences*. Springer.

Ramig, L. O., & Fox, C. M. (2012). The integral role of speech production in the science and treatment of Parkinson's disease. *Movement Disorders*, 27(7), 811–813. <https://doi.org/10.1002/mds.25046>

Ferrone, C., Galgano, J., & Ramig, L. (2011). The impact of extended voice use on the acoustic characteristics of phonation after training and performance of actors from the La MaMa Experimental Theatre Club. *Journal of Voice*, 25(3), 123–137. <https://doi.org/10.1016/j.jvoice.2009.12.007>

**McCabe, D., Creighton, J., Twaite, J. T., Teague, E. B., Goldstein, M., & Borod, J. C. (2010). Aprosodia. In S. Gilman (Ed.), *MedLink neurology*. MedLink Corporation. <http://www.medlink.com>.



**Frisina, P. G., Borod, J., Foldi, N. S., & Tenenbaum, H. R. (2008). Depression in Parkinson's disease: Health risks, etiology, and treatment options. *Neuropsychiatric Disease and Treatment*, 4(1), 81–91. <https://dx.doi.org/10.2147%2Fndt.s1453>

Ciucci, M., Ma, T.-S., Fox, C., Kane, J., Ramig, L., & Schallert, T. (2007). Qualitative changes in ultrasonic vocalization in rats after unilateral dopamine depletion or haloperidol: A preliminary study. *Behavioural Brain Research*, 182(2), 284–289. <https://doi.org/10.1016/j.bbr.2007.02.020>

McFarland, D. H., & Tremblay, P. (2006). Clinical implications of cross-system interactions. *Seminars in Speech and Language*, 27(4), 300–309. <https://doi.org/10.1055/s-2006-955119>

Baker, K., Ramig, L., Sapir, S., Luschei, E., & Smith, M. (2001). Control of voice loudness in young and old adults. *Journal of Speech, Language, and Hearing Research*, 44(2), 297–305. [https://doi.org/10.1044/1092-4388\(2001/024\)](https://doi.org/10.1044/1092-4388(2001/024))

Ramig, L., Gray, S., Baker, K., Corbin-Lewis, K., Buder, E., Luschei, E., Coon, H., & Smith, M. (2001). The aging voice: A review, treatment data and familial and genetic perspectives. *Folia Phoniatrica et Logopaedica*, 53(5), 252–265. <https://doi.org/10.1159/000052680>

Dromey, C., & Ramig, L. (1998). The effect of lung volume on selected phonatory and articulatory variables. *Journal of Speech, Language, and Hearing Research*, 41(3), 491–502. <https://doi.org/10.1044/jslhr.4103.491>

Dromey, C., & Ramig, L. (1998). Intentional changes in sound pressure level and rate: Their impact on measures of respiration, phonation, and articulation. *Journal of Speech, Language, and Hearing Research*, 41(5), 1003–1018. <https://doi.org/10.1044/jslhr.4105.1003>

Ramig, L., & Verdolini, K. (1998). Treatment efficacy: Voice disorders. *Journal of Speech, Language, and Hearing Research*, 41(1), S101–S116. <https://doi.org/10.1044/jslhr.4101.s101>

Ramig, L., & Verdolini, K. (1997). The efficacy of voice therapy. *Current Opinion in Otolaryngology & Head and Neck Surgery*, 5(3), 153–160.

Busenbark, K., Ramig, L., Dromey, C., & Koller, W. (1996). Methazolamide for essential voice tremor. *Neurology*, 47(5), 1331–1332. <https://doi.org/10.1212/wnl.47.5.1331>

12. Select abstracts published from conference presentations

Fox, C., Guse, L., & Ramig, L. (2019). Evaluating implementation of an evidence-based physical and occupational therapy (LSVT BIG®) for Parkinson's disease: Germany, France and Japan. *Movement Disorders*, 34(S2), S655.



McFarland, D., Ramig, L., Martin-Harris, B., Humphries, K., Logemann, J., Freeman, K., Halpern, A., & Spielman, J. (2017). The impact of intensive voice treatment on swallowing in Parkinson disease. *Movement Disorders*, 32(S2), S44.

Narayana, S., Franklin, C., Peterson, E., Robin, D., Fox, P., & Ramig, L. (2017). Voice therapy normalizes feedforward and feedback networks of the speech motor system. *Movement Disorders*, 32(S2), S535.

Fox, C., Guse, L., & Ramig, L. (2016). Increased access to training in a Parkinson-specific rehabilitation approach through online learning. *Movement Disorders*, 31(S2), S138.

McCabe, D. L., Bono, A. D., Stafford, R. J., Dumer, A. I., Scorpio, K. A., Spielman, J. L., Bind, R., Ramig, L. O., & Borod, J. C. (2016). Facial expressivity in Parkinson's disease (PD) via an examination of smiling behavior: Preliminary findings. *Movement Disorders*, 31(S2), S486.

Cannito, M. P., Ramig, L. O., Halpern, A. E., & Spielman, J. L. (2016). Voice harmonic amplitude differences before and after LSVT LOUD in Parkinson's disease. *Movement Disorders*, 31(S2), S626.

Halpern, A. E., Ramig, L. O., Freeman, K., & Spielman, J. L. (2016). Parkinson patient reported outcomes of voice and communication pre, post and 6 months following LSVT LOUD® and LSVT ARTIC. *Movement Disorders*, 31(S2), S633.

Brauer, T., Penner, H., Benecke, P., Fox, C., & Ramig, L. (2016). Global implementation of efficacious voice treatment for Parkinson's disease: LSVT LOUD: Germany. *Movement Disorders*, 31(S2), S691.

** Proffitt, R., & Henderson, W. (2016). LSVT-BIG in stroke: A case study. *Archives of Physical Medicine and Rehabilitation*, 97(12). <https://doi.org/10.1016/j.apmr.2016.09.047>

Boliek, C. A., Bakhtiari, R., Reed, A. J., Major, B. J., Cribben, I., Gynane, H. H. M., Jaswal, A., Bremmekamp, D., Fox, C. M., Chouinard, B., & Cummine, J. (2015). Neural and physiological changes following intensive voice therapy in children with motor speech disorders secondary to cerebral palsy. *Movement Disorders*, 30(S1), S205.

Fox, C. M., & Boliek C. A. (2015). Technology-enhanced maintenance practice following intensive voice treatment (LSVT LOUD) in children with cerebral palsy and dysarthria. *Archives of Physical Medicine and Rehabilitation*, 97(10). <https://doi.org/10.1016/j.apmr.2016.08.429>

Halpern, A. E., Ramig, L. O., & Peterson, E. (2015). LSVT LOUD voice treatment: Training normal healthy loudness with good quality. *Movement Disorders*, 30(S1), S89.

Ramig, L. A., Levy, E. S., Fox, C. M., Halpern, A., Spielman, J., Moya-Gale, G., & Goudarzi, A. (2015). Impact of LSVT LOUD and LSVT ARTIC on speech intelligibility in Parkinson's disease. *Movement Disorders*, 30(S1), S112.

Ramig, L. A., Fox, C. M., Halpern, A. E., Spielman, J. L., & Freeman, K. (2014). Randomized clinical trial (RCT) of speech and voice treatment for Parkinson's disease. *Movement Disorders*, 29(S1), S260.



- Dumer, A. I., Meltzer, E. P., Murray, E. M., Stafford, R., Rabin, L. A., Oster, H., Spielman, J. L., Ramig, L. O., & Borod, J. C. (2013). The effects of the Lee Silverman voice treatment (LSVT) on observers' perceptions of individuals with Parkinson's disease. *Movement Disorders*, 28(S1), S137.
- Hefferon, T., Fox, C. M., Ramig, L. O., & Mishko, H. (2013). The impact of intensive physical therapy (LSVT BIG) in young onset, de novo Parkinson's disease: A case study. *Movement Disorders*, 28(S1), S137.
- Tsanas, A., Little, M.A., Fox, C., & Ramig, L.O. (2013). Automatic grouping of acceptable or unacceptable vocalizations in people with Parkinson disease. *Movement Disorders*, 28, S125.
- Boliek, C. A., Nip, I., & Fox, C. M. (2012). Respiratory, laryngeal and articulatory behaviours during speech and non-speech tasks in children with cerebral palsy: New evidence of function from cutting edge research methodologies. *Developmental Medicine and Child Neurology*, 54, 19.
- Fox, C. M., Ramig, L. O., McFarland, D., & Halpern, A. (2012). Telehealth delivery of software-enhanced speech therapy for Parkinson's disease. *Movement Disorders*, 27(S1), 270.
- Boliek, C., & Fox, C. (2011). Neural and physiological correlates of intensive voice treatment in children with dysarthria secondary to cerebral palsy: Evidence from respiratory kinematics and trunk muscle EMG. *Developmental Medicine and Child Neurology*, 53, 70.
- Dumer, A., Borod, J. C., Oster, J., Spielman, J. L., Rabin, L. A., & Ramig, L. O. (2011). Reduction of facial movement deficits in Parkinson's Disease (PD) after Lee Silverman Voice Treatment (LSVT). *Movement Disorders*, 26(S2), S101.
- Halpern, A., Spielman, J., Ramig, L., Panzer, I., Sharpley, A., & Gustafson, H. (2011). A novel way to measure speech intelligibility in individuals with Parkinson's disease. *Movement Disorders*, 26(S2), S111.
- Boliek, C. A., Fox, C. M., Norton, J., Gan, L., Archibald, E., Knuttila, E., Rosborough, C., & L'Abbe, A. (2009). Changes in trunk muscle activation and respiratory kinematics during speech following Intensive voice treatment (LSVT LOUD) for children with spastic cerebral palsy. *Movement Disorders*, 24, S450.
- Borod, J. C., Rogers, K., Spielman, J., Halfacre M., McCabe, D., Flanagan, T., & Ramig, L. (2008). Emotional experience and expression in Parkinson's disease (PD). *Movement Disorders*, 23(S1), S287.
- Fox, C. M., Boliek, C. A., Namdaran, N., Nickerson, C., Gardner, B., Piccott, C., Histad, J., & Archibald, T. (2008). Intensive voice treatment (LSVT) for children with spastic cerebral palsy. *Movement Disorders*, 23, S378.



Goetz, C. G., Stebbins, G. T., Wolff, D. J., DeLeeuw, W., Bronte-Stewart, H., Elble, R. J., Hallett, M., Nutt, J. G., Ramig, L. A., Sanger, T. D., Wu, A. D., Kraus, P. H., Blasucci, L. M., Shamim, E. A., Sethi, K. D., Spielman, J., Kubota, K., Grove, A. S., & Taylor, C. B. (2008). Objective at-home testing measures as predictors of UPDRS change in early Parkinson's disease (PD). *Movement Disorders*, 23(S1), S354.

Mahler, L. A., Ramig, L. O., Spielman, J., & Halpern, A. (2008). Effects of LSVT® on four participants with PD who received deep brain stimulation. *Movement Disorders*, 23(S1), S286.

Halpern, A., Spielman, J., Ramig, L., Cable, J., Panzer, I., & Sharpley, A. (2007). The effects of loudness and noise on speech intelligibility in Parkinson's disease. *Movement Disorders*, 22(S16), S106.

Spielman J., Halpern A., Ramig L., & Fox, C. (2007). Studying emergence of behavioral changes during one month of intensive voice treatment (LSVT) in a person with Parkinson's disease. *Movement Disorders*, 22(S16), S181–182.

Fox, C. M., Boliek, C. A., & Ramig, L. (2005). The impact of intensive voice treatment (LSVT) on speech intelligibility in children with spastic cerebral palsy. *Movement Disorders*, 20(10), S149.

13. LSVT LOUD and LSVT BIG media and treatment resources

Fox, C., & Boliek, C. (2017). Implementation of LSVT LOUD in Pediatric Motor Speech Disorders Online Course. Distributed by LSVT Global, 4720 N. Oracle Rd., Suite 100, Tucson, AZ 85705. 1-888-438-5788 (phone), www.LSVTGlobal.com (website)

Guse, L., Tuccitto, J., & Fox, C. (2017). Online LSVT BIG Certification Renewal Update Online Course. Distributed by LSVT Global, 4720 N. Oracle Rd., Suite 100, Tucson, AZ 85705. 1-888-438-5788 (phone), www.LSVTGlobal.com (website)

Guse, L., Fox, C., Tuccitto, J., Cianci, H., & Ramig, L. (2017). LSVT BIG Homework Helper Video Volume 2: Adapted Exercises for People with Parkinson Disease and other Neurological Conditions. The official 2nd DVD of LSVT BIG home exercises for people with more advanced Parkinson disease. Distributed by LSVT Global, 4720 N. Oracle Rd., Suite 100, Tucson, AZ 85705. 1-888-438-5788 (phone), www.LSVTGlobal.com (website)

Guse, L., & Tuccitto, J. (2017). BIG for LIFE Online Course. Distributed by LSVT Global, 4720 N. Oracle Rd., Suite 100, Tucson, AZ 85705. 1-888-438-5788 (phone), www.LSVTGlobal.com (website)

Halpern, A. (2017). LOUD for LIFE Online Course. Distributed by LSVT Global, 4720 N. Oracle Rd., Suite 100, Tucson, AZ 85705. 1-888-438-5788 (phone), www.LSVTGlobal.com (website)



Ramig, L., & Fox, C. (2017). Online LSVT LOUD Certification Renewal Update Online Course. Distributed by LSVT Global, 4720 N. Oracle Rd., Suite 100, Tucson, AZ 85705. 1-888-438-5788 (phone), www.LSVTGlobal.com (website)

Ramig, L., & Fox, C. (2017). Online LSVT LOUD Training and Certification Course Update. Distributed by LSVT Global, 4720 N. Oracle Rd., Suite 100, Tucson, AZ 85705. 1-888-438-5788 (phone), www.LSVTGlobal.com (website)

Fox, C., Guse, L., Tuccitto, J., & Ramig, L. (2014). Online LSVT BIG Training and Certification Workshop. Distributed by LSVT Global, 4720 N. Oracle Rd., Suite 100, Tucson, AZ 85705. 1-888-438-5788 (phone), www.LSVTGlobal.com (website)

Fox, C., Guse, L., Tuccitto, J., & Ramig, L. (2013). LSVT BIG Homework Helper Video: Exercises for People with Parkinson disease. The official DVD of LSVT BIG home exercises for people with Parkinson disease. Distributed by LSVT Global, 4720 N. Oracle Rd., Suite 100, Tucson, AZ 85705. 1-888-438-5788 (phone), www.LSVTGlobal.com (website)

Fox, C., Guse, L., Tuccitto, J., & Ramig, L. (2013). Online LSVT BIG Certification Renewal Course. Distributed by LSVT Global, 4720 N. Oracle Rd., Suite 100, Tucson, AZ 85705. 1-888-438-5788 (phone), www.LSVTGlobal.com (website)

Tripoliti, E. (2013). Speech and Deep Brain Stimulation Online Course. Distributed by LSVT Global, 4720 N. Oracle Rd., Suite 100, Tucson, AZ 85705. 1-888-438-5788 (phone), www.LSVTGlobal.com (website)

Ciucci, M., & McFarland, D. (2012). Swallowing and Parkinson Disease Online Course. Distributed by LSVT Global, 4720 N. Oracle Rd., Suite 100, Tucson, AZ 85705. 1-888-438-5788 (phone), www.LSVTGlobal.com (website)

Ramig, L., & Fox, C. (2010). Online LSVT LOUD Training and Certification Workshop. Distributed by LSVT Global, 4720 N. Oracle Rd., Suite 100, Tucson, AZ 85705. 1-888-438-5788 (phone), www.LSVTGlobal.com (website)

Ramig, L., & Fox, C. (2008). LSVT LOUD® 101. A DVD introduction to LSVT LOUD: Theory and Practice. Distributed by LSVT Global, 4720 N. Oracle Rd., Suite 100, Tucson, AZ 85705. 1-888-438-5788 (phone), www.LSVTGlobal.com (website).

Fox, C., & Ramig, L. (2003). LSVT LOUD® Homework Helper: Speech Exercises for People with Parkinson disease. A videotape of home exercises for people with Parkinson disease. Distributed by LSVT Global, 4720 N. Oracle Rd., Suite 100, Tucson, AZ 85705. 1-888-438-5788 (phone), www.LSVTGlobal.com (website)

For additional information, please see the following website: www.LSVTGlobal.com