

# Top 500

SPARE PARTS AND ACCESSORIES FOR

# MGF and MGTF 1995 to 2005





Spare Parts for Classic British Cars

#### NEW

# The most important parts! Top 500

for MGF and MGTF

English . . . . Part no. 493831 German . . . . Part no. 493830 French . . . . . Part no. 493832






# New extended edition: now 432 pages


- Tuning parts
- Tools
- Oil and grease
- Accessories
- Books
- Car care
- Consumables

#### Old love never dies


English . . . . . Part no. 15119
German . . . . Part no. 301203
French . . . . . Part no. 491321



**TR2 to TR4A**600 pages
English Part no. 466763
German Part no. 287210




TR5, TR250 and TR6 600 pages English Part no. 251292 German Part no. 286982




Spitfire MK3, MK4 and 1500 640 pages English Part no. 488364 German Part no. 488365




MGA 432 pages English Part no. 489842 German Part no. 489841




MGB 800 pages English Part no. 479951 German Part no. 7678




Austin Healey BN1-BJ8 600 pages English Part no. 293127 German Part no. 326250




and MG Midget 324 pages English Part no. 293143 German Part no. 324658




Jaguar XJ6
Daimler Sovereign
1008 pages
English Part no. 291809
German Part no. 336308



Jaguar XJ12 Daimler Double Six 800 pages English Part no. 291906 German Part no. 245883




Jaguar ,E' type, 6 cylinder 186 pages English Part no. 318547 German Part no. 293102



Jaguar Mark II 128 pages English Part no. 206532 German Part no. 293122




Jaguar XK 120/140/150 500 pages English Part no. 292008 German Part no. 317404




Body panels for Jaguar XK 120/140/150 64 pages English Part no. 245614

German Part no. 245217



Land Rover SII, IIA and III 4 cyl. English Part no. 205137 German Part no. 293206



Classic Mini 740 pages English Part no. 313200 German Part no. 327536



Spare Parts for Classic British Cars

#### DEAR CUSTOMER

MGB production at the BL Abingdon plant stopped in 1980. The badge appeared on various hatchbacks and saloons until 1991. In 1992 the newly formed Rover Group used the badge more appropriately on a limited edition of the classic MGB - the RV8. The success of this model prompted the development of the MGF which was launched by the company(now owned by BMW) at the 1995 Geneva Motor Show.

The MGF came in two models based on the K series power unit in mid-engine configuration and with Hydragas suspension. The basic model was the 1.8i 118 bhp. The VVC (Variable Valve Control) version produced 143 bhp. The specification included remote locking, immobiliser, alarm, electric windows and heated mirrors. The VVC version had ABS, leather trim and power steering (later available on the 1.8i). Keeping to MG tradition for new models, the first MGF had VIN 251 (251 was the old MG Abingdon telephone number). Special Editions of both versions were produced. In 1998 the Abingdon LE had leather upholstery, interior and exterior chrome fittings, stainless steel grills and the distinctive 'Brooklands' dark green paint finish. The 16" Abingdon style wheels were also standard on this model. In 1999 the 75 LE commemorated the MG 75th anniversary - available in Mulberry Red or Black and otherwise similar to the Abingdon.

In 1999 the MGF Mk2 (starting VIN XD504633) was launched with a re-specified electric power steering, double skinned fuel tank and changes to the cylinder head location and gasket. Along with cosmetic changes, there were new seats and an up-rated stereo system. ABS was standard on the VVC version. In 2000 the MGF Steptronic had continuously variable automatic transmission with gear lever and steering wheel paddle control. The gearbox input speed limit made this feature applicable to the standard 1.8i engine only. More special editions followed. The Wedgwood SE came out in July 2000 with CD player, leather seats, more chrome, 16" Multispoke wheels and a rear spoiler. Not surprisingly the only colour was Wedgwood Blue. The Trophy 160 with colour options Blue or Yellow came out in May 2001. A retuned VVC engine produced 158bhp. The suspension was lower and stiffer and red 4-pot callipers operated on larger front discs. A front splitter and rear spoiler improved the aerodynamics. Not strictly a special edition, a cheap fun alternative to the Trophy was the MGF 1.6i with various specification reductions and a less powerful engine. The last special edition of the MGF was the Freestyle introduced in Autumn 2001. Essentially the Trophy without the engine tuning upgrades, this model was therefore available in 1.8i and VVC versions. The last of the 77,301 MGF cars built had VIN 2D535576. The MGTF was launched in 2002 starting with VIN 2D600101. There was a distinctive style change and important improvements to the steering, body shell stiffness and suspension with conventional coil springs replacing the Hydragas of the MGF. There was a range of engine variants starting with the TF115 based on the 1.6i engine and the TF120, 135, 160 all based on the 1.8i unit. The interior trim specification was much as the Mk2. The MGTF was the first Roadster to receive 4 stars from the Euro NCAP crash test. In 2002 it was voted 'Cabrio of the Year' by the COTY-Jury.

Various special editions with a range of paint, trim and accessory variations were produced. The Sprint SE in July 2002 using TF135, 160 variants, the Cool Blue SE in March 2003 using TF115, 135 variants, the SunStorm LE in October 2003 with TF115, 135, 160 options. The 80th Anniversary LE was launched in January 2004 with all engine options. The Spark SE was produced in July 2004 with 115, 135 and 160 variants. The Vintage Racing SE (TF160) appeared at the 2004 Paris Motor Show for the French market only. The MY2005 TF was the last model upgrade before the demise of Rover Group in April 2005. There were no dramatic changes but a series of genuine upgrades and enhancements to the suspension, trim and accessories including a new hood with a heated rear window. The last of the 39,249 MGTF cars built had VIN 5D641764.

This catalogue is also available on the internet, with a convenient online order function. Click and go!



Yours Team Limora





#### LIMORA main office

Industriepark Nord 19-21 D - 53567 Buchholz

Jaguar: +49 (0) 26 83 - 70 61
Triumph: 70 62
Mini: 70 63
MG: 70 64
Austin Healey: 70 65
Fax: 70 59
e-mail: Limora@Limora.com

#### Limora Aachen

Feldstraße 41 D - 52070 Aachen

Tel: +49 (0) 241 - 55 939 16 Fax: +49 (0) 241 - 55 939 20 e-mail: Aachen@Limora.com

Nous parlons français Wij spreken nederlands

#### Limora Berlin

MEILENWERK Wiebestraße 36-37 D - 10553 Berlin

Tel: +49 (0) 30 - 25 93 92 30 Fax: +49 (0) 30 - 25 93 92 33 e-mail: Berlin@Limora.com

#### Limora Düsseldorf

**MEILENWERK** 

Harffstraße 110a D - 40591 Düsseldorf

Tel: +49 (0) 211 - 98 471 01 Fax: +49 (0) 211 - 98 471 08 e-mail: Duesseldorf@Limora.com

#### Limora Stuttgart

MEILENWERK

Wolfgang-Brumme-Allee 55 D - 71034 Böblingen

Tel: +49 (0) 70 31 - 306 95 10 Fax: +49 (0) 70 31 - 306 95 12 e-mail: Stuttgart@Limora.com

#### Limora Hamburg

Hauptstraße 49 / Bl. Chaussee D - 22869 Hamburg-Schenefeld Tel: +49 (0) 40 - 553 53 15 Fax: +49 (0) 40 - 55 77 32 38 e-mail: Hamburg@Limora.com

#### Limora Paris

Tel: +33 (0) 139 - 57 05 99 Fax: +33 (0) 139 - 57 06 99 e-mail: Paris@Limora.com

#### Limora Polska

e-mail: Warszawa@Limora.com

### Informacje również w języku polskim

Krzysztof: +49 (0) 26 83 - 70 62

Internet www.Limora.com

#### Online price list

This catalogue is also available on the internet, with a convenient online order function. Due to the very large number of parts described in this catalogue it was not possible to include a printed pricelist. Our prices can be viewed online and are updated frequently. Please use the internet for further information and for reference. We are happy to assist you, if you have questions: Just call, fax or send an email.

#### © 2011 by LIMORA Oldtimer GmbH & Co. KG

The content of this catalogue comprising text and illustrations is subject of copyright protection. Limora Oldtimer GmbH & Co. KG is the owner of all such copyrights. No part of this publication may be copied, reproduced, stored in any retrieval system, communicated or transmitted in any form or by any means, including Photocopying, Electronic, Mechanical or otherwise, without prior written permission from Limora Oldtimer GmbH & Co. KG.

#### The catalogue team

Project management: Steffen Schwarz Catalogue team: Steffen Schwarz and Holger Siemund Fotos: Dennis Buckow, Florian Hering and Luisa Nodal

Layout: Luisa Nodal

#### Part numbers

 English version:
 493831

 German version:
 493830

 French version:
 493832

First issue July 2011





Limora supports the sponsorship of children "Plan International" (www.plan-international.org) Take part in it!

Many thanks to Mike Klüber for the photographs of his beautiful MGF and to John Collins for the foreword and proofreading.



# CONTENT

|   | 1.  | Engine  Cylinder block, oil sump and crankshaft 6  Cylinder head, camshaft and timing belt 8 |
|---|-----|--|
|   | 2.  | PG1 Five speed manual gearbox Oil seals and gear selector cables                             |
|   | 3.  | Clutch Clutch and clutch hydraulics  |
|   | 4.  | Cooling system  Radiator, thermostat and water pump  |
|   | 5.  | Engine controls  Accelerator cable, relays and engine sensors 18                             |
|   | 6.  | Fuel injection and air filter Fuel injectors, throttle body and air filter 20                |
|   | 7.  | Fuel system Fuel tank, fuel pump and fuel filter   |
|   | 8.  | Front suspension Shock absorber, wishbones and ball joints 22                                |
| 0 | 9.  | Manifold and exhaust system  Exhaust systems und gaskets                                     |
|   | 10. | <b>Steering</b> Track rod ends and steering rack gaiters                                     |
|   | 11. | <b>Rear suspension</b> Shock absorber, wishbones and ball joints 28                          |

| 8        | <b>12. Brakes</b> Brake pads, brake discs and brake hyraulics 31                       |
|----------|--|
|          | 13. Road wheels  Road wheels and tyres   |
|          | Starter motor, alternator and fan belt   |
|          | 15. Body panels  Repair panels   |
|          | <b>16. Bumpers</b> Bumpers42   |
| LIMORA # | 17. Radiator grille  Radiator grille   |
|          | <b>18. Body fittings and external trim parts</b> Body fittings and external trim parts |
|          | 19. Glass and glazing Glass, glazing and rubber seals                                  |
| (B)      | 20. Seats and interior trim  Hoods and mats46  |
|          | 21. Competition parts and accessories  Competition parts                               |

| Model year | VIN NUMBER              | Car figured   |
|------------|-------------------------|---|
| 1995       | AD000001 to<br>AD000098 | Introductory models – used as press cars  |
| 1995       | AD000251                | Start of sales. Please note: Serial number of the first car is the phone number of the old Abingdon factory   |
| 1995       | AD000505                | New brake master cylinder fitted to non ABS cars  |
| 1995       | AD000510                | Speedo cable changed from two to three piece version  |
| 1995       | AD006145                | Soft top rear clamps changed  |
| 1996       | AD009462                | MPI models: MEMS electronic control unit changed  |
| 1996       | AD010518                | VVC models: MEMS electronic control unit changed  |
| 1996       | AD011429                | New catalytic converter for all countries except Japan  |
| 1996       | AD012481                | New catalytic converter for Japanese models   |
| 1997       | WDxxx                   | Model year 1997 introduced. VIN no. changed to WD   |
| 1997       | WD024605                | New hood without seams  |
| 1997       | WD026659                | Front subframe mounts changed   |
| 1997       | WD028240                | New relay for fuel pump   |
| 1997       | WD031461                | MG badge added to the steering wheel airbag   |
| 1998       | WDo35xxx                | Abingdon and Brooklands special editon models introduced. All 500 cars were painted in Brooklands Green.<br>After that 150 vehicles were manufactured with the 1.8i engine and 350 vehicles with the 1.8 VVC engine |
| 1998       | WDxxx                   | Electric power assisted steering (EPAS) introduced for all countries. All exports to Germany were fitted with the EPAS from the beginning of the MGF production   |
| 1998       | WD036127                | New brake light switch  |
| 1998       | WD036564                | Newly designed door window stop. Now in three parts instead of one.   |
| 1999       | XD038935                | Model year 1999 introduced. VIN no. changed to XD. From May WD and XD VIN numbers mixed   |
| 1999       | WD040179                | New catalytic converter for Japanese models   |
| 1999       | WD040180                | New catalytic converter for all countries except Japan  |
| 1999       | XD041975                | Last car on production line CAB2 where 41,725 MGF vehicles were built.  |
| 1999       | XD500001                | First car from the new production line CAB1   |
| 1999       | XD503637                | EPAS electronic control unit changed  |
| 1999       | XD504633                | Modifications to inlet manifold on MPI models. New nuts to suit   |
| 1999       | XD504633                | Modified cam cover seal   |
| 1999       | XD508177                | MGF No. 50.000  |
| 1999       | XD508800                | Start of LE75 production. 2000 cars were built, mixed as MK1 and MK2 versions   |
| 1999       | XD5009xxx               | Change to static cam belt tensioner in September 1998: 1.8 (except VVC models) from engine no. 18K4FJ31-153993 and 18K4FJ32-147263. Modifications to timing belts to suit   |
| 1999       | XD511058                | Last MK1. In total about 52.000 MGF MK1 units were produced   |
| 2000       | YD511059                | Model year 2000: introduction of the MGF MK2 with following modifications: amber front indicator lamps replaced by a clear version, new evaporator for air conditioning system. New VIN number, starting with YD    |
| 2000       | YDxxx                   | A lowering kit offered as special equipment in Germany  |
| 2000       | YDxxx                   | August 1999: introduction of the stepspeed gearbox shortly after the MY2000 models  |
| 2000       | YD512772                | New OAT coolant type introduced and change cycle enhanced. Colour now purple instead of green/blue  |

| Model year | VIN NUMBER            | Car figured   |
|------------|-----------------------|---|
| 2000       | YD514326              | New windscreen wiper motor fitted. Identified by a small connector with five 2.8 mm blades inside   |
| 2000       | YD518177              | MGF No. 60,000  |
| 2000       | YD522573              | New downpipe, new oxygen sensor, new water temperature sensor and new fuel pump fitted. Modifications on throttle body. Marelli A115i alternator replaced by the new GCB2 variant   |
| 2000       | YD525454              | New brake master cylinder fitted  |
| 2001       | 1Dxxx                 | Model year 2001. New VIN number, starting with 1D   |
| 2001       | 1D520XXX              | MGF LE model introduced. 650 cars were built in Wedgewood Blue  |
| 2001       | 1D522573              | New specification due to EURO 3 environment rules. Modifications on MEMS electronic control unit. New rear silencer and new air filter fitted   |
| 2001       | 1D525705              | MGF Trophy introduced with different suspension and body parts  |
| 2001       | 1D527784              | March 2001: improved cylinder head gasket introduced. Fitted with steel dowels  |
| 2001       | 1D529868              | Front MG badge changed to self adhesive   |
| 2002       | 2Dxxx                 | July 2001: model year 2002. VIN number starting now with 2D   |
| 2002       | 2D533177              | MGF No. 75,000  |
| 2002       | 2D535576              | 3. January 2002: last MGF with Hydragas suspension. In total 77,301 MGF units were built.   |
| 2002       | 2D600101              | Introduction of the MGTF in January 2002. There was a distinctive style change and important improvements to the steering, body shell stiffness and suspension with conventional coil springs replacing the Hydragas of the MGF |
| 2002       | 2D604171              | Anniversary recording the manufacture of 1.5 Million MG cars  |
| 2003       | 2D6093x to<br>2D61xxx | September 2002: model year 2003. New VIN number, starting with 3D   |
| 2003       | 3D610318              | New engine management relay   |
| 2003       | 3D613xxx              | MGTF "Spirit" special edition model introduced. 600 cars were built in 2002   |
| 2003       | 3D615xxx              | The pressure relief thermostat appeared in some cars. This new thermostat is fitted now between the radiator hoses  |
| 2003       | 3Dxxx                 | March 2003: Introduction of the TF115 and TF135 "Cool Blue" special edition models. 600 cars were built in total  |
| 2004       | 4Dxxx                 | Model year 2004. New VIN number, starting with 4D   |
| 2004       | 4D627744              | January 2004: Introduction of the TF "80th Anniversary LE" model. 1.600 cars were built in total  |
| 2004       | 4D629951              | The pressure relief thermostat was introduced to all cars. Fitted between the radiator hoses.   |
| 2004       | 4Dxxx                 | March 2004: Introduction of the "Spark SE" model  |
| 2004       | 4D632424              | New coolant expansion bottle with level sensor  |
| 2004       | 4D638640              | Updated pressure relief thermostat introduced with minor differences on the bypass valve  |
| 2005       | 5D639631              | Model year 2005 with several changes including a new design of fuse panel and a glass rear window. New VIN number, staring with 5D  |
| 2005       | 5D639634              | New brake master cylinder fitted  |
| 2005       | 5D641671              | Last car officially built which left the line at 10.22 hours on the 7th April 2005  |
| 2005       | 5D641764              | Very last VIN of the series supplied to cars unofficially made after the close down   |
| 2005       |                       | The production of all MG models was suspended on the 7th of April 2005 when MG Rover collapsed  |

#### CYLINDER BLOCK, OIL SUMP AND CRANKSHAFT



#### **FILTERMAG**

for oil filters from 2.90" to 3.40" diameter, height 2.0" Part no. 481133

FilterMAG's powerful rare-earth magnets trap and hold wear-inducing metal particles smaller than 40 microns down to 1 micron that the filter cannot stop. It extends oil life and reduces maintenance costs. Easy fitting while magnetic force "snaps" FilterMAG to the filter canister. FilterMAG has a lifetime warranty



#### CONVERSION GASKET SET

excluding sump gasket Part no. 339342



#### Single gaskets of our conversion gasket set 339342

oil filter adaptor to cylinder block Part no. 457292

oil pump to cylinder block Part no. 493492

dipstick tube to cylinder block Part no. 371423

#### OIL FILTER

#### all MGF and MGTF

spin on type. . . . . . . . . . Part no. 304557



#### LAND ROVER OIL FILTER

#### all MGF and MGTF

spin on type..... Part no. 358636



#### BLANKING PLUG

oil drain Part no. 475348

**ALUMINIUM WASHER** 

for oil sump plug Part no. 468118



#### **ELRING SEALING COMPOUND**

Dirko grey sealing compounds, permanently elastic, cold vulcanizing - perfect for the oil sump

silicone-rubber based. Dirko 036.161: neutral curing, temperature stability -50°C to +180°C, Dirko HT 705.705: acetate curing, temperature stability -50°C to +250°C, brief periods up +300°C. Typical applications: Cars: Connecting joints, cylinder head, crankcase, oil sump, timing case, thermostat, water pump, transmission, axles, differential. radiator, chassis (cannot be overpainted).

Motorcycles: Crankcase, cylinder block. Other applications: Engines, machines and assemblies, for hobbies and do-it-yourselfers. Processing: Clean the surfaces that are to be sealed and remove all traces of grease. Apply Dirko and assemble the components ("wet on wet"). When sealing externally without disassembling any parts, wait at least 30 minutes before restarting. Curing time: approx 2mm/day. Caution: Keep out of the reach of children! 70 ml tube Part no. 486956



#### OIL SEAL

#### all MGF and MGTF

1. crankshaft rear Part no. 371403

2. crankshaft front (incl. mounting sleeve) Part no. 371351

3. camshaft rear

Qty. required: 2 . . . . . Part no. 475362

4. camshaft front

Qty. required: 2 . . . . . Part no. 493493



#### TIMING BELT

MGF 1.8 (except VVC) to September 1998 (to engine no. 18K4FJ31-153992 and 18K4FJ32-147262)

identify by 143 teeth and 23 mm width Part no. 339319

MGF 1.8 (except VVC) from September 1998 (from engine no. 18K4FJ31-153993 and 18K4FJ32-147263), MGF 1.6, MGTF 115, MGTF 120 and MGTF 135

identify by 145 teeth and 26 mm width Part no. 360225

#### MGF 1.8 VVC and MGTF 160

front - identify by 143 teeth and 26 mm width Part no. 360224

rear - identify by 68 teeth and 23 mm width Part no. 339320



#### TENSION PULLEY timing belt

MGF 1.8 (except VVC) to September 1998 (to engine no. 18K4FJ31-153992 and 18K4FJ32-147262), all MGF 1.8 VVC and MGTF 160 identify by 55 mm diameter and 32 mm width Part no. 339453

MGF 1.8 (except VVC) from September 1998 (from engine no. 18K4FJ31-153993 and 18K4FJ32-147263), MGF 1.6, MGTF 115, MGTF 120 and **MGTF 135** 

identify by 59 mm diameter and 28.5 mm width Part no. 360236



#### PENRITE ENGINE OIL SAE 10W/50 - FULL SYNTHETIC

Specification: API SL/CF, ACEA A3/B3

Enviro+ 10W/50 - a mid-SAPS oil for most European, Japanese, US and Korean petrol and diesel engines specifying API SM or ACEA C2/C3 oils. Also for vehicles that are using excessive oil. Viscosity grade may not suit all vehicles and it is not recommended where A1/B1 and A5/B5 are specified. Neither product is recommended for use in motorcycles.

#### Benefits:

- Extends exhaust catalyst life in petrol vehicles
- · Long drain intervals
- Maximises DPF life and engine performance
- Emissions system friendly

Industry specifications:

#### Penrite Enviro Plus 10W-50 meet the performance requirements of:

- BMW LL-04
- API SM
- VW 505.01 (2005 update)
- MB 229.31
- ACEA C2/C3
- ACEA A<sub>3</sub>/B<sub>4</sub>
- VW 502.00/505.00

5 litre canister Part no. 339247

1 litre bottle Part no. 339248





#### CASTROL ENGINE OIL - MAGNATEC SAE 10W-40 A3/B4 FULL SYNTHETIC

Specification: API SJ/EC, ACEA A1/A3 Castrol Magnatec combines Intelligent Molecules with part synthetic technology to instantly protect, from the moment you turn the key. The Intelligent Molecules:

- · Clings to your engine forming an extra layer that protects during warm-up and beyond
- · Bonds to metal surfaces making engine parts more resistant to wear
- · Provide protection for all driving conditions and styles
- 5 litre canister . . . . . . . . Part no. 472236



#### CYLINDER HEAD, CAMSHAFT AND TIMING BELT

#### EXHAUST VALVE

#### MGF 1.6 and 1.8 except VVC, MGTF 115, MGTF 120 and MGTF 135

made from 21-4N stainless steel with 24.1 mm diamter

Qty. required: 8 . . . . . . Part no. 360211



#### INLET VALVE

#### MGF 1.6 and 1.8 except VVC, MGTF 115, MGTF 120 and MGTF 135

made from 21-4N stainless steel with 27.6 mm diamter

Qty. required: 8 . . . . . . . . . Part no. 360205



#### VALVE GUIDE

inlet and exhaust valve

standard size

length: 30.00 mm, inner diameter: 6.00 mm, outer diameter: 9.90 mm Qty. required: 16..... Part no. 360213

#### oversize

length: 30.00 mm, inner diameter: 6.01 mm, outer diameter: 10.14 mm Qty. required: 16..... Part no. 493499



#### EXHAUST VALVE

#### MGF 1.8 VVC and MGTF 160

made from 21-4N stainless steel with 27.5 mm

Qty. required: 8 . . . . . . Part no. 479181



#### INLET VALVE

#### MGF 1.8 VVC and MGTF 160

made from 21-4N stainless steel with 31.6 mm

Qty. required: 8 . . . . . . . . Part no. 339452



#### HYDRAULIC CAM FOLLOWER

#### MGF 1.6 and 1.8 except VVC, MGF 115, MGTF 120 and MGTF 135

diameter: 33 mm

Qty. required: 16..... Part no. 480988

#### MGF 1.8 VVC and MGTF 160

diameter: 35 mm

Qty. required: 16..... Part no. 493497



PAYEN CYLINDER HEAD GASKET SET with elastomeric head gasket

MGF 1.6 and 1.8 except VVC, MGTF 115, MGTF 120 and MGTF 135 Part no. 493500

CYLINDER HEAD GASKET SET with elastomeric head gasket

MGF 1.6 and 1.8 except VVC, MGTF 115, MGTF 120 and MGTF 135 Part no. 339340



PAYEN CYLINDER HEAD GASKET SET with multi-layer head gasket

MGF 1.6 and 1.8 except VVC, MGTF 115, MGTF 120 and MGTF 135 Part no. 493504

CYLINDER HEAD GASKET SET with multi-layer head gasket

MGF 1.6 and 1.8 except VVC, MGTF 115, MGTF 120 and MGTF 135 Part no. 493501



PAYEN CYLINDER HEAD GASKET SET with elastomeric head gasket

MGF 1.8 VVC and MGTF 160 Part no. 493505

CYLINDER HEAD GASKET SET with elastomeric head gasket

MGF 1.8 VVC and MGTF 160 Part no. 469321



CYLINDER HEAD GASKET SET with multi-layer head gasket and strengthened oil rail

MGF 1.8 VVC and MGTF 160 Part no. 493710



#### CYLINDER HEAD, CAMSHAFT AND TIMING BELT

#### PLEASE FIND SINGLE COMPONENTS FROM OUR HEAD GASKET SETS BELOW:

MANIFOLD GASKET exhaust manifold to cylinder head Part no. 371339



MANIFOLD GASKET inlet manifold to cylinder head

MGF 1.6 and 1.8 except VVC, MGTF 115, MGTF 120 and MGTF 135 Part no. 360262

MANIFOLD GASKET inlet manifold to plenum chamber

MGF 1.8 VVC and MGTF 160 Part no. 493507



MANIFOLD GASKET inlet manifold to cylinder head

MGF 1.8 VVC and MGTF 160 Part no. 493508



ROCKER COVER GASKET

Part no. 360303



OIL RAIL strengthened version

Part no. 493712



VALVE STEM SEAL

Qty. required: 16 Part no. 371398



**GASKET** 

thermostat housing to cylinder head

Part no. 493510



OIL FILLER CAP

all MGF and MGTF

Part no. 469054



CHAMPION SPARK PLUG

all MGF and MGTF

Qty. required: 4 . . . . . . Part no. 339312



NGK SPARK PLUG

all MGF and MGTF

Qty. required: 4 . . . . . . . Part no. 471230



RUBBER SEAL

hydraulic control unit to camshaft carrier

MGF 1.8 VVC and MGTF 160 Part no. 493715



CYLINDER HEAD BOLT

all MGF and MGTF

These so-called stretch bolts are specifically designed to give a set length under the right torque. As such they should never be used a second time. The desired bias requires careful installation. The cylinder head bolts in the MGF and MGTF are assembled in several stages with defined torque and 180° turns. We recommend that new cylinder head stretch bolts be used and any work carried out to your engine is done in accordance with a factory workshop manual. Whilst you are doing this job we consider it advisable to replace the water pump and expansion cap to minimise any future problems Qty. required: 10 Part no. 356136



hydraulic control unit

MGF 1.8 VVC and MGTF 160 Part no. 479191



#### CHEMICO VALVE GRINDING PASTE

Chemico Valve Grinding Paste No 2 is the famous double-ended tin that has been popular for many years with both auto enthusiasts and repair workshops. Chemico Valve Grinding Paste No 2 provides a handy supply of a coarse grinding paste to cut and fine grinding paste to finish 110 g. tin . . . . . . . . . . . . Part no. 489363



#### ,Valve Devil'

LIMORA VALVE GRINDER

Good performance depends on properly seated valves. Badly seated or burnt valves and worn guides and stems result in hot gas escaping under compression, reducing performance and increasing engine wear. Loss of power and poor starting are some of the symptoms. The oscillating valve lapper produces gas tight seals in seconds and converts a standard rotary drill to oscillating action/grinding motion. The 22/28 mm suction heads fit most valves, an essential tool for multi-valve engines Part no. 321353



#### COOLING SYSTEM TEST

to recognize CO2 in the cooling system

Combustion gas which enters the cooling system through a leak will accumulate in the air cushion above the radiator water level. If this air is analyzed with the cooling system test, the blue fluid will indicate the presence of CO2 gas by changing the colour to yellow Part no. 488975



TEST FLUID replenishment bottle for test set 488975

The fluid is non-toxic, non-flammable, contains no acid and is not dangerous. 300 ml bottle Part no. 488976





#### OIL SEALS AND GEAR SELECTOR CABLES

OIL SEAL

drive shaft to gearbox

1.8 to gearbox no. C6BP-9712,1.8 VVC to gearbox no. C4BP-3759

 OIL SEAL

drive shaft to gearbox

1.8 from gearbox no. C6BP-9713, 1.8 VVC from gearbox no. C4BP-3760, all 1.6

 ALUMINIUM WASHER

for oil drain plug (14 mm) . . . . Part no. 468118 for oil filler plug (20 mm) . . . . Part no. 493511













CONTROL CABLE

selector gear

MGF (to VIN...2D600100)

length: 147 cm Part no. 477227

MGTF (from VIN...2D600101)

length: 139 cm Part no. 486709

all MGF and MGTF

length: 217 cm Part no. 477226

RETAINING CLIP

control cable

Qty. required 2 Part no. 477228







Fully synthetic oil for modern 4 and 5 speed manual gearboxes which require API GL 3 or 4 oil 1 litre bottle................. Part no. 472132

LAND ROVER GEARBOX OIL MTF94







Сьитсн кіт

#### all MGF and MGTF Part no. 339221



CLUTCH MASTER CYLINDER

all MGF and MGTF Part no. 488965



BRAKE AND CLUTCH FLUID DOT4

1/2 litre bottle Part no. 319650

1 litre bottle Part no. 319587

5 litre canister Part no. 319559







CLUTCH SLAVE CYLINDER all MGF and MGTF Part no. 469282



CLEVIS PIN slave cylinder push rod to release arm

Part no. 17018



#### GUNSON'S BRAKE BLEEDING SET

,Eezibleed'. An excellent way to take away the fuss and mess from bleeding hydraulic systems. Fed by air pressure from the spare wheel, it provides 1/4 Lb of pressure to the fluid container Part no. 21558



SPRING CLIP slave cylinder push rod to release arm Part no. 493517





WATER PUMP all MGF and MGTF Part no. 337170



THERMOSTAT pressure relief type - hose mounted

**MGTF from VIN...4D629951** Part no. 458165



THERMOSTAT engine mounted

**All MGF, MGTF to VIN...4D629951** 88° C Part no. 361319



GASKET thermostat housing to cylinder head Part no. 493510



,0' RING thermostat

All MGF, MGTF to VIN...4D629951 Part no. 458162



,O' RING

thermostat housing

All MGF, MGTF to VIN...4D629951 Qty. required: 2 Part no. 453784



#### THERMOSTAT HOUSING

engine mounted

**All MGF, MGTF to VIN...4D629951** Part no. 493516



#### RADIATOR HOSE

#### all MGF and MGTF





#### RADIATOR BLEED SCREW

Original plastic variant

Part no. 493519



Replacement for the original plastic radiator bleed screw

The plastic screw can break and cause coolant loss with catastrophic results. This new design eliminates the need to remove the screw as it has a bleed nipple machined into the aluminium screw. It also enables coolant to be bled easily using tubing without coolant spilling onto the bodywork. Please note: this item fits to all MGF and MGTF models with standard radiators

Part no. 493677

## FILLER CAP expansion tank



#### RADIATOR

with high efficiency aluminium cord, new

all MGF and MGTF



#### ANTI-FREEZE COOLANT

#### radiator

#### MGF to VIN...YD512771

Antifreeze coolant is one of the most vital fluids in your car's operation, since it protects the engine from corrosion, from boiling or freezing temperatures, and helps transfer heat from the engine to the radiator. Based on ethylene glycol with corrosion inhibitors. A concentrated all year round protection anti-freezing liquid type with low freezing point, designed for all engine types including full-aluminium units. Meets the performance requirements of: BS 6580-1992, AFNOR NFR 15-601 and VAG TL 774 C. Colour: blue,, consistency: syrupy. Can be mixed with all ethylene glycol based antifreeze coolants

1 litre bottle . . . . . . . . . . Part no. 373200 1.5 litre bottle. . . . . . . . . . . . Part no. 314878 5 litres can. . . . . . . . . . . . . . . . Part no. . 315178

RADIATOR, THERMOSTAT AND WATER PUMP





### ..colour: blue"



#### ANTI-FREEZE COOLANT

#### radiator

#### MGF from VIN...YD512772, all MGTF

High efficiency non-toxic liqiud cooling antifreeze. Based on Ethylene Glycol with special additives to improve temperature characteristic (freezing/boiling). It also possesses advanced anticorrosive properties. The expanded period of operation of a cooling liquid (which is frequently equal to time of "life" of the engine or the car) due to operating on the margins of compatability will inhibit corrosion.

Meets the performance requirements of: ASTM D3306, ASTM D4985, SAE J 1034, BS 6580 (1992), AFNOR NF R15-601, FFV Heft R443, CUNA NC 956-16, UNE 26361-88, JIS K 2234, NATO S 759.

Colour: purple, consistency: syrupy 1.5 litre bottle. . . . . . . . . . . . . Part no. 493787

#### REDLINE WATER WETTER

Doubles the wetting ability of water. Improves heat transfer. Reduces cylinder head temperature. Reduces rust, corrosion and electrolysis. Cleans and lubricates water pump seals and can be used with all antifreeze/coolants. Improves the ability of coolant to wet heat transfer surfaces by 50%. This provides significantly better coolant contact in the cylinder head and can reduce coolant and head temperature by as much as 65°F. Can be used with 100% water in racing but does not protect magnesium or alter freezing





#### RADIATOR HOSE

water pipe to water pump

All MGF and MGTF with manual transmission Part no. 479548



WATER PIPES

below inlet manifold

#### all MGF and MGTF

set of 2 made from high quality steel Part no. 475866



EXPANSION TANK

**all MGF and MGTF** variant for coolant sensor Part no. 493806



RADIATOR HOSE

heater bypass



#### RADIATOR HOSE

water pipe to engine inlet

All MGF and MGTF with manual transmission Part no. 339281



#### HEATER HOSE

thermostat housing to heater pipe

all MGF and MGTF Part no. 339285



#### BLEEDING HOSE

expansion tank

MGF (to VIN...2D600100)

Part no. 339287

MGTF (from VIN...2D600101)

Part no. 493946



#### HEATER HOSE

to heater pipe inside of vehicle interior



#### **ADAPTOR**

heater hose to radiator hose

All MGF and MGTF with manual transmission Part no. 471228



#### Hose

heater pipe to header tank

MGF 1.6 and 1.8 except VVC, MGTF 115, MGTF 120 and MGTF 135

Part no. 339286



#### RADIATOR HOSE

to thermostat - bottom

MGTF from VIN...4D629951 Part no. 493947



#### RADIATOR HOSE

to thermostat - top

**MGTF from VIN...4D629951** Part no. 493948



#### ACCELERATOR CABLE, RELAYS AND ENGINE SENSORS



OXYGEN SENSOR

MGF from VIN...YD522573, MGTF Qty. required: 2 Part no. 470392





SENSOR

crankshaft

all MGF and MGTF detects engine speed and crankshaft position Part no. 457914







OIL PRESSURE SWITCH with compact connector

1.8 to engine no. 18K4FJ31-646501 and 18K4FJ32-646201, 1.8 VVC to engine no. 18K4KJ89-636256 and 18K4KJ90-618894

thread: 1/8" x 27NPTF spanner size: 22 mm Part no. 336822



OIL PRESSURE SWITCH with compact connector

1.8 from engine no. 18K4FJ31-646502 and 18K4FJ32-646202, 1.8 VVC from engine no. 18K4J89636257 and 18K4J90618895, all 1.6 thread: 1/4" x 18NPTF spanner size: 24 mm Part no. 458118



THERMAL TRANSMITTER air inlet

MGF 1.6 and 1.8 except VVC, MGF 115, MGTF 120 and MGTF 135 Part no. 316987







Must be fitted together with washer 493527










TEMPERATURE SENSOR coolant for MEMS control unit

MGF to VIN...YD522572 identify by 2 pin compact connector with brown plastic cap, 19 mm spanner size and cylindrical transmitter with peak Part no. 339332





TEMPERATURE SENSOR coolant for MEMS control unit

MGF from VIN...YD522573, **MGTF** 

identify by 2 pin compact connector with brown plastic cap, 22 mm spanner size and cylindrical transmitter without peak Part no. 493525



TEMPERATURE SENSOR

water temperature gauge

all MGF and MGTF Part no. 493526















#### SEALING WASHER

oil pressure switch

1.8 from engine no. 18K4FJ31-646502 and 18K4FJ32-646202, 1.8 VVC from engine no. 18K4J89636257 and 18K4J90618895, all 1.6 Part no. 493527



SEALING WASHER

coolant temperature sensor

**MGF to VIN...YD522572** Part no. 312412



RELAY ASSEMBLY

engine management

**MGF, MGTF bis VIN...3D610317** Part no. 355473

MGTF from VIN...3D610318

Part no. 373748



#### ACCELERATOR CABLE

#### all MGF and MGTF

for LHD models . . . . . . . . . Part no. 493687 for RHD models . . . . . . . . . . . . 493686



RELAY

fuel pump

all MGF and MGTF Part no. 467171





#### FUEL INJECTORS, THROTTLE BODY AND AIR FILTER

# AIR FILTER element To VIN ...1D522572 dimension: 268 x 108 x 65 mm Part no. 474812 From VIN ...1D522573 dimension: 290 x 115 x 50 mm Part no. 469051

#### **K&N AIR FILTER PERFORMANCE KIT 57I**

57i Series Intake Kits are specifically designed for each different vehicle and will free your car from the size restriction that comes with the factory air box. These economical kits can take a variety of different forms based on vehicle characteristics and available space under the hood. Each kit is designed to provide power throughout the RPM range. Gen I's take advantage of the added airflow provided by an oversized air filter replacing the restrictive factory air box.

Designed to increase HP and acceleration, engineered to specific vehicle design, easy to install, usually in 90 minutes or less, Lasts up to 100,000 miles before service is required (depending on driving conditions), Replaces OEM filter and air box, Air filter is washable and reusable, Works with original equipment manufacturer computer systems

#### MGF 1.8 (to VIN...2D600100)

Part no. 322415

K&N air filter oil can be ordered with Part no. 12353







#### MANIFOLD GASKET

between upper and lower inlet manifold

MGF 1.8 VVC and MGTF 160

Part no. 493507



inlet manifold to cylinder head

MGF 1.8 VVC and MGTF 160

Part no. 493508



inlet manifold to cylinder head

MGF 1.6 and 1.8 except VVC, MGTF 115, MGTF 120 and MGTF 135

Part no. 360262



#### THROTTLE BODY

made from alloy

Standard version with 48 mm diameter

MGF 1.6 to VIN...YD522572

Part no. 493692

MGF 1.8 to VIN...YD522572

Part no. 493690

Competition version with 52 mm diameter. 10% power increase in comparsion to the 48 mm standard variant

MGF 1.6 and 1.8 from VIN...YD522573, all MGTF can be uses also on early models

Part no. 479305



,O' RING SET

throttle body Part no. 493691



**POTENTIOMETER** 

accelerator

Part no. 471474

FUEL FILTER

all MGF and MGTF Part no. 294254



FUEL PUMP with fuel sender assembly

MGF to VIN...YD522572 Part no. 342174





FUEL PUMP
with fuel sender assembly
MGTF from VIN...4D634734
Part no. 493588

RELAY fuel pump

all MGF and MGTF Part no. 467171



# **Specially for fuels** with Bio-Ethanol (E10)

WAGNER ADDITIVE BACTOFIN

Modern fuels attack the metal parts of the fuel supply systems. This problem applies especially to older vehicles, while in modern cars, for good reasons, more and more plastic tanks are used. The second problem relates tobiogenic fuels and mixed fuels. This problem applies to owners of all ages of cars and modern cars too. In modern fuels bacteria grow in unprecedented quantities. This produces a lot of dirt, especially when the vehicle is not in regular use. The pipes gradually get blocked and the tank becomes contaminated with dirt. Rather than the drastic measures of replacement of all parts of the fuel supply system, regular use of Bactofin will reduce the problem considerably. Using Bactofin is an easy decision for vehicles which normally operate with lead-replacement or top oil. Using Bactofin is as easy as using lead-replacement or top oil and can give owners a clear conscience. Bactofin also prevents any corrosion of the fuel system. Rust has no chance!

 100 ml
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 <t



LOCKING RING

fuel pump to tank

MGF to VIN...YD522572 Part no. 458011



SEALING RUBBER

fuel pump to tank

**MGF to VIN...YD522572** Part no. 361182



LOCKING RING

fuel pump to tank

MGF from VIN... YD522573, all MGTF Part no. 493589



SEALING RUBBER

fuel pump to tank

MGF from VIN...YD522573, all MGTF Part no. 370434



#### BALL JOINT

#### upper suspension arm

MGF (to VIN...2D600100) Qty. required: 2 . . . . . . . . . Part no. 304559

SHOCK ABSORBER, WISHBONES AND BALL JOINTS

#### MGTF (from VIN...2D600101)

Qty. required: 2 . . . . . . . . . . . Part no. 493536



#### WISHBONE

# all MGF and MGTF LH lower . . . . . . Part no. 341603 RH lower . . . . . . Part no. 341602

#### BALL JOINT

lower suspension arm

#### All MGF and MGTF except Trophy models

LH......Part no. 339307 RH ...... Part no. 339308



#### Нив



#### WHEEL BEARING KIT

#### all MGF and MGTF

Qty. required: 2 . . . . . . . . . . Part no. 339254



#### POLYURETHANE BUSH KIT

Polyurethane bushes give improved suspension location with a greater wear resistance compared to their rubber equivalents. They are naturally self-lubricating. A worthwhile addition to any car, the polyethylene bushes are supplied individually, with a steel sleeve where necessary



#### SHOCK ABSORBERS

#### MGF (to VIN...2D600100)

Qty. required: 2 . . . . . . . . . Part no. 339302

#### KONI SHOCK ABSORBER

The Koni Sport product line is one of our specialities. Koni provides Sporting Drivers with a carefully designed range of sport shock absorbers. This product focuses on exceptional road holding and handling, combined with a reasonable level of driving comfort. They can also be used with spring kits to lower a vehicle by up to 35mm. Many of the Koni Sport dampers are externally adjustable by means of an adjustment knob at the top of the damper. This means you do not have to remove the damper from the vehicle to adjust the rebound forces. This enables you to fine tune the handling & ride to suit your driving style

#### MGF (to VIN...2D600100)

Qty. required: 2 . . . . . . . . . . Part no. 493548





#### KNUCKLE JOINT


hydragas damper unit

#### MGF (to VIN...2D600100)

Qty. required: 2 . . . . . . . . . . Part no. 339317







#### HYDRAGAS DAMPER UNIT

#### All MGF except Trophy models (to VIN...2D600100)

Qty. required: 2 . . . . . . . . . . Part no. 471327

#### HYDROLASTIC FLUID

#### MGF (to VIN...2D600100)



#### GAUGE

#### for simple drive-over wheel alignment

Drive on the 9mm gauge, read the deviation, that's all. Ingenious simple and stable, indestructible teflon bearings. For vehicles up to 4 tons, instructions for use included Part no. 245172

REPAIR KIT upper wishbone

MGF to VIN...YD532349

Qty. required: 2 ...... Part no. 305074



SHAFT

upper wishbone - separately

MGF to VIN...YD532349

Qty. required: 2 . . . . . . . . . Part no. 305073

upper wishbone

MGF from VIN...YD532350, all MGTF

Qty. required: 2 . . . . . . . . . Part no. 493960

NEEDLE BEARING

upper wishbone shaft all MGF and MGTF

Qty. required: 4 Part no. 203708



THRUST WASHER

upper wishbone shaft

all MGF and MGTF Qty. required: 2 Part no. 306257



SEALING RING

upper wishbone shaft

all MGF and MGTF Qty. required: 4 Part no. 20788



THRUST COLLAR

upper wishbone shaft

all MGF and MGTF Qty. required: 2 Part no. 493961



ANTI ROLL BAR LINK

MGF, MGTF to VIN...3D617816

RH......Part no. 341604 LH......Part no. 341605

MGTF from VIN...3D617817

Qty. required: 2 . . . . . . . . . . Best.-Nr. 494310

Rubber bush

anti roll bar mounting

MGF, MGTF to VIN...3D617816

Qty. required: 2 . . . . . . . . . Part no. 341618

RUBBER BUSH

anti roll bar mounting

MGTF from VIN...3D617817

Qty. required: 2 . . . . . . . . . . Part no. 493959
















TAPTITE SCREW rear exhaust bracket



#### EXHAUST SYSTEMS UND GASKETS

EXHAUST MOUNTING RUBBER

for downpipe

Part no. 358688



**GASKET** 

down pipe to exhaust manifold

**MGF to VIN...YD522572** Part no. 466529



GASKET

down pipe to exhaust manifold

**MGF from VIN...YD522573, MGTF** Part no. 493605



TAPTITE NUT

down pipe to exhaust manifold





GASKET

in front and behind catalytic converter

Qty. required 2.....Part no. 372827





exhaust manifold to cylinder head

Part no. 371339







For the corresponding stainless steel rear silencers see chapter 21.

variant with vacuum valve

Part no. 493670

MGF Trophy models and MGTF 160 Part no. 487338

10

432

pages

TRACK ROD END

all MGF and MGTF


Qty. required: 2 . . . . . . . . . . Part no. 339309



STEERING RACK GAITERS

all MGF and MGTF supplied in sets of 2 Part no. 493585





# Old love never dies!


- Tuning parts
- Tools
- Oil and grease
- Accessories
- Books
- Car care
- Consumables

Old love never dies!

English . . . . . Part no. German . . . . . . . . . Part no. 301203 

All catalogues online:

www.Limora.com



### Polyurethane bush kits

Polyurethane bushes give improved suspension location with a greater wear resistance compared to their rubber equivalents. They are naturally self-lubricating. A worthwhile addition to any car, the polyethylene bushes are supplied individually, with a steel sleeve where necessary

POLYURETHANE BUSH KITS

MGF (to VIN...2D600100)

Part no. 493539

MGTF (from VIN...2D600101)
Part no. 493541



BALL JOINT

upper suspension arm

MGF (to VIN...2D600100)

Qty. required: 2 . . . . . . . . . Part no. 304559

MGTF (from VIN...2D600101)

Qty. required: 2 . . . . . . . . . . Part no. 493537



KNUCKLE JOINT

hydragas damper unit

MGF (to VIN...2D600100)

Qty. required: 2 . . . . . . . . Part no. 339317



HYDRAGAS DAMPER UNIT

All MGF except Trophy models (to VIN...2D600100)

Qty. required: 2 . . . . . . . . . . Part no. 471328



For pumps to fill the Hydragas damper unit see chapter 21.1



WHEEL BEARING KIT

all MGF and MGTF

Qty. required: 2 . . . . . . . . Part no. 339254



Нив

all MGF and MGTF

Qty. required: 2 Part no. 308417



LOCKING NUT

hub

Qty. required: 2 Part no. 454713



HYDROLASTIC FLUID

MGF (to VIN...2D600100)

5 litre can . . . . . . . . . . . . Part no. 17145



#### SHOCK ABSORBER

#### MGF (to VIN...2D600100)

Qty. required: 2 . . . . . . . . . . Part no. 339301

#### KONI SHOCK ABSORBER

The Koni Sport product line is one of our specialities. Koni provides Sporting Drivers with a carefully designed range of sport shock absorbers. This product focuses on exceptional road holding and handling, combined with a reasonable level of driving comfort. They can also be used with spring kits to lower a vehicle up to 35mm. Many of the Koni Sport dampers are externally adjustable by means of an adjustment knob at the top of the damper. This means you do not have to remove the damper from the vehicle to adjust the rebound forces. This enables you to fine tune the handling & ride to suit your driving style

#### MGF (to VIN...2D600100)

Qty. required: 2 . . . . . . . . . . Part no. 493549





## CONSTANT VELOCITY JOINT GAITER drive shaft - exchange drive shaft, outer All MGF and MGTF with anti lock brakes Qty. required: 2 . . . . . . . . . Part no. 339232 Qty. required: 2 . . . . . . . . . . Part no. 339226 drive shaft, inner Qty. required: 2 . . . . . . . . . Part no. 339231 STEERING ROD MGF (to VIN...2D600100) Qty. required: 2 . . . . . . . . . . Part no. 476429 STEERING ROD MGTF (from VIN...2D600101) LH.....Part no. 493701



Shaft

upper wishbone - separately

MGF to VIN...YD532349

Qty. required: 2 . . . . . . . . . Part no. 305073

upper wishbone

MGF from VIN...YD532350

Qty. required: 2 . . . . . . . . Part no. 493960



NEEDLE BEARING

upper wishbone shaft

MGF (to VIN...2D600100)

Qty. required: 2 ...... Part no. 305074

Qty. required: 4 Part no. 203708



THRUST WASHER

upper wishbone shaft

MGF (to VIN...2D600100) Qty. required: 2

Qty. required: 2 Part no. 306257



ANTI ROLL BAR LINK

MGF (to VIN...2D600100)

Qty. required: 2 . . . . . . . . Part no. 341616



SEALING RING

upper wishbone shaft

MGF (to VIN...2D600100)

Qty. required: 4 Part no. 20788



THRUST COLLAR

upper wishbone shaft

MGF (to VIN...2D600100) Qty. required: 2

Qty. required: 2 Part no. 493961



RUBBER BUSH anti roll bar mounting

MGF (to VIN...2D600100)

Qty. required: 2 Part no. 493965



ARM lower

MGF (to VIN...2D600100)

Qty. required: 2 . . . . . . . . Part no. 341617



RUBBER BUSH

steering rod and tie rod to lower arm

MGF (to VIN...2D600100)

Qty. required: 4 . . . . . . . . Part no. 341620



BRAKE CALIPER

front - new item

All models except MGF Trophy and MGTF 160 LH......Part no. 493573

RH.....Part no. 339191



BRAKE CALIPER

rear - new item

all MGF and MGTF

LH......Part no. 211919 RH.....Part no. 211930





BRAKE PADS

front

All models except MGF Trophy and MGTF 160

Part no. 323702



BRAKE PADS

front

MGF Trophy and MGTF 160

Part no. 493446



BRAKE PADS

rear

all MGF and MGTF

Part no. 323703



BRAKE DISC

front

All models except MGF Trophy and MGTF 160 vented. Identify by 240 mm diameter

Qty. required: 2 . . . . . . . . . Part no. 339194



BRAKE DISC

front

MGF Trophy and MGTF 160 vented. Identify by 304 mm diameter

Qty. required: 2 . . . . . . . . . Part no. 493569



BRAKE DISC

rear

all MGF and MGTF

Qty. required: 2 ......Part no. 339195





front and rear brake disc to hub

Qty. required: 8 . . . . . . . . . Part no. 314657



#### BRAKE PADS, BRAKE DISCS AND BRAKE HYRAULICS


#### **EBC Brake PADS**

The material used in ,green stuff 2000 series' brake pads is Kevlar based. The brake pads give a strong progressive braking from low temperature up to 900°F, they are great for fast road, road sport and light race cars. Most "green stuff" brake pads are type aprroved ,E' marked and meet the Reg.90 certification, this information will be found on bottom of each package. As an added bonus Kevlar based brake pads produce less brake dust than other materials and have fantastic wear life

#### **EBC Brake PADS**

front, Kevlar ,green stuff' specification

All models except MGF Trophy and MGTF 160 Part no. 339545



#### EBC BRAKE PADS

front, Kevlar ,green stuff' specification

#### MGF Trophy and MGTF 160 Part no. 493574



#### **EBC Brake Pads**

rear, Kevlar ,green stuff specification

#### all MGF and MGTF Part no. 475034



#### GOODRIDGE BRAKE HOSES

Goodridge have developed and manufactured hoses for the following high profile applications Formula 1, Thrust 2 (world land speed record holder), Nascar, every major Rally team. Because of their expertise in the hydraulics field they have been able to apply this knowledge to the automotive industry to give replacement brake hoses and fittings that outperform even the original equipment products. Goodridge kits feature the finest quality stainless steel braided hose, which improves braking performance, eliminates the spongy feel of rubber hoses and provides superior resistance to corrosion. Hose end fittings are zinc plated steel as standard or stainless steel as an option. Goodridge manufacture hose for all the major manufacturers

## GOODRIDGE BRAKE HOSES stainless steel braided, set with 4 lines MGF to VIN...2D600100 Part no. 349328 MGTF from VIN...2D600101 Part no. 493595 BRAKE HOSE

front MGF to VIN...2D600100

LH..... Part no. 476747 RH.....Part no. 476746

Qty. required: 2 . . . . . . . . . . Part no. 493593



#### BRAKE HOSE

front

MGTF from VIN...2D600101

Qty. required: 2 . . . . . . . . . . Part no. 493592

Qty. required: 2 . . . . . . . . . Part no. 493594



#### HANDBRAKE CABLE

all MGF and MGTF LH.....Part no. 492223 



#### BRAKE MASTER CYLINDER

MGF without anti-lock brakes to VIN...ADooo505 Part no. 339270

MGF with anti-lock brakes to VIN...YD525453, MGF without anti-lock brakes from VIN... AD000506 to YD525453

Part no. 339271

MGF from VIN...YD525454, MGTF to VIN...5D639633 Part no. 493583 MGTF from

VIN...5D639634 Part no. 493582





#### RIM BAND

chromed,

#### to fit 16" wheels

There are not many aspects of motoring in which modern safety standards are below those of the twenties, but some vintage and classic cars currently in use are in fact operating in a less secure state than when they were new. A new range of 'old' products is designed to bring back

better than the original safety standards. One source of potential danger lies in those elegant components, wire wheels. The spokes of a wire wheel have sturdy heads which protrude into the well of the wheel-rim and can, because of heat transmitted from the brakes, become very hot if a car is being driven hard. This means that the well of a wire wheel is always knobbly and often hot. Needless to say, this is not a healthy environment for an inner tube, and wire wheels will not accept tubeless tyres. Wire wheels were originally fitted with rim bands, fabric - or more effectively - rubber strips mounted in the wheel-well to protect the inner tube from the spoke heads. Unfortunately, rim bands have been out of production for many years now, forcing wire wheel users to rely on either old bands or no bands at all – with obvious dangers. We have a range of rim bands, which we are now offering under the ,Classico brand name. Modelled on the original patterns, the bands benefit from modern materials and manufacturing methods to combine the latest technology and quality-control with complete conformity to the original shape and dimensions. "Classico" rim bands are available to fit rims between 13 and 16 inches in diameter and are sold individually





for original alloy wheels

Qty. required: 16......Part no. 339712



#### WHEEL STUD

all MGF and MGTF



#### TYRE VALVE CAPS

chromed with ,MG' logo in black Supplied in set of 4 . . . . . . . Part no. 311998




#### TYRE VALVE CAPS

chromed with Union Jack logo Supplied in set of 4 . . . . . . . Part no. 478517







#### MARELLI ALTERNATOR

new item, A115i type

MGF to VIN...YD522572

voltage: 12 volt, earth return: negative, output: 85 ampere, pulley diameter: 48 mm,

distance from pulley to front of mount: 34 mm, terminal configuration B+ (M6 thread),

STARTER MOTOR, ALTERNATOR AND FAN BELT

D+ (M5 thread) Part no. 339273



#### **BOSCH ALTERNATOR**

new item, GCB2 type

MGF from VIN...YD522573, all MGTF

voltage: 12 volt, earth return: negative, output: 100 ampere, pulley diameter: 48 mm,

distance from pulley to front of mount: 16 mm, terminal configuration: 2 pin compact connector

Part no. 477793



#### **STUPS**

perfect body and fast as the wind Part no. 0815



FAN BELT

alternator Vehicles without air conditioning length: 736 mm Part no. 339268

Vehicles with air conditioning

length: 1200 mm Part no. 339269



#### STARTER MOTOR

exchange

MGF 1.8 with manual transmission to engine no. 18K4FJ31-365329 and 18K4FJ32-380976, not suitable for 1.8 VVC

power output: 1 kW, drive: 10 teeth Part no. 474937



exchange

MGF 1.8 with manual transmission from engine no. 18K4FJ31-365330 and 18K4FJ32-380977 to VIN...YD522572, MGF 1.8 VVC with manual transmission to VIN...YD522572

power output: 1.4 kW, drive: 10 teeth Part no. 323038



exchange

MGF 1.8 with manual transmission from VIN... YD522573, MGF 1.8 VVC with manual transmission from VIN...YD522573, all MGF 1.6 with manual transmission, all MGTF with manual transmission

power output: 1.1 kW, drive: 12 teeth Part no. 493614







CHAMPION SPARK PLUG

NGK SPARK PLUG

all MGF and MGTF

Qty. required: 4 . . . . . . . . Part no. 339312

all MGF and MGTF Qty. required: 4 . . . . . . . . . Part no. 471230





## MGF to VIN...YD522572 all models except **1.8 VVC**

DISTRIBUTOR CAP Part no. 360860







IGNITION LEAD SET not including coil cable














## **MGF 1.8 VVC** from VIN...YD522573, **MGTF 160**

IGNITION LEAD SET for double spark coil





#### HEATER UNIT AND WATER HOSES



#### HEATER MOTOR all MGF and MGTF

for LHD vehicles . . . . . . . . . Part no. 494287 for RHD vehicles......Part no. 494286



#### HEATER HOSE

heater pipe to heater valve - heater feed

all MGF and MGTF Part no. 339402



HEATER HOSE

heater valve to heater - heater feed

all MGF and MGTF Part no. 339403



HEATER HOSE

heater to heater pipe - heater return

all MGF and MGTF Part no. 339404



HEATER PIPE

made from high quality steel

all MGF and MGTF Part no. 493954





#### HEATER HOSE

heater pipe to hose in engine bay - heater return

Part no. 339747



to heater pipe inside of vehicle interior

All MGF and MGTF with manual transmission 





CONDENSER air conditioning

all MGF and MGTF Part no. 322490





RUBBER BUSH air conditioning condenser

Qty. required: 4 Part no. 329806





## RECEIVER DRIER air conditioning

#### all MGF and MGTF Part no. 492181





#### HEADLAMPS, SIDE LAMPS AND REAR LAMPS

#### HEADLAMP

for all countries with RH traffic (Europe, USA)

| MGF | except | Trophy | models | to | VIN2D600100 |
|-----|--------|--------|--------|----|-------------|
|-----|--------|--------|--------|----|-------------|

for all countries with LH traffic (UK, Australia, Japan)

#### MGF except Trophy models to VIN...2D600100

| LH. |  |  |  |  |  |  |  |  |  |  | Part ı | no. | 320241 |
|-----|--|--|--|--|--|--|--|--|--|--|--------|-----|--------|
| RH. |  |  |  |  |  |  |  |  |  |  | Part 1 | no. | 320240 |



#### HEADLAMP

for all countries with RH traffic (Europe, USA)

#### MGTF from VIN...2D600101

LH.....Part no. 479706 

for all countries with LH traffic (UK, Australia, Japan)

#### MGTF from VIN...2D600101

LH.....Part no. 479704 RH......Part no. 479703



#### REAR LAMP

lens: red and clear

#### MGF to VIN...2D600100

LH..... Part no. 347736 RH..... Part no. 347735

lens: red and clear

#### MGTF from VIN...2D600101

LH.....Part no. 493643 



#### FRONT INDICATOR

identify by amber plastic lens

| MGF   | to | VIN   | XD5110 | :8           |
|-------|----|-------|--------|--------------|
| 11101 | w  | A 114 | VEDITO | $\mathbf{r}$ |

LH..... Part no. 322447 



#### MGF from VIN...YD511059 to 2D600100

LH......Part no. 342213 





#### LAMP REPEATER ON FRONT WING

identify by amber plastic lens

#### MGF to VIN... XD511058

Qty. required: 2 . . . . . . . . Part no. 305960

identify by clear plastic lens

#### MGF from VIN... YD511059 to 2D600100, MGTF from VIN...2D600101

Qty. required: 2 . . . . . . . . . . Part no. 312428





## **Bulbs**



#### MGF to VIN...2D600100



## MGF from VIN...YD511059 to 2D600100, MGTF from VIN...2D600101

BULB front indicator 21 watt, amber bulb surface Qty. required: 2 Part no. 16107



Вицв

side light

5 watt, clear bulb surface Qty. required: 2 Part no. 202445



BULB

repeater

5 watt, amber bulb surface Qty. required: 2 Part no. 317834



#### MGF to VIN... XD511058

BULB

front indicator

21 watt, clear bulb surface Qty. required: 2 Part no. 3495



#### MGTF from VIN...2D600101

HALOGEN BULB

fog lamp

H11 with 55 watt Qty. required: 2 Part no. 493640



#### MGTF from VIN...2D600101

HALOGEN BULB

dip beam

H7 with 55 watt Qty. required: 2 Part no. 307245



Bulb

repeater

5 watt, clear bulb surface Qty. required: 2 Part no. 202445



BULB side light

5 watt, clear bulb surface Qty. required: 2 Part no. 202445



## HALOGEN BULB main beam

HB3A with 60 watt Qty. required: 2 Part no. 493641



#### all MGF and MGTF

BULB

brake light, rear fog light and reversing light

21 watt, clear bulb surface Qty. required: 6 Part no. 3495



BULB tail light

5 watt, clear bulb surface Qty. required: 2

Part no. 7472



Bulb

rear indicator

21 watt, amber bulb surface Qty. required: 2 Part no. 16107



#### Bulb

number plate lamp

5 watt, clear bulb surface Qty. required: 2 Part no. 2098



#### WIPER MOTOR

new item

MGF to VIN...YD514325

internal spade connectors Part no. 339274





WASHER PUMP

#### all MGF and MGTF



MGF from VIN...YD514326, MGTF

identify by a small connector with five 2.8 mm blades inside





JET

windscreen washer

Qty. required: 2 Part no. 469388



WIPER BLADE

driver side

all MGF and MGTF

length: 510 mm ..... Part no. 478867

passenger side

all MGF and MGTF

length: 510 mm . . . . . . . . . Part no. 469381



FILLER CAP

washer bottle

all MGF and MGTF Part no. 211267





between wiper motor and wheel box

all MGF and MGTF

Part no. 493666



NON-RETURN VALVE

windscreen washer jet, inline type

all MGF and MGTF Part no. 358284





#### HAMMER

for shrinking

With 310 mm long hickory handle and 225g steel head with 38 mm diameter Part no. 216524

#### DENT PULLER

suction cup with 118 mm diameter

Can be used for body work or for carrying glass and more
Part no. 21503

#### BODY CONTOUR GAUGE

with stainless steel pins for quick and precise gauging of profiles. Comes with integrated metric and imperial rule. Max depth: 50 mm, max length: 150 mm
Part no. 13098







#### PANEL BEATER SAND BAG

for the manual forming of sheet metal

Made of genuine heavy duty leather, diameter: 33 cm, to be filled with sand Part no. 394574



#### ADVANCE BOARD

240 x 270 mm, 360° rotatable

Contains: supporting base and tear-off blocks with 2 x 50 working surfaces. Ergonomic design. Turnable 360° and firm grip. Easy handling for reduced fatigue. The work-pad can be held, put down and used again easily with one hand. Perfect for all 2-components putties. For more then 100 mixtures

Part no. 14926

SEALING COMPOUND

for auto body work

This 1- compound sealant can be painted, stays hard-elastic and can be used from -35° up to + 70° C. Very durable and very good adhesion

310 ml

Part no. 243825









primed

rear Part no. 493675

#### RADIATOR GRILLE

in front bumper

#### MGF (to VIN...2D600100)

two piece kit made from stainless steel Part no. 322003



#### RADIATOR GRILLE

in front bumper

#### MGTF (from VIN...2D600101)







air intake grill

Part no. 325937

MESH

all MGF and MGTF two piece kit made from stainless steel

CHROME BEZEL

air intake grill

#### all MGF and MGTF

two piece kit Part no. 339541



in rear bumper

#### MGTF (from VIN...2D600101)



#### BODY FITTINGS AND EXTERNAL TRIM PARTS

BADGE

front with ,MG' lettering

MGF (to VIN...2D600100)

Part no. 468768



rear with ,MG' lettering

MGF (to VIN...2D600100)

Part no. 322499



front and rear with ,MG' lettering

MGTF (from VIN...2D600101)

Qty. required: 2 . . . . . . . . . . Part no. 487265







Воот каск

stainless steel

#### all MGF and MGTF

This retro style clip-on boot rack will give your MGF/MGTF that true classic look and can be fitted without any drilling Part no. 323083



#### THRESHOLD PLATES

sill



#### *Кемоте кеу гов*

#### MGF, MGTF to VIN...4D620548

2 knob variant Part no. 493665



# BATTERY for remote key fob 3 volts Qty. required: 2 Part no. 312996

WINDSCREEN

**all MGF and MGTF** green tinted with finisher assembly Part no. 323764







TOOL for the removal of bonded screens Part no. 241742



POLISHING KIT

for windshield glass repair. Removes scratches and is the ideal tool to save that old hard to get windshield Part no. 372226



#### HOODS AND MATS

## RUBBER MATS footwell all MGF and MGTF ash grey with ,MG' logo. Supplied in pairs Part no. 322320

#### FOOTWELL CARPETS

#### all MGF and MGTF

black with embroidered ,MG' logo. Supplied in pairs suitable for LHD vehicles . . . . . Part no. 322321 suitable for RHD vehicles. . . . . . Part no. 320331



#### A1 ® HOOD CLEANER

for all kind of hoods. A1 Soft Top Cleaner works very intensively, and yet is protective of the roof at the same time. It picks up the dirt and binds it in the foam. It can work in over a long time, since it does not run off slanting sides. At Soft Top Cleaner can be applied precisely on spots that most need it, so it is very economical (8-12 applications with full foaming, compared to 2-6applications with conventional agents). Refreshes the colours while cleaning. 400 ml aerosol Part no. 492764



#### CANVAS HOOD

#### stayfast material

A modern hooding fabric that is essentially a lighter weight version of our Mohair fabric. Stayfast offers all the benefits of a traditional Double Duck hood but with superior colourfastness and a much longer life expectancy. Stayfast does not require any special treatments and will give many years of service. Stayfast is ideal for use as an upgrade to a vinyl hood and is ideal for most sports cars such as the MGF, MGTF and other similar sized sports cars. Stayfast is available in black only

black, with zip window

MGF to VIN...WD024604 Part no. 493696

MGF from VIN...WDo24605, all MGTF Part no. 493697

OF COURSE YOU CAN ORDER YOUR FREE COLOUR SAMPLE:

COLOUR SAMPLE hood black stayfast Part no. 493699





#### GOODRIDGE BRAKE HOSES

Goodridge have developed and manufactured hoses for the following high profile applications Formula 1, Thrust 2 (world land speed record holder), Nascar, every major Rally team. Because of their expertise in the hydraulics field they have been able to apply this knowledge to the automotive industry to give replacement brake hoses and fittings that outperform even the original equipment products. Goodridge kits feature the finest quality stainless steel braided hose, which improves braking performance, eliminates the spongy feel of rubber hoses and provides superior resistance to corrosion. Hose end fittings are zinc plated steel as standard or stainless steel as an option. Goodridge manufacture hose for all the major manufacturers

stainless steel braided, set with 4 lines

MGF to VIN...2D600100 Part no. 349328



#### EBC BRAKE DISCS

The latest in sport discs that feature wide aperture slots to draw cool air into the braking contact area and reduce temperatures preventing brake fade. Dimple drilling avoids stress cracks and the new gold anodized finish provides great looks whilst preventing corrosion. Another great feature of these dimpled and slotted EBC 3GD Turbo discs is the way they maintain flat and parallel pad wear and avoid the record grooves or galling common with non-slotted brake discs. This improves pad contact and braking throughout the life of the disc and pad set

 $_{3}$ GD Turbo series with curved grooves and spot drillings to maximize pad performance - supplied in pairs for standard 2 pot calipers

front - vented

#### All models except MGF Trophy and MGTF 160

Part no. 475042

MGF Trophy and MGTF 160

Part no. 493575

rear

Part no. 475043



#### **EBC Brake Pads**

The material used in "green stuff 2000 series' brake pads is Kevlar based. The brake pads give a strong progressive braking from low temperature up to 900°F, they are great for fast road, road sport and light race cars. Most "green stuff" brake pads are type aprroved "E" marked and meet the Reg.90 certification, this information will be found on bottom of each package. As an added bonus Kevlar based brake pads produce less brake dust than other materials and have fantastic wear life

#### **EBC BRAKE PADS**

front, Kevlar ,green stuff' specification

All models except MGF Trophy and MGTF 160 Part no. 339545



#### EBC BRAKE PADS

front, Kevlar ,green stuff' specification

#### MGF Trophy and MGTF 160

Part no. 493574



#### EBC BRAKE PADS

rear, Kevlar ,green stuff specification

#### all MGF and MGTF

Part no. 475034



#### COMPETITION PARTS



#### Воот каск

chromed. This retro style clip-on boot rack will give your MGF/ MGTF that true classic look and can be fitted without any drilling Part no. 323083





#### CAR COVER

Our Car covers are made from high quality materials to ensure that your quality expectations will always be met and surpassed. We use the latest generation materials, double stitching, durable securing straps and purpose made fittings. We have a wide range of cover materials available. There is one blue indoor cover available and one heavy duty grey outdoor cover. The breathable indoor dust cover is manufactured from a thick non-woven material in a royal blue colour. It is breathable and 100% UV resistant to protect paintwork and prevent colour fade and comes with elasticated hems and underbody straps for a snug fit. This type of car cover will not deposit fluff on mohair or canvas hooding material and is both machine and hand washable. The heavy duty outdoor cover comes with a soft lining to protect paintwork. It is a substantial cover weighing about 3 kg and packed in a sturdy zipped storage bag with handles. The grey coloured outer skin is soft and pliable, yet totally waterproof, and the stitched seams are heat sealed. Of course you can order your free colour sample: 491710 (blue) and 355026 (grey)



OF COURSE YOU CAN ORDER YOUR FREE COLOUR SAMPLE:

grey outdoor car cover

Part no. 355026

blue indoor car cover

Part no. 491710



#### DUSTER

made of 100% soft cotton. Lifts dust without scratching the paint. Expandable plastic grip Part no. 318723



#### WIND DEFLECTOR

vinyl covered, foldable metal frame with mesh and fitting kit. Simple fitting without drilling. Supplied without stowage bag





#### WING COVER

made of soft red cotton cloth. The built in magnets fix the cover to the wing. Suitable for the use with any vehicle. Protection against dirt and scratches. Size:  $100 \times 57$  cm Part no. 318071



OIL DRIP MAT

sizes: 90 x 120 cm, oil consumption: 4 litre Part no. 355878




#### **COMPETITION PARTS**

#### WORKSHOP MANUAL

This is a re-issue of the official factory manual and includes the following publications: workshop manual, K Series engine overhaul manual, gearbox overhaul manual and electrical library including circuit diagrams. Covers all components and tasks in great detail for both minor and major repairs. Engines covered: K Series 1.6 MPi, 1.8 MPi, 1.8 VVC. This repair manual can save you money on maintenance and repair bills. Step-by-step procedures and illustrations guide you through every job, from basic maintenance and troubleshooting, to complete teardown and rebuild


#### MGTF (1995-2001)

512 pages with many photos and drawings, 297 x 221 mm, softcover, English Part no. 323739



#### MGTF (2002-2005)

516 pages with many photos and drawings, 297 x 221 mm, softcover, English Part no. 472659



#### MG ву МсСомв


MG by McComb has happily remained in print because it is the standard work on the make. Not only is this book the definitive work because Wilson McComb was on the inside at MG for a decade, it is doubly so because the author knew exactly how a complex story such as this should be researched and told. And in Jonathan Wood, Osprey are proud to have employed the talents of a comparable expert. F. Wilson McComb updated the book in 1984, but sadly died before he could see the spectacular rebirth of his beloved marque, with the MG RV8 of 1992 and three years later, the mid-engined MGF roadster. From Cecil Kimber and the Bullnose MGs of the 1920s, to the thirties Midgets, the Magnettes, the TCs, the MGA, MGB, even the Metro and Maestro, every twist in the tale was followed by Wilson McComb, with an intimate knowledge not only of machinery but also of men, those who created the marque, some who abused it. There are not many more interesting automotive stories than that of the Octagon to be told, and MG will be one of the few British marques to make it into the 21st century

written by F. Wilson McComb, 376 pages, 180 coloured and b/w pictures,

245 x 190 mm, Hardcover

 English
 7685

 German
 Part no.
 485850






#### MGF AND TF

In the wake of the demise of the MG Midget and MGB, there seemed little prospect for the MG badge beyond being used as a kind of ,GT' badge for various Austins and Rovers. However, thanks to the determination of a few people and an enduring affection in public hearts the tale has had a happier ending. This is the story of that journey from desolation to rebirth, just like the phoenix from which the project that created the MGF took its name. With a deeply researched text, detailed specifications and other data, and over 300 illustrations, mostly in full colour, this book by renowned motoring author and MG expert David Knowles will be a vital addition to the bookshelf of anyone with an interest in modern British sports cars

written by David Knowles, 208 pages, 300 photos, 246 x 189 mm, hardcover, English Part no. 492886



#### SOCKET SET

#### metric and AF

Draper Expert Hi-TorqTM sockets have 6 or 12 corners with a special radius design giving added torque. With this design Draper extends the life of the socket and fastener. These sockets have a hole for positive ball retention in accordance with DIN 3120 specification. Expert quality socket set manufactured from chrome vanadium steel hardened, tempered, chrome plated and polished for corrosion protection. Packed in blow mould carrying case and display

41 piece. 1/2" square drive. . . . . Part no. 311692 42 piece. 3/8" square drive . . . . Part no. 306849 75 piece. 1/4" square drive . . . . Part no. 214942



#### GEAR WRENCH SET

Gear wrench open end with 15° offset, ratchet end with 180° flexible head and 5° ratchet mechanism. Chrome vanadium steel, hardened, chrome plated, polished

7 piece set with 10, 12, 13, 14, 15, 17 and 19 mm wrenches Part no. 24487

10 piece set with 8, 10, 12, 13, 14, 15, 17 and 19 mm wrenches. As a special feature the wrenches can be converted to a 1/4" and 3/8" drive Part no. 244338





#### COMBINATION SPANNER SET

Made from forged from chrome vanadium steel. Comes with tool bag

11 piece set with 6, 7, 8, 9, 10, 11, 12, 13, 14, 17 and 19 mm wrenches Part no. 218960

17, 19, 22, 24, 27, 30 and 32 mm wrenches Part no. 319635





#### COMBINATION SPANNER SET

Heavy duty edition, 1.5 times thicker as standard spanners to transport maximum torque! 14 pieces multi colour set with 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19 mm wrenches. Comes with tool roll Part no. 464592

#### WORKSHOP TOOLS

#### POCKET WRENCH

metric, 18 times adjustable from 8 to 25 mm

Spring loaded adjustment, works like a pocket knife and allows the correct size to be used every time. Small enough to fit into your pocket, and packed in a sturdy material pounch. Special spacer blades lift into place for a snug fit that eliminates the play of most adjustable wrenches. 12 SAE sizes range from 5/16 to 1"; 18 metric sizes range from 8 to 25mm. Folds down to an

18 metric sizes range from 8 to 25mm. Folds down to an incredible 5 x 2 x 3/4". Ideal for: cars, boats, caravans, motorcycles, trucks and kitchen drawers Part no. 487863





#### SOCKETS

10 piece set from 13 to 24 mm. Fully polished and coloured mirror finish

Walldrive-system for 30% more torque! With this tool it's impossible to destroy or round screws and nuts. Rounded screws and nuts can be easily opened or fixed Part no. 464593



#### TORQUE WRENCH

with 1/2" square drive, adjustable from 28 to 210 Nm, length: 465 mm, supplied with plastic box

Torque wrench with reversible ratchet head. The lb-ft and Nm scale is engraved on the barrel of the wrench. The micrometer type sleeve allows accurate preset torque values to be set. When torque is reached the wrench produces an audible click and a release of tension Part no. 311625



#### SCREWDRIVER

170 mm long, with flexible shaft, for hose clips



### ,Valve Devil'

LIMORA VALVE GRINDER

Good performance depends on properly seated valves. Badly seated or burnt valves and worn guides and stems result in hot gas escaping under compression reducing performance and increasing engine wear. Loss of power and poor starting are some of the symptoms. The Gunson EEzi-Lap oscillating valve lapper produces gas tight seals in seconds and converts a standard rotary drill to oscillating action/grinding motion. The 22/28 mm suction heads fit most valves, an essential tool for multi-valve engines Oscillating valve lapper produces gas tight seals in seconds and converts a standard rotary drill to seconds and converts a standard rotary drill to

Oscillating valve lapper produces gas tight seals in seconds and converts a standard rotary drill to oscillating action/grinding motion. The 22/28 mm suction heads fit most valves, an essential tool for multi-valve engines

Part no. 321353



## CHEMICO VALVE GRINDING PASTE

double ended tin with oil based grease and silicon carbide containing coarse and fine grades. 110 g. can

Part no. 489363



#### TORQUE WRENCH

Adaptor, 40-200 Nm with 1/2" drive to use every ratchet or tee bar as torque wrench. Digital display, acoustic and optical signal when torque is reached

Part no. 490061



#### NUT SPLITTER

supplied in a 3 piece set. From 9 to 22 mm and from 3/8 to 7/8" Part no. 317014



## NUT SPLITTER SINGLY

#### with chromed surface

Expert quality, manufactured from chrome vanadium steel with square drive ends.

9 to 12 mm, length 80 mm . . . Part no. 328862 12 to 16 mm, length 105 mm . . . Part no. 328863 16 to 22 mm, length 130 mm . . . Part no. 328864

#### HAND TAP

supplied in a 10 piece metric set. Manufactured from special high carbon steel with accurately cut threads. Contents tabs from 3 to 12 mm Part no. 287485



#### Magnet holder

flexible. Length: 540 mm. The best one we could find! Capable of lifting over 3 pounds
Part no. 371962



#### GREASE GUN

new system for 500 g cartridges, easy, mess free cartidge change, easy to gauge amount of grease remaining Part no. 220563



#### GREASE

LZR 2 longlife grease is a new grease for roller and friction bearings, that is made from high quality basic oils by using lithium soaps as thickening agents. It shows an extraordinary oxidation resistance. LZR 2 grease is water resistant, adhesive, can be loaded with pressure and is protective against corrosion. These properties, in connection with high work resistance, very good abrasion rating and particularly strong adhesive quality, characterise this lubricant as particularly appropriate for lubrication under difficult operating conditions and at highly loaded roller and friction bearings. Practical advantages: LZR 2 can be used universally as a long-term grease. It is recommended for lubrication of vehicles, industrial machinery and for all machines and devices in the field of construction, stone and earth.

Temperature range: -30° to +120°C. 500 g cartridge Part no. 305693

#### CAMSHAFT LOCKING TOOL

for repair and adjustment Part no. 493431



#### Τοοι

for locking the flywheel on Rover K Series engines

with PG1 manual gearbox . . . . . Part no. 493695 with ZF stepspeed gearbox . . . . Part no. 493694



#### Socket

46 mm for 1" drive for the removal of ball joints Part no. 493698



#### ADAPTOR

for socket 493698

reduces 1" to 3/4" drive Part no. 493700



#### IMPACT WRENCH

with 1/2" drive. Contents: ten impact nuts from 9 to 27 mm, one 5" extension bar, one mini oiler, one nipple. Tech. data: 6.3 bar operating pressure, 310 Nm maximal torque, 7.000 rpm free speed Part no. 488134



#### WORKSHOP TOOLS

#### **THERMOMETER** digital infrared thermometer with built-in laserpointer for exact measurement. Temperature range from -20 to + 520 °C (-4 to 968 °F). Accuracy: +/-2°C or 2% of the reading. Response time: 500 mSec. Resolution: 0.2° Now with an easy-to-use pistol design and illuminated display. Suitable for a lot of tasks around the car and workshop. Check the temperature of the engine, manifold, tyres and brakes. Which cylinder is getting hot? A fast detection of faulty components can save time and prevent expensive repairs and severe damage. A 9 volt battery is included Part no. 306497

#### **BATTERY**

for thermometer 306497 . . . . . . Part no. 471684

## **TACHOMETER**

digital gauge with laser RPM pick up. With 5 digit LCD-display and a measuring range from 2.5 up to 99,999 RPM, Accuracy: +- 0.05%+1 RPM. The built in memory saves min. and max. RPM and the last measured value. With this special meter all rotating parts can be checked. Great diagnostic tool for gearbox, final drive and many other applications Part no. 221361



#### DOLLY

680 kg capacity. Fast and convenient lifting and moving of your vehicle. Dimensions: 880x620x230 mm. Max. weight per trolley: 680 kg. Max vehicle weight: 2720 kg. Even suitable for wide wheel up to 225 mm/9". The car can be rotated 360°. Solid hard rubber wheels with ball bearings. Built in hydraulic provides an easy lifting

Qty. required: 4 . . . . . . . . . Part no. 338358



#### MULTIMETER

digital multimeter with a rotary switch for selection of the 24 different functions and ranges. Suitable for the measurement of DC volts and amps, resistance, dwell, rpm on 4, 6, 8 and 12-cylinder engines. The testing of diodes is also supported. The shock resistant housing is made of rubber. Supplied with 2 sets of cables: one pair with crocodile clamps and one pair with probes. A 9 V block battery and vinyl storage bag is included

digitally, shows: dwell, rpm, voltage, resistance, amps

Part no. 314833



#### STAND WITH WHEELS

for 4 vehicle positioning jacks (part no. 338358) without positioning jacks Part no. 489459



#### HYDROLASTIC PUMP

for cars with hydrolastic or hydogas suspension with vacuum, Rover aprooved

Part no. 493522

without vacuum Part no. 493521



for an easy car moving, max. load 500 kg. Dimensions: 390 mm wide, 590 mm long. Also suitable for wide wheels

Qty. required: 4 . . . . . . . . . . Part no. 338357



BASEBALL CAP

green with MG logo, made from cotton Part no. 318242



BASEBALL CAP

black stone washed with MG logo, made from cotton Part no. 488853



BASEBALL CAP

with MG logo. Made from polyester, navy with contrast white line around the fabric covered peak

Part no. 488859



BASEBALL CAP

with red MG logo. Made from polyester, black with contrast red line around the fabric covered peak

Part no. 488858



BASEBALL CAP

with MG logo. Made from polyester, red with contrast white line around the fabric covered peak Part no. 488857



BASEBALL CAP

with MG Logo. Made from brush cotton, black with a suede peak in British Racing Green Part no. 488860



BASEBALL CAP

with MG Logo. Made from brush cotton, black with a suede peak in red Part no. 488854



BASEBALL CAP

with MG logo. Made from polyester, black with tyre track Part no. 488871



#### Accessories

#### KEY FOB

"MG" chrome/black black leather, 40 mm x 85 mm Part no. 23013



#### KEY FOB

"MG", brown/cream black leather, 40 mm x 85 mm Part no. 23012



#### KEY FOB

"MG" red/cream black leather, 40 mm x 85 mm Part no. 15038



#### ARMY CAP

in chocolate with a MG logo on the front. One size fits all. Material: 100% soft feel polyester Part no. 490159



#### KEY FOB

"MG", black/white black leather, 40 mm x 85 mm Part no. 15039



#### KEY FOB

"MG", red with silver writing on black surface, black leather, 40 mm x 85 mm Part no. 356343



#### KEY FOB

"MG", red/black black leather, 40 mm x 85 mm Part no. 493449



#### PILOT HELMET

made from top quality leather with matching sheepskin lining and embroidered MG logo in red, the leather chinstrap has two press-studs. Colour: brown. It comes in one size Part no. 472399



#### OVERALL

made from 100% cotton, colour: navy with MG logo in red

 size: S
 ... Part no. 490180

 size: M
 ... Part no. 330779

 size: L
 ... Part no. 330778

 size: XL
 ... Part no. 242702



#### TEDDY BEAR brown, with MG scarf in red Part no. 490179



#### BAR STOOL

with chromed legs - vinyl seat with ,MG' logo in black/white Part no. 337670



#### PARKING SIGN

made from 18 gauge steel, with embossed ,MG parking only' script in white on red surface, size: size: 45 x 30 cm Part no. 488724

#### PARKING SIGN

metal, with ,MG parking only' script in red on white surface, size: 30 x 23 cm Part no. 21154





#### LIMORA CATALOGUE

4-in-1 - tuning parts, tools, oils and greases, accessories, books, car care and consumables, 432 pages

 English
 Part no.
 15119

 German
 Part no.
 301203

 French
 Part no.
 491321



#### FIRST AID KIT

,every second counts' nostalgic metal box,  $17 \times 23 \times 8$  cm, with nice decoration print Part no. 490752



#### TRAVEL BAG

with MG logo. Made from durable synthetic suede, colour: brown/green. Roller bag with internal trolley system. Size  $62 \times 28 \times 32$  cm Part no. 490162



with MG logo. Made from durable synthetic suede, colour: brown/green. Supplied with a shoulder strap if preferred. Size:  $44 \times 19 \times 30$  cm Part no. 490163



#### Δ Goodridge Brake hoses . . . . . . . . . . . . 32, 47 Adaptor, socket ......53 Conversion gasket set..........6 Additive.....21 Advance board . . . . . . . . . . . . . . . . . 41 Air filter.....20 Н Aluminium washer, oil drain plug . . . . . . . . . 12 Aluminium washer, oil sump plug......6 D Hammer.....41 Handbrake cable.....32 Anti roll bar link, front.....24 Anti roll bar link, rear .....30 Headlamp ......38 Distance piece, bumper.....42 B Bactofin, Wagner Additive . . . . . . . . . . . . 21 Hood......46 Bag......57 Ε Hub......22, 28 Hydragas damper unit.....23, 28 Blanking plug......6 EBC Brake pads . . . . . . . . . . . . . . . . . . 32, 47 Hydraulic cam follower ......8 Elring Sealing compound..........6 Hydrolastic fluid . . . . . . . . . . . . . . . . . 23, 28 Engine oil .....7 Body contour gauge . . . . . . . . . . . . . 41 Boot rack......44, 48 Exhaust mounting rubber. . . . . . . . . . 25, 26 Bosch Alternator.....34 Exhaust valve.....8 Brake fluid DOT4 ......13 J Bulb ......39 Filler cap, washer bottle .....40 Jet, windscreen washer . . . . . . . . . . . . . . 40 Bush kits, polyurethane. . . . . . . . . . . . . 22, 28 K C K&N Air filter performance kit 57i.....20 Knuckle joint . . . . . . . . . . . . . . . . . . 23, 28 G L Gasket, catalytic converter.....26 Lamp......38 Gasket, cylinder head . . . . . . . . . . . . . 10 Catalogue, old love never dies........ 27, 57 Land Rover Gearbox oil MTF94.....12 Chemico Valve grinding paste. . . . . . . . . . . . 11, 52 Locking nut, front hub.....22 Gasket set, less sump gasket.....6 Locking nut, rear hub .....28 Gasket, windscreen washer . . . . . . . . . . . . . 40 Gauge, wheel alignment .....23 M Clutch master cylinder.....13 Gear wrench set . . . . . . . . . . . . . . . . . 51 Combination spanner set.....51

|   | 3   |
|---|---|
| Matrix, heater  | SAE 10W-40 A3/B4, engine oil       .7         SAE 10W/50, engine oil       .7         SAE 75W-85, gearbox oil       .12         Screen       .45         Sealing compound       .47   |
| N   | Sealing compound, Elring  |
| Needle bearing, upper wishbone 24, 30 NGK Spark plug  | Sealing washer, oil pressure switch   |
| 0   | Shock absorbers   |
| Oil drip mat       49         Oil filler cap       10         Oil filter       6         Oil pressure switch       18         Oil seals       7, 12         Old love never dies catalogue       27         ,0' ring set, throttle body       20         ,0' ring, thermostat       14         Overall       56         Oxygen sensor       18   | Sockets       52, 53         Socket set       55         Spanner set       57         Spark plug       10, 35         Spin on oil filter       6         Spring clip       13         Stand with wheels       52         Starter motor       34         Steering rack gaiters       27         Steering rod       29         Stups       34 |
| P   | т   |
| Panel beater sand bag       41         Parking sign       57         Payen Cylinder head gasket set       9         Penrite Engine oil       7         Pilot helmet       56         Pipe, heater       36         Pocket wrench       52         Polishing kit, for windshield glass repair       45         Polyurethane bush kits       22, 28         Potentiometer       20  | Tachometer  |
| R   | Threshold plates  |
| Radiator.       15         Radiator grille.       43         Radiator hose.       15, 17         Rear lamp       38         Rear silencer       26, 48         Receiver drier       37         Redline Water Wetter.       16         Relay assembly, engine management       19         Relay, fuel pump.       19         Repair kit, remote key fob       44         Repair kit, upper wishbone       24, 30         Repeater lamp       38         Retaining strap, silencer       25         Rim band       33         Rocker cover gasket       10         Rotor arm       35         Rubber bush, air conditioning       37         Rubber bush, front anti roll bar mounting       24         Rubber bush, rear anti roll bar mounting       30 | Thrust collar, upper wishbone 24, 36 Thrust washer, upper wishbone 24, 36 Timing belt   |
| Rubber mats   |   |

#### W

| Wagner Additive Bactofin |
|--------------------------|
| Washer, oil sump plug    |
| Washer pump40            |
| Water pipes              |
| Water pump               |
| Water Wetter             |
| Wheel                    |
| Wheel bearing kit        |
| Wheel nut                |
| Wheel stud               |
| Wind deflector           |
| Windscreen4              |
| Wing                     |
| Wing cover               |
| Wiper blade              |
| Wiper motor40            |
| Wiper rack               |
| Wire wheel               |
| Wishbone                 |
| Workshop Manual50        |
| Wrench set               |





for Classic British Cars

#### **NEW**

#### The most important parts! **Top 500**

for MGF and MGTF

English . . . . Part no. 493831 German . . . . Part no. 493830 French . . . . . Part no. 493832






#### New extended edition: now 432 pages

- Tuning parts
- Tools
- Oil and grease
- Accessories
- Books
- Car care
- Consumables

#### Old love never dies

LIMORA main office

English . . . . . . Part no. 15119 German . . . . . . Part no. 301203 French . . . . . . . Part no. 491321



TR2 to TR4A 600 pages English Part no. 466763 German Part no. 287210



TRs, TR250 and TR6 600 pages English Part no. 251292 German Part no. 286982



Spitfire MK3, MK4 and 1500 640 pages English Part no. 488364 German Part no. 488365



MGA 432 pages English Part no. 489842 German Part no. 489841



## Feldstraße 41

D - 52070 Aachen

Limora Berlin

E-mail:

Wiebestraße 36-37 D - 10553 Berlin

Limora Düsseldorf

MEILENWERK

Tel: +49 (0) 241 - 55 939 16 +49 (0) 241 - 55 939 20 Fax: E-mail: Aachen@Limora.com

Tel: +49 (0) 30 - 25 93 92 30 Fax: +49 (0) 30 - 25 93 92 33

Berlin@Limora.com

70 62

70 63

70 64

70 65

70 59

Nous parlons français Wij spreken nederlands




Austin Healey BN1-BI8

English Part no. 293127

German Part no. 326250

600 pages

MGB 800 pages English Part no. 479951 German Part no. 7678



**Austin Healey Sprite** and MG Midget 324 pages English Part no. 293143

German Part no. 324658


laguar Mark II



Jaguar XI6 Daimler Sovereign 1008 pages English Part no. 291809 German Part no. 336308

Jaguar XK

120/140/150



Harffstraße 110a D - 40591 Düsseldorf

Tel: +49 (0) 211 - 98 471 01 Fax: +49 (0) 211 - 98 471 08 E-mail: Duesseldorf@Limora.com

#### Limora Stuttgart MEILENWERK

Wolfgang-Brumme-Allee 55 D - 71034 Böblingen

Tel: +49 (0) 70 31 - 306 95 10 Fax: +49 (0) 70 31 - 306 95 12 E-mail: Stuttgart@Limora.com

#### Limora Hamburg

Hauptstraße 49 / Bl. Chaussee D - 22869 Hamburg-Schenfeld +49 (0) 40 - 553 53 15 Tel: +49 (0) 40 - 55 77 32 38 Fax: E-Mail: Hamburg@Limora.com

#### Limora Paris


+33 (0) 139 - 57 05 99 Tel: +33 (0) 139 - 57 06 99 Fax: Paris@Limora.com E-mail:

#### Limora Polska

E-mail: Warszawa@Limora.com

#### Informacje również w języku polskim

Krzysztof: +49(0) 26 83 - 70 62 Internet www.Limora.com




Jaguar XJ12 Daimler Double Six 800 pages English Part no. 291906 German Part no. 245883

XK 120/140/150

English Part no. 245614

German Part no. 245217

64 pages




Jaguar ,E' type, 6 cylinder

English Part no. 318547

German Part no. 293102

186 pages

Jaguar XJ 40 320 pages English Part no. 293080 German Part no. 343299



Jaguar Mark II

English Part no. 206532

German Part no. 293122

128 pages

Land Rover SII, IIA and III 4 cyl. English Part no. 205137 German Part no. 293206



Jaguar XK 120/140/150

English Part no. 292008

German Part no. 317404

500 pages

Classic Mini 740 pages English Part no. 313200 German Part no. 327536



tel: +49 (0) 26 83 - 70 64 fax: +49 (0) 26 83 - 70 59 e-mail: Limora@Limora.com

#### Limora Aachen

Feldstraße 41 D - 52070 Aachen

tel: +49 (0) 241 - 55 939 16 fax: +49 (0) 241 - 55 939 20 e-mail: Aachen@Limora.com

Nous parlons français Wij spreken nederlands

#### Limora Buchholz



#### Limora Aachen



#### Limora Hamburg

Hauptstraße 49 / Bl. Chaussee
D - 22869 Hamburg-Schenefeld
tel: +49 (0) 40 - 55 35 315
fax: +49 (0) 40 - 55 77 32 38
e-mail: Hamburg@Limora.com

#### Limora Berlin MEILENWERK

Wiebestraße 36-37 D - 10553 Berlin

tel: +49 (0) 30 - 25 93 92 30 fax: +49 (0) 30 - 25 93 92 33 e-mail: Berlin@Limora.com

#### Limora Hamburg



#### Limora Berlin



#### Limora Düsseldorf MEILENWERK

Harffstraße 110a D - 40591 Düsseldorf

tel: +49 (0) 211 - 98 471 01 fax: +49 (0) 211 - 98 471 08 e-mail: Duesseldorf@Limora.com

## Limora Stuttgart MEILENWERK


Graf-Zeppelin-Platz 1 (Wolfgang-Brumme-Allee 55) D - 71034 Böblingen

tel: +49 (0) 70 31 - 306 95 10 fax: +49 (0) 70 31 - 306 95 12 e-mail: Stuttgart@Limora.com

#### Limora Düsseldorf



#### Limora Stuttgart



#### Limora online:

## www.Limora.com

#### Limora Paris

Tel: +33 (0) 139 - 57 05 99 Fax: +33 (0) 139 - 57 06 99 e-mail: Paris@Limora.com

#### Limora Polska

e-mail: Warszawa@Limora.com

#### Informacje również w języku polskim

Krzysztof: +49 (0) 26 83 - 70 62