

LONGLINE SUPPLIES

INDEX



Anchors, kedge	8
Baskets, fish	10
Beckets	5
Bouy coatings	8
Bouys	8
Brushes, scrub	8
Cocoa mats	10
C-links	6
DFM swivel gear	2
Eagle Claw hooks	4
Files, mill bastard	11
Flags, halibut	7
Floats, longline	7
Floats, pole	7
Gaffs	9
Gangens & gangen twine	5
Groundline	3
Heaving hooks	8
Hog rings & hog ring pliers	6
Hooks	4
Hooks, boning	9
Ice breakers	11
Knife sharpeners	11
Knives	12
Lead weights	7
Marco System accessories & hooks	4
Mono fishing line	5
Mustad Autoline accessories & hooks	4
Pac lights	7
Paint brushes, disposable	8
Pliers, hog ring	6
Pole floats	7
Poles, longline	7
Radar reflectors	7
Rope burners	11
Rubbers, door	11
Scrapers, halibut & black cod	10
Sharpening steels	11
Shrink wrap	11
Skate tops & bottoms	10
Sleeves, aluminum	6
Snaps	5
Strobes	7
Swagers	6
Swivels	6
Tape, electrical, duct, & clear	11
Tape gun	11
Totes, halibut	10
Tubs, longline	10
Tubing, PVC, for gangens	5
Weights, clamp-on	7
Whetstones	11


DFM longline




DFM Longline was created in 1996 by three of Scandinavia's leading fishing gear suppliers. These shareholders have over 175 years combined experience in the industry, and many decades of specialist knowledge of longlining.

DFM swivel gear

DFM 9.2mm swivelled longlines have been developed for fishermen who require the extra strength and durability of 9mm gear.



single stopper system



double stopper system

Unique stopper system

Complete stainless steel rings are pressed onto the mainline; these do not damage the rope fibers as much as other systems, giving higher breaking strength and longer life. Plus, with this system swivels can be mounted onto 3-strand rope, which is better suited to longlining. 4-strand is available too, if preferred.

Other features

Specially profiled sleeves that cannot be bent or crushed in normal use; welded swivel eyes for extra strength; all components are stainless steel for long life; ropes are manufactured by DFM shareholders to guarantee best quality.

DFM gear features:

- single or double stopper mounting
- excellent swivel action
- 3-strand mainline for strength and easy handling
- unique stopper system for improved breaking strength
- super strong profiled sleeve
- welded swivel eyes
- choice of top quality mainlines
- tested and proven at sea

We carry two types of mainlines with DFM swivel gear:

- **50/50 standard**
50% Polyester & 50% Polysteel,
3,200 lb.+ breaking strength
- **Polyester**
100% Polyester,
3,800 lb.+ breaking strength

Both types of swivel DFM longline are available with either 42" or 48" spacing in soft, medium, or medium-firm lays depending on your application.

DFM longline

DFM longline is available in 3 or 4 strand: tarred, clear coated, or color coated.

9.2mm 42" spacing, med/firm lay,
50/50 std, 225 stations per coil,
#DFM1.145MFSTD

9.2mm 42" spacing, med/firm lay,
50/50 std, 245 stations per coil,
#DFM1.1FIRM50

9.2mm 42" spacing, soft lay,
Polyester, 245 stations per coil,
#DFM1.1SOFTP

9.2mm 48" spacing, med/firm lay,
50/50 std, 225 stations per coil,
#DFM1.2FIRM50

9.2mm 48" spacing, soft lay,
Polyester, 225 stations per coil,
#DFM1.2SOFTP

DFM will also build your gear specially to suit your needs.

Replacement swivels & accessories

Replacement swivels are available, with open eye end for easy replacement.

DFM open eye swivels,

#DFMSWV

DFM swivels with barrels,

#DFMSWVB

DFM hydraulic crimping tool,

#DFMTOOL

DFM crimping tool,

#DFMCRIMPER

DFM pliers,

#DFMPLIER

DFM buoy line,

#DFMBUOYLINE



Aqualine Plus groundline

This high-quality twisted nylon groundline is a favorite with commercial longliners. Aqualine Plus is strong, coils well, and has the elasticity required for deep water fishing. Made with tough nylon filament from Allied Signal, Aqualine Plus has superior abrasion resistance and wet strength. Sold in 1800' coils; available tarred. Custom sizes by special order. *Made in America.*

Part #	size	lay	ave. tensile	wt/coil
4410000	1/4"	soft	2,090 lbs.	25 lbs.
4410005	1/4"	med	2,045 lbs.	31 lbs.
4410010	9/32"	soft	2,345 lbs.	36 lbs.
4410030	5/16"	soft	2,640 lbs.	49 lbs.
4410040	5/16"	m/soft	2,595 lbs.	45 lbs.
4410050	5/16"	med	2,560 lbs.	45 lbs.
4410060	11/32"	soft	3,205 lbs.	55 lbs.
4410080	11/32"	m/soft	3,155 lbs.	55 lbs.
4410070	11/32"	med	3,100 lbs.	55 lbs.
4410110	3/8"	soft	3,665 lbs.	65 lbs.
4410126	3/8"	m/soft	3,610 lbs.	65 lbs.
4410120	3/8"	med	3,550 lbs.	65 lbs.
4410150	7/16"	med	4,800 lbs.	90 lbs.
4410160	1/2"	med	6,200 lbs.	117 lbs.
4410170	1/2"	m/firm	6,200 lbs.	117 lbs.
4410025	9/32"	med tar	2,200 lbs.	36 lbs.
4410035	5/16"	soft tar	2,640 lbs.	49 lbs.
4410045	5/16"	m/s tar	2,595 lbs.	45 lbs.
4410055	5/16"	med tar	2,560 lbs.	45 lbs.
4410065	11/32"	soft tar	3,205 lbs.	55 lbs.
4410085	11/32"	m/s tar	3,155 lbs.	55 lbs.
4410075	11/32"	med tar	3,100 lbs.	55 lbs.
4410115	3/8"	soft tar	3,665 lbs.	65 lbs.
4410127	3/8"	m/s tar	3,610 lbs.	65 lbs.
4410125	3/8"	med tar	3,550 lbs.	65 lbs.
4410145	3/8"	m/f tar	3,200 lbs.	65 lbs.
4410155	7/16"	med tar	4,800 lbs.	90 lbs.
4410165	1/2"	med tar	6,200 lbs.	117 lbs.



Baiter line

This firm lay nylon line is especially recommended for use with the Marco auto-baiter system. Sold in 1,800' coils.

Part #	size	lay	ave. tensile	wt/coil
4410176	3/8"	m/firm	3,200 lbs	65 lbs
4410177	3/8"	m/f tar	3,200 lbs	65 lbs
4410178	3/8"	firm tar	3,200 lbs	65 lbs

Everson Groundline

Made of tarred white Dupont nylon filament. Sold in 1,800' coils.

Part #	description	tensile	wt/coil
4410001	#32 9/32"	2,100 lbs.	36 lbs.
4410008	#30 1/4"	1,800 lbs.	31 lbs.



Manline Himan leaded poly groundline

Himan is made by ManHo, a rope manufacturer in Korea. Consistent quality and competitive price make this an excellent buy for longliners. Himan is constructed of a twisted co-polymer polypropylene with a leaded core; it has good lay and coiling ability, and better strength and abrasion-resistance than regular polypropylene rope. Sold in 1,800' coils; grey with orange and blue tracers.

Part #	size	ave. tensile	wt/coil
5/16LDHIMAN	5/16"	2,150 lbs.	143 lbs
11/32LDHIMAN	11/32"	2,650 lbs.	195 lbs
3/8LDHIMAN	3/8"	3,100 lbs.	225 lbs



AMCO SSR 100 Ultra ground line

American's SSR 100 Ultra groundline is a blend of Ultraline® and polyester fibers. It has a 100% polyester surface, consisting of a blended cover composed of multifilament polyester over ultra-fiber, with ultra-fiber as the core. Sold in 1,800' coils.

Part #	size	lay	ave. tensile	wt/coil
4411135	5/16"	m/firm	2,470 lbs.	47 lbs.
4411134	5/16"	m/soft	2,600 lbs.	45 lbs.
4411146	11/32"	m/firm	2,869 lbs.	51 lbs.
4411136	11/32"	m/soft	3,020 lbs.	48 lbs.
4411147	3/8"	m/soft	3,700 lbs.	61 lbs.

Samson Solid Braid Polytron

Unique high strength long wearing solid braid olefin rope. This firm non-rotation construction rope is made with Samson's orange and gray copolymer Polytron™ fiber. It offers high strength, low stretch, and high visibility. It has a specific gravity of .91 (it floats), excellent UV resistance, superior wear resistance, and good knot retention. Sold in 1,200' coils.

Part #	no.	diam.	ave. tensile	wt/coil
4411601	#8	1/4"	1,300 lbs.	14 lbs.
4411610	#9	9/32"	1,470 lbs.	16 lbs.
4411620	#10	5/16"	1,625 lbs.	20 lbs.
4411630	#12	3/8"	2,300 lbs.	29 lbs.



Everson Pro

This line was engineered by longliners to meet their tough specifications. A special blend of polyester and polysteel, Everson Pro is popular for great handling ability and low price. Sold in 1,800' coils

Part #	size	lay	ave. tensile	wt/coil
4410220	5/16"	med	2,250 lbs.	45 lbs.
4410225	5/16"	m/tar	2,250 lbs.	47 lbs.
4410230	5/16"	m/firm	2,235 lbs.	47 lbs.
4410235	5/16"	m/f/tar	2,235 lbs.	49 lbs.
4410240	5/16"	firm	2,215 lbs.	49 lbs.
4410250	11/32"	soft	2,720 lbs.	52 lbs.
4410255	11/32"	soft tar	2,720 lbs.	54 lbs.
4410256	11/32"	m/soft	2,695 lbs.	54 lbs.
4410260	11/32"	med	2,680 lbs.	56 lbs.
4410265	11/32"	m/tar	2,680 lbs.	59 lbs.
4410270	11/32"	m/firm	2,655 lbs.	58 lbs.
4410275	11/32"	m/f/tar	2,655 lbs.	61 lbs.
4410280	11/32"	firm	2,630 lbs.	60 lbs.
4410290	3/8"	soft	3,280 lbs.	63 lbs.
4410295	3/8"	soft tar	3,280 lbs.	66 lbs.
4410307	3/8"	m/soft	3,245 lbs.	65 lbs.
4410308	3/8"	m/s tar	3,245 lbs.	68 lbs.
4410300	3/8"	med	3,200 lbs.	67 lbs.
4410305	3/8"	m/tar	3,200 lbs.	71 lbs.
4410310	3/8"	m/firm	3,170 lbs.	73 lbs.
4410315	3/8"	m/f tar	3,170 lbs.	77 lbs.
4410330	7/16"	med	4,460 lbs.	90 lbs.
4410340	1/2"	med	5,140 lbs.	115 lbs

Mustad Autoline accessories & hooks



Mustad Autoline System accessories

Mustad #39976 13/0 hook, #4413440

Mustad #39982 13/0 hook

Mustad #39961 14/0 hook, #4413443

Mustad #39959 14/0 hook, #4413442

Mustad #39953 14/0 hook HD, #4413444



machine brushes, #BAITERBRUSH

#39976 hook bender, #HOOKBENDER

circle hook bender, #HOOKBENDERC


Neptune #360 gangen twine, #4414170

Neptune #400 gangen twine, #4414175

round braid #60 twine, #861529

round braid #72 twine, #861557

round braid #84 twine, #861579



Mustad #39977

E-Z Baiter circle hooks

Ringed, offset, Duratin, point curved in.

#5, 14/0, #39977 E-Z Baiter, #4413325

#6, 13/0 #39977 E-Z Baiter, #4413326

#7, 12/0, #39977 E-Z Baiter, # 4413447

Mustad #39976

E-Z Baiter circle hooks

Large ring, Duratin, point curved in.

#6, 13/0, #39976 E-Z Baiter, #4413440


#7, 12/0, #39976 E-Z Baiter, #4413400

Mustad #39975

E-Z Baiter circle hooks

Ringed, kirbed, Duratin, point curved in.

#7, 12/0, #39975 E-Z Baiter, #4413445



Mustad circle hooks

Mustad's #39965 circle hook; point curved in, slightly offset, special ring, made of Duratin.

#3, 16/0, Mustad #39965, #4413260


#4, 15/0, Mustad #39965, #4413280

#5, 14/0, Mustad #39965, #4413320

#6, 13/0, Mustad #39965, #4413360

#7, 12/0, Mustad #39965, #4413410

#8, 11/0, Mustad #39965, #4413460



Mustad circle hooks with swivel

Mustad's #39963 circle hook with swivel; ideal for cod and halibut. Sold in case lots only.


#3, Mustad 16/0, #39963, #4413111

#5, Mustad 14/0, #39963, #4413110

#6, Mustad 13/0, #39963, #4413105

#7, Mustad 12/0, #39963, #4413100

Marco system accessories




Marco Circlematic System hooks

Circlematic 2000 #7, #4413955

Circlematic 2000 #6, #4413950

Circlematic 2000 #5, #4413949



Eagle Claw Circle Sea hooks

#3, 16/0, Circle Sea hook, laser tip,

#4413760 #5, 14/0, Circle Sea hook, laser

tip, #4413765

#6, 13/0, Circle Sea hook, laser tip,

#4413770 #6, 13/0, Circle Sea hook,

#4413800

#6, 13/0, Circle Sea hook, lt. wire,

#4413801 #7, 12/0, Circle Sea hook, laser

tip, #4413820

Gangions



Ashaway gangen twine

200# 11 round braid, white, #11RW
 200# 11 round braid, blue, #11RB
 150# 8 round braid, white, #8RW
 150# 8 round braid, blue, #8RB
 300# 16 round braid, white, #16RW

Powers pre-cut gangens

Quality gangens come in convenient bundles of 100 in cut lengths, ready to tie. We can pre-cut gangens in any length.

26" gangen, #72 twine, white, #4414606
 36" gangen, #72 twine, white, #4414608
 48" gangen, #72 twine, white, #4414617
 52" gangen, #72 twine, white, #4414642
 55" gangen, #72 twine, white, #4414662

Powers nylon gangen twine

Braided of 100% synthetic materials, this twine provides optimum strength at low cost, especially when compared to "super strength" materials like Kevlar or Spectra. Made in America.

#42 white twine, 150 lb. break strength, 500 feet/lb., 1 lb. spool #4414200
 #48 white twine, 200 lb. break strength, 380 feet/lb., 1 lb. spool #4414300
 #48 green twine, 200 lb. break strength, 380 feet/lb., 1 lb. spool #4414310
 #60 white twine, 250 lb. break strength, 300 feet/lb., 2 lb. spool #4414400
 #72 white twine, 300 lb. break strength, 210 feet/lb., 2 lb. spool #4414505



PVC Vinyl tubing for gangens

Sold by the foot.
 1/2" ID x 3/4" OD tubing, #TUBEGEAR



Hi Seas commercial fishing line

Hi Seas commercial fishing line is manufactured using computer-controlled dies for exact diameter and greatest strength. Super soft & clear, German engineered, made in Portugal. Sold in 100 yard coils.

1.5 mm, 250 lb. test, #4418950
 1.9 mm, 300 lb. test, #4419000
 2.0 mm, 300 lb. test, #4419050
 2.3 mm, 400 lb. test, #4419100
 2.5 mm, 1,000 lb. test, #4419200

Momoi nylon mono gangen line

Manufactured by Momoi, this nylon line is available in 300 lb. and 400 lb. breaking strengths. Twisted Momoi mono is available in strengths up to 1,000 lbs. Sold in 5 lb. and 50 lb. spools.

Available by special order only.

Hi Seas bone back mono

Dependable Hi Seas quality in a tough bone back mono. *Sold by the pound.*

2.3 mm, 47" long, 400 lb. test, #4418800
 2.5 mm, 47" long, 500 lb. test, #4418850

Snaps



A2 & C3 imported longline snaps, double loop

High-quality stainless steel or galvanized longline snaps with double loop.
 A2, .1205 x 10/32, galvanized, #4421025
 A2, .1205 x 10/32, stainless, #4435560
 C3, .1205 x 10/32, stainless, #4435550
 C3, .1375 x 10/32, stainless, #4435565



A2 & C3 longline snaps, single loop w/nickel plated swivel

American made, high-quality stainless steel longline snaps with nickel-plated 4/0 swivel attached.

C3, .1205 x 10/32, stainless, #4435035
 A2, .1205 x 10/32, stainless, #4435500
 C3, .1375 x 10/32, stainless, #4435565



Heavy duty snaps for pot fishing

These heavy duty snaps are made of stainless steel wire, and have a large 1/2" loop on the end.


snap, fits 5/16" line, #4313305
 snap, fits 3/8" line, #4313306

Longline accessories



Aluminum sleeves

2.0 mm diameter sleeve, fits 1.9 mm mono, 300 lb. test, **#4419410**
 2.3 mm diameter sleeve, fits 2.0 mm mono, 400 lb. test, **#4419430**
 2.8 mm diameter sleeve, fits 2.5 mm mono, 500 lb. test, **#28SLEEVE**



Rosco swivels

Bright nickel-plated swivels, made in America.

2/0 #801 swivel, 225 lb. test, **#4414000**
 4/0 #801 swivel, 350 lb. test, **#4414020**
 6/0 #831 swivel, 600 lb. test, **#4450700**
 8/0 #831 swivel, 900 lb. test, **#4450800**
 9/0 #831 swivel, 1,000 lb. test, **#4450900**
 12/0 #831 swivel, 1,500 lb. test, **#4451100**



Stainless steel C-links

Made of stainless steel; sold in sets.
 5/16" C-links, stainless (set), **#S10516**
 3/8" C-links, stainless (set), **#S1038**
 1/2" C-links, stainless (set), **#S1012**
 5/8" C-links, stainless (set), **#S1053**



Hi Seas heavy-duty hand swagers

Multi groove with side cutters, these tools swage all Hi Seas single and double sleeves, aluminum alloy or metal. Both are heavy-duty and have three positions. The #350 is not made to be used with copper sleeves; the #250 can be used with copper or aluminum sleeves.

Part #	description	sleeve size
4419751	#350 hand swager	2 to 3.3 mm
4419800	#250 hand swager	5 to 2.2 mm

Hi Seas deluxe bench swager

This tool operates with lever action, in 5 positions, using interchangeable dies. Effortlessly crimps uniform Hi Seas Super Single sleeves, each and every time. Comes with built-in mono cutter for clean cuts up to 4.00 mm mono (*not* wire).

This tool was specifically designed for Hi Seas Super Single sleeves only. If other sleeves are crimped, the results will be unsatisfactory. Interchangeable dies sold separately.

Part #	description
4419910	HS-5000-BC™ bench swager
4419950	die #2.3, for 1.80 to 2.30 mm



Hog rings

Stainless steel or galvanized, slant cut hog rings. Sold by the pound.

large hog ring, stainless, **#4419820**
 medium hog ring, stainless, **#4419810**
 small hog ring, stainless, **#4419805**

large hog ring, galvanized, **#4419825**
 medium hog ring, galvanized, **#4419815**



Wilfro hog ring pliers

Specifically designed to make working with hog rings easier; manganese bronze pliers with stainless steel nuts and bolts. Maximum jaw opening 1-1/2", overall length 8-1/2". Wilfro bronze hog ring pliers, **#4419890**



Seymour hog ring pliers


Made of tough, malleable iron castings, with an aluminum paint finish. Maximum jaw opening, 1-1/2", overall length 8-1/2". Large hog ring pliers, **#4419905**
 Small hog ring pliers, for all rings smaller than 3/4" **#4419906**



Skate tops & bottoms

Keep coiled skates from tangling with these easy-to-use skate tops & bottoms, custom made for LFS. With heavy-duty grommets or with straps and buckles. *Straps also available separately.*

skate bottom w/grommets, **#4415400**
 skate straps, nylon, w/buckles, **#4415401**
 skate bottom w/attached straps, **#4415405**
 skate top, white, **#4415100**
 skate top, red, **#4415105**



Aluminum longline pole w/plug.
18' heavy-duty pole, #4416002
18' extra heavy-duty pole, #4416003



White polyethylene pole float
Closed-cell foam pole float, 5-5/8" x 13", with a 1-1/4" diameter hole. #4415260



Pac Light longline light with photosensor
Waterproof, photo-sensitive light that turns on at dusk and off at dawn. Powered by two D-cell batteries (batteries not included). The Pac Light is our standard economy light. #4417600; replacement bulb, #PACBULB



Halibut flags
Three styles to choose from, 16" x 16"
orange plastic halibut flag, #4415300
yellow plastic halibut flag, #4415301
orange mesh halibut flag, #4415302



Spongex LP-8 pole float
Buoyant float, 8" x 15", with a 1-1/4" diameter hole, buoyancy 18 lbs. #LP8114W



Jotron longline strobes
Jotron MF-1112 marking flasher is designed to ensure maximum visibility with low power consumption. Three D-cell alkaline batteries provide approximately 70 hours of continuous operation, with approximately 8 mile visibility on a clear night with standard clear lens. Strobe, #MF1112; replacement top, #MF1112T; replacement lens, #MF1112L



Radar reflector
All-aluminum radar reflectors feature riveted construction with aerodynamic holes to minimize wind resistance. Fully assembled, with pole mounting clamps & stainless steel nuts and bolts.
9" square, #4415375
16" square, #4415370



Bao Long pole float
Buoyant floats made of "ethylene vinyl acetate" (EVA) copolymer; very light and soft, with excellent elasticity and durability.
BL7Y 5.28 lbs. bouyancy, yellow
BL10Y 8.94 lbs. bouyancy, yellow



Clamp-on pole weight
Lead clamp-on pole weight keeps marker flag & light upright; pre-drilled with necessary bolts, weight 9 lbs., #4415450



Longline floats
Double-ear longline float, 4.75". #7110020

Cannonball lead
Round lead, won't foul gear or get tangled in seaweed. Three sizes.
5 lbs., #4415445
7 lbs., #4415444
10 lbs., #4415446



Kedge anchors

Traditional longline mooring anchors, classic design. Available in the sizes listed below, or in custom sizes by special order.

- 25 lbs. kedge anchor, #KEDGE25
- 30 lbs. kedge anchor, #KEDGE30
- 35 lbs. kedge anchor, #KEDGE35
- 40 lbs. kedge anchor, #KEDGE40
- 45 lbs. kedge anchor, #KEDGE45
- 50 lbs. kedge anchor, #KEDGE50
- 60 lbs. kedge anchor, #KEDGE60
- 75 lbs. kedge anchor, #KEDGE75
- 100 lbs. kedge anchor, #KEDGE100



Polyform LD series buoys

Low Drag (LD) buoys have less than 20% of the drag of standard round buoys, which means faster, safer pick-ups, and less strain on both the crew and the gear. The patented rib design and unique shape allow the buoy to skip along the surface of the water rather than digging in as standard buoys do.

The LD also dramatically reduces gear loss under the most extreme ice conditions. Of course, LD buoys have all the time-proven Polyform features: one-piece construction, reinforced ribbed ropehold eye, unique vinyl valving system, and the Polyform limited lifetime guarantee.

Part #	model	dimensions	color
LD2R	LD-2	12" x 23"	red
LD2W	LD-2	12" x 23"	white
LD2WB	LD-2	12" x 23"	white/black
LD2Y	LD-2	12" x 23"	yellow
LD3R	LD-3	14" x 30"	red
LD3Y	LD-3	14" x 30"	yellow
LD3O	LD-3	14" x 30"	orange
LD3SY	LD-3	14" x 30"	saturn yellow
LD3B	LD-3	14" x 30"	blue
LD3G	LD-3	14" x 30"	green



Polyform A-series buoy

Designed to stand up to the strongest pull; the ropehold and body are molded in one process from tough, flexible vinyl and will never separate. Resistant to all weather conditions, common solvents and mineral oils. Green, mooney yellow, orange, red, saturn yellow, white, and yellow. Made in Norway. *Specify color when ordering.*

Part #	diameter	height	bouyancy
PA0N	9-1/16"	11-1/32"	14 lbs.
PA1N	12-7/32"	15-3/8"	33 lbs.
PA2N	15-3/4"	20-1/16"	70 lbs.
PA3N	19-5/16"	24-7/16"	132 lbs.
PA4N	23-5/8"	28-3/4"	247 lbs.
PA5N	29-7/8"	37"	507 lbs.
PA6N	37"	46-7/8"	950 lbs.

#4313360 & #4313364



#S3230

Heaving hooks

- 10" heaving hook, stainless steel welded with center hole, #4313360
- 10" heaving hook, 3 lb., stainless steel welded with center hole, #4313364
- 10" heaving hook, stainless steel with ring, imported, #S3230



Polyform F-series buoy

These twin-eye fender/floats are molded in one piece from tough, flexible vinyl. They are suitable for use as fenders on vessels as large as 1,500 tons; extremely abrasion resistant and resistant to solvents and mineral oils. Made in Norway. White, blue, black, red, and grey. *Specify color when ordering.*

Part #	diameter	height	bouyancy
PF1N	5.8"	24.4"	57.2 lbs.
PF2N	8.6"	24.4"	48.4 lbs.
PF3N	8.6"	29.8"	61.6 lbs.
PF4N	8.6"	42.0"	88.0 lbs.
PF5N	11.6"	30.8"	83.6 lbs.
PF6N	11.6"	43.8"	134.2 lbs.
PF7N	15.0"	41.2"	83.6 lbs.
PF8N	15.0"	59.0"	114.4 lbs.
PF11N	24.0"	58.0"	105.6 lbs.
PF13N	32.0"	78.0"	116.6 lbs.



Herkula buoy coatings

Withstands ultraviolet rays & salt water & permanently fuses to the buoy surface. blue, liter, #HERKULABLUE; black, liter, #HERKULABLACK



Humbolt Vinylon buoy coatings

Solvent-based vinyl coating designed for use on PVC buoys. Quarts or gallons. *Specify color when ordering.* #749007



Disposable foam brushes

Foam brushes do the buoy marking job well, and are cheap enough to use & toss. 1" brush, #1JEN; 2" brush, #2JEN



Halibut gaffs, cold rolled steel

- 12" halibut gaff, steel, #4416500
- 14" halibut gaff, steel, #4416550
- 15" halibut gaff, steel, #4416600
- 16" halibut gaff, steel, #4416650
- 18" halibut gaff, steel, #4416700
- 20" halibut gaff, steel, #4416750
- 21" halibut gaff, steel, #4416856
- 24" halibut gaff, steel, #4416800
- 27" halibut gaff, steel, #4416850
- 30" halibut gaff, steel, #4416900
- 33" halibut gaff, steel, #4416950
- 36" halibut gaff, steel, #4417000
- 42" halibut gaff, steel, #4417050



Halibut gaffs, fiberglass handle

- 17" fiberglass handle gaff, #FIBER-GAFF17
- 21" fiberglass handle gaff, #FIBERGAFF21
- 23" fiberglass handle gaff, #FIBERGAFF23



Halibut gaffs, wood handle

- 36" wood handle gaff, #36G
- 28" wood handle gaff, #28G

Halibut gaffs, stainless steel

- 10" halibut gaff, stainless steel, #4416405
- 12" halibut gaff, stainless steel, #4416480
- 15" halibut gaff, stainless steel, #4416610
- 16" halibut gaff, stainless steel, #4416645
- 18" halibut gaff, stainless steel, #4416720
- 20" halibut gaff, stainless steel, #4416760
- 21" halibut gaff, stainless steel, #4416855
- 24" halibut gaff, stainless steel, #4416820
- 30" halibut gaff, stainless steel, #4416920
- 36" halibut gaff, stainless steel, #4417020

Heading hooks

- 10" heading hook, steel, #4416420



Pole gaff

Sharp, six-prong gaff head can be used with any length pole. Poles sold separately. #POLEGAFF



Fife Forge diamond tipped gaffs

- 12" diamond tipped gaff, #44FFCR12
- 15" diamond tipped gaff, #44FFCR15
- 18" diamond tipped gaff, #44FFCR18
- 21" diamond tipped gaff, #44FFCR21
- 24" diamond tipped gaff, #44FFCR24
- 27" diamond tipped gaff, #44FFCR27
- 30" diamond tipped gaff, #44FFCR30
- 33" diamond tipped gaff, #44FFCR33
- 36" diamond tipped gaff, #44FFCR36



Door rubbers

Used on halibut gaff handles, 1" strips of truck inner tube. Sold singly. #4312930



Dexter boning hooks

Stainless steel hook with orange polypropylene handle. Two hook sizes: 5/16" x 3" , #S191H; 1/4" x 5-1/2" , #S194H

**Longline tubs, black plastic**

Made by Bonar Plastics, these tough plastic tubs will take a lot of abuse. They are perfect for longline gear. Three sizes:
 22" wide x 12" deep, 15 cubic ft., #GT150
 21" wide x 18" deep, 22 cubic ft., #GT225
 24" wide x 18" deep, 30 cubic ft., #GT300

**Galvanized wash tubs**


#1, 20" wide x 11" deep, #4415415
 #2, 22-1/2" wide x 11" deep, #4415420
 #3, 24-1/4" wide x 11" deep, #4415430

**Multi-purpose fish baskets**

Sturdy industrial grade orange plastic with plenty of drainage holes. 19" wide x 17" deep, 40 lbs. capacity, #XFSHBKT

**Ropak nesting halibut tote**

Heavy-duty nesting/stacking plastic tote, sturdy & lightweight. Size: 32.5" long x 19.2" wide x 12.2" deep, capacity 100 lbs. tote, #4415452; lid, #4415455

**Gong brushes**


short-handled poly scrub brush, #1173
 long-handled poly scrub brush, #1177
 short-handled nylon scrub brush, #1178
 long-handled nylon scrub brush, #1179

**Deck brushes**

10" poly deck brush, #740,
 10" nylon deck brush, #750

**Brush handles**

60" metal threaded handle, #1063R
 60" wood threaded handle, #1056R

**Stainless steel scrapers**


deluxe halibut scraper, #4417445
 deluxe black cod scraper, #4417446

**Wooden handled scrapers:**

black cod scraper, short wood handle with nonskid coating, serrated blade #BC-SCRAPERO
 halibut scraper, long wood handle with nonskid coating, #HALSCRAPERO

**Polypropylene ice shovel**

Industrial strength, solid polypropylene shovel; ideal for icing down fish. Scoop is 14" x 17-1/2", length 40", #DACO14

**Cocoa mats**

Sturdy woven mats, 3 sizes, imported.
 #3 cocoa mat, 18" x 30", #4416190
 #4 cocoa mat, 20" x 33", #4416200
 #5 cocoa mat, 22" x 35", #4416250



Black plastic electrical tape
 3/4" x 60 yards, #121960MANCO
 3/4" x 60 yards, #360R



Duct tape
 2" x 60 yards, #3M6975



Clear tape & tape gun
 Sekisui STA brand clear plastic tape, 2" wide, #2CLRTAPE; 3", #3CLRTAPE; tape gun, #YBT260



Shrink wrap
 Clear plastic shrink wrap, 18" wide, #SHRINKWRAP




Ray-O-Vac batteries
 D-cell batteries, 8-pack, #RV8138,
 C-cell batteries, 8-pack, #ZRV8148,
 AA-cell batteries, 12-pack, #RV81512,
 AAA-cell batteries, 12-pack, #RV82412



Rope burners
 Hot burning Bernzomatic soldering and utility torch produces a 1/2" pencil flame. #TS7000

Hotter burning Bernzomatic soldering and brazing torch has push-button ignition and produces a powerful swirl flame. Superior performance in cold weather. #TS839T



Ice breakers
 Four ways to get rid of ice build-up:
 heavy-duty pick handle, #PICKHANDLE
 heavy-duty ice mallet, #ICEMALLET
 4 lb. sledge hammer, #40DF
 6 lb. sledge hammer, #60DF



Mill bastard files
 6" mill bastard file, #08354
 8" mill bastard file, #08497



Russell diamond sharpening steel
 Diamond-coated with molded nylon handle. 10" #DDS10, 12" #DDS12




Forschner 10" sharpening steel
 #40582




Edgemaker knife sharpener
 Works on serrated knives & scissors.



Accusharp knife sharpener
 Hand-held model #001; wall-mounted (not shown) #004; replacement blades #003



Aladdin wall mounted sharpener
 Tungsten carbide sharpener. #27010



DMT diamond 6" whetstones
 6" long; coarse: #W6CP, fine: #W6FP



8" whetstone
 Medium/fine #08223; medium/coarse



Forschner 11-1/2" multi-stone
 3 grits #40997; replacement stones: fine #40994, medium #40999, coarse #40998.

KNIVES & SHARPENERS**Victorinox net knife**

Stainless steel 3-1/4" blade; nylon handle.
Red #882WR; black #882WB; long #881

**Victorinox serrated utility knife**


Stainless steel 4-1/2" blade, round tip; black nylon handle. #40503

**Forschner 7" butcher knife**

Fibrox handle, 7" blade. #40635

**Forschner Granton butcher knives**

8" blade #40533; 10" #40638; 12"

**Forschner stiff boning knives**


5" narrow, #40510; 6" wide, #40612

**Forschner breaking knives**

Fibrox handle. 8" #40537; 10" #40538

**Forschner fillet knives**


Fibrox handle. 6" #40714; 7" #40538;
6" flexible blade #40618

**Sani-Safe® butcher knife**


High-carbon steel blade, polypro handle.
6" blade #S112-6, 8" blade #S112-8,
10" blade #S112-10, 12" blade #S112-12

**Sani-Safe® sliming knife**


Polypropylene handle. 4-1/2" blade #S125

**Sani-Safe® boners**

Polypropylene handle. 5/8" x 6" narrow, stiff
#S136N, 7/8" x 6" wide, stiff #S136; 6"
flexible #P94819; 4-1/2" #S154HG

**Sani-Safe® fillet knives**

Polypro handle. 7" narrow #S133-7;
8" narrow #S133-8, 8" wide #S138

**Sani-Safe® utility slicer**


Polypropylene handle. 8" slicer, #SG158SC

**Dexter beef tier**

Stainless steel blade has a flat side, hard-
wood handle, 12", #S12

**Dexter Russell roe knife**

High-carbon steel blade & spoon. #P11893

**Sani-Safe® net knife**

Stain free, high-carbon steel blade. Polypro
handle, with sheath. #S151SC

**Knife sheaths**

Choose from 3 styles:
molded plastic #882SHEATH
nylon webbing w/logo #881SHEATH
plain webbing #SHEATH

**Utility belts**

Web belt #BELT;
Grunden's woven elastic belt #GRUN-
BELT
66° North's woven elastic belt #66BELT

Call us for all your longline supplies!

Bellingham
800-426-8860
bham@lfsinc.com

LFS

Seattle
800-647-2135
seattle@lfsinc.com