



Spine

Low Back Exercise Guide

Regular exercises to restore the strength of your back and a gradual return to everyday activities are important for your full recovery. Your orthopaedic surgeon and physical therapist may recommend that you exercise 10 to 30 minutes a day one to three times a day during your early recovery. They may suggest some of the following exercises. This guide can help you better understand your exercise and activity program, supervised by your therapist and orthopaedic surgeon.

Initial Exercise Program



Ankle Pumps - Lie on your back. Move ankles up and down. Repeat 10 times.



Heel Slides - Lie on your back. Slowly bend and straighten knee. Repeat 10 times.



Abdominal Contraction - Lie on your back with knees bent and hands resting below ribs. Tighten abdominal muscles to squeeze ribs down toward back. Be sure not to hold breath. Hold 5 seconds. Relax. Repeat 10 times.



Wall Squats - Stand with back leaning against wall. Walk feet 12 inches in front of body. Keep abdominal muscles tight while slowly bending both knees



45 degrees. Hold 5 seconds. Slowly return to upright position. Repeat 10 times.



Heel Raises - Stand with weight even on both feet. Slowly raise heels up and down. Repeat 10 times.



Straight Leg Raises - Lie on your back with one leg straight and one knee bent. Tighten abdominal muscles to stabilize low back. Slowly lift leg straight up about 6 to 12 inches and hold 1 to 5 seconds. Lower leg slowly. Repeat 10 times.

Intermediate Exercise Program




Single Knee to Chest Stretch - Lie on your back with both knees bent. Hold thigh behind knee and bring one knee up to chest. Hold 20 seconds. Relax. Repeat 5 times on each side.



Hamstring Stretch - Lie on your back with legs bent. Hold one thigh behind knee. Slowly straighten knee until a stretch is felt in back of thigh. Hold 20 seconds. Relax. Repeat 5 times on each side.




Lumbar Stabilization Exercises With Swiss Ball - Abdominal muscles must remain contracted during each exercise. See "Abdominal Contraction" exercise from initial exercise program. Perform each exercise for 60 seconds. The further the ball is from your body, the harder the exercise.




Lie on your back with knees bent and calves resting on ball.

1. Slowly raise arm over head and lower arm, alternating right and left sides.
2. Slowly straighten one knee and relax, alternating right and left sides.
3. Slowly straighten one knee and raise opposite arm over head. Alternate opposite arms and legs.
4. Slowly "walk" ball forward and backward with legs.




Sitting on ball with hips and knees bent 90 degrees and feet resting on floor.

1. Slowly raise arm over head and lower arm, alternating right and left sides.
2. Slowly raise and lower heel, alternating right and left sides.
3. Slowly raise one heel and raise opposite arm over head. Alternate opposite arm and heel.
4. Marching: Slowly raise one foot 2 inches from floor, alternating right and left sides.



Standing with ball between your low back and wall.

1. Slowly bend knees 45 to 90 degrees. Hold 5 seconds. Straighten knees.
2. Slowly bend knees 45 to 90 degrees while raising both arms over head.



Lie on your stomach over ball.

1. Slowly raise alternate arms over head.
 2. Slowly raise alternate legs 2 to 4 inches off of floor.
 3. Combine 1 and 2, alternating opposite arms and legs.
 4. Bend one knee. Slowly lift this leg up, alternating right and left legs.
- Be careful not to arch your low back!***

Advanced Exercise Program



Hip Flexor Stretch - Lie on your back near edge of bed, holding knees to chest. Slowly lower one leg down, keeping knee bent, until a stretch is felt across top of the hip/thigh. Hold 20 seconds. Relax. Repeat 5 times on each side.




Piriformis Stretch - Lie on back with both knees bent. Cross one leg on top of the other. Pull opposite knee to chest until a stretch is felt in the buttock/hip area. Hold 20 seconds. Relax. Repeat 5 times each side.

Lumbar Stabilization Exercises With Swiss Ball

Lie on stomach over ball.

1. "Walk" hands out in front of ball until ball is under legs. Reverse to starting position.
2. "Walk" hands out in front of ball until ball is under legs and slowly raise alternating arms over head.
3. "Walk" hands out in front of ball and slowly perform push-ups.



Aerobic Exercises - Maintain spine in neutral position while stabilizing with abdominal muscles to protect the low back during aerobic exercise. **1.** Stationary bike for 20 to 30 minutes. **2.** Treadmill for 20 to 30 minutes.

Reviewed 2000

For More Information:

[Back Pain Exercises](#)

[Low Back Pain](#)

[Preventing Back Pain at Work and at Home](#)

Instructions to Patient:

[Main Menu](#) [Spine](#)

©2002 AAOS. All rights reserved.