

INTERIOR DOORS



Open to extraordinary,...




Open to extraordinary...

Masonite is committed to delivering unsurpassed performance in interior and exterior doors and glass products. We provide much more than a door; we deliver a total experience, giving you a complete line of products, services and support tools designed to enhance curb appeal and the interior aesthetics of a home.

We are your leading source for the latest trend insights and design ideas, delivering distinctive doors that complement any style and personal taste. From the crisp, clean lines of our Heritage Series, to the versatility of our molded panel collection, we offer a breadth of interior doors to meet any design, performance and material need. It's never been easier to find the perfect door for your home.





Interior Doors

AT A GLANCE

Our dedication to superior craftsmanship allows us to deliver unsurpassed quality and value in interior doors. We offer a comprehensive selection of door styles—all crafted with exacting attention to detail.

LIVINGSTON



Unique, versatile, and timeless design perfect for any style of home.



HERITAGE SERIES



 Celebrate traditional craftsmanship with clean lines that blend seamlessly with their surroundings.



WEST END COLLECTION.



Embrace the beauty of minimalism with the sophisticated, streamlined look of embossed lines.



MOLDED PANEL DOORS



Add a defining element to any space with familiar designs that offer timeless appeal.



Safe 'N Sound. THE NEW STANDARD

SOLID CORE DOORS

We are on a mission to put solid core doors in every home. Made of solid material all the way through, they feel more substantial and block sound more effectively. For minimal cost, solid core doors create a dramatic improvement in overall quality.

- Solid core doors are SOUND REDUCING
 - They block sound more efficiently than hollow doors.
- Solid core doors are simply built better with a strength you can
 FEEL the moment you open the door.
- Solid core doors are DURABLE, able to withstand the dents and dings of normal wear.

Unique. Versatile. Timeless.



Featuring an authentic recessed panel with a touch of rich detailing

The Livingston door instantly transforms any interior with a unique profile that is universally appealing.

Set yourself apart by choosing the only interior door designed to make a lasting statement.



- Unique, versatile and timeless design perfect for any style of home
- ▶ Smooth, primed surface ideal for painting
- ► Full range of passage and bifold doors
- ► Safe 'N Sound, solid core construction available for better durability, sound reduction and the heft and feel of a wood door
- ▶ 20-minute fire-rating doors available for select heights & designs (1-3/4" width only)



HERITAGE SERIES...

AUTHENTIC ARCHITECTURAL DETAIL








- Clean lines convey traditional craftsmanship and blend seamlessly into surroundings
- ▶ Smooth, primed surface ideal for painting
- Full range of passage and bifold doors
- Safe 'N Sound solid core construction available for better durability and sound reduction with the heft and feel of a wood door
- ▶ 20-minute fire-rated doors available for select heights and designs (1-3/4" width only)




West End Collection, is not available for use with double doors applications.

Due to our manufacturing process, the horizontal alignment for our bifolds may fall within a 3/16" tolerance.

WEST END COLLECTION.







- ► A streamlined look and sophisticated, embossed lines embody minimalism
- ► Smooth, primed surface ideal for painting
- Full range of passage and bifold doors
- Safe 'N Sound solid core construction available for better durability and sound reduction with the heft and feel of a wood door
- ▶ 20-minute fire-rated doors available for select heights and designs (1-3/4" width only)




MOLDED PANEL DOORS








- Familiar designs with universal appeal add a defining element to any space
- ► Perfect for painting
- ▶ Full range of passage and bifold doors
- Safe 'N Sound solid core construction available for better durability and sound reduction with the heft and feel of a wood door
- ▶ 20-minute fire-rated doors available for select heights and designs (1-3/4" width only)



10+" Bottom Rail Satisfies ADA Requirements



FLUSH SERIES

DURABLE. LOW MAINTENANCE.








- Simple, flush design provides a clean, contemporary look
- ▶ Primed MDF or wood veneer available

Barn Door Hardware




HARDWARE OPTIONS



- ▶ Barn doors are not only functional, but can instantly transform and add character to any space such as pantries, laundry rooms, closets, offices and master bathrooms.
- ► Choose from three easy-to-install track options to create flexible interior spaces packed with character.
- ▶ Barn doors are only available in Safe 'N Sound, Solid Core Door Construction meaning they are durable, sound reducing and have the heft and feel of a solid wood door.

Eco-Friendly Engineered Emerald "Green" Doors



TECHNICAL & SUPPORT INFORMATION ON EMERALD, "GREEN"

Low-emitting products

New Construction

Low-emitting materials

Acoustic performance

Building product disclosure and optimization—sourcing of raw materials

- ▶ This product contributes to satisfying the credits of the U.S. Green Building Council's LEED. Green Building Rating System.. For current applicable LEED, standards, visit www.usgbc.org.
- ▶ Evaluations of Green Certifications are provided as a courtesy for Masonite customers. Further confirmation should be completed on a project basis by consulting the certification guidelines or contacting an association representative for verification.
- ▶ USGBC and LEED are registered trademarks of the U.S. Green Building Council.

Note: Not all designs are available in Emerald, offering; contact Masonite for the complete product offering. The above referenced certifications are based on the following versions: LEED NC-3.0 / LEED H-2008 / LEED V4-2015. For technical specification information, visit masonite.com or contact us at 1-800-663-DOOR (3667).

Design & Size Options

								PA	SSA	GE						BIFOLDS											
	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"					
LIVINGSTON _{IN} (3 PANELS)																											
	Commercial 10" Bottom Rail	Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•			
		Smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•			
		Smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•			

		PASSAGE 12" 14" 15" 16" 18" 20" 24" 26" 28" 30" 32" 34" 36" 1															BIFOLDS												
HERITAGE SERIES			14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"						
LINCOLN PARK. (1 PANEL)																													
Commercial	mooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•						
10" Bottom Si	mooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•						
S	mooth 96"	•		•	•	•	•		•	•	•	•	•	•		•		•		•	•		•						
LOGAN _{II} (
Commercial	mooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•						
10" Bottom Si	mooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•						
S	mooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•	•						
WINSLOW. (
Commercial SI	mooth 80"	•		•		•	•		•	•	•			•		•		•		•	•		•						
Rail	mooth 84"	•	•	•		•	•	•	•	•	•		•	•		•				•	•	•	•						

							PA	SSA	GE						BIFOLDS									
	WEST END COLLECTION.	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"	
	BERKLEY.**																							
	Smooth 80"	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•		•		•		•				
	Smooth 84"	•*	•*	•*	•*	•*	•*	•	•		•	•	•			•		•		•				
	MELROSE.**																							
	Smooth 80"	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•	•	•		•		•				
	Smooth 84"	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•	•	•		•		•				

^{*}Thinner outer style will not affect functionality.

Note: 48", 60" and 72" bifolds are achieved by doubled 24", 30" and 36" bifolds.

Molded Panel Doors Notes: Please note that some sizes are only available as a result of being trimmed from a larger facing. The trimming process may result in a stile width that is too narrow to accommodate a standard bore. To machine a standard bore with a 2-3/8" backset on the lock hole and a 2-1/8" diameter bore, the outer stile measurements must be no less than 3-7/16" wide. Many facings have a lockrail that will accommodate a standard bore even when the stile width is too narrow. Please refer to Masonite Molded Door Facing Dimensional Specifications to verify the outer stile measurements or contact your Masonite Interior Door servicing plant. Textured refers to embossed wood-grain. Pre-finished white is available as textured only. Not all molded panel designs and sizes are available in all regions as stock products. Please check for special order availability.

^{**}Not for use with double doors.

			PASSAGE 12" 14" 15" 16" 18" 20" 24" 26" 28" 30" 32" 34" 36" 42" 11														BIFOLDS									
	MOLDED	PANEL DOORS	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	42"	16"	18"	24"	28"	30"	32"	36"	48"	60"	72"
	2 PAN	NEL ARCH-TOP																								
		Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
		Textured 80"	•	•	•			•	•	•	•	•		•	•			•	•	•		•	•	•	•	•
		Smooth 84"	•				•		•	•	•								•					•	•	•
		Smooth 96"																								
	2 PANEL RO	MAN SMOOTH																								
		Smooth 80"																								
		Smooth 84"																								
		Smooth 96" CHEYENNE.					٠	٠	٠	٠	٠	٠	٠	•	•						٠	•	٠		•	٠
		CHETENNE.																								
		Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•
		Smooth 96"	•	•	•			•	•	•	•	•		•	•				•	•		•	•	•	•	•
		2 DANEL																								
		2 PANEL Smooth 80"																								
				_				-				_														,
		Smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
		Smooth 96"	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠			٠	٠	٠	٠	٠	٠	٠	٠	٠
ПП		4 PANEL																								
		Smooth 80"	•	•	٠	•	٠	•	•	٠	٠	•	٠	•	•			٠	•	•	•	•	•	٠	•	•
		Smooth 84"	•	•	٠	٠	•	•	٠	٠	•	•	•	•	•			•	•	٠	•	•	٠	٠	•	•
		Smooth 96"	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
		RIVERSIDE.																								
		Smooth 80"	•	•	٠	•	•	•	٠	•	•	•	٠	•	•			•	•	٠	•	•	•	٠	•	•
		Smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
	6 Pane	els Smooth 96"	•	•		•	•	•	•	•	•	•		•				•	•	•		•		•	•	•
		6 PANEL																								
		Smooth 80"	•	•	٠	٠	•	•	٠	٠	٠	•	٠	•	•			•	•	٠	•	•	٠	٠	•	•
		Textured 80"	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠		•	٠	٠	٠	٠	•	٠	٠	•	•
		Smooth 84"	•	•	٠	•	•	•	٠	•	•	•	٠	•	•			•	•	•	•	•	•	٠	•	•
		Textured 84" Smooth 96"								•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
		Textured 96"																								
	2 PANEL	COMMERCIAL																								
	— Commercial	Smooth 80"										•	•	•	•											
	10" Bottom Rail																									
		Smooth 84"										•	•	•	•											
	6 PANEL	COMMERCIAL																								
		C																								
	Commercial	Smooth 80"										•	•	•	•	•										
	10" Bottom Rail																									
	Null	Smooth 84"										•	•	•	•	•										
								PA	SSA	GE									BIF	OLI	DS					
FLUSH SERIES			12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	77"		
	80", 84", 96" Heights				.,	.5	.5							J-7	50	.0			50	<i></i>	50	77	-			
	MDF					•						•														
	Primed VENEER						į				·		į				,			,						
	Oak, Bi	irch, Hardwood	•	•	٠	•	•	٠	٠	٠	•	•	•	•	٠	•	•	•	٠	•	•	٠	•	•		



1-800-663-DOOR
9am to 5pm / Monday through Friday, EST
masonite.com



▲ WARNING: This product can expose you to chemicals including wood dust, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

MIC-18161 / MA-IDCAT-PR219