



basic education

Department:
Basic Education
REPUBLIC OF SOUTH AFRICA

MATHEMATICS

EXAMINATION GUIDELINES

GRADE 11

2015

These guidelines consist of 12 pages.

CONTENTS**Page**

CHAPTER 1:	Introduction	3
CHAPTER 2:	Assessment in Grade 11	
	2.1 Format of question papers for Grade 11	4
	2.2 Weighting of cognitive levels	5
CHAPTER 3:	Elaboration of Content for Grade 11 (CAPS)	6
CHAPTER 4:	Acceptable reasons: Euclidean Geometry	9
CHAPTER 5:	Guidelines for marking	12
CHAPTER 6:	Conclusion	12

1. INTRODUCTION

The Curriculum and Assessment Policy Statement (CAPS) for Mathematics outlines the nature and purpose of the subject Mathematics. This guides the philosophy underlying the teaching and assessment of the subject in Grade 11.

The purpose of these Examination Guidelines is to:

- Provide clarity on the depth and scope of the content to be assessed in the Grade 11 common national examination in Mathematics.
- Assist teachers to adequately prepare learners for the examinations.

This document deals with the final Grade 11 final examinations. It does not deal in any depth with the School-Based Assessment (SBA).

These Examination Guidelines should be read in conjunction with:

- *The National Curriculum Statement (NCS) Curriculum and Assessment Policy Statement (CAPS): Mathematics*
- *The National Protocol of Assessment: An addendum to the policy document, the National Senior Certificate: A qualification at Level 4 on the National Qualifications Framework (NQF), regarding the National Protocol for Assessment (Grades R–12)*
- The national policy pertaining to the programme and promotion requirements of the National Curriculum Statement, Grades R–12

Included in this document is a list of Euclidean Geometry reasons which should be used as a guideline when teaching learners Euclidean Geometry.

2. ASSESSMENT IN GRADE 11

All candidates will write two external papers as prescribed.

2.1 Format of question papers for Grade 11

Paper	Topics	Duration	Total	Date	Marking
1	Patterns and Sequences Finance, Growth and Decay Functions and Graphs Algebra, Equations and Inequalities Probability	3 hours	150	October/November	Internally
2	Euclidean Geometry and Measurement Analytical Geometry Statistics Trigonometry	3 hours	150	October/November	Internally

Questions in both Papers 1 and 2 will assess performance at different cognitive levels with an emphasis on process skills, critical thinking, scientific reasoning and strategies to investigate and solve problems in a variety of contexts.

2.2 Weighting of cognitive levels

Papers 1 and 2 will include questions across four cognitive levels. The distribution of cognitive levels in the papers is given below.

Cognitive level	Description of skills to be demonstrated	Weighting	Approximate number of marks in a 150-mark paper
Knowledge	<ul style="list-style-type: none"> Recall Use of the correct formula (no changing of the subject) Use of mathematical facts Appropriate use of mathematical vocabulary Algorithms Estimation and appropriate rounding of numbers 	20%	30 marks
Routine Procedures	<ul style="list-style-type: none"> Proofs of prescribed theorems and derivation of formulae Perform well-known procedures Simple applications and calculations which might involve few steps Derivation from given information may be involved Identification and use (after changing the subject) of correct formula Generally similar to those encountered in class 	35%	52–53 marks
Complex Procedures	<ul style="list-style-type: none"> Problems involve complex calculations and/or higher order reasoning There is often not an obvious route to the solution Problems need not be based on a real world context Could involve making significant connections between different representations Require conceptual understanding Learners are expected to solve problems by integrating different topics. 	30%	45 marks
Problem Solving	<ul style="list-style-type: none"> Non-routine problems (which are not necessarily difficult) Problems are mainly unfamiliar Higher order reasoning and processes are involved Might require the ability to break the problem down into its constituent parts Interpreting and extrapolating from solutions obtained by solving problems based in unfamiliar contexts. 	15%	22–23 marks

3. ELABORATION OF CONTENT/TOPICS

The purpose of the clarification of the topics is to give guidance to the teacher in terms of depth of content necessary for examination purposes. Integration of topics is encouraged as learners should understand Mathematics as a holistic discipline. Thus questions integrating various topics can be asked.

FUNCTIONS

1. Candidates must be able to use and interpret functional notation. In the teaching process learners must be able to understand how $f(x)$ has been transformed to generate $f(-x)$, $-f(x)$, $f(x+a)$, $f(x)+a$ and $af(x)$ where $a \in R$.
2. Trigonometric functions will ONLY be examined in Paper 2.
3. Not more than two transformations will be applied to a function simultaneously.

NUMBER PATTERNS

1. The sequence of first differences of a quadratic number pattern is linear. Therefore, knowledge of linear patterns can be tested in the context of quadratic number patterns.
2. Recursive patterns will not be examined explicitly.
3. Links must be clearly established between patterns done in earlier grades.
4. Questions need not be limited to only quadratic patterns. Questions can be formed by using combinations of quadratic patterns and patterns done in earlier grades.

FINANCE, GROWTH AND DECAY

1. Understand the difference between nominal and effective interest rates and convert fluently between them for the following compounding periods: monthly, quarterly and half-yearly or semi-annually.
2. With the exception of calculating n in the formulae: $A = P(1+i)^n$ and $A = P(1-i)^n$, candidates are expected to calculate the value of any of the other variables.

ALGEBRA

1. Solving quadratic equations using the substitution method (k -method) is examinable.
2. Equations involving surds that lead to a quadratic equation are examinable.
3. Solution of non-quadratic inequalities should be seen in the context of functions.
4. Nature of the roots will be tested intuitively with the solution of quadratic equations and in all the prescribed functions.

PROBABILITY

1. Dependent events are examinable but conditional probabilities are not part of the syllabus.
2. Dependent events in which an object is not replaced is examinable.

EUCLIDEAN GEOMETRY & MEASUREMENT

1. Measurement can be tested in the context of Trigonometry and Euclidean Geometry.
2. Composite shapes could be formed by combining a maximum of TWO of the stated shapes.
3. Candidates must know the formulae for the surface area and volume of the right prisms.
4. If the question is based on the surface area and/or volume of the cone, sphere and/or pyramid, a list of the relevant formulae will be provided in that question. Candidates will be expected to select the correct formula from this list.
5. The following proofs of theorems are examinable:
 - The line drawn from the centre of a circle perpendicular to a chord bisects the chord
 - The angle subtended by an arc at the centre of a circle is double the size of the angle subtended by the same arc at the circle (on the same side of the chord as the centre)
 - The opposite angles of a cyclic quadrilateral are supplementary
 - The angle between the tangent to a circle and the chord drawn from the point of contact is equal to the angle in the alternate segment
6. Corollaries derived from the theorems and axioms are necessary in solving riders:
 - Angles in a semi-circles
 - Equal chords subtend equal angles at the circumference of a circle
 - Equal chords subtend equal angles at the centre of a circle
 - In equal circles equal chords subtend equal angles at the circumference
 - In equal circles equal chords subtend equal angles at the centre.
 - The exterior angle of a cyclic quadrilateral is equal to the interior opposite angle of the quadrilateral.
 - If the exterior angle of a quadrilateral is equal to the interior opposite angle of the quadrilateral, then the quadrilateral is cyclic
 - Tangents drawn from a common point outside the circle are equal in length
7. The theory of quadrilaterals will be integrated into questions in the examination.
8. Concurrency theory is excluded.

TRIGONOMETRY

1. The reciprocal ratios: cosec θ , sec θ and cot θ can be used by candidates in the answering of problems but will not be explicitly tested.
2. The focus of trigonometric graphs is on the relationships, simplification and determining points of intersection by solving equations, although characteristics of the graphs should not be excluded.

ANALYTICAL GEOMETRY

1. Prove the properties of polygons by using analytical methods.
2. The concept of collinearity must be understood.
3. Candidates are expected to be able to integrate Euclidean Geometry axioms and theorems into Analytical Geometry problems.
4. Concepts involved with concurrency will not be examined.

STATISTICS

1. Candidates should be encouraged to use the calculator to calculate standard deviation and variance.
2. The interpretation of standard deviation in terms of normal distribution is not examinable.
3. Candidates are expected to identify outliers intuitively in the box and whisker diagram. In the case of the box and whisker diagram, observations that lie outside the interval (lower quartile – 1,5 IQR ; upper quartile + 1,5 IQR) are considered to be outliers. However, candidates will not be penalised if they did not make use of this formula in identifying outliers.

4. ACCEPTABLE REASONS: EUCLIDEAN GEOMETRY

In order to have some kind of uniformity, the use of the following shortened versions of the theorem statements is encouraged.

THEOREM STATEMENT	ACCEPTABLE REASON(S)
LINES	
The adjacent angles on a straight line are supplementary.	\angle s on a str line
If the adjacent angles are supplementary, the outer arms of these angles form a straight line.	adj \angle s supp
The adjacent angles in a revolution add up to 360° .	\angle s around a pt OR \angle s in a rev
Vertically opposite angles are equal.	vert opp \angle s =
If $AB \parallel CD$, then the alternate angles are equal.	alt \angle s; $AB \parallel CD$
If $AB \parallel CD$, then the corresponding angles are equal.	corresp \angle s; $AB \parallel CD$
If $AB \parallel CD$, then the co-interior angles are supplementary.	co-int \angle s; $AB \parallel CD$
If the alternate angles between two lines are equal, then the lines are parallel.	alt \angle s =
If the corresponding angles between two lines are equal, then the lines are parallel.	corresp \angle s =
If the co-interior angles between two lines are supplementary, then the lines are parallel.	co-int \angle s supp
TRIANGLES	
The interior angles of a triangle are supplementary.	\angle sum in Δ OR sum of \angle s in Δ OR int \angle s Δ
The exterior angle of a triangle is equal to the sum of the interior opposite angles.	ext \angle of Δ
The angles opposite the equal sides in an isosceles triangle are equal.	\angle s opp equal sides
The sides opposite the equal angles in an isosceles triangle are equal.	sides opp equal \angle s
In a right-angled triangle, the square of the hypotenuse is equal to the sum of the squares of the other two sides.	Pythagoras OR Theorem of Pythagoras
If the square of the longest side in a triangle is equal to the sum of the squares of the other two sides, then the triangle is right-angled.	converse Pythagoras OR converse Theorem of Pythagoras
If three sides of one triangle are respectively equal to three sides of another triangle, the triangles are congruent.	SSS
If two sides and an included angle of one triangle are respectively equal to two sides and an included angle of another triangle, the triangles are congruent.	SAS OR S \angle S
If two angles and one side of one triangle are respectively equal to two angles and the corresponding side in another triangle, the triangles are congruent.	AAS OR \angle \angle S
If in two right angled triangles, the hypotenuse and one side of one triangle are respectively equal to the hypotenuse and one side of the other, the triangles are congruent	RHS OR 90° HS
The line segment joining the midpoints of two sides of a triangle is parallel to the third side and equal to half the length of the third side	midpt Theorem

THEOREM STATEMENT	ACCEPTABLE REASON(S)
The line drawn from the midpoint of one side of a triangle, parallel to another side, bisects the third side.	line through midpt \parallel to 2 nd side
If two triangles are equiangular, then the corresponding sides are in proportion (and consequently the triangles are similar).	\parallel Δ s OR equiangular Δ s
If the corresponding sides of two triangles are proportional, then the triangles are equiangular (and consequently the triangles are similar).	sides of Δ in prop
If triangles (or parallelograms) are on the same base (or on bases of equal length) and between the same two parallel lines, then the triangles (or parallelograms) have equal areas.	same base; same height OR equal bases; equal height
CIRCLES	
The tangent to a circle is perpendicular to the radius/diameter of the circle at the point of contact.	tan \perp radius tan \perp diameter
If a line is drawn perpendicular to a radius/diameter at the point where the radius/diameter meets the circle, then the line is a tangent to the circle.	line \perp radius OR converse tan \perp radius OR converse tan \perp diameter
The line drawn from the centre of a circle to the midpoint of a chord is perpendicular to the chord.	line from centre to midpt of chord
The line drawn from the centre of a circle perpendicular to a chord bisects the chord.	line from centre \perp to chord
The perpendicular bisector of a chord passes through the centre of the circle;	perp bisector of chord
The angle subtended by an arc at the centre of a circle is double the size of the angle subtended by the same arc at the circle (on the same side of the chord as the centre)	\angle at centre = $2 \times \angle$ at circumference
The angle subtended by the diameter at the circumference of the circle is 90° .	\angle s in semi-circle OR diameter subtends right angle OR \angle in $\frac{1}{2} \odot$
If the angle subtended by a chord at the circumference of the circle is 90° , then the chord is a diameter.	chord subtends 90° OR converse \angle s in semi-circle
Angles subtended by a chord of the circle, on the same side of the chord, are equal	\angle s in the same seg
If a line segment joining two points subtends equal angles at two points on the same side of the line segment, then the four points are concyclic.	line subtends equal \angle s OR converse \angle s in the same seg
Equal chords subtend equal angles at the circumference of the circle.	equal chords; equal \angle s
Equal chords subtend equal angles at the centre of the circle.	equal chords; equal \angle s
Equal chords in equal circles subtend equal angles at the circumference of the circles.	equal circles; equal chords; equal \angle s
Equal chords in equal circles subtend equal angles at the centre of the circles.	equal circles; equal chords; equal \angle s
The opposite angles of a cyclic quadrilateral are supplementary	opp \angle s of cyclic quad

THEOREM STATEMENT	ACCEPTABLE REASON(S)
If the opposite angles of a quadrilateral are supplementary then the quadrilateral is cyclic.	opp \angle s quad supp OR converse opp \angle s of cyclic quad
The exterior angle of a cyclic quadrilateral is equal to the interior opposite angle.	ext \angle of cyclic quad
If the exterior angle of a quadrilateral is equal to the interior opposite angle of the quadrilateral, then the quadrilateral is cyclic.	ext \angle = int opp \angle OR converse ext \angle of cyclic quad
Two tangents drawn to a circle from the same point outside the circle are equal in length	tans from common pt OR tans from same pt
The angle between the tangent to a circle and the chord drawn from the point of contact is equal to the angle in the alternate segment.	tan chord theorem
If a line is drawn through the end-point of a chord, making with the chord an angle equal to an angle in the alternate segment, then the line is a tangent to the circle.	converse tan chord theorem OR \angle between line and chord
QUADRILATERALS	
The interior angles of a quadrilateral add up to 360° .	sum of \angle s in quad
The opposite sides of a parallelogram are parallel.	opp sides of \parallel m
If the opposite sides of a quadrilateral are parallel, then the quadrilateral is a parallelogram.	opp sides of quad are \parallel
The opposite sides of a parallelogram are equal in length.	opp sides of \parallel m
If the opposite sides of a quadrilateral are equal, then the quadrilateral is a parallelogram.	opp sides of quad are = OR converse opp sides of a parm
The opposite angles of a parallelogram are equal.	opp \angle s of \parallel m
If the opposite angles of a quadrilateral are equal then the quadrilateral is a parallelogram.	opp \angle s of quad are = OR converse opp angles of a parm
The diagonals of a parallelogram bisect each other.	diag of \parallel m
If the diagonals of a quadrilateral bisect each other, then the quadrilateral is a parallelogram.	diags of quad bisect each other OR converse diags of a parm
If one pair of opposite sides of a quadrilateral are equal and parallel, then the quadrilateral is a parallelogram.	pair of opp sides = and \parallel
The diagonals of a parallelogram bisect its area.	diag bisect area of \parallel m
The diagonals of a rhombus bisect at right angles.	diags of rhombus
The diagonals of a rhombus bisect the interior angles.	diags of rhombus
All four sides of a rhombus are equal in length.	sides of rhombus
All four sides of a square are equal in length.	sides of square
The diagonals of a rectangle are equal in length.	diags of rect
The diagonals of a kite intersect at right-angles.	diags of kite
A diagonal of a kite bisects the other diagonal.	diag of kite
A diagonal of a kite bisects the opposite angles	diag of kite

5. GENERAL GUIDELINES FOR MARKING

- If a learner makes more than one attempt at answering a question and does not cancel any of them out, only the first attempt will be marked irrespective of which of the attempt(s) may be the correct answer.
- Consistent Accuracy marking regarding calculations will be followed in the following cases:
 - **Subquestion to subquestion:** When a certain variable is incorrectly calculated in one subquestion and needs to be substituted into another subquestion **full marks can be** awarded for the subsequent subquestions provided the methods used are correct and the calculations are correct.
 - Assuming values/answers in order to solve a problem is unacceptable.

6. CONCLUSION

This Examination Guidelines document is meant to articulate the assessment aspirations espoused in the CAPS document. It is therefore not a substitute for the CAPS document which educators should teach to.

Qualitative curriculum coverage as enunciated in the CAPS cannot be over-emphasised.