





PROFILE MEDICAL AND SURCICA DOPUBLICA

Endomed is a privately owned South African company which was established in 1997 after South Africa achieved democracy. The management team have a combined total of over 50 years experience in the surgical and healthcare industry.

The political situation in South Africa has afforded Endomed the opportunity to penetrate the market as an equal opportunity company that provides quality products at competitive pricing promoting safe conditions for healthcare professionals and patients. As the South African healthcare industry focuses on providing a safer environment in terms of infection control for both patients and staff, Endomed is poised with a broad range of medical safety devices including safety I.V Cannulae, safety scalpels, safety lancets and safety syringes, vomit bags, urinals, isolation products, detergents and a host of other infection control products.

Endomed's management and staff are firmly committed to community development in South Africa by ensuring staff are skilled with ongoing training and participating in uplifting community projects in whichever way we can offer support.

Endomed's product mix currently consists of over 80 product lines representing close to 1200 products consisting of surgical consumables and specialty products which are used on a daily basis. Endomed's position in the South African market is well established as a service provider that is continually striving on comfort and safety to the patient and healthcare provider, and service excellence to our customer base. Endomed's segmentation and target market is primarily safety conscious healthcare providers in

government health institutions within South Africa and its neighbouring countries. We are able to achieve this through our own sales force and with our strong alliance distribution partners within South Africa and neighbouring countries. Our accolades include a recent announcement by one of our suppliers as the largest worldwide distributor of the Stat-Site M Hgb (Haemoglobin) Meter for 7 consecutive years since 2007. We have since succeeded the STAT-Site HB Meter with the Diaspect TM analyser which displays superior technology and is a leader in its segment.

Endomed has a national footprint in South Africa with the head office based in Durban, Kzn which has one of the biggest and busiest harbour ports in Africa and branches strategically placed in Johannesburg and Cape Town. The company has a cumulative 4000 m2 production plant including a modern Ethylene Oxide sterilization plant, administrative offices and warehousing.

Endomed operates and is guided by the ISO:9001 Quality Management System as well as ISO:13485, a medical device manufacturing standard, both quality management systems accredited by the South African Bureau of Standards (SABS) We have created a strong customer base by manufacturing and packaging local quality products (dressing packs, body bags, linen savers, sterile gauze, sterile cotton wool) at affordable pricing.

Together with our alliance partners in South Africa and neighbouring countries, our ultimate aim at Endomed is patient safety and comfort, customer satisfaction, employee achievement and the continual growth of our business.





surg-e-glove

med-e-plus





Fast, easy to use and reliable in all climate conditions.



ITEM NO.	PRODUCT NAME	Results in 1 second Reagent-free microcuvettes
90C.0100	DiaSpect Tm	• 40 days or 10,000 tests
100-101	DiaSpect cuvettes	 continuous use 2½ years cuvette shelf life



N3



 Useful in high risk cases where no extra opening is permitted for risk of infection. Symmetrical design facilitates cannulation at contoured surfaces. Colour coded body for size identification. Disposable, sterile and non-pyrogenic. Transparent hub for easy flashback visualisation. HYDROPHOBIC FILTER allows consistent flashback. Siliconised, ultra-sharp back-cut needle for painless venipuncture. Kink resistant and biocompatible catheter with smooth surface for easy penetration. Advance tip design provides smooth transition from needle to catheter. 		nnulation at contoured cation. encic. ck visualisation. sistent flashback. needle for painless catheter with smooth surface	Colour coded valve cap for the size identification. It offers safe and convenient method of atraumatic administration of medicine.					
	FLOW	 To regulate the flow of I.V. fluide from I.V. infusion set into an I.V. Catheter. Universal 6% taper MALE and FEMALE 	uers	NSION	infusio • Univer		ı I.V. Cathete r MALE and	er. FEMALE luers
	REGULATOR	 compatible with all standard I.V.device: Marked with flow adjustment indicators control flow rates upto 250 ml/hr. Built-in Y-injection site for extra medica 	, to	SET	 Marke contro 	atible with all ed with flow a ol flow rates u in Y-injection	djustment i pto 250 ml/	ndicators, to
		 Marked with flow adjustment indicators control flow rates upto 250 ml/hr. 	, to		 Marke contro 	ed with flow a ol flow rates u	djustment in pto 250 ml/ site for extra	ndicators, to hr.
		 Marked with flow adjustment indicators control flow rates upto 250 ml/hr. Built-in Y-injection site for extra medica Minimal dead-spaces in ports for accurate drug administration. 	, to tion. safe and secure connection to luers of other systems. • Arrow indication marks on the tap to indicate the		 Marke contro 	ed with flow a ol flow rates u in Y-injection	djustment in pto 250 ml/ site for extra	ndicators, to hr.
~	REGULATOR	 Marked with flow adjustment indicators control flow rates upto 250 ml/hr. Built-in Y-injection site for extra medica Minimal dead-spaces in ports for accurate drug administration. Uniform smooth bore throughout permits maxim 	, to tion. safe and secure connection to luers of other systems. • Arrow indication marks on the tap to indicate the direction of flow.	SET	Marke contro Built-i	ed with flow a ol flow rates u in Y-injection	djustment in pto 250 ml/ site for extra	ndicators, to hr. a medication.
	REGULATOR	 Marked with flow adjustment indicators control flow rates upto 250 ml/hr. Built-in Y-injection site for extra medica Minimal dead-spaces in ports for accurate drug administration. Uniform smooth bore throughout permits maxim infusion flow and prevents turbulence as well as 	, to tion. safe and secure connection to luers of other systems. • Arrow indication marks on the tap to indicate the direction of flow. • Low profile for stable and safe positioning on the	SET	Marke contro Built-i	ed with flow a ol flow rates u in Y-injection	djustment in pto 250 ml/ site for extra	ndicators, to hr. a medication.
	REGULATOR	 Marked with flow adjustment indicators control flow rates upto 250 ml/hr. Built-in Y-injection site for extra medica Minimal dead-spaces in ports for accurate drug administration. Uniform smooth bore throughout permits maxim infusion flow and prevents turbulence as well as formation of air bubbles. 	, to tion. safe and secure connection to luers of other systems. • Arrow indication marks on the tap to indicate the direction of flow. • Low profile for stable and safe positioning on the patient's body.	SET Cauge MG	Marke contro Built-i	ed with flow a l flow rates u in Y-injection	djustment in pto 250 ml/ site for extra	ndicators, to hr. a medication.
	REGULATOR	 Marked with flow adjustment indicators control flow rates upto 250 ml/hr. Built-in Y-injection site for extra medica administration. Uniform smooth bore throughout permits maxim infusion flow and prevents turbulence as well as formation of air bubbles. Leak-proof up to 3 bars and can withstand the 	, to tion. safe and secure connection to luers of other systems. • Arrow indication marks on the tap to indicate the direction of flow. • Low profile for stable and safe positioning on the patient's body. • Transparent base facilititates observation of flow.	Geographic SET	Marke contro Built-i	ed with flow a ol flow rates u in Y-injection	djustment in pto 250 ml/ site for extra trease user 45 45 45 45 45 45 45 45 45 45 45 45 45	ndicators, to hr. a medication.
	REGULATOR	 Marked with flow adjustment indicators control flow rates upto 250 ml/hr. Built-in Y-injection site for extra medica Minimal dead-spaces in ports for accurate drug administration. Uniform smooth bore throughout permits maxim infusion flow and prevents turbulence as well as formation of air bubbles. 	, to tion. safe and secure connection to luers of other systems. • Arrow indication marks on the tap to indicate the direction of flow. • Low profile for stable and safe positioning on the patient's body.	Cenge 140 180 180	Marke contro Built-i	ed with flow a ol flow rates u in Y-injection	djustment in pto 250 ml/ site for extra transf ungen as as as as as as as as as as as as as	ndicators, to hr. a medication.





& ALCOHOL SWABS



Loris safety lancets offer a ready to use, easy and safe method for obtaining blood samples. The one step activation technique requires little training or technique and the automatic retraction of the needle protects patients and health care professionals from needle stick injuries & eliminates the risk of cross contamination

AVAILABLE MC	DOELS P	AUR DIFFERENT BLOOD FLOWS		
	Producs	Puncture Depth	Neodle Size	Blood Flow
-	202-01	1.6mm	285	Micro Flow 5-10ul
	201-01	1.4mm	256	Low Flow 10-20ul
-	203-01	1.Renam	266	Normal Flow 20-10ul
	204-01	- 2.2mm	216	40-60ul

*	2
×	Twist off protective cape
-	Series your Ter sality and your Ter sality and your ter sality and to activate



endome

MEDICAL AND SURGICAL SUPPLIES c.o

15



SPENGLER MACHINE M • Jumbo backlighted display. Easy to read under any light conditions • 1 measurement/MAM technology switch .To face «white coat» hypertension () spengle • Calibration button. Calibrate your ES-60® **SPENGLER** in a trice BLOOD • Memory button. Up to 60 BP measurements ES-60 PRESSURE memory MACHINE • Hour/MAP button. To adjust time, date and to display the mean arterial pressure • Storage case. For an always well-stored cuff • 3 year warranty arearra

06



ULTRASOUND





MANUFACTURING AT ENDOMED

Endomed's venture into manufacturing was a decision taken by Management to assist in the growth of the company and to provide quality goods at affordable pricing locally and abroad.

Over the years, Endomed has gained prestige and acknowledgement while satisfying their clients' needs and responding to a growing demand of niche products. Using the most advanced technology and delivering superior quality products has allowed Endomed to gain access to local and International markets.

Due to the favourable response to our quality products from our clientele, Endomed was forced to expand exponentially and today operates from more than 1000sqm of manufacturing space, incorporating state of the art clean room facilities, Ethylene Oxide steriliser, straight cutting machines

MEDICAL AND SURGICAL SUPPLIES c.c.

and a linen saver machine whilst employing close on to fifty staff in their manufacturing facilities only. This has created jobs for previously disadvantaged black females, who have been trained and skilled in their respective duties, and who have now become bread winners of their families. This firmly entrenches Endomed's commitment to local community upliftment!

Endomed continues to invest in new machinery with the potential of ultimately supplying the African Continent.

100

Sterilized Gauze Pads

www.endomed.co.za



Products currently manufactured, packed and sterilised by Endomed :


- Sterile Gauze Swabs
- Sterile Cotton wool balls
- Sterile Medical Dressing Trays
- Circumcision packs
- Medical Linen Savers
- Body Bags

Our innovative approach has allowed us to capture a niche market of healthcare


professionals, whilst being flexible enough to customize our products and packaging to our customer's exact requirements.

We are proud to be one of very few Companies in South Africa to hold the ISO13485 medical devices manufacturing standard, which runs concurrently with ISO9001. Both these Quality Management Systems are accredited by the South African Bureau of Standards (SABS).





CVC SETS







	MEDICAL TAPES • Transpore tape • Micro pore tape • Zinc oxide tape • Autoclave tape TRAVEL JOHN DISPOSABLE		BANDAGES & DRESSING • Crepe Bandage • Conforming Bandage • Elastic Adhesive Bandage • Cleansing swabs • Dissecting swabs • Medical dressings-various BRTHOTIC PRODUCTS
Travolization	URINAL & VOMIT BAG Each Bag is is a single user waste bag made of a biodegradable plastic bag with an extra wide opening for easy use and contains our revolutionary LIQSORB© polymer pouch that solidifies liquids instantly into a leak-proof, odourless, spillproof gel that is non-toxic and safe for disposal in any waste bin		 Compression Stockings Knee , neck, shoulder and leg braces Hernia Aid Shoulders straps etc.
	CIRCUMCISION DEVICE Safe, Easy & Quick Circumcision Bloodless Circumcision Suture-less Circumcision Anatomical matching design 		INTRA OCCULAR LENS, OPTHALMIC KNIVES & CRESCENT BLADES • Rigid Lens • Foldable Lens • Injector Cartridge • Various Knives and Blades
SNNN S	SURGICAL BLADES Surgical Blades Stitch Cutters Shaving Razors Scalpel Handels 		 HOSPITAL FURNITURE Beds, Trolleys, Drip stands, etc All manufactured to SABS standards
1	 Surgeons gowns Mop Caps Overshoes Sleeve covers Addata A		SKIN STAPLER AND SUTURES • 35w skin stapler • Staple remover • Suture - Chromic, Vicryl, Silk, Nylon, PGA • Haemostatic Sponge • Bone wax
	 Urine Bag A4 2 ltr Urine Bag Paediatric, unisex Urine Meter 		 ECG ELECTRODES & DIATHERMY PENCIL ECG Electrodes, Adult & Child Diathermy Plates Mono-polar and Bi-polar Adult& Child
-	CONDOMS Natural latex and Flavoured, scented condoms. SABS tested and approved.	0	ADMINISTRATION SETS • 20 drop & 60 Drop • 1 & 2 Y site needle and needle free • Blood admin sets

12 İ

	KLORKLEEN MULTI-PURPOSE D	ISINFECTI	DN & CL	EAN	ING TABLETS	
	Klorkleen tablets are available in 1670mg tablet size. US EPA registered tablet size and formulation also		1 tab	et So	olution Strength	
Klorkleen	available. The tablets are presented in a tub with a	oors,walls and areas neral disinfection		of 20	0ppm available Iorine	
		od handling/proce rfaces/equipment	ssing 10 litre of wat		0ppm available Iorine	
	Klorkleen is specially formulated to give safe and easy-to-prepare cleaning and disinfecting solutions, with broad spectrum activity against	gh Risk Areas 9 Operating Theatre	1 litre es) water		00ppm available Iorine	
	 micro-organisms including: Bacteria: Escherichia spp, Campylobacter, C.difficile, E.coli 0157, Enterococcus, Leptospira, Listeria, M.R.S.A., Pseudomonas spp, Salmonella, Staphylococcus, Streptococcus. Mycobacteria: Tuberculosis. Fungi: Aspergillus, Candida and others. Spores: Bacillus. Viruses: Human Immunodeficiency virus (HIV), Hepatitis B virus (HBV), Herpes, Poliomyelitis, SARS coronavirus, 					
	AQUATABS					
50 A	Aquatabs® is a tablet which is added to drinking water to kill r tablet dissolves clear within minutes and disinfects the water w		organisms. The			
Aquatabs	Aquatabs® tablets are available in 6 tablet strengths: 3.5mg; 8.5mg; 17mg; 33mg; 67mg; 167mg, depending on the volume and nature of water to be treated. The tablets are presented in strips of 10 tablets with a shelf life of 5 years.					
	Aquatabs will lead to a 6 log reduction in bacteria, a 4 log reduction in viruses and a 3 log reduction in Cysts (Giardia) within 30 minutes, when used in non turbid water.					
	KLORSEPT POWERFUL SAFE Klorsept is a broad spectrum biocide in an effervescent tablet for		CTION	GRA	NULES	
	When added to water Klorsept releases disinfectant solutions of known and reliable in-use stengths.					
	When added to water Klorsept releases disinfectant solutions of known and reliable in-use stengths. The correct strength of solution is produced by dropping a		Dilution Rate No. Tablets	No. Litres	Available Chlorine	
	When added to water Klorsept releases disinfectant solutions of known and reliable in-use stengths.	f	Rate No. Tablets 1	Litres	Available Chlorine 200	
5-2-2-2	When added to water Klorsept releases disinfectant solutions of known and reliable in-use stengths. The correct strength of solution is produced by dropping a tablet into the following volumes of water:	Tablet	Rate No. Tablets 1 1	Litres 5	Available Chlorine 200 1000	
5-2-2-2	When added to water Klorsept releases disinfectant solutions of known and reliable in-use stengths. The correct strength of solution is produced by dropping a	Tablet Klorsept 17	Rate No. Tablets 1 1 5	Litres 5 1 1	Available Chlorine 200 1000 5000	
	 When added to water Klorsept releases disinfectant solutions of known and reliable in-use stengths. The correct strength of solution is produced by dropping a tablet into the following volumes of water: What is Klorsept used for? 	Tablet Klorsept 17 Klorsept 25	Rate No. Tablets 1 1	Litres 5	Available Chlorine 200 1000	
	 When added to water Klorsept releases disinfectant solutions of known and reliable in-use stengths. The correct strength of solution is produced by dropping a tablet into the following volumes of water: What is Klorsept used for? High, intermediate and low level environmental surface disinfection in ho 	Tablet Klorsept 17 Klorsept 25	Rate No. Tablets 1 5 1	Litres 5 1 1 7.5	Available Chlorine 200 1000 5000 200	
Klorsent	 When added to water Klorsept releases disinfectant solutions of known and reliable in-use stengths. The correct strength of solution is produced by dropping a tablet into the following volumes of water: What is Klorsept used for? High, intermediate and low level environmental surface disinfection in ho Klorsept is specially formulated to give safe and easy-to-prep disinfecting solutions, with broad spectrum activity against micro-organisms including: 	Spitals	Rate No. Tablets 1 5 	Litres 5 1 1 7.5 1.5 1 1 0.5	Available Chlorine 200 1000 200 200 1000 1500 5000	
Klorsept,	 When added to water Klorsept releases disinfectant solutions of known and reliable in-use stengths. The correct strength of solution is produced by dropping a tablet into the following volumes of water: What is Klorsept used for? High, intermediate and low level environmental surface disinfection in ho Klorsept is specially formulated to give safe and easy-to-prep disinfecting solutions, with broad spectrum activity against micro-organisms including: Bacteria: Escherichia spp, Campylobacter, C. difficile, E.coli 	spitals Riorsept 17 Kiorsept 17 Kiorsept 25 are 015, Kiorsept 87	Rate No. Tablets 1 5 1 1 1 1 1 2 2 1	Litres 5 1 1 7.5 1.5 1 0.5 5	Available Chlorine 200 1000 5000 200 1000 1500 5000 1000	
Klorsept,	 When added to water Klorsept releases disinfectant solutions of known and reliable in-use stengths. The correct strength of solution is produced by dropping a tablet into the following volumes of water: What is Klorsept used for? High, intermediate and low level environmental surface disinfection in ho Klorsept is specially formulated to give safe and easy-to-prep disinfecting solutions, with broad spectrum activity against micro-organisms including: Bacteria: Escherichia spp, Campylobacter, C. difficile, E.coli Enterococcus, Leptospira, Listeria, M.R.S.A., Pseudomonas s 	spitals Riorsept 17 Kiorsept 17 Kiorsept 25 are 015, Kiorsept 87	Rate No. Tablets 1 5 	Litres 5 1 1 7.5 1.5 1 1 0.5	Available Chlorine 200 1000 200 200 1000 1500 5000	
	 When added to water Klorsept releases disinfectant solutions of known and reliable in-use stengths. The correct strength of solution is produced by dropping a tablet into the following volumes of water: What is Klorsept used for? High, intermediate and low level environmental surface disinfection in ho Klorsept is specially formulated to give safe and easy-to-prep disinfecting solutions, with broad spectrum activity against micro-organisms including: Bacteria: Escherichia spp, Campylobacter, C. difficile, E.coli Enterococcus, Leptospira, Listeria, M.R.S.A., Pseudomonas s Salmonella, Staphylococcus. 	spitals Riorsept 17 Kiorsept 17 Kiorsept 25 are 015, Kiorsept 87	Rate No. Tablets 1 5 1 1 1 1 2 2 1 1 1	Litres 5 1 1 7.5 1.5 1 0.5 5 2	Available Chlorine 200 1000 5000 200 1000 1500 5000 1000 2500	
	 When added to water Klorsept releases disinfectant solutions of known and reliable in-use stengths. The correct strength of solution is produced by dropping a tablet into the following volumes of water: What is Klorsept used for? High, intermediate and low level environmental surface disinfection in ho Klorsept is specially formulated to give safe and easy-to-prep disinfecting solutions, with broad spectrum activity against micro-organisms including: Bacteria: Escherichia spp, Campylobacter, C. difficile, E.coli Enterococcus, Leptospira, Listeria, M.R.S.A., Pseudomonas s 	Spitals (Klorsept 17 Klorsept 25 Are (Klorsept 87 Spp,	Rate No. Tablets 1 5 1 1 1 1 2 1 1 1 1 1 2 1 2 1 2 1 2	Litres 5 1 1.5 1.5 1.5 5 5 2 1 1 1	Available Chlorine 200 1000 5000 200 1000 1500 5000 1000 2500	
	 When added to water Klorsept releases disinfectant solutions of known and reliable in-use stengths. The correct strength of solution is produced by dropping a tablet into the following volumes of water: What is Klorsept used for? High, intermediate and low level environmental surface disinfection in ho Klorsept is specially formulated to give safe and easy-to-prep disinfecting solutions, with broad spectrum activity against micro-organisms including: Bacteria: Escherichia spp, Campylobacter, C. difficile, E.coli Enterococcus, Leptospira, Listeria, M.R.S.A., Pseudomonas s Salmonella, Staphylococcus, Streptococcus. Mycobacteria: Tuberculosis. Fungi: Aspergillus, Candida and others. Spores: Bacillus. 	Tablet Klorsept 17 Spitals Klorsept 25 Sare Sipp, Klorsept 87 Sipp	Rate No. Tablets 1 1 5 1 1 2 1 1 1 1 1 2 Poliomyelitis, Su TEM try of Aquatabs te flow of the wa uring that Legion rotect the water	Litres 5 1 1 7.5 1.5 1 0.5 5 2 1 1 1 ARS from "poo ter with r nella is el within you prouped v	Available Chlorine 200 1000 5000 200 1000 1500 5000 1000 2500 5000 10000 10000	



	 BODY BAGS Material: 0.18mm thickness PEVA Color: White color Handle: 6 PP webbing handles Size: 220*100cm, can be customized Zipper: "C" zipper Clear pocket on bag to put name card All sides welding, 100% no leak Absorbant pad included Conforms to WHO Specifications 			
	 LINEN SAVERS Used for bed protection as well as keeping the patients dry and thus avoiding skin irritation. Promotes fast absorption of liquid due to the absorbent pad. The waterproof backsheet prevents the loss of liquid through the pad and thus protects bedding. Pad is highly absorbent and retains liquids more effectively. Disposable, single-use only. Available as 4Ply and 6Ply 			
	DRESSING PACKS Dressing Packs : Manufactured by Endomed in clean room facilities to ISO 13485 standards with on site Ethylene Oxide sterilization. Our dressing packs are made to customer specification with OEM option. Sterile Dressing Kits are designed in accordance with procedure type to meet the needs of wound care, clinical examination, minor surgery prep and procedure. All kits are assembled in our clean room using high quality components and are packaged in a convenient way to save valuable time. The sterile, ready-to-use format is standardized for clinical treatment and helps to reduce hospital acquired infections.			
Transforming HEALTHCARE				

Branch Tel Email	: Johannesburg : +27 11 312 1941 : jhb@endomed.co.za	NAMIBIA BOTSWANA
Branch Tel Email	: Cape Town : +27 21 552 5438 : cpt@endomed.co.za	



www.endomed.co.za

14

Head Office : Durban

Tel Email

: +27 31 791 2230

: info@endomed.co.za

PRODUCT RANGE

- Alcohol Swabs
- Bandages & Tapes
- Blood Lancets
- BP Machines
- Blades & Devices
- Bone Marrow & Biospy Needles
- Body Bags
- Cardiac Catheters
- Circumcision Device
- Cotton Wool
- CVC Sets
- Disinfectants
- Dressing Packs
- ECG Products
- Gloves
- Gauze & Dressings
- Glucometers
- Gynaecology Products
- Haemostatic Products
- HB Meters

- Hospital Linen
- Hospital Furniture
- Incontinence Products
- Infusion Flow Regulator
- I.V Admin Sets
- I.V Cannulae
- Linen Savers
- Needles
- Ophthalmic Lenses and Knives
- Personal Protective Equipment(PPE)
- Respiratory Products
- Resuscitators
- Safety Medical Products
- Scales
- Splints
- Syringes
- Safety Syringes
- Urology Products
- Vomit Bags / Urine Bags





DURBAN : HEAD OFFICE

Unit 7 - 10 Boulders Business Park 2-6 Wiltshire Road Marian Industrial Park, Durban **e** : info@endomed.co.za

- t : +27 31 791 2230
- f : +27 31 791 2231 : 086 634 0984





JOHANNESBURG

Unit 1 & 2, Kingston Office Park 687 Old Pretoria Main Road Midrand, Gauteng e : jhb@endomed.co.za t : +27 11 312 1941

- **f** : +27 11 312 0127
 - : 086 635 5224

CAPETOWN

Unit 22, Drill Park Montague Gardens Cape Town

- e : cpt@endomed.co.za
- t : +27 21 552 5438
- **f** : +27 31 791 2231
 - : 086 460 6214

www.endomed.co.za