

# smart working

CREATING GREAT COLLABORATIVE WORKSPACE

orangebox



**Pars meeting tables**

**Technical information**

With a choice of two base types, the Pars range gives endless options to create a more stimulating workplace environment.


## Pars tables are available with cable access and power options to give maximum functionality.

### Leg options

Pars tables are offered with 2 different base options, a 'single' leg option and an I-frame base which shares the same architecture as the Obvio and Celo ranges.


The 'single' legs are cast aluminium with a black adjustable glide and are finished in silver powder-coat as standard with the option of black or stone powder-coated finish or polished.

The I-frame option is available with a 'stone' coloured finish or black frame, black column and a polished ski.



### Top finishes

Standard melamine range (Actual finishes may differ slightly from images shown - Samples can be supplied on request)









Standard veneer range (Actual finishes may differ slightly from images shown - Samples can be supplied on request)



## Top shapes and sizes

Obvio tables are available in the following shapes and sizes:



If you have a specific requirement which is not available as a standard product, please let us know.

### Glides

Pars tables use 80mm diameter black plastic glides, each with 15mm of adjustment.

### Top construction


Melamine and veneer finishes are pressed onto 25mm MDF board.

### Grain direction

On table tops made in one piece, grain direction will run the length of the table. For table tops made in two pieces, grain direction will run the width of the table. Veneers are quarter cut, straight grain and slip matched.


### Edge styles

Melamine edges are made from matching 2mm ABS. Veneer edges are 2.5mm solid wood.



### Cable ports

A brushed aluminium cable port with hinged lid and black brush strip is available fitted in a central or offset position. This allows cables to be passed through the table top.



Position on single-piece tops



Position on two-piece tops



### Veneered hatch

A hinged hatch is available on veneered tops for cable management.



### Cable tray

The cable tray runs the length of the under-frame and screws into position. The tray is supplied with cable clamps and cable protection grommets. Trays are available in silver, black or stone powder-coat to match the frame. The trays have pre-drilled holes to accept the 3-gang power unit.



### Top-mounted cable tray

The cable tray measures 600mm in length and screws into position on the underside of the table top. The tray is supplied with cable clamps and cable protection grommets. Trays are available in silver, black or stone powder-coat to match the frame. The trays have pre-drilled holes to accept the 3-gang power unit.



### Power box

The cable tray measures 600mm in length and screws into position on the underside of the table top. The tray is supplied with cable clamps and cable protection grommets. Trays are available in silver, black or stone powder-coat to match the frame. The trays have pre-drilled holes to accept the 3-gang power unit.



### Leg cable riser

The cable leg riser snaps onto the leg column and allows 2-way segregation of Cables. Cable risers are available in silver, black or stone powder-coat to match the frame.



### Umbilical cable riser

Translucent plastic rings with a weighted foot allow 4-way segregation of cables.



### Power unit

3-gang power unit (3.15A) individually fused sockets. Fits into the cable tray. Also available– starter cables (2.5m with UK plug), interconnecting cables which allow (max) 2 units to be connected in line. Connecting cables are available in 1200, 1400, 1600, 1800, 2000 and 2200mm lengths.



orangebox

**Head office and Manufacturing**

Penallta Industrial Estate  
Hengoed  
Mid Glamorgan  
CF82 7SU

T: 01443 816604

F: 01443 816638

[www.orangebox.com](http://www.orangebox.com)

**Showroom**

33-39 Bowling Green Lane  
London  
EC1R 0BJ

T: 020 7837 9922

F: 020 7837 4441

[showroom@orangebox.com](mailto:showroom@orangebox.com)