



MASSEY FERGUSON

MF GROUNDS CARE

Massey Ferguson lawn care and compact tractors



Side Discharge Garden Tractor

A powerful and comfortable garden tractor

Get the job done quicker with Massey Ferguson Side Discharge Garden Tractors. Premium Kohler® engines give you power where

you need it most and a range of features make these garden tractors comfortable to use.

MF21-25GC | 25 hp* | 54" cutting deck



Comfortable Ride

Comfort Features:

- ▶ **High back seat with automotive-style seat adjustment.**
For greater comfort and support to suit just about any operator.
- ▶ **Soft touch steering wheel and systems monitor.**
For better feel and comfort, and an easy-to-read systems monitor.



Kohler® engines

- ▶ Twin cylinder
- ▶ Easy, dependable starts
- ▶ Reliable and long-life design
- ▶ Easy maintenance



Cast-iron hydrostatic transmission

- ▶ Greater durability and longer life
- ▶ Cooler operating temperatures
- ▶ Smooth and reliable performance



Step-through chassis

- ▶ Allows for easy mounting and dismounting



Electric PTO

- ▶ One switch easily engages and disengages the cutting deck



Shaft drive

- ▶ Transfers power directly from the engine – eliminating belts slipping, stretching or breaking



Hydraulic deck lift

- ▶ Raise and lower the deck to suit the conditions and cutting height
- ▶ Simple to use

*As rated by engine manufacturer.

Side Discharge Lawn Tractors

Reliable and packed with features

Massey Ferguson Side Discharge Lawn Tractors make mowing the lawn easy. With strong, dependable Kohler® engines and amazing features, these lawn tractors are tough to beat.



MF42-20SD | 20 hp* | 42" cutting deck

Features:

- ▶ 20 hp* Kohler Courage V-Twin petrol engine
- ▶ 42"/107 cm side discharge deck
- ▶ Heel/toe operated hydrostatic transmission
- ▶ Cruise control
- ▶ Four deck wheels (two front, two rear)
- ▶ Electric PTO Deck Engagement
- ▶ 3 in 1 cutting system
- ▶ Deck wash
- ▶ Cast-iron front axle
- ▶ Mow in reverse facility
- ▶ Mulch kit standard



MF54-25SD | 25 hp* | 54" blade deck

Features:

- ▶ 25 hp Kohler Command V-Twin petrol engine
- ▶ 54"/137 cm triple blade deck
- ▶ Heel/toe operated hydrostatic transmission
- ▶ Cruise control
- ▶ Four deck wheels (two front, two rear)
- ▶ Electric PTO Deck Engagement
- ▶ 3 in 1 cutting system
- ▶ Deck wash
- ▶ Cast-iron front axle
- ▶ Mow in reverse facility
- ▶ Standard mulch kit and optional grass catcher



Kohler® engines

- ▶ Twin cylinder
- ▶ Easy, dependable starts
- ▶ Reliable and long-life design
- ▶ Easy maintenance




Hydrostatic transmission

- ▶ Serviceable
- ▶ Easy operation
- ▶ Added torque for uneven terrain



Step-through chassis

- ▶ Allows for easy mounting and dismounting



Cast-iron front axle

- ▶ Provides added strength while pivoting gives a smooth, even cut



RMC – Reverse Mowing Control

- ▶ Allows the operator to mow in reverse once they have ensured it is safe to do so (MF 54-25SD only)



11 position deck height adjustment

- ▶ Allows the operator to easily adjust the height of the deck to suit the conditions and cut height

Zero-Turn Mowers

Easier to use, faster to finish

Massey Ferguson's Zero-Turn Mowers allow you to mow around edges, borders and trees. The easy-to-use lap bars allow you to

control the riders with ease. Bursting with features, these Zero-Turn Mowers will have you mowing in circles. Optional catcher available.



MFLZ-60 | 27 hp* | 60" cutting deck

Features:

- ▶ Large 60" floating/fabricated deck
- ▶ Electric clutch
- ▶ Dual 30 litre fuel tanks
- ▶ Optional mulch kit
- ▶ Zero turning radius

MF50-22ZT | 22 hp* | 50" cutting deck

Features:

- ▶ 22 hp* Kawasaki® V-Twin OHV engine
- ▶ 50"/127 cm triple blades/13-gauge steel deck
- ▶ PTO clutch: electric engagement
- ▶ Zero turning radius



Operator comfort and controls: The seat is fitted with armrests and is adjustable for greater operator comfort. The lap-bars are also adjustable and the controls are conveniently placed for ease of use.

Off-set deck: The deck extends beyond the wheels, allowing the operator to mow up to edges and borders with ease.

Fast-attach deck system: Allows for the easy removal and replacement of the deck in seconds without tools.



Kawasaki® engine
 ▶ 22 hp* or 27 hp* premium twin cylinder engine
 ▶ Reliable and long-life design
 ▶ Easy, trouble-free starting



Twin hydrostatic transmissions
 ▶ Twin hydrostatic transmissions provide zero-turn manoeuvrability
 ▶ Easy operation with twin lap bars



Easy-mount chassis
 ▶ The lap bars move aside allowing for easy mounting and dismounting



4-bolt automotive style rear hubs
 ▶ For added durability and strength at the rear wheels, as well as ease of maintenance



Side-mounted systems monitor
 ▶ Easy-to-read hour meter
 ▶ Monitors oil pressure, battery voltage, PTO and park brake operation



Large fuel tanks
 ▶ MF 50-22ZT: 11.4 litres
 ▶ MF LZ-60: 60 litres; twin tanks (30 litres each)
 ▶ Provides long running times
 ▶ Easily accessible

*As rated by engine manufacturer.

With Massey Ferguson's history dating back over 150 years, today's range of lawn care and compact tractors bear the hallmarks of all Massey Ferguson equipment – top performance, reliability, operator comfort and uncompromising build quality. As well as a vast product line, Massey Ferguson's strength is based in the long-held philosophy of providing customers with more than just a machine.

4WD Diesel All Terrain

Out-play the competition

Whether you need a worker out on the farm or a way to get into the woods, Massey Ferguson's 4x4 MF 20-MD gets it done.

With 4-wheel, 20 cm suspension travel and a wide stance, it offers increased stability on rough terrain.

MF20-MD | 20 hp* Diesel 4X4



Features:

- ▶ 20 hp* Yanmar® three cylinder diesel engine
- ▶ 4-wheel drive with auto engage
- ▶ 635 kg towing capacity
- ▶ 4-wheel fully-independent suspension

Easy step in design with ROPS

Allows for easy entry and exit of the vehicle whilst the Roll Over Protection System keeps the operator safe in the event of a rollover.



Brush bar

Standard brush bar offers protection to the vehicle. Electric winch option available.



4-wheel hydraulic 8" disc brakes

Enhances braking and ensures optimal stopping on any terrain, even in difficult conditions.



Heavy-duty cast-iron rear differential

Manually engaged with selectable lockout gives you traction in challenging conditions.



Comprehensive dash controls

Includes dash mounted systems monitor (monitors the electrical system, engine oil, low fuel level, park brake operation and an easy-to-read hour meter), 4WD engagement, warning lights, horn, ignition key and a 12V outlet.



YANMAR® diesel engine

- ▶ Three cylinder, liquid cooled diesel engine
- ▶ Smooth and reliable power
- ▶ Low down torque



Continuously variable transmission

- ▶ Fully enclosed CVT gives smooth and precise speed control when needed (shown with cover removed)



Auto-Lok™ 4-wheel drive

- ▶ Electronic slip sensing Auto-Lok™ automatically engages 4-wheel drive when required



HURST® shifter and diff lock

- ▶ Centrally located HURST® shifter
- ▶ High and low range ratios and reverse
- ▶ Lever locks the rear differential for added traction in difficult terrain



Fully independent suspension

- ▶ 4-wheel fully-independent suspension with dual arm and coil over shocks
- ▶ Gives 20 cm of travel to tackle the toughest terrains



Tilting cargo tray

- ▶ Steel cargo tray
- ▶ 453 kg capacity
- ▶ Can be manually lifted
- ▶ Electric lift

*As rated by engine manufacturer.

Specifications

Side Discharge Garden/Lawn Tractors	MF42-20SD	MF21-25GC	MF54-25SD
Drive	Hydrostatic with cruise control	Hydrostatic with diff lock and cruise control	Foot/Hydrostatic with cruise control
Engine to transmission	Heavy-duty Kevlar® belt	Shaft drive	Heavy-duty Kevlar® belt
Engine			
Engine	Kohler® Courage™	Kohler® Command™	Kohler® Courage™
Number cylinders	V-Twin OHV	V-Twin OHV	V-Twin OHV
Engine power	20 hp*	25 hp*	25 hp*
Lubrication	Fully-pressurised oil pump with spin on filter	Fully-pressurised oil pump with spin on filter	Fully-pressurised oil pump with spin on filter
Turning radius	46 cm	69 cm	46 cm
Additional Specifications			
Front tyres	15 x 6.00	16 x 6.50	16 x 6.50
Rear tyres	20 x 10.00	24 x 10.50	23 x 10.50
Forward speeds	0 – 8 km/h	0 – 9.5 km/h	0 – 8 km/h
Reverse speeds	0 – 4 km/h	0 – 5 km/h	0 – 4 km/h
Fuel tank	11.4 litres	17.0 litres	11.4 litres
Mower Deck			
Cutting width	107 cm (42")	137 cm (54")	137 cm (54")
Blades	Twin blades	Triple blades	Triple blades
Warranty			
Warranty	Non-commercial use: 2 years Commercial use: 90 days	Non-commercial use: 2 years Commercial use: 90 days	Non-commercial use: 2 years Commercial use: 90 days

4WD Diesel All Terrain	MF20-MD
Drive	Continuously Variable Transmission (CVT)
Front drive/lock	Auto-Lok™, electronic slip-sensing, flip switch in dash
Rear differential	Console mounted
Lock	Hand-operated
Transaxle	Fully-enclosed, oil bath
Gear selections	F (Hi/Lo) / N / R
Gear selector	Mechanical, HURST® shifter

Engine	
Engine	Yanmar®
Number cylinders/cc	Three cylinder /854 cc*
Engine power	21.9 hp*

Additional Specifications	
Front tyres	25 x 10-12
Rear tyres	25 x 11-12
Forward speeds	0 – 40 km/h
Reverse speeds	0 – 18 km/h
Fuel tank	26.5 litres
Overall length	302 cm
Weight (w/fuel and fluids)	726 kg

Warranty	
Warranty	Non-commercial use: Engine – 2 years All other components – 1 year Commercial use: 90 days

Zero-Turn Mowers	MF50-22ZT	MFLZ-60
Drive	Dual HydroGear™ EZT hydrostatic transmissions	Dual Hydro-Gear™ Parker Torqpack Drive System
Engine to transmission	Heavy-duty Kevlar® belt	Heavy-duty Kevlar® belt

Engine		
Engine	Kawasaki®	Kawasaki®
Number cylinders	V-Twin OHV	V-Twin OHV
Engine power	22 hp*	27 hp*
Lubrication	Fully-pressurised oil pump with spin on filter	Fully-pressurised oil pump with spin on filter
Turning radius	Zero	Zero

Additional Specifications		
Front tyres	13 x 5.6	13 x 6.5-6
Rear tyres	18 x 9.5-8	24 x 12-12
Forward speeds	0 – 9 km/h	0 – 17 km/h
Reverse speeds	0 – 5 km/h	0 – 8 km/h
Fuel tank	11.4 litres	60 litres; twin tanks (30 litres each)

Mower Deck		
Cutting width	127 cm (50")	152 cm (60")
Blades	Triple blades	Triple blades

Warranty		
Warranty	Non-commercial use: 2 years Commercial use: 90 days	Non-commercial use: 2 years Commercial use: 2 years

*as rated by engine manufacturer.



facebook.com/MasseyFergusonGlobal
twitter.com/AGCOcorp
youtube.com/MasseyFergusonVideo
blog: agcocorp.com

Every effort has been made to ensure that the information contained in this publication is as accurate and current as possible. However, inaccuracies, errors or omissions may occur and details of the specifications may be changed at any time without notice. Therefore, all specifications should be confirmed with your Massey Ferguson Dealer or Distributor prior to any purchase.



MASSEY FERGUSON is a worldwide brand of AGCO.