



MASSEY FERGUSON

MF GROUNDS CARE

Massey Ferguson lawn care solutions



Grounds Care

Let Massey Ferguson meet your grounds care needs with reliable and robust lawn tractors, zero turn mowers and an all-terrain utility vehicle. These lawn care solutions will ensure any lawn, big or small, is well maintained all year round.

Side Discharge Lawn Tractor

Reliable and packed with features

Massey Ferguson's Side Discharge Lawn Tractor makes mowing lawn easy. With a strong, dependable Kohler engine and amazing features, this lawn tractor is tough to beat. Our side discharge model allows you to cover large areas in a short space of time

as there is no need to constantly stop to empty the grass catcher. Cutting height can be easily adjusted to ensure ideal results and a number of accessories can be attached.



MF 42-20SD | 20 hp* | 42" cutting deck

Features:

- ▶ 20 hp* Kohler® Courage V-Twin petrol engine
- ▶ 107 cm (42") side discharge deck
- ▶ Heel/toe operated hydrostatic transmission
- ▶ Cruise control STD
- ▶ Four deck wheels (two front, two rear)
- ▶ Electric PTO Deck Engagement
- ▶ Deck wash
- ▶ Cast-iron front axle
- ▶ Mow in reverse facility
- ▶ Mulch kit standard



Kohler® engine

- ▶ Twin cylinder
- ▶ Easy, dependable starts
- ▶ Reliable and long-life design
- ▶ Easy maintenance



Hydrostatic transmission

- ▶ Serviceable
- ▶ Easy operation
- ▶ Added torque for uneven terrain



Step-through chassis

- ▶ Allows for easy mounting and dismounting



Cast-iron front axle

- ▶ Provides added strength while pivoting gives a smooth, even cut



11 position deck height adjustment

- ▶ Allows the operator to easily adjust the height of the deck to suit the conditions and cut height

*As rated by engine manufacturer.

Rear Discharge Lawn Tractors

Convenient and efficient lawn tractors

Get the job done quicker with Massey Ferguson Rear Discharge Lawn Tractors. Premium Kohler® and Briggs & Stratton engines give you power

where you need it most with catchers which come as standard allowing for easy bagging and disposal of grass clippings.



MF 36-16ARD | 16 hp* | 36" cutting deck

Features:

- ▶ 16 hp* Briggs & Stratton engine
- ▶ 92 cm (36") deck
- ▶ Autodrive transmission
- ▶ 4 deck wheels (2 front, 2 back)
- ▶ High back seat
- ▶ Rear deck with 280 litre catcher – STANDARD
- ▶ Cruise control – STANDARD
- ▶ Standard with front bumper for additional protection



MF 41-22RD | 22 hp* | 41" cutting deck

Features:

- ▶ 22 hp* Kohler® engine
- ▶ 104 cm (41") deck
- ▶ Hydrostatic transmission
- ▶ 4 deck wheels (2 front, 2 back)
- ▶ High back seat
- ▶ Rear discharge deck with 350 litre catcher – STANDARD
- ▶ Cruise control – STANDARD
- ▶ Standard with front bumper for additional protection



Briggs & Stratton or Kohler® engines

- ▶ Easy, dependable starts
- ▶ Reliable and long-life design
- ▶ Easy maintenance



Cast-iron hydrostatic transmission

- ▶ Greater durability and longer life
- ▶ Cooler operating temperatures
- ▶ Smooth and reliable performance



Step-through chassis

- ▶ Allows for easy mounting and dismounting



Electric PTO

- ▶ One switch easily engages and disengages the cutting deck



Catchers

- ▶ 280 - 350 litre catchers
- ▶ Easily bag and dispose of grass clippings



High back seat

- ▶ Simple to use
- ▶ Provides superior operator comfort

*As rated by engine manufacturer.

Zero-Turn Mowers

Easier to use, faster to finish

Massey Ferguson's Zero-Turn Mowers allow you to mow around edges, borders and trees. The easy-to-use lap bars allow you to

control the riders with ease. Bursting with features, these Zero-Turn Mowers will have you mowing in circles. Optional catcher available.



MF LZ-60 | 27 hp* | 60" cutting deck

Features:

- ▶ 27 hp* Kawasaki® engine
- ▶ Large 152 cm (60") floating/fabricated deck
- ▶ Electric clutch
- ▶ Dual 28 litre fuel tanks
- ▶ Zero-turning radius
- ▶ Optional mulch kit and catcher
- ▶ Rear hitch STD

MF 50-22ZT | 22 hp* | 50" cutting deck

Features:

- ▶ 22 hp* Kohler® engine
- ▶ 127 cm (50") triple blade / 13-gauge steel deck
- ▶ PTO clutch: electric engagement
- ▶ Zero-turning radius
- ▶ Mulch kit as standard, optional catcher



Operator comfort and controls: The seat is fitted with armrests and is adjustable for greater operator comfort. The lap-bars are also adjustable and the controls are conveniently placed for ease of use.

Off-set deck: The deck extends beyond the wheels, allowing the operator to mow up to edges and borders with ease.

Fast-attach deck system: Allows for the easy removal and replacement of the deck in seconds without tools.



Kohler® or Kawasaki engines

- ▶ 22 hp* or 27 hp* premium twin cylinder engines
- ▶ Reliable and long-life design
- ▶ Easy, trouble-free starting

Twin hydrostatic transmissions

- ▶ Twin hydrostatic transmissions provide zero-turn manoeuvrability
- ▶ Easy operation with twin lap bars

Easy-mount chassis

- ▶ The lap bars move aside allowing for easy mounting and dismantling

4-bolt automotive style rear hubs

- ▶ For added durability and strength at the rear wheels, as well as ease of maintenance

Side-mounted systems monitor

- ▶ Easy-to-read hour meter
- ▶ Monitors oil pressure, battery voltage, PTO and park brake operation

Large fuel tanks

- ▶ MF 50-22ZT: 11.4 litres
- ▶ MF LZ-60: 56 litres; twin tanks (28 litres each)
- ▶ Provides long running times
- ▶ Easily accessible

*As rated by engine manufacturer.

With Massey Ferguson's history dating back over 150 years, today's range of lawn care and compact tractors bear the hallmarks of all Massey Ferguson equipment – top performance, reliability, operator comfort and uncompromising build quality. As well as a vast product line, Massey Ferguson's strength is based in the long-held philosophy of providing customers with more than just a machine.

4WD Diesel All Terrain

Out-play the competition

Whether you need a worker out on the farm or a way to get into the woods, Massey Ferguson's 4x4 MF 20-MD gets it done.

With four wheel drive, 20 cm suspension travel and a wide stance, it offers increased stability on rough terrain.

MF 20-MD | 21.9 hp* | Diesel 4X4



Features:

- ▶ 21.9 hp* Yanmar® three cylinder diesel engine
- ▶ On demand 4x4 system
- ▶ 635 kg towing capacity
- ▶ Four wheel drive fully-independent suspension

Easy step in design with ROPS

Allows for easy entry and exit of the vehicle whilst the Roll Over Protection System keeps the operator safe in the event of a rollover.



Brush bar

Standard brush bar offers protection to the vehicle. Electric winch option available.



Four wheel hydraulic 8" disc brakes

Enhances braking and ensures optimal stopping on any terrain, even in difficult conditions.



Heavy-duty cast-iron rear differential

Manually engaged with selectable lockout gives you traction in challenging conditions.



Comprehensive dash controls

Includes dash mounted systems monitor (monitors the electrical system, engine oil, low fuel level, park brake operation and an easy-to-read hour meter), 4WD engagement, warning lights, horn, ignition key and a 12V outlet.



YANMAR® diesel engine

- ▶ Three cylinder, liquid cooled diesel engine
- ▶ Smooth and reliable power
- ▶ Low down torque



Continuously variable transmission

- ▶ Fully enclosed CVT gives smooth and precise speed control when needed (shown with cover removed)




Auto-Lok™ four wheel drive

- ▶ Electronic slip sensing Auto-Lok™ automatically engages four wheel drive when required



HURST® shifter and diff lock

- ▶ Centrally located HURST® shifter
- ▶ High and low range ratios and reverse
- ▶ Lever locks the rear differential for added traction in difficult terrain



Fully independent suspension

- ▶ Four wheel fully-independent suspension with dual arm and coil over shocks
- ▶ Gives 20 cm of travel to tackle the toughest terrains



Tilting cargo tray

- ▶ Steel cargo tray
- ▶ 408 kg capacity
- ▶ Can be manually lifted
- ▶ Electric lift

*As rated by engine manufacturer.

Specifications

Lawn Tractors	MF 36-16ARD	MF 41-22RD	MF 42-20SD
Drive	Autodrive	Foot/Hydrostatic with cruise control	Hydrostatic with cruise control
Engine to transmission	Heavy-duty Kevlar® belt	Heavy-duty Kevlar® belt	Heavy-duty Kevlar® belt
Engine			
Engine	Briggs & Stratton	Kohler® KT7000 Series	Kohler® Courage™
Number cylinders	Single	V-Twin	V-Twin
Engine power	16 hp*	22 hp*	20 hp*
Lubrication	Fully-pressurised oil pump with spin on filter	Fully-pressurised oil pump with spin on filter	Fully-pressurised oil pump with spin on filter
Turning radius	40 cm	40 cm	46 cm
Additional Specifications			
Front tyres	15 x 6.00	15 x 6.00	15 x 6.00
Rear tyres	20 x 8.00	20 x 8.00	20 x 10.00
Forward speeds	0 – 9 km/h	0 – 12.9 km/h	0 – 12.9 km/h
Reverse speeds	0 – 6 km/h	0 – 6.4 km/h	0 – 6.4 km/h
Fuel tank	10 litres	10 litres	10.4 litres
Mower Deck			
Cutting width	92 cm (36")	104 cm (41")	107 cm (42")
Blades	Twin blades	Twin blades	Twin blades
Warranty			
Warranty	Non-commercial use: 2 years Commercial use: 90 days	Non-commercial use: 2 years Commercial use: 90 days	Non-commercial use: 2 years Commercial use: 90 days

4WD Diesel All Terrain	MF 20-MD
Drive	Continuously Variable Transmission (CVT)
Front drive/lock	Auto-Lok™, electronic slip-sensing, flip switch in dash
Rear differential	Console mounted
Lock	Hand-operated
Transaxle	Fully-enclosed, oil bath
Gear selections	F (Hi/L0) / N / R
Gear selector	Mechanical, HURST® shifter
Engine	
Engine	Yanmar®
Number cylinders/cc	Three cylinder /854 cc*
Engine power	21.9 hp*
Additional Specifications	
Front tyres	25 x 10-12
Rear tyres	25 x 11-12
Forward speeds	0 – 40 km/h
Reverse speeds	0 – 18 km/h
Fuel tank	26.5 litres
Overall length	302 cm
Weight (w/fuel and fluids)	794 kg
Warranty	
Warranty	Non-commercial use: Engine – 2 years All other components – 1 year Commercial use: 90 days

Zero-Turn Mowers	MF 50-22ZT	MF LZ-60
Drive	Dual HydroGear™ EZT hydrostatic transmissions	Dual Hydro-Gear™ Parker Torqpack Drive System
Engine to transmission	Heavy-duty Kevlar® belt	Heavy-duty Kevlar® belt
Engine		
Engine	Kohler®	Kawasaki®
Number cylinders	V-Twin OHV	V-Twin OHV
Engine power	22 hp*	27 hp*
Lubrication	Fully-pressurised oil pump with spin on filter	Fully-pressurised oil pump with spin on filter
Turning radius	Zero	Zero
Additional Specifications		
Front tyres	13 x 5.00	13 x 6.50
Rear tyres	18 x 9.50	24 x 12.00
Forward speeds	0 – 11.3 km/h	0 – 17.7 km/h
Reverse speeds	0 – 4.8 km/h	0 – 8 km/h
Fuel tank	10.6 litres	56 litres; twin tanks (28 litres each)
Mower Deck		
Cutting width	127 cm (50")	152 cm (60")
Blades	Triple blades	Triple blades
Warranty		
Warranty	Non-commercial use: 2 years Commercial use: 90 days	Non-commercial use: 2 years Commercial use: 2 years

*as rated by engine manufacturer.



facebook.com/MasseyFergusonGlobal
twitter.com/AGCOcorp
youtube.com/MasseyFergusonVideo
blog: agcocorp.com

Every effort has been made to ensure that the information contained in this publication is as accurate and current as possible. However, inaccuracies, errors or omissions may occur and details of the specifications may be changed at any time without notice. Therefore, all specifications should be confirmed with your Massey Ferguson Dealer or Distributor prior to any purchase.



MASSEY FERGUSON is a worldwide brand of AGCO.