TEST EQUIPMENT





• 1/2 hp, twin cylinder, oil-less compressor for fast recovery

- Built-in purge circuit for easy clearing at the end of each job
- Weighs less than 25 lbs
- 1 year warranty


RECOVERY EQUIPMENT

Model Number	Description	Barcode
YJ95730	YJ-LTE REFRIGERANT RECOVERY SYSTEM	

YJ93600

• The BULLET® pulls down to 25 microns or better





without losing vac. in the system

• Gas ballast valve keeps oil cleaner, longer during evacuation

YJ93560

of wat systems



VACUUM PUMPS - All Vacuum Pumps- 2 year warranty

An vacuum rumps- 2 year warranty		of wet systems
Model Number	Description	Barcode
YJ93600	YJ93600 BULLET 7CFM VAC PUMP	
YJ93560	YJ93600 SUPEREVAC 6CFM VAC PUMP	







YJ69020





YJ69080

YJ69080

YJ18990/YJ19000

YJ18975

EVACUATION ACCESSORIES AND PARTS **Model Number** Description **Barcode** YJ69080 DIGITAL LCD VACUUM GAUGE WITH YJ69080 BATTERY, HOOK AND POUCH YJ69086 HANHELD VACUUM GAUGE WITH YJ69086 REPLACEABLE, CLEANABLE SENSOR YJ69020 1/4"OMNI DIGITAL VACUUM YJ69020 GAUGE YJ69021 5/16"OMNI DIGITAL VACUUM YJ69021 GAUGE FOR MINI SPLITS

EVACUATION	ACCESSORIES AND PARTS CONT.	
YJ18990	YJ18990 1/4" VACUUM/CHARGING TOOL WITH SIDE PORT	
YJ19000	YJ19000 1/4" CORE REMOVAL TOOL, NO SIDE PORT	
YJ18975	YJ18975 1/4" VACUUM/CHARGING TOOL WITH SIDE PORT, BALL VALVE TYPE	
YJ93365	YJ93365 OIL SIGHT GLASS FOR BULLET AND SUPEREVAC VACUUM PUMPS	
YJ69071	1/4" FM FL X 1/4" FM FL 45° COUPLER TO CONNECT VACUUM GAUGE	



YJ68802

• 110 lb digital charging scale

• Removable control module on retractable 5' coiled cord

YJ68862

- 220 lb digital charging scale
- Control module stores inside
- platform when not in use
- Case with shoulder strap included



CHARGING SCALES

Model Number	Description	Barcode
YJ68802	YJ68802 ELETRONIC SCALE 0-110	
YJ68862	YJ68862 220LB CHARGING SCALE	



• 4.3"	Full	color	touchscreen	display
1.5		00101	to deliber e ell	anopiay

- Measures temperatures, pressures and vacuum
- Calculates superheat and subcooling
- 126 refrigerant profiles
- Data logging and Bluetooth capable

INCLUDES:

- Vacuum Sensor
- Set of four 60" hoses (3) 1/4" RYB (1) 3/8" Y
- vacuum/charging
- Two temperature clamps wth two 72" extension cables
- USB charging cable
- Backpack carrying case

P51 TITAN DIGITAL MANIFOLD SET - Two year warranty

Model Number	Description	Barcode
YJ40870	YJ40870 P51 TITAN DIGITAL MANIFOLD	




BRUTE II

- Forged aluminum alloy body with full 3/8" bore for faster charging and evacuation
 1/4" hi-/lo-sides with 3/8" vacuum port
- 2-1/2" gauges with gauge boots

BRUTE II AND TITAN MANIFOLD SETS

TITAN

- Forged aluminum alloy body
- 1/4" hi-/lo-sides (with 3/8"
- vacuum port on 4 valve)
- 3-1/8" gauges



Model Number	Description	Barcode
YJ46000	BRUTE II 4-VALVE MANIFOLD ONLY R410A/R32	
YJ46010	BRUTE II 4-VALVE MANIFOLD ONLY R22/R404A/R410A	
YJ46013	BRUTE II 4-VALVE R22/R404A/R410A W/60" BALL VALVE HOSES	
YJ49862	TITAN 2-VALVE MANIFOLD ONLY R410A/R32	
YJ49863	TITAN 2-VALVE MANIFOLD ONLY R22/R404A/R410A	
YJ49962	TITAN 4-VALVE MANIFOLD ONLY R410A/R32	
YJ49963	TITAN 4-VALVE MAIFOLD ONLY R22/R404A/R410A	
YJ49967	TITAN 4-VALVE R22/R404A/R410A WITH 60" STANDARD HOSES	



Forged body is solid brass for durability
Limited lifetime warranty on manifold bar and valves – not gauges

SERIES 41 BRASS MANIFOLDS

Model Number	Description	Barcode
YJ41212	SERIES 41 2-VALVE BRASS MANIFOLD ONLY R12/R22/R502 (2-1/2" Gauges)	
YJ42001	SERIES 41 2-VALVE BRASS MANIFOLD ONLY R22/R404A/R410A (3-1/8" Gauges)	



Quick pressure checks – use with quick coupler or hose to attach directly to system or tanks
For 1/4" flare connections

SINGLE TEST GAUGE

Model Number	Description	Barcode
IY140345	3-18" BLUE GAUGE WITH COUPLER AND 12" BLUE HOSE R22/R404A/R410A	





MANIFOLD PARTS

MANIFULD PARTS			
Model Number	Description	Barcode	
YJ40279	HANGING HOOK FOR BRUTE II, TITAN AND SERIES 41		
YJ41045	MANIFOLD SIGHT GLASS FOR BRUTE II AND TITAN		
YJ41046	SIGHT GLASS RETAINER FOR BRUTE II AND TITAN		
YJ41047	SIGHT GLASS GASKET FOR BRUTE II AND TITAN		
YJ41091	YELLOW HANDLE W/SCREW FOR BRUTE II		
YJ41092	BLUE HANDLE W/SCREW FOR BRUTE II		
YJ41094	RED HANDLE W/SCREW FOR BRUTE II		
YJ41096	RETAINING NUT FOR VALVE PISTON BRUTE II		
YJ41103	VALVE PISTON FOR BRUTE II		
YJ41106	FEED SCREW FOR BRUTE II		
YJ41113	3/8 MFL X 1/8 NPT MALE FITTING FOR BRUTE II		
YJ41133	VALVE PISTON FOR TITAN AND SERIES 41		
YJ41134	FEED SCREW FOR TITAN AND SERIES 41		



YJ49519

YJ49520

R410A

0-300 PSI R401A





REPLACEMENT GAUGES 3-1/8" GAUGES 3-1/2" LIQUID FILLED GAUGES Model Number Description Barcode YJ49001 2-1/2" RED GAUGE 0-500 PSI R12/R22/R502 2-1/2" BLUE GAUGE 30"-0-120 PSI YJ49002 R12/R22/R502 YJ49035 2-1/2" RED GAUGE 0-800 PSI R410A/R32 2-1/2" BLUE GAUGE 30"-0-300 PSI YJ49036 R410A/R32 YJ49010 **REPLACEMENT CRYSTAL FOR 2-1/2" GAUGE** SET OF RED & BLUE GAUGE BOOTS FOR 2-YJ49090 1/2" GAUGES 3-1/8" RED GAUGE 0-800 PSI YJ49137 R22/R404A/R410A 3-1/8"BLUE GAUGE 30"-0-500 PSI 49138 R22/R404A/R410A 3-1/8" RED GAUGE 0-800 PSI YJ49159 R410A/R32 3-1/8"BLUE GAUGE 30"-0-500 PSI YJ49160 R410A/R32 **REPLACEMENT CRYSTAL FOR 3-1/8" GAUGE** YJ49100 SET OF RED & BLUE GAUGE BOOTS FOR 3-YJ49190 **1/8" GAUGES** 3-1/2" RED LIQUID FILLED GAUGE 0-500 PSI YJ49511 R22 3-1/2" BLUE LIQUID FILLED GAUGE 30" YJ49512 0-120 PSI R22

30"-

3-1/2" RED LIQUID FILLED GAUGE 0-800 PSI

3-1/2" BLUE LIQUID FILLED GAUGE

 \bullet Yellow Jacket PLUS II $^{\text{TM}}$ hoses have a Nylon and a Rubber permeation and moisture barrier

• 1/4" Hoses are rated for 4000 psi operating pressure and have a minimum burst pressure of 800 psi

REFRIGERATION HOSES YJ22985 YJ25985 Model Number Description Barcode SEALRIGHTTM REFRIGERATION HOSES WITH 1/4" STR & 1/4" 45° **END** 60" YELLOW HOSE WITH SEALRIGHT[™] LOW YJ22060 LOSS FITTING 60" BLUE HOSE WITH SEALRIGHT[™] LOW YJ22260 LOSS FITTING 60" RED HOSE WITH SEALRIGHT[™] LOW LOSS YJ22660 FITTING 60" 3-PK (RYB) HOSES WITH SEALRIGHT[™] YJ22985 LOW LOSS FITTINGS 72" 3-PK (RYB) HOSES WITH SEALRIGHT[™] YJ22986 LOW LOSS FITTINGS REFRIGERATION HOSES WITH 1/4" STR & 1/4" 45° **COMPA** CT BALL VALVE END 60" YELLOW HOSE WITH COMPACT BALL YJ29060 VALVE ON ANGLED END **60" BLUE HOSE WITH COMPACT BALL VALVE** YJ29260 ON ANGLED END 60" RED HOSE WITH COMPACT BALL VALVE YJ29660 ON ANGLED END 3-PK (RYB) HOSES WITH COMPACT BALL YJ29985 VALVE ON ANGLED ENDS 3-PK (RYB) HOSES WITH FLEX FLOW BALL YJ25985 VALVE 8" FROM ANGLED ENDS

• Yellow Jacket PLUS II[™] hoses have a Nylon and a Rubber permeation and moisture barrier

• 3/8" Hoses are rated for 3000 psi operating pressure and have a minimum burst pressure of 600 psi

CHARGING AND EVACUATON HOSES





YJ145605









[A] HOSE PARTS A	[B] AND ACCESSORIES	19040	MISC. GASKETS/O RINGS
Model Number	Description		Barcode
YJ25980	3-PAK (RYB) 9" FLEX FLOW ADAPTER WITH BALL VALVE 8" FROM 45 [°] END [A]	ł	
YJ29980	3-PAK (RYB) 9" FLEX FLOW ADAPTER WITH BALL VALVE AT 45 [°] END [B]	1	
YJ19037	O RING FOR SEALRIGHT [™] LOW LOSS FITTI (SOLD AS 10/PK)	NG	
YJ19038	PLUG AND GASKET FOR SEALRIGHT [™] LOW LOSS FITTING	/	
YJ19040	SEALRIGHT [™] REPAIR KIT: VALVE, GASKET, PLUG, SPRING, AND 2 O RINGS	,	
YJ19041	SEALRIGHT [™] REBUILD KIT: YJ19040 + FLA NUT AND CLIP	RE	
YJ19020	REPL CH20 HOSE GASKET FOR 1/4", 5/16" AND 1/2" ACME HOSES (SOLD AS 10/PK)		
YJ19010	(6) CH20 HOSE GASKETS AND (3) CH14 VALVE CORE DEPRESSORS		
YJ19011	REPL CH11 HOSE GASKET FOR 3/8" HOSES (SOLD AS 10/PK)		
YJ19015	REPL CH80 HOSE GASKET FOR 1/2" AND 5/ HOSES (SOLD AS 10/PK)	/8"	
YJ19026	REPL QUAD O RINGS FOR 3/8" METAL HOS (SOLD AS 10/PK)	SE	
YJ19030	REPL 3/8"O-RING EVAC MANIFOLDS/VAC PUMP INTAKES (SOLD AS 10/PK)		











111443




/141123

YJ19173 AIVES ADADTERS AND EITTINGS

YJ19209

YJ69670

VALVES, ADA	PTERS AND FITTINGS	YJ41318 YJ41337/YJ41338
Model Number	Description	Barcode
YJ41123	1/4" LIQUID CHARGING ADAPTER (FOR CHARGING LIQUID INTO SUCTION SIDE)	
YJ19173	5/16" QUICK CONNECT X 1/4 MALE FLARE 45° R410A ADAPTER (FOR MINI-SPLITS)	
YJ19209	90 [°] 1/4" SEALRIGHT [™] X 1/4" MALE FLARE ADAPER	
YJ93834	BALL VALVE 1/4" MALE FLARE X 1/4" MALE FLARE	
YJ93846	BALL VALVE 3/8" MALE FLARE X 3/8" FEMALE FLARE	
YJ69670	1/4" M X F FLARE NEEDLE TYPE BLEED VALVE (FOR IN-LINE CONTROL)	
YJ41318	AUTOMOTIVE R134A LO SIDE 1/4" FLARE X SNAP-ON COUPLER, NO VALVE	
YJ41337	AUTOMOTIVE R134A HI SIDE 1/4" FLARE X SNAP-ON COUPLER, WITH VALVE	
YJ41338	AUTOMOTIVE R134A LO SIDE 1/4" FLARE X SNAP-ON COUPLER, WITH VALVE	



UV LEAK DETECTOR DYES AND ACCESSORIES CONT.		
YJ69613	DYE INJECTOR #3 SYSTEM W/ 10 TO 25LB REFRIG-MINERAL OIL (SOLD AS 6/PK)	
YJ69700	UV DISPOSABLE INJECTORS - ALL REFRIG AND OILS (SOLD AS 6/PK)	
YJ69705	UV DISP INJECTORS - ALL REFRIG AND OILS (SOLD AS 2 INJECTORS W/HOSE)	
YJ69710	CS.6 UNIVERSAL DYE - ALL REFRIG AND OILS (SOLD AS 6-20Z BOTTLES)	
YJ69782	395-415 NM WAVELENGTH MICRO UV LED FLASHLIGHT	
YJ69789	MICRO UV LED AND UV DISP INJECTOR DYE KIT	
YJ69564	O RING FOR 2 OZ AND 4 OZ OIL AND DYE INJECTORS (SOLD AS 5/PK)	
YJ69706	AUTOMOTIVE R134A UNIVERSAL DYE INJECTOR HOSE AND SERVICE COUPLER	

YJ69008 MISCELANEOU	YJ78060 YJ77930 YJ60648 JS TEST EQUIPMENT AND TOOLS	YJ60652 YJ60616
Model Number	Description	Barcode
YJ69008	DIGITAL PSYCHROMETER TO MEASURE HUMIDITY, DRY BULB AND WET BULB	
YJ78020	FUEL OIL PRESSURE TEST KIT, WITH HOSE AND FITTINGS, (30"-0-150 PSI)	
YJ78060	DIAL TYPE GAS PRESSURE TEST KIT (0-35"W.C.)	
YJ78075	WATER TYPE MANOMETER (- 2"-0-15" W.C.)	
YJ77930	MAX-FLOW [™] OIL PUMP USE WITH ALKYL- BENZENE, MINERAL OR POE OIL	
YJ60648	DIGITAL ADJUSTABLE TORQUE WRENCH FROM 5-30 mm	
YJ60652	TORQUE WRENCH KIT WITH 8 HEADS SIZES: 16, 17, 21, 22, 24, 26, 27 & 29 mm	

MISCELANEOUS TEST EQUIPMENT AND TOOLS CONT.			
YJ60616	OFFSET REFRIG WRENCH, 1/4" AND 3/16" ONE END; 3/8" AND 5/16" AT OTHER		
YJ60609	REFRIG WRENCH HEX ADAPTER FITS 3/16" AND 5/16" HEX VALVES		
YJ93403	YJ93403 1-1/2" DIA SIGHT GLASS		











YJ60278

TUBE FLARING, SWAGING AND BENDING

YJ60331

YJ60653

TODE FLARING, SWAGING AND DENDING 100331		YJ60653
Model Number	Description	Barcode
YJ60278	YJ60278 DELUXE 45 [°] FLARING TOOL FOR 1/8" TO 3/4" O.D.	
YJ60407	TUBING EXPANDER/SWAGER KIT FOR 3/8", 1/2", 5/8", 3/4", 7/8", 1-1/8" O.D.	
YJ60460	MULTI-SWAGE PUNCH FOR 6 SIZES - 3/16" TO 5/8" O.D.	
YJ60469	SINGLE SWAGE PUNCH 3/4" O.D.	
YJ60470	SINGLE SWAGE PUNCH 7/8" O.D.	
YJ60331	RATCHET HAND TUBE BENDER FOR 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" AND 7/8"	
YJ60342	REVERSE BEND ADAPTER FOR YJ60331	
YJ60351	SPRING BENDER KIT, 6 SIZES - 1/4"-5/8" O.D.	
YJ60353	SPRING BENDER KIT, 4 SIZES - 1/2"-7/8" O.D.	









YJ60121/YJ60142

TUBING CUTTERS AND ACCESSORIES

TUBING CUTTERS AND ACCESSORIES			
Model Number	Description	Barcode	
YJ60121	YJ60121 MINI TUBING CUTTER FROM 1/8" - 7/8" O.D.		
YJ60142	YJ60142 BIG MINI TUBING CUTTER FROM 1/4" - 1-1/8" O.D.		
YJ60101	YJ60101 STANDARD TUBING CUTTER FROM 1/8" - 1-1/8" O.D.		
YJ60102	YJ60102 LARGE STD. TUBING CUTTER FROM 1/4" - 1-5/8" O.D.		
YJ60139	YJ60139 LARGE TUBING CUTTER FROM 3/8"- 2-5/8" O.D.		
YJ60163	YJ60163 SWIVEL DEBURRING TOOL WITH SPARE BLADES IN HANDLE		
YJ60079	YJ60079 PIN AND CLIP FOR CUTTER 60101, 60102, 60103		
YJ60093	YJ60093 WHEEL, PIN AND CLIP FOR CUTTER 60101, 60102, 60103		
YJ60100	YJ60100 WHEEL FOR COPPER FOR CUTTER 60101, 60102, 60103, 60160		
YJ60120	YJ60120 WHEEL FOR CUTTER 60121, 60142		
YJ60124	YJ60124 WHEEL FOR 60139		
YJ60136	YJ60136 SCREW & RETAINER FOR CUTTER 60139, 60146		
YJ60143	YJ60143 WHEEL, PIN & CLIP FOR CUTTER 60142 (SOLD AS 5/PK)		