

*elongata* Jullien & Calvet, 1903  
*gracilis* M. Sars, 1935  
*matsushi-mana* Toriumi, 1951  
*mutabilis* Toriumi, 1951  
*ramosa* (Robertson, 1900)

## MOLLUSCA

Compiled by Philippe Bouchet, Jacques Le Renard and Serge Gofas

The Mollusca part of ERMS is based on CLEMAM (Checklist of European Marine Molluscs), a database at the website <http://www.mnhn.fr/base/malaco.html>.

The need to compile a check-list of the European marine molluscs was discussed during the 10th International Malacological Congress (Tübingen, 1989) and a resolution was passed to this effect by the General Assembly of Unitas Malacologica, and Anders Warén (Stockholm) and Philippe Bouchet (Paris) were asked to investigate into its feasibility. The acronym CLEMAM (Check List of the European MArine Molluscs) was chosen because of its similarity to CLOFNAME and CLOFETA, the very successful regional checklists of Fishes compiled under the umbrella of UNESCO. In 1994, an *ad hoc* meeting, funded by Unitas Malacologica, brought together in Paris malacologists representing several regional or national lists of marine molluscs:

- (i) Riccardo Giannuzzi-Savelli, representing the *Catalogo annotato dei molluschi marini del Mediterraneo*, compiled by B. Sabelli, R. Giannuzzi-Savelli and D. Bedulli (1992) for Società Italiana di Malacologia, and published by Libreria Naturalistica Bolognese, Bologna.
- (ii) Elizabeth Platts, representing the *Checklist of British Marine Mollusca*, compiled by D. Heppell and S. Smith (1991), and published by the National Museums of Scotland.
- (iii) Jon-Arne Snell, representing the *Annotated checklist of marine molluscs of the Norwegian coast and adjacent waters*, compiled by T. Hoisaeter (1986) and published in *Sarsia*, 71: 73-145.

In the following year, electronic versions of these three lists, in addition to a card catalogue of post-1960 names, were merged by Serge Gofas into a single list in text format. The resulting list was then transformed into database format by Jacques Le Renard, and the first CLEMAM was presented at the 12th International Malacological Congress (Vigo, 1995).

Considering the data added since 1995, CLEMAM currently contains ca. 15,000 names and over 3,300 valid species. New literature is permanently scanned for new material. Old literature is also being scanned for synonyms and gaps in taxonomical coverage. As of 1999, illustrations of type material of valid species and synonyms are being added to the backbone of taxonomical and nomenclatural information.

All native species, benthic or planktonic, and introduced species that have become established are listed in CLEMAM. Old and/or unconfirmed records of non-native species are excluded.

CLEMAM records published information only and does not make new taxonomical decisions. When different state-of-the-art taxonomical opinions exist in the recent literature, the taxonomic editor records what he thinks best reflects the needs of the users of the database.

The following manage CLEMAM: Jacques Le Renard (Directeur de Recherches, INRA. E-mail: lerenard@mnhn.fr), Database design and development; Serge Gofas (Curator, MNHN and Lecturer, University

of Malaga. E-mail: [gofas@mnhn.fr](mailto:gofas@mnhn.fr)), Taxonomic editor; and Philippe Bouchet (Senior Curator, MNHN. E-mail: [bouchet@mnhn.fr](mailto:bouchet@mnhn.fr)), External liaison.

We thank the following persons and institutions who have permitted the development of CLEMAM: Unitas Malacologica and its secretary (E. Gittenberger, Leiden, NL) and treasurer (J. van Goethem, Brussels, B) for seed money in the early phases of the project; Società Italiana di Malacologia and R. Giannuzzi-Savelli (Palermo, I), J.-A. Sneli and T. Hoisaeter (Trondheim and Bergen, N), E. Platts, D. Heppell and S. Smith (Edinburgh, UK), and A. Guerra (Vigo, SP) for making available electronic versions of published checklists; A. Warén (Stockholm, S) for input especially on northern and Arctic taxa; staff of MNHN for input at various levels: P. Lozouet, A. Foubert.

Within the list genera are listed alphabetically within sub-families although subfamily names have not been included. The on-line database contains more details on phylogeny and nomenclature.

## PHYLUM MOLLUSCA

### Class Aplacophora

#### Family Chaetodermatidae

##### *Chaetoderma*

- intermedium* Knipowitsch, 1896
- luifredi* (Ivanov in Scarlato, 1987)
- marinae* (Ivanov in Scarlato, 1987)
- nitens* Möbius, 1876
- nitidulum* Lovén, 1844
- pellucidum* Ivanov in Scarlato, 1987
- simplex* Salvini-Plawen, 1971
- strigisquamatum* Salvini-Plawen, 1977
- tetradens* (Ivanov, 1981)

##### *Falcidens*

- aequabilis* Salvini-Plawen, 1972
- crossotus* Salvini-Plawen, 1968
- gutturosus* (Kowalewsky, 1901)
- profundus* Salvini-Plawen, 1968
- sagittiferus* Salvini-Plawen, 1968
- sterreri* (Salvini-Plawen, 1967)
- thorensis* Salvini-Plawen, 1971
- vasconiensis* Salvini-Plawen, 1996

#### Family Limifossoridae

##### *Scutopus*

- robustus* Salvini-Plawen, 1970
- ventrolineatus* Salvini-Plawen, 1968

##### *Psilodens*

- elongatus* (Salvini-Plawen, 1972)
- tenius* Salvini-Plawen, 1977

#### Family Prochaetodermatidae

##### *Prochaetodera*

- breve* (Salvini-Plawen, 1999)
- iberogalicum* (Salvini-Plawen, 1999)
- raduliferum* (Kowalewsky, 1901)
- yongei* (Scheltema, 1985)

##### *Spathoderma*

- clenchi* (Scheltema, 1985)

##### *Chevroderma*

- gauson* (Scheltema, 1985)
- turnerae* (Scheltema, 1985)

#### Family Dondersiidae

##### *Dondersia*

- festiva* Hubrecht, 1888

##### *Ichthyomenia*

- ichthyooides* (Pruvot, 1890)

##### *Micromenia*

- fodiens* (Schwabl, 1955)
- simplex* Leloup, 1948

##### *Nematomenia*

- banyulensis* (Pruvot, 1890)

#### *corallophila* (Kowalewsky, 1881)

#### *flavens* (Pruvot, 1890)

#### *Stylomenia*

#### *salvatori* Pruvot, 1899

#### *Squamatoherpia*

#### *tricuspidata* (Büchinger & Handl, 1996)

#### *Helluoherpia*

#### *aegiri* (Handl & Büchinger, 1996)

### Family Gymnomeniidae

#### *Gymnomenia*

#### *pellucida* Odhner, 1921

#### *Genitoconia*

#### *atriolonga* Salvini-Plawen, 1967

#### *rosea* Salvini-Plawen, 1967

#### *Wirenia*

#### *argentea* Odhner, 1921

#### *gonoconata* (Salvini-Plawen, 1988)

### Family Lepidomeniidae

#### *Lepidomenia*

#### *hystrix* Marion & Kowalewsky in Fischer, 1885

#### *swedmarki* Salvini-Plawen, 1985

#### *Tegulaherpia*

#### *myodoryata* Salvini-Plawen, 1988

#### *stimulosa* Salvini-Plawen, 1983

### Family Macellomeniidae

#### *Macellomenia*

#### *palifera* (Pruvot, 1890)

### Family Neomeniidae

#### *Neomenia*

#### *carinata* Tullberg, 1875

#### *dalyelli* (Koren & Danielssen, 1877)

#### *Meromenia*

#### *hirondellei* (Leloup, 1949)

### Family Amphimeniidae

#### *Amphimenia*

#### *neapolitana* Thiele, 1889

#### *Alexandromenia*

#### *crassa* Odhner, 1921

#### *grimaldii* Leloup, 1946

#### *Paragymnomenia*

#### *richardi* Leloup, 1947

### Family Drepanomeniidae

#### *Drepanomenia*

#### *incrustata* (Koren & Danielssen, 1877)

### Family Pruvotinidae

#### *Pararrhopalia*

#### *pruvoti* Simroth, 1893

#### *Eleutheromenia*

#### *sierra* (Pruvot, 1890)

#### *Hypomenia*

#### *nierstraszi* Lummel, 1930

#### *Pruvotina*

#### *impexa* (Pruvot, 1890)

### Family Proneomeniidae

#### *Proneomenia*

#### *desiderata* (Kowalewsky & Marion, 1887)

#### *sluiteri* Hubrecht, 1880

#### *Dorymenia*

#### *sarsii* (Koren & Danielssen, 1877)

#### *vagans* (Kowalewsky & Marion, 1887)

#### *Entonomenia*

#### *atlantica* Leloup, 1948

### Family Rhopalomeniidae

#### *Rhopalomenia*

#### *aglaopheniae* (Kowalewsky & Marion, 1887)

#### *Pruvotia*

#### *sopita* (Pruvot, 1891)

### Family Simrothiellidae

#### *Simrothiella*

#### *borealis* Odhner, 1921

#### *margaritacea* (Koren & Danielssen, 1877)

#### *minima* (Nierstrasz, 1903)

- Biserramenia**  
*psammobionta* Salvini-Plawen, 1967
- Uncimenia**  
*neapolitana* Nierstrasz, 1903
- Family Strophomeniidae**
- Anamenia*  
*borealis* (Koren & Danielssen, 1877)  
*gorgonophila* (Kowalewsky, 1880)
- Strophomenia*  
*lacazei* Pruvot, 1899
- Class Monoplacophora**
- Family Neopilinidae**
- Laevipilina*  
*rolani* Warén & Bouchet, 1990
- Micropilina*  
*minuta* Warén, 1989
- Rokopella*  
*brummeri* Goud & Gittenberger, 1993  
*euglypta* (Dautzenberg & Fischer H., 1897)
- Veleropilina*  
*reticulata* (Seguenza G., 1876)  
*zografi* (Dautzenberg & Fischer H., 1896)
- Class Polyplacophora**
- Family Leptochitonidae**
- Lepidopleurus*  
*cajetanus* (Poli, 1791)
- Leptochiton*  
*africanus* (Nierstrasz, 1906)  
*algesirensis* (Capellini, 1859)  
*alveolus* (Lovén, 1846)  
*arcticus* (Sars G.O., 1878)  
*asellus* (Gmelin, 1791)  
*bedullii* Dell'Angelo & Palazzi, 1986  
*cancellatus* (Sowerby G.B. II, 1840)  
*cimicoides* (Monterosato, 1879)  
*compostellanum* (Carmona Zalvide & Urgorri, 1999)  
*gascognensis* Kaas & Van Belle, 1985  
*geronensis* Kaas & Van Belle, 1985  
*leloupi* (Kaas, 1979)  
*odhneri* (Bergenhayn, 1931)  
*pseudogloriosus* (Strack, 1991)  
*rarinotus* (Jeffreys, 1883)  
*sarsi* Kaas, 1981  
*scabridus* (Jeffreys, 1880)  
*tenuis* Kaas, 1979  
*thalattius* Kaas & Van Belle, 1985  
*xanthus* (Kaas & Van Belle, 1990)
- Family Hanleyidae**
- Hanleya*  
*hanleyi* (Bean in Thorpe, 1844)  
*nagelfar* (Lovén, 1846)
- Family Ischnochitonidae**
- Ischnochiton*  
*albus* (Linné, 1767)  
*dolii* (Van Belle & Dell'Angelo, 1998)  
*exaratus* (Sars G.O., 1878)  
*obtusus* (Carpenter in Pilsbry, 1893)  
*rissoi* (Payraudeau, 1826)  
*usticensis* (Dell'Angelo & Castriota, 1999)  
*vanbellei* Kaas, 1985
- Connexochiton*  
*platynomenus* Kaas, 1979
- Callistochiton*  
*pachylasmae* (Monterosato, 1878)
- Callochiton*  
*calcatus* Dell'Angelo & Palazzi, 1994  
*septemvalvis* (Montagu, 1803)
- Lepidochitona*  
*canariensis* (Thiele, 1909)  
*cinerea* (Linné, 1767)  
*corrugata* (Reeve, 1848)  
*furtiva* (Monterosato, 1879)  
*iberica* Kaas & Van Belle, 1981
- monterosatoi* Kaas & Van Belle, 1981  
*piceola* (Shuttleworth, 1853)  
*simrothi* (Thiele, 1902)  
*stroemfelti* (Bergenhayn, 1931)
- Tonicella**  
*marmorea* (Fabricius O., 1780)  
*rubra* (Linné, 1767)
- Chaetopleura*  
*angulata* (Spengler, 1797)
- Family Mopaliidae**
- Placiophorella*  
*atlantica* (Verrill & Smith, 1882)
- Family Chitonidae**
- Chiton*  
*corallinus* (Risso, 1826)  
*hululensis* (Smith E.A. in Gardiner, 1903)  
*olivaceus* Spengler, 1797  
*phaseolinus* Monterosato, 1879
- Family Acanthochitonidae**
- Acanthochitona*  
*crinita* (Pennant, 1777)  
*discrepans* (Brown, 1827)  
*fascicularis* (Linné, 1767)
- Class Gastropoda**
- Family Patellidae**
- Patella*  
*caerulea* Linné, 1758  
*candei* d'Orbigny, 1840  
*ferruginea* Gmelin, 1791  
*intermedia* Murray in Knapp, 1857  
*nigra* da Costa, 1771  
*piperata* Gould, 1846  
*rustica* Linné, 1758  
*ulyssiponensis* Gmelin, 1791  
*vulgata* Linné, 1758
- Anstes*  
*pellucida* (Linné, 1758)
- Family Nacellidae**
- Cellana*  
*rota* (Gmelin, 1791)
- Family Acmaeidae**
- Acmaea*  
*virginea* (Müller O.F., 1776)
- Pectinodontida**
- maxima* (Dautzenberg, 1925)
- Family Lepetidae**
- Lepeta*  
*caeca* (Müller O.F., 1776)
- Iothia*  
*fulva* (Müller O.F., 1776)
- Propilidium*  
*exiguum* (Thompson W., 1844)
- Family Lottiidae**
- Erginus*  
*rubellus* (Fabricius O., 1780)
- Tectura*  
*testudinalis* (Müller O.F., 1776)
- Family Cocculinidae**
- Cocculina*  
*leptoglypta* Dautzenberg & Fischer H., 1897
- Coccopigya*  
*lata* (Warén, 1996)  
*spinigera* (Jeffreys, 1883)  
*viminensis* (Rocchini, 1990)
- Family Bathysciadiidae**
- Bathysciadium*  
*costulatum* (Locard, 1898)  
*xylophagum* Warén & Carozza in Warén, 1997
- Xenodonta*  
*bogasoni* Warén, 1993
- Family Lepetellidae**

- Lepetella**  
*barrajoni* Dantart & Luque, 1994  
*espinosae* Dantart & Luque, 1994  
*laterocompressa* (de Rayneval & Ponzi, 1854)  
*sierrai* Dantart & Luque, 1994
- Bogia**  
*labronica* (Bogi, 1984)
- Family Addisoniidae**  
*Addisonia*  
*excentrica* (Tiberi, 1855)
- Family Choristellidae**  
*Choristella*  
*nofronii* McLean, 1992
- Family Osteopeltidae**  
*Osteopelta*  
*ceticola* Warén, 1989
- Family Pseudococculinidae**  
*Amphiplica*  
*concentrica* (Thiele, 1909)  
*Copulabysa*  
*corrugata* (Jeffreys, 1883)
- Pilus**  
*conicus* (Verrill, 1884)  
*Kaiparapelta*  
*askewi* McLean & Harasewych, 1995
- Family Neritidae**  
*Nerita*  
*sanguinolenta* Menke, 1829  
*Smaragdia*  
*souverbiana* (Montrouzier, 1863)  
*viridis* (Linné, 1758)
- Family Fissurellidae**  
*Fissurella*  
*nubecula* (Linné, 1758)  
*Diodora*  
*dorsata* (Monterosato, 1878)  
*gibberula* (Lamarck, 1822)  
*graeca* (Linné, 1758)  
*italica* (Defrance, 1820)  
*producta* (Monterosato, 1880)  
*ruppelli* (Sowerby G.B. I, 1835)  
*Emarginula*  
*adriatica* Costa O.G., 1829  
*christiaensi* Piani, 1985  
*crassa* Sowerby J., 1813  
*divae* (van Aartsen & Carrozza, 1995)  
*fissura* (Linné, 1758)  
*hazardii* (Payraudeau, 1826)  
*multistriata* Jeffreys, 1882  
*octaviana* Coen, 1939  
*punctulum* Piani, 1980  
*pustula* Thiele in Küster, 1913  
*rosea* Bell T., 1824  
*sicula* Gray J.E., 1825  
*solidula* Costa O.G., 1829  
*tenera* Locard, 1892  
*tuberculosa* Libassi, 1859  
*Cranopsis*  
*asturiana* (Fischer P., 1882)  
*Fissurisepia*  
*crossei* (Dautzenberg & Fischer H., 1896)  
*granulosa* Jeffreys, 1883  
*microphyma* (Dautzenberg & Fischer H., 1896)  
*Puncturella*  
*alicei* (Dautzenberg & Fischer H., 1897)  
*noachina* (Linné, 1771)  
*profundi* (Jeffreys, 1877)  
*Zeidora*  
*naufraga* Watson, 1883
- Family Scissurellidae**  
*Scissurella*  
*costata* d'Orbigny, 1824  
*Anatoma*
- aspera* (Philippi, 1844)  
*crispata* (Fleming, 1828)  
*richardi* (Dautzenberg & Fischer H., 1896)  
*umbilicata* (Jeffreys, 1883)  
*Sinezona*  
*cingulata* (Costa O.G., 1861)  
*semicostata* (Burnay & Rolán, 1990)
- Family Haliotidae**  
*Haliotis*  
*coccinea* Reeve, 1846  
*pustulata* subsp. *cruenta* Reeve, 1846  
*tuberculata* Linné, 1758
- Family Trochidae**  
*Trochus*  
*erythreus* Brocchi, 1821  
*Clanculus*  
*berthelotii* (d'Orbigny, 1840)  
*corallinus* (Gmelin, 1791)  
*cruciatus* (Linné, 1758)  
*jussieui* (Payraudeau, 1826)  
*Clelandella*  
*miliaris* (Brocchi, 1814)  
*Jujubinus*  
*baudoni* (Monterosato, 1891)  
*dispar* Curini-Galletti, 1982  
*exasperatus* (Pennant, 1777)  
*gravinæ* (Dautzenberg, 1881)  
*guanchus* Curini-Galletti, 1985  
*karpathoensis* Nordsieck, 1973  
*montagui* (Wood W., 1828)  
*poppei* Curini-Galletti, 1985  
*pseudogravinæ* Nordsieck, 1973  
*rusrurianus* (Weinkauff, 1868)  
*striatus* (Linné, 1758)  
*tumidulus* (Aradas, 1846)  
*unidentatus* (Philippi, 1844)  
*vexationis* Curini-Galletti, 1990  
*Gibbula*  
*adansonii* (Payraudeau, 1826)  
*adriatica* (Philippi, 1844)  
*albida* (Gmelin, 1791)  
*ardens* (Von Salis, 1793)  
*candei* (d'Orbigny, 1844)  
*cineraria* (Linné, 1758)  
*delgadensis* Nordsieck, 1982  
*deversa* Milaschewitsch, 1916  
*divaricata* (Linné, 1758)  
*drepanensis* (Brugnone, 1873)  
*fanulum* (Gmelin, 1791)  
*guttadauri* (Philippi, 1836)  
*leucophæa* (Philippi, 1836)  
*magus* (Linné, 1758)  
*nivosa* Adams A., 1851  
*pennanti* (Philippi, 1846)  
*philberti* (Récluz, 1843)  
*racketti* (Payraudeau, 1826)  
*rarilineata* (Michaud, 1829)  
*spratti* (Forbes, 1844)  
*spurca* (Gould, 1856)  
*tingitana* Pallary, 1901  
*tumida* (Montagu, 1803)  
*turbinoides* (Deshayes, 1835)  
*umbilicalis* (da Costa, 1778)  
*umbilicaris* (Linné, 1758)  
*varia* (Linné, 1758)  
*vimontiae* Monterosato, 1884  
*Phorcus*  
*mutabilis* (Philippi, 1846)  
*richardi* (Payraudeau, 1826)  
*Osilinus*  
*articulatus* (Lamarck, 1822)  
*atratus* (Wood W., 1828)  
*lineatus* (da Costa, 1778)  
*sauciatus* (Koch, 1845)  
*turbinatus* (Von Born, 1778)

- Calliostoma*  
*caroli* (Dautzenberg, 1927)  
*cleopatra* (Locard, 1896)  
*conulus* (Linné, 1758)  
*granulatum* (Von Born, 1778)  
*grimaldii* (Dautzenberg & Fischer H., 1896)  
*gualterianum* (Philippi, 1848)  
*gubbii* Nofroni, 1984  
*hirondellei* (Dautzenberg & Fischer H., 1896)  
*kochi* Pallary, 1902  
*laugieri* (Payraudeau, 1826)  
*leptophyma* (Dautzenberg & Fischer H., 1896)  
*lithocletum* (Dautzenberg, 1925)  
*milneedwardsi* (Locard, 1898)  
*normani* (Dautzenberg & Fischer H., 1897)  
*obesulum* (Locard, 1898)  
*occidentale* (Mighels & Adams, 1842)  
*virescens* Coen, 1933  
*zizyphinum* (Linné, 1758)
- Danilia*  
*affinis* (Dautzenberg & Fischer H., 1896)  
*otaviana* (Cantraine, 1835)
- Turcicula*  
*alicei* (Dautzenberg & Fischer H., 1896)  
*miranda* (Locard, 1898)
- Calliotropis*  
*ottoi* (Philippi, 1844)
- Putzeysia*  
*wiseri* (Calcara, 1842)
- Margarites*  
*costalis* (Gould, 1841)  
*groenlandicus* (Gmelin, 1791)  
*helicinus* (Phipps, 1774)  
*olivaceus* (Brown, 1827)  
*vahlii* (Møller, 1842)
- Solarilla*  
*amabilis* (Jeffreys, 1865)  
*cincta* (Philippi, 1836)  
*cingulima* (Locard, 1898)  
*infundibulum* Watson, 1879  
*lusitanica* (Fischer P., 1887)  
*micans* (Dautzenberg & Fischer H., 1896)  
*mogadorensis* (Locard, 1898)  
*obscura* (Couthouy, 1838)  
*paucivaricosa* (Dautzenberg, 1889)  
*regalis* (Verrill & Smith, 1880)  
*rhina* (Watson, 1886)  
*rudecta* (Locard, 1898)  
*vallanti* (Dautzenberg & Fischer H., 1896)  
*varicosa* (Mighels & Adams, 1842)
- Callumbonella*  
*suturalis* (Philippi, 1836)
- Minolia*  
*nedyma* Melvill, 1897
- Family Seguenziidae**
- Seguenzia*  
*elegans* Jeffreys, 1885  
*ionica* Watson, 1878  
*monocingulata* Seguenza G., 1876
- Basilissopsis*  
*watsoni* (Dautzenberg & Fischer H., 1897)
- Carenzia*  
*carinata* (Jeffreys, 1877)
- Asthelys*  
*mundus* (Watson, 1879)
- Ancistrobasis*  
*reticulata* (Philippi, 1844)
- Family Trochaclididae**
- Trochacalis*  
*islandicus* Warén, 1989  
*versilensis* Warén, Carozza & Rocchini in Warén, 1992
- Family Pendromidae**
- Rugulina*
- fragilis* (Sars G.O., 1878)  
*monterosatoi* (van Aartsen & Bogi, 1987)
- Family Skeneidae**
- Skenea*  
*areolata* (Sars G.O., 1878)  
*basistriata* (Jeffreys, 1877)  
*catenoides* (Monterosato, 1877)  
*ferruginea* Warén, 1991  
*larseni* Warén, 1993  
*nilarum* (Engl, 1996)  
*ossiansarsi* Warén, 1991  
*pelagia* Nofroni & Valenti, 1987  
*peterseni* (Friele, 1877)  
*politá* Warén, 1993  
*ponsonbyi* (Dautzenberg & Fischer H., 1897)  
*profunda* (Friele, 1879)  
*rugulosa* (Sars G.O., 1878)  
*serpuloides* (Montagu, 1808)  
*trochoides* (Friele, 1876)  
*turgida* (Odhner, 1912)  
*valvatoides* (Jeffreys, 1883)
- Adeuomphalus*  
*amoniformis* (Seguenza G., 1876)
- Akritogyra*  
*conspicua* (Monterosato, 1880)  
*curvilineata* Warén, 1992  
*helicella* Warén, 1993  
*similis* (Jeffreys, 1883)
- Anekes*  
*affinis* (Jeffreys, 1883)  
*giustii* Bogi & Nofroni, 1989  
*infilata* Warén, 1992  
*paucistriata* Warén, 1992  
*sculpturata* Warén, 1992  
*undulisculpta* Bouchet & Warén, 1979
- Cirsonella*  
*ateles* (Dautzenberg & Fischer H., 1896)  
*gaudryi* (Dautzenberg & Fischer H., 1896)  
*romellensis* (Granata-Grillo, 1877)
- Dikoleps*  
*cutleriana* (Clark W., 1848)  
*depressa* (Monterosato, 1880)  
*mariannae* (Rubio, Dantart & Luque, 1998)  
*pruinosa* (Chaster, 1896)  
*pusilla* (Jeffreys, 1847)  
*rolani* (Rubio, Dantart & Luque, 1998)  
*umbilicostriata* (Gaglini, 1987)
- Eudaronia*  
*aperta* (Sykes, 1925)
- Ganessa*  
*bujnitzkii* (Gorbunov, 1946)  
*niidiuscula* Jeffreys, 1883
- Granigyrta*  
*arenosa* Warén, 1993  
*granulifera* Warén, 1992  
*pruinosa* (Jeffreys, 1883)  
*tenera* (Jeffreys, 1883)
- Lissomphalia*  
*bithynoides* (Monterosato, 1880)
- Lissotesta*  
*gittengeri* (van Aartsen & Bogi, 1988)  
*major* Warén, 1992  
*minima* (Seguenza G., 1876)  
*turrita* (Gaglini, 1987)
- Mikro*  
*globulus* Warén, 1996
- Protolira*  
*thorvaldseni* (Warén, 1996)
- Moelleriopsis*  
*messanensis* (Seguenza G., 1876)  
*normani* (Dautzenberg & Fischer H., 1897)  
*richardi* (Dautzenberg & Fischer H., 1896)
- Palazzia*  
*ausonia* (Palazzi, 1988)
- Parviturbo*

- elegantulus* (Philippi, 1844)  
*fenerstratus* (Chaster, 1896)  
**Pseudorbis**  
*granulum* (Brugnone, 1873)  
*jameoensis* (Rubio & Rodriguez Babio, 1991)  
**Reitigra**  
*granulosa* (Sykes, 1925)  
*iheringi* (Dautzenberg & Fischer H., 1897)  
*millipunctata* (Friele, 1886)  
**Skeneoides**  
*digeronimo* (La Perna, 1998)  
*exilissima* (Philippi, 1844)  
*jeffreysii* (Monterosato, 1872)  
**Xyloskenea**  
*naticiformis* (Jeffreys, 1883)
- Family Cyclostrematidae**  
*Vetulonia*  
*cancellata* (Jeffreys, 1883)
- Family Turbinidae**  
*Bolma*  
*macandrewii* (Mørch, 1868)  
*rugosa* (Linné, 1767)  
*Cantrainea*  
*peloritana* (Cantraine, 1835)  
*Homalopoma*  
*carmelae* Oliverio & Buzzurro, 1994  
*sanguineum* (Linné, 1758)  
*Moelleria*  
*costulata* (Møller, 1842)
- Family Tricoliidae**  
*Tricolia*  
*algoidea* (Pallary, 1920)  
*deschampsi* Gofas, 1993  
*entomocheila* Gofas, 1993  
*miniata* (Monterosato, 1884)  
*nordsiecki* (Talavera, 1978)  
*pullus* (Linné, 1758)  
*punctura* Gofas, 1993  
*speciosa* (Von Mühlfeldt, 1824)  
*tenuis* (Michaud, 1829)  
*tingitana* Gofas, 1982
- Family Cerithiidae**  
*Cerithium*  
*nodosum* Bruguière, 1792  
*alukastrum* (Brocchi, 1814)  
*lividulum* Risso, 1826  
*nesioticum* Pilsbry & Vanatta, 1906  
*protractum* Bivona Ant. in Bivona And., 1838  
*rupestre* Risso, 1826  
*scabridum* Philippi, 1848  
*vulgatum* Bruguère, 1792  
*Bittium*  
*depauperatum* Watson, 1897  
*incile* Watson, 1897  
*lacteum* (Philippi, 1836)  
*latreillii* (Payraudeau, 1826)  
*proteum* (Jousseaume, 1930)  
*reticulatum* (da Costa, 1778)  
*simplex* (Jeffreys, 1867)  
*submamilatum* (de Rayneval & Ponzi, 1854)  
*watsoni* (Jeffreys, 1885)  
*Cassiella*  
*abyensis* Gofas, 1987  
*Clypeomorus*  
*bifasciatus* (Sowerby G.B. II, 1855)  
*Rhinoclavis*  
*kochi* (Philippi, 1848)
- Family Dialidae**  
*Diala*  
*varia* Adams A., 1861
- Family Fossaridae**  
*Fossarus*  
*ambiguus* (Linné, 1758)
- Family Litiopidae**  
*Litiopa*  
*melanostoma* (Rang, 1829)  
*Alaba*  
*mirabilis* (Hornung & Mermod, 1926)
- Family Obtortionidae**  
*Finella*  
*pupoidea* Adams A., 1860  
*Clathrofenella*  
*fusca* (Adams A., 1860)
- Family Planaxidae**  
*Planaxis*  
*punctostriata* Smith E.A., 1872  
*savignyi* Deshayes, 1844
- Family Potamididae**  
*Potamides*  
*conicus* (de Blainville, 1829)
- Family Scaliolidae**  
*Scaliola*  
*elata* Issel, 1869
- Family Siliquariidae**  
*Tenagodus*  
*obtusus* (Schumacher, 1817)  
*senegalensis* (Récluz in Mørch, 1860)
- Family Turritellidae**  
*Mesalia*  
*brevialis* (Lamarck, 1822)  
*Turritella*  
*communis* Risso, 1826  
*decipiens* Monterosato, 1878  
*turbona* Monterosato, 1877  
*Tachyrhynchus*  
*spitzbergensis* Golikov, 1986
- Family Triphoridae**  
*Cheirodonta*  
*pallescens* (Jeffreys, 1867)  
*Cosmotriphora*  
*melanura* (Adams C.B., 1850)  
*Marshallora*  
*adversa* (Montagu, 1803)  
*Monophorus*  
*erythrosoma* (Bouchet & Guillemot, 1978)  
*perversus* (Linné, 1758)  
*thiriota* Bouchet, 1985  
*Obesula*  
*marisnstri* Bouchet, 1985  
*Pogonodon*  
*pseudocanaricus* (Bouchet, 1985)  
*Nototriphora*  
*canarica* Nordsieck & Talavera, 1979  
*Similiphora*  
*similior* (Bouchet & Guillemot, 1978)  
*tricotae* (Bouchet, 1997)  
*Strobiligera*  
*brychia* (Bouchet & Guillemot, 1978)  
*flammulata* Bouchet & Warén, 1993  
*lubrica* Bouchet & Warén, 1993  
*Metaxia*  
*abrupta* (Watson, 1880)  
*bacillum* (Issel, 1869)  
*metaxae* (delle Chiaje, 1828)
- Family Cerithiopsidae**  
*Cerithiopsis*  
*atalaya* Watson, 1885  
*barlei* Jeffreys, 1867  
*perlata* (Monterosato, 1889)  
*diadema* Monterosato, 1874  
*sayalensis* Watson, 1886  
*horrida* (Monterosato, 1874)  
*jeffreysi* Watson, 1885  
*minima* (Brusina, 1865)  
*nofronii* Amati, 1987  
*pulvis* (Issel, 1869)

- scalaris* (Locard, 1892)  
*tenthrenois* (Melvill, 1896)  
*tubercularis* (Montagu, 1803)
- Cerithiella**  
*amblytera* (Watson, 1880)  
*enodis* (Watson, 1880)  
*insignis* (Jeffreys, 1885)  
*metula* (Lovén, 1846)
- Triforis**  
*anelpistos* (Bouchet & Fechter, 1981)  
*superstes* (Bouchet & Fechter, 1981)
- Dizoniopsis**  
*coppolae* (Aradas, 1870)  
*micalii* Cecalupo & Villari, 1997
- Ektinos**  
*turbanilloides* (Dautzenberg & Fischer H., 1896)
- Krachia**  
*cossmanni* (Dautzenberg & Fischer H., 1896)  
*cylindrata* (Jeffreys, 1885)  
*guernei* (Dautzenberg & Fischer H., 1896)  
*obeliscoidea* (Jeffreys, 1885)  
*tiara* (Monterosato, 1874)
- Laeocochlis**  
*sinistratus* (Nyst, 1835)
- Onchodia**  
*valeriae* (Giusti Fr., 1987)
- Seila**  
*trilineata* (Philippi, 1836)
- Eumetula**  
*aliceae* (Dautzenberg & Fischer H., 1896)  
*arctica* (Mørch, 1857)  
*bouvieri* (Dautzenberg & Fischer H., 1896)
- Family Janthinidae**
- Janthina**  
*exigua* Lamarck, 1816  
*janthina* (Linné, 1758)  
*nitens* Menke, 1828  
*pallida* Thompson W., 1840
- Family Acididae**
- Aclis**  
*ascaris* (Turton, 1819)  
*attenuans* Jeffreys, 1883  
*gulsonae* (Clark W., 1850)  
*minor* (Brown, 1827)  
*sarsi* Dautzenberg & Fischer H., 1912  
*trilineata* Watson, 1897  
*verduini* van Aartsen, Menhorst & Gittenberger, 1984  
*vitrea* Watson, 1897  
*walleri* Jeffreys, 1867
- Discalis**  
*canariensis* Moolenbeek & Warén, 1987
- Family Epitonidae**
- Epitonium**  
*aculeatum* (Allan, 1818)  
*algerianum* (Weinkauf, 1866)  
*candidissimum* (Monterosato, 1877)  
*celesti* (Aradas, 1854)  
*clathratulum* (Kanmacher, 1798)  
*commune* (Lamarck, 1822)  
*dallianum* (Verrill & Smith, 1880)  
*delicatum* (Adams H., 1869)  
*dendrophylliae* Bouchet & Warén, 1986  
*fischeri* (Watson, 1897)  
*fulvovittatum* (Dautzenberg, 1890)  
*greenlandicum* (Perry, 1811)  
*hispidulum* (Monterosato, 1874)  
*jolyi* (Monterosato, 1878)  
*linctum* (de Boury & Monterosato, 1890)  
*nanum* (Jeffreys, 1884)  
*pseudonanum* Bouchet & Warén, 1986  
*pulchellum* (Bivona, 1832)  
*rhips* (Watson, 1897)  
*semidisjunctum* (Jeffreys, 1884)
- striatissimum* (Monterosato, 1878)  
*tiberii* (de Boury, 1890)  
*trevelyanum* (Thompson W., 1840)  
*tryoni* (de Boury, 1913)  
*turtonis* (Turton, 1819)  
*vittatum* (Jeffreys, 1884)  
*webbii* (d'Orbigny, 1840)
- Cycloscala**  
*hyalina* (Sowerby G.B. II, 1844)
- Acisra**  
*coarctata* (Jeffreys, 1884)  
*subdecussata* (Cantraine, 1835)
- Acriloscala**  
*lamyi* (de Boury, 1909)
- Alora**  
*retifera* Bouchet & Warén, 1986  
*tenerrima* (Dautzenberg & Fischer H., 1896)
- Cirsotrema**  
*cochlea* (Sowerby G.B. II, 1844)
- Claviscala**  
*richardi* (Dautzenberg & de Boury, 1897)
- Cylindriscala**  
*acus* (Watson, 1883)  
*aurantia* Bouchet & Warén, 1986  
*guernei* (Dautzenberg & de Boury, 1897)  
*jeffreysi* (Tryon, 1887)  
*mirifica* (Fischer P. in Filhol, 1886)  
*thalassae* Bouchet & Warén, 1986  
*vicina* (Dautzenberg & de Boury, 1897)
- Gregorioiscala**  
*exfoliata* Bouchet & Warén, 1986  
*pachya* (Locard, 1897)  
*sarsi* (Kobelt, 1904)
- Gyroscala**  
*lamellosa* (Lamarck, 1822)
- Opalia**  
*abbotti* Clench & Turner, 1952  
*crenata* (Linné, 1758)  
*fortunata* Bouchet & Warén, 1986  
*hellenica* (Forbes, 1844)
- Periaptia**  
*gracilis* (Verrill, 1880)  
*polygyrella* (Fischer P. in Locard, 1897)
- Punctiscala**  
*cerigottana* (Sturany, 1896)
- Eccliseogrya**  
*exquisita* Bouchet & Warén, 1986  
*folini* (Dautzenberg & de Boury, 1897)  
*formosissima* (Jeffreys, 1884)  
*monnioti* Bouchet & Warén, 1986  
*nitida* (Verrill & Smith in Verrill, 1885)  
*sericea* Bouchet & Warén, 1986
- Iphitus**  
*cancellatus* Dautzenberg & Fischer H., 1896  
*marshalli* (Sykes, 1925)  
*tuberatus* Jeffreys, 1883
- Narrimania**  
*concinna* (Sykes, 1925)
- Opaliopsis**  
*atlantis* (Clench & Turner, 1952)
- Papuliscala**  
*cerithielloides* Bouchet & Warén, 1986  
*elongata* (Watson, 1881)  
*praelonga* (Jeffreys, 1877)  
*tavianii* Bouchet & Warén, 1986
- Family Eulimidae**
- Eulima**  
*altimirai* Nordsieck, 1977  
*anonyma* Bouchet & Warén, 1986  
*bilineata* Alder, 1848  
*chionea* Bouchet & Warén, 1986  
*confusa* Bouchet & Warén, 1986  
*devistoma* Bouchet & Warén, 1986  
*fuscozonata* Bouchet & Warén, 1986  
*glabra* (da Costa, 1778)

- leptozena* Dautzenberg & Fischer H., 1896  
*strongylostoma* Bouchet & Warén, 1986  
*Acrochalix*  
*callosa* Bouchet & Warén, 1986  
*Auriculigerina*  
*miranda* Dautzenberg, 1925  
*Batheulima*  
*abbreviata* (Jeffreys, 1884)  
*fuscoapicata* (Jeffreys, 1884)  
*Bathycrinicola*  
*curta* (Warén, 1972)  
*macrapex* Bouchet & Warén, 1986  
*micrapex* Bouchet & Warén, 1986  
*talaena* (Dautzenberg & Fischer H., 1897)  
*Bulimeulima*  
*magna* Bouchet & Warén, 1986  
*Campyloraphion*  
*famelicum* (Watson, 1883)  
*machaeropse* (Dautzenberg & Fischer H., 1896)  
*Costactis*  
*mizon* (Watson, 1881)  
*Crinolamia*  
*angustispira* Bouchet & Warén, 1986  
*dahli* Bouchet & Warén, 1979  
*Crinophtheiros*  
*comatuliculus* (Graff, 1875)  
*giustii* Gaglini, 1991  
*junii* (de Folin, 1887)  
*Curveulima*  
*macrophthalmica* (Warén, 1972)  
*marshalli* Bouchet & Warén, 1986  
*obliquistoma* Bouchet & Warén, 1986  
*Enteroxenos*  
*oestergreni* Bonnevie, 1902  
*Entocolax*  
*ludwigi* Voigt, 1888  
*Entoconcha*  
*mirabilis* (Müller J., 1852)  
*Ersilia*  
*mediterranea* (Monterosato, 1869)  
*Eulitoma*  
*arca* Bouchet & Warén, 1986  
*insignis* (Dautzenberg & Fischer H., 1896)  
*josephinae* Bouchet & Warén, 1986  
*obtusiuscula* Bouchet & Warén, 1986  
*Fuscapex*  
*baptcephalus* (Dautzenberg & Fischer H., 1896)  
*cabiochi* Bouchet & Warén, 1986  
*major* Bouchet & Warén, 1986  
*microcostellatus* Bouchet & Warén, 1986  
*talismanni* Bouchet & Warén, 1986  
*Fuseulima*  
*boscheineni* (Engl, 1998)  
*fulva* (Watson, 1897)  
*ingolfiana* Bouchet & Warén, 1986  
*minuta* (Jeffreys, 1884)  
*projectilabrum* Bouchet & Warén, 1986  
*sordida* (Watson, 1897)  
*thalassae* Bouchet & Warén, 1986  
*Haliella*  
*canarica* Bouchet & Warén, 1986  
*stenostoma* (Jeffreys, 1858)  
*Halielloides*  
*fragilis* Bouchet & Warén, 1986  
*nitidus* (Verrill, 1884)  
*Hemiaclis*  
*major* Bouchet & Warén, 1986  
*obtusus* Bouchet & Warén, 1986  
*ventrosus* (Friele, 1876)  
*Megadenus*  
*oneirophaniae* Bouchet & Lützen, 1980  
*Melanella*  
*alba* (da Costa, 1778)  
*boscii* (Payraudeau, 1826)  
*charissa* (Verrill, 1884)
- compactilis* (Monterosato, 1884)  
*costellata* (Dautzenberg & Fischer H., 1897)  
*crosseana* (Brusina, 1886)  
*densicostata* Bouchet & Warén, 1986  
*doederleini* (Brusina, 1886)  
*frielei* (Jordan, 1895)  
*gagei* Bouchet & Warén, 1986  
*glypta* Bouchet & Warén, 1986  
*haloraphe* (Dautzenberg & Fischer H., 1896)  
*inconspicua* (Watson, 1897)  
*insculpta* Bouchet & Warén, 1986  
*jeffreysi* (Tryon, 1886)  
*laurae* (Friele, 1886)  
*lineata* (Monterosato, 1869)  
*lubrica* (Monterosato, 1890)  
*lucida* (Verrill, 1884)  
*martynjordani* (Jordan, 1895)  
*microsculpta* Bouchet & Warén, 1986  
*monterosatoi* (Monterosato, 1890)  
*myriotrochi* Bouchet & Warén, 1986  
*obtusoapicata* Bouchet & Warén, 1986  
*orphanensis* Clarke A.H., 1974  
*petitiana* (Brusina, 1869)  
*planisutis* Bouchet & Warén, 1986  
*polita* (Linné, 1758)  
*praecurta* (Pallary, 1904)  
*pseudoglabra* (Dautzenberg & Fischer H., 1912)  
*reticulata* Bouchet & Warén, 1986  
*richardi* (Dautzenberg & Fischer H., 1896)  
*similior* Bouchet & Warén, 1986  
*spiridioni* (Dautzenberg & Fischer H., 1896)  
*stalioi* (Brusina, 1869)  
*translucens* (Monterosato, 1890)  
*trunca* (Watson, 1897)  
*turbanilloides* Bouchet & Warén, 1986  
*turrita* Bouchet & Warén, 1986  
*Mucronalia*  
*mammillata* Dall, 1927  
*Nanobalcis*  
*nanus* (Monterosato, 1878)  
*Niso*  
*foresti* Bouchet & Warén, 1986  
*Oceanida*  
*confluens* Bouchet & Warén, 1986  
*Ophieulima*  
*minima* (Dall, 1927)  
*Ophiolamia*  
*fragilissima* Bouchet & Warén, 1986  
*Parastilbe*  
*acuta* (Jeffreys, 1884)  
*Parvioris*  
*ibizencus* (Nordsieck, 1968)  
*Pelseneeria*  
*media* Koehler & Vaney, 1908  
*minor* Koehler & Vaney, 1908  
*profunda* Koehler & Vaney, 1908  
*striata* Bouchet & Warén, 1986  
*stylifera* (Turton, 1825)  
*Echineulima*  
*mittrei* (Petit de la Saussaye, 1851)  
*Pisolamia*  
*brychia* (Watson, 1883)  
*Rectilabrum*  
*lanceolatum* Bouchet & Warén, 1986  
*Sabinella*  
*pachya* (Dautzenberg & Fischer H., 1896)  
*piriformis* Brugnone, 1873  
*Sticteulima*  
*badia* (Watson, 1897)  
*jeffreysiana* (Brusina, 1869)  
*lata* Bouchet & Warén, 1986  
*lentiginosa* (Adams A., 1861)  
*richteri* (Engl, 1997)  
*wareni* (Engl, 1997)  
*Umbilibalcis*

- crassulus* Bouchet & Warén, 1986  
*subumbilicatus* (Jeffreys, 1883)
- Vitreolina**  
*antiflexa* Monterosato, 1884  
*cionella* (Monterosato, 1878)  
*curva* (Monterosato, 1874)  
*incurva* (Bucquoy, Dautzenberg & Dollfus, 1883)  
*knudseni* Bouchet & Warén, 1986  
*levantina* Oliverio, Buzzurro & Villa, 1994  
*perminima* (Jeffreys, 1883)  
*philippi* (de Raynal & Ponzi, 1854)
- Family Littorinidae**  
*Melarhaphe*  
*neritooides* (Linné, 1758)  
*Nodilittorina*  
*punctata* (Gmelin, 1791)  
*Littorina*  
*arcana* Hannaford-Ellis, 1978  
*sabalis* (Turton, 1825)  
*littorea* (Linné, 1758)  
*compressa* Jeffreys, 1865  
*obtusata* (Linné, 1758)  
*saxatilis* (Olivi, 1792)  
*striata* King & Broderip, 1832
- Family Lacunidae**  
*Lacuna*  
*crassior* (Montagu, 1803)  
*pallidula* (da Costa, 1778)  
*parva* (da Costa, 1778)  
*vincta* (Montagu, 1803)
- Family Skeneopsidae**  
*Skeneopsis*  
*planorbis* (Fabricius O., 1780)  
*sultanarum* Gofas, 1983
- Family Zerotulidae**  
*Zerotula*  
*incognita* Warén & Hain, 1996
- Family Cingulopsidae**  
*Eatonina*  
*celata* (Monterosato, 1884)  
*cossurae* (Calcaria, 1841)  
*fulgida* (Adams J., 1797)  
*matilda* Rubio & Rodriguez Babio, 1996  
*ochroleuca* (Brusina, 1869)  
*pumila* (Monterosato, 1884)
- Tubbrevia**  
*micrometrica* (Aradas & Benoit, 1876)
- Family Rissoidae**  
*Rissoa*  
*aartseni* Verduin, 1985  
*albugo* Watson, 1873  
*alleryi* (Nordsieck, 1972)  
*angustior* (Monterosato, 1917)  
*auriformis* Pallary, 1904  
*auriscalpium* (Linné, 1758)  
*decorata* Philippi, 1846  
*frauensfeldiana* Brusina, 1868  
*gemmula* Fischer P. in de Folin, 1869  
*gomerica* (Nordsieck & Talavera, 1979)  
*guerini* Récluz, 1843  
*guernei* Dautzenberg, 1889  
*italiensis* Verduin, 1985  
*janusi* (Nordsieck, 1972)  
*lilacina* Récluz, 1843  
*lia* (Monterosato, 1884)  
*membranacea* (Adams J., 1800)  
*monodonta* Philippi, 1836  
*multicincta* (Smriglio & Mariottini, 1995)  
*multicostata* (Nordsieck & Talavera, 1979)  
*panhormensis* Verduin, 1985  
*paradoxa* (Monterosato, 1884)  
*parva* (da Costa, 1778)  
*pseudoguerini* (Nordsieck & Talavera, 1979)
- rodhensis* Verduin, 1985  
*scurra* (Monterosato, 1917)  
*similis* Scacchi, 1836  
*splendida* Eichwald, 1830  
*torquilla* Pallary, 1912  
*variabilis* (Von Mühlfeldt, 1824)  
*ventricosa* Desmarest, 1814  
*violacea* Desmarest, 1814
- Pusillina**  
*ambla* (Watson, 1886)  
*benzi* (Aradas & Maggiore, 1844)  
*ehrenbergi* (Philippi, 1844)  
*inconspicua* (Alder, 1844)  
*lineolata* (Michaud, 1832)  
*marginata* (Michaud, 1832)  
*metivieri* Bouchet & Warén, 1993  
*munda* (Monterosato, 1884)  
*philippi* (Aradas & Maggiore, 1844)  
*radiata* (Philippi, 1836)  
*sarsi* (Lovén, 1846)  
*testudae* (Verduin, 1979)
- Setia**  
*aartseni* (Verduin, 1984)  
*amabilis* (Locard, 1886)  
*ambigua* (Brugnone, 1873)  
*anselmoi* (van Aartsen & Engl, 1999)  
*antiopolitana* (van der Linden & Wagner, 1987)  
*bruggeni* (Verduin, 1984)  
*gittenbergeri* (Verduin, 1984)  
*jansseni* (Verduin, 1984)  
*kuiperi* (Verduin, 1984)  
*lacourtii* (Verduin, 1984)  
*latior* (Mighels & Adams, 1842)  
*lidya* Verduin, 1988  
*maculata* (Monterosato, 1869)  
*miae* Verduin, 1988  
*microbia* Hoenselaar & Hoenselaar, 1991  
*pulcherrima* (Jeffreys, 1848)  
*quisquilarum* (Watson, 1886)  
*scillae* (Aradas & Benoit, 1876)  
*slikorum* (Verduin, 1984)  
*subvaricosa* Gofas, 1990  
*tiberiana* (Issel, 1869)  
*ugesae* Verduin, 1988  
*valvatoides* (Milaschewitsch, 1909)
- Rudolphosetia**  
*fusca* (Philippi, 1844)
- Alvania**  
*aartseni* Verduin, 1986  
*abstersa* van der Linden & van Aartsen, 1993  
*adiaphoros* Bouchet & Warén, 1993  
*adinogramma* Bouchet & Warén, 1993  
*aeoliae* Palazzi, 1988  
*algeriana* (Monterosato, 1877)  
*amatii* Oliverio, 1986  
*angioyi* van Aartsen, 1982  
*angularis* (Warén, 1996)  
*aspera* (Philippi, 1844)  
*aurantiaca* (Watson, 1873)  
*basteriae* (Moolenbeek & Faber, 1986)  
*beani* (Hanley in Thorpe, 1844)  
*canariensis* (d'Orbigny, 1840)  
*cancapae* Bouchet & Warén, 1993  
*cancellata* (da Costa, 1778)  
*carinata* (da Costa, 1778)  
*cimex* (Linné, 1758)  
*cinicoides* (Forbes, 1844)  
*cingulata* (Philippi, 1836)  
*clarae* (Nofroni & Pizzini, 1991)  
*clathrella* (Seguenza L., 1903)  
*colossaliphila* Oberling, 1970  
*consociella* Monterosato, 1884  
*corona* Nordsieck, 1972  
*coeseli* (Gofas, 1999)  
*datchaensis* Amati & Oliverio, 1987

- dianensis* Oliverio, 1988  
*dictyophora* (Philippi, 1844)  
*dijkstrai* (Hoenselaar & Goud, 1998)  
*dipacoi* Giusti Fr. & Nofroni, 1989  
*discors* (Allan, 1818)  
*disparilis* Monterosato, 1890  
*dorbignyi* (Audouin, 1826)  
*electa* (Monterosato, 1874)  
*elegantissima* (Monterosato, 1875)  
*euchila* (Watson, 1886)  
*fischeri* (Jeffreys, 1884)  
*formicarum* Gofas, 1989  
*fractospira* (Oberling, 1970)  
*gagliniae* Amati, 1985  
*geryonia* (Nardo, 1847)  
*guancha* Moolenbeek & Hoenselaar, 1989  
*hallgassi* Amati & Oliverio, 1985  
*hirta* (Monterosato, 1884)  
*hispidula* (Monterosato, 1884)  
*imperspicua* (Pallary, 1920)  
*incognita* (Warén, 1996)  
*internodula* (Hoenselaar & Goud, 1998)  
*iunoniae* Palazzi, 1988  
*jeffreysi* (Waller, 1864)  
*johannae* (Moolenbeek & Hoenselaar, 1998)  
*joseae* (Hoenselaar & Goud, 1998)  
*lactea* (Michaud, 1832)  
*lamellata* Dautzenberg, 1889  
*lanciae* (Calcaro, 1845)  
*leacocki* (Watson, 1873)  
*lineata* Risso, 1826  
*litoralis* (Nordsieck, 1972)  
*lucinae* Oberling, 1970  
*macandrewi* (Manzoni, 1868)  
*mamillata* Risso, 1826  
*marchadi* (Gofas, 1999)  
*mediolittoralis* Gofas, 1989  
*microstriata* (Hoenselaar & Goud, 1998)  
*minuta* (Golikov & Fedjakov in Scarlato, 1987)  
*moerchi* (Collin, 1886)  
*moniziana* (Watson, 1873)  
*multiquadrata* van der Linden & Wagner, 1989  
*nestaresi* Oliverio & Amati, 1990  
*nonsculpta* (Hoenselaar & Goud, 1998)  
*obliqua* Warén, 1974  
*pagodula* (Bucquoy, Dautzenberg & Dollfus, 1884)  
*parvula* (Jeffreys, 1884)  
*piersmai* Moolenbeek & Hoenselaar, 1989  
*platycephala* Dautzenberg & Fischer H., 1896  
*porcupinae* Gofas & Warén, 1982  
*poucheti* Dautzenberg, 1889  
*pseudoareolata* Warén, 1974  
*pseudosyngenes* Warén, 1973  
*punctura* (Montagu, 1803)  
*renei* (Hoenselaar & Goud, 1998)  
*rudis* (Philippi, 1844)  
*scabra* (Philippi, 1844)  
*schwartziana* Brusina, 1866  
*scrobiculata* (Møller, 1842)  
*sculptilis* (Monterosato, 1877)  
*settepassii* Amati & Nofroni, 1985  
*simulans* Locard, 1886  
*slearsi* (Amati, 1987)  
*slieringsi* (Hoenselaar & Goud, 1998)  
*sororcula* Granata-Grillo, 1877  
*spinosa* (Monterosato, 1890)  
*stenolopha* Bouchet & Warén, 1993  
*subareolata* Monterosato, 1869  
*subcalathus* (Dautzenberg & Fischer H., 1906)  
*subcrenulata* (Bucquoy, Dautzenberg & Dollfus, 1884)  
*subsoluta* (Aradas, 1847)  
*tarsodes* (Watson, 1886)  
*tenera* (Philippi, 1844)  
*tessellata* Weinkauff, 1868  
*testae* (Aradas & Maggiore, 1844)  
*tomentosa* (Pallary, 1920)  
*verrilli* (Friele, 1886)  
*watsoni* (Schwartz in Watson, 1873)  
*weinkauffi* Weinkauff, 1868  
*wyvillethomsoni* (Friele, 1877)  
*zettlandica* (Montagu, 1815)  
*zoderi* (Hoenselaar & Goud, 1998)  
*zylenensis* Gofas & Warén, 1982  
*Amphirissa*  
*cyclostomoides* Dautzenberg & Fischer H., 1897  
*Benthonella*  
*tenella* (Jeffreys, 1869)  
*Benthonellania*  
*agastyches* Bouchet & Warén, 1993  
*fayalensis* (Watson, 1886)  
*oligostigma* Bouchet & Warén, 1993  
*Boreocingula*  
*castanea* (Møller, 1842)  
*Cingula*  
*trifasciata* (Adams J., 1800)  
*Crisilla*  
*amphiglypha* Bouchet & Warén, 1993  
*beniamina* (Monterosato, 1884)  
*callosa* (Manzoni, 1868)  
*chiarella* (Cecalupo & Quadri, 1995)  
*cristallinula* (Manzoni, 1868)  
*depicta* (Manzoni, 1868)  
*lincta* (Watson, 1873)  
*marioni* Fasulo & Gaglini, 1987  
*permixta* (Manzoni, 1868)  
*picta* (Jeffreys, 1867)  
*postrema* (Gofas, 1990)  
*semistriata* (Montagu, 1808)  
*spadix* (Watson, 1897)  
*Frigidoalvania*  
*cruenta* (Odhner, 1915)  
*janmayeni* (Friele, 1878)  
*thalassae* Bouchet & Warén, 1993  
*Gofasia*  
*galiciae* Bouchet & Warén, 1993  
*josephinae* Bouchet & Warén, 1993  
*vanderlandi* Bouchet & Warén, 1993  
*Manzonia*  
*boogi* Moolenbeek & Faber, 1987  
*boucheti* Amati, 1992  
*castanea* Moolenbeek & Faber, 1987  
*crassa* (Kanmacher, 1798)  
*crispa* (Watson, 1873)  
*darwini* Moolenbeek & Faber, 1987  
*dionisi* Rolán, 1987  
*gibbera* (Watson, 1873)  
*guitiani* Rolán, 1987  
*heroensis* Moolenbeek & Hoenselaar, 1992  
*madeirensis* Moolenbeek & Faber, 1987  
*overdiepi* van Aartsen, 1983  
*pelorum* Moolenbeek & Faber, 1987  
*unifasciata* Dautzenberg, 1889  
*vigoensis* (Rolán, 1983)  
*wilmae* Moolenbeek & Faber, 1987  
*Obtusella*  
*intersecta* (Wood S., 1857)  
*macilenta* (Monterosato, 1880)  
*roseotincta* (Dautzenberg, 1889)  
*tumidula* (Sars G.O., 1878)  
*Onoba*  
*aculeus* (Gould, 1841)  
*dimassai* Amati & Nofroni, 1991  
*gianninii* (Nordsieck, 1974)  
*guzmani* Hoenselaar & Moolenbeek, 1987  
*improcera* (Warén, 1996)  
*islandica* (Friele, 1876)  
*josae* Moolenbeek & Hoenselaar, 1987  
*leptalea* (Verrill, 1884)  
*manzoniana* Rolán, 1987

- mighelsi* (Stimpson, 1851)  
*moreleti* Dautzenberg, 1889  
*obliqua* (Warén, 1974)  
*semicostata* (Montagu, 1803)  
*tarifensis* Hoenselaar & Moolenbeek, 1987  
*torelli* (Warén, 1996)
- Plagostila**  
*asturiana* Fischer P. in de Folin, 1872
- Peringiella**  
*denticulata* Ponder, 1985  
*elegans* (Locard, 1892)
- Botryphallus**  
*epidaureicus* (Brusina, 1866)  
*ovummuscae* (Gofas, 1990)
- Pseudosetia**  
*amydroalox* Bouchet & Warén, 1993  
*azorica* Bouchet & Warén, 1993  
*sicariensis* (Brugnone, 1876)  
*semipellucida* (Friele, 1879)  
*turgida* (Jeffreys, 1870)
- Rissoina**  
*bertholleti* Issel, 1869  
*bruguieri* (Payraudéau, 1826)
- Zebina**  
*paivensis* (Watson, 1873)  
*robustior* (Gofas, 1999)
- Family Adeorbidae**  
**Circulus**  
*striatus* (Philippi, 1836)  
*supranitidus* (Wood S., 1848)  
*tricarinatus* (Wood S., 1848)
- Teinostoma**  
*azoricum* (Dautzenberg & Fischer H., 1896)
- Family Anabathridae**  
**Nodulus**  
*contortus* (Jeffreys, 1856)
- Pisimna**  
*glabrata* (Von Mühlfeldt, 1824)
- Family Assimineidae**  
**Assiminea**  
*grayana* Fleming, 1828  
**Paludinella**  
*littorina* (delle Chiaje, 1828)
- Family Barleeidae**  
**Barleeia**  
*gougeti* (Michaud, 1830)  
*seminulum* (Monterosato, 1877)  
*unifasciata* (Montagu, 1803)
- Family Caecidae**  
**Caecum**  
*armoricum* de Folin, 1869  
*atlantidis* Watson, 1897  
*auriculatum* de Folin, 1868  
*clarkii* Carpenter, 1859  
*elegantissimum* (Carpenter, 1859)  
*engli* (Nofroni, Pizzini & Oliverio, 1997)  
*eunoai* (Nofroni, Pizzini & Oliverio, 1997)  
*glabrum* (Montagu, 1803)  
*pollicare* Carpenter, 1859  
*searleswoodi* Carpenter, 1859  
*subannulatum* de Folin, 1870  
*swinneni* (Nofroni, Pizzini & Oliverio, 1997)  
*trachea* (Montagu, 1803)  
*vitreum* (Carpenter, 1859)
- Parastrophia**  
*asturiana* de Folin, 1870
- Family Elachisiniidae**  
**Laeviphitus**  
*verduini* van Aartsen, Bogi & Giusti, 1989
- Elachisina**  
*canarica* Nordsieck & Talavera, 1979  
*globuloides* (Warén, 1972)
- Family Hydrobiidae**
- Hydrobia**  
*acuta* (Draparnaud, 1805)  
*joossei* van Aartsen, Menkhorst & Gittenberger, 1984  
*neglecta* Muus, 1963  
*ulvae* (Pennant, 1777)  
*ventrosa* (Montagu, 1803)
- Heleobia**  
*stagnorum* (Gmelin, 1791)
- Family Iravadiidae**  
**Ceratia**  
*proxima* (Forbes & Hanley, 1850)
- Hyala**  
*vitreata* (Montagu, 1803)
- Family Tornidae**  
**Tornus**  
*mienisi* (van Aartsen, Carrozza & Menkhorst, 1998)  
*subcarinatus* (Montagu, 1803)
- Discopsis**  
*costulatus* (de Folin, 1870)
- Family Truncatellidae**  
**Truncatella**  
*subcylindrica* (Linné, 1767)
- Family Vermetidae**  
**Vermetus**  
*granulatus* (Gravenhorst, 1831)  
*rugulosus* Monterosato, 1878  
*semisorrectus* Bivona Ant., 1832  
*triquetrus* Bivona Ant., 1832
- Dendropoma**  
*anguliferum* (Monterosato, 1884)  
*petraeum* (Monterosato, 1884)
- Petalonconchus**  
*glomeratus* (Linné, 1758)
- Serpulorbis**  
*arenarius* (Linné, 1767)
- Family Strombidae**  
**Strombus**  
*persicus* (Swainson, 1821)
- Family Aporrhaidae**  
**Aporrhais**  
*pespelecani* (Linné, 1758)  
*serresianus* (Michaud, 1828)
- Family Vanikoridae**  
**Larsenia**  
*scalaroides* Warén, 1989
- Macromphalus**  
*abyensis* Warén & Bouchet, 1988
- Megalomphalus**  
*azonus* (Brusina, 1865)  
*disciformis* (Granata-Grillo, 1877)  
*petitiatus* (Tiberi, 1869)
- Talassia**  
*coriacea* (Manzoni, 1868)  
*daguenneti* (de Folin, 1873)  
*tenuisculpta* (Watson, 1873)
- Family Hippocoridae**  
**Hipponeix**  
*conicus* (Schumacher, 1817)
- Leptonotis**  
*perplexus* (Suter, 1907)
- Family Xenophoridae**  
**Xenophora**  
*crispa* (Koenig, 1825)
- Family Calyptidae**  
**Calyptrea**  
*chinensis* (Linné, 1758)
- Crepidula**  
*calyptreiformis* Deshayes, 1830  
*fornicata* (Linné, 1758)  
*gibbosa* Defrance, 1818  
*porcellana* Linné, 1758  
*unguiformis* Lamarck, 1822

|  |  |
|--|--|
| <b>Family Haloceratidae</b>                              | <i>Pseudosimnia</i>                                  |
| <i>Haloceras</i>   | <i>carnea</i> (Poiret, 1789)                         |
| <i>carinatus</i> (Jeffreys, 1883)                        |  |
| <i>cingulatus</i> (Verrill, 1884)                        |  |
| <i>laxus</i> (Jeffreys, 1885)                            |  |
| <i>mediocostatus</i> (Dautzenberg & Fischer H., 1896)    |  |
| <i>tricarinatus</i> (Jeffreys, 1885)                     |  |
| <b>Family Capulidae</b>                                  | <i>Simnia</i>  |
| <i>Capulus</i>   | <i>nicaeensis</i> Risso, 1826                        |
| <i>simplex</i> Locard, 1898                              | <i>patula</i> (Pennant, 1777)                        |
| <i>ungaricus</i> (Linné, 1758)                           | <i>purpurea</i> Risso, 1826                          |
| <i>Torellia</i>  | <i>Primovula</i>                                     |
| <i>delicata</i> (Philippi, 1844)                         | <i>bellocae</i> (Cardin, 1997)                       |
| <i>didyma</i> Bouchet & Warén, 1993                      | <i>Pedicularia</i>                                   |
| <i>Trichotropis</i>                                      | <i>sicula</i> Swainson, 1840                         |
| <i>borealis</i> Broderip & Sowerby G.B. I, 1829          |  |
| <i>conicus</i> Möller, 1842                              | <b>Family Naticidae</b>                              |
| <i>bicarinatus</i> subsp. <i>tenuis</i> Smith E.A., 1877 | <i>Natica</i>  |
| <b>Family Lamellariidae</b>                              | <i>canariensis</i> Odhner, 1932                      |
| <i>Lamellaria</i>  | <i>dillwynii</i> Payraudeau, 1826                    |
| <i>latens</i> (Müller O.F., 1776)                        | <i>furva</i> Watson, 1897                            |
| <i>perspicua</i> (Linné, 1758)                           | <i>gualteriana</i> Récluz, 1844                      |
| <i>Calyptoconcha</i>                                     | <i>hebraea</i> (Martyn, 1784)                        |
| <i>pellucida</i> (Verrill, 1880)                         | <i>prietoii</i> (Hidalgo, 1873)                      |
| <i>Marseniella</i>                                       | <i>stercusmuscarum</i> (Gmelin, 1791)                |
| <i>borealis</i> Bergh, 1886                              | <i>vittata</i> (Gmelin, 1791)                        |
| <i>Marsenina</i>   | <b>Cryptonatica</b>                                  |
| <i>glabra</i> (Couthouy, 1839)                           | <i>affinis</i> (Gmelin, 1791)                        |
| <b>Family Velutinidae</b>                                | <i>bathybii</i> (Friele, 1879)                       |
| <i>Velutina</i>  | <i>operculata</i> (Jeffreys, 1885)                   |
| <i>lanigera</i> Möller, 1842                             | <b>Tectonatica</b>                                   |
| <i>plicatilis</i> (Müller O.F., 1776)                    | <i>filosa</i> (Philippi, 1845)                       |
| <i>schniederii</i> Friele, 1886                          | <i>rizzae</i> (Philippi, 1844)                       |
| <i>undata</i> Smith J., 1839                             | <b>Euspira</b>                                       |
| <i>velutina</i> (Müller O.F., 1776)                      | <i>catena</i> (da Costa, 1778)                       |
| <i>Onchidiopsis</i>                                      | <i>fusca</i> (de Blainville, 1825)                   |
| <i>glacialis</i> (Sars M., 1851)                         | <i>grossularia</i> (Marche-Marchad, 1957)            |
| <i>latissima</i> Odhner, 1913                            | <i>guillemini</i> (Payraudeau, 1826)                 |
| <i>spitzbergensis</i> Jensen in Thorson, 1944            | <i>macilenta</i> (Philippi, 1844)                    |
| <i>Piliscus</i>  | <i>montagui</i> (Forbes, 1838)                       |
| <i>commodus</i> (Middendorff, 1851)                      | <i>notabilis</i> Jeffreys, 1885                      |
| <i>Pseudotorellia</i>                                    | <i>obtusa</i> (Jeffreys, 1885)                       |
| <i>fragilis</i> Warén, 1989                              | <i>pallida</i> (Broderip & Sowerby G.B. I, 1829)     |
| <b>Family Triviidae</b>                                  | <i>phaeocephala</i> (Dautzenberg & Fischer H., 1896) |
| <i>Trivia</i>  | <i>presubplicata</i> (Bouchet & Warén, 1993)         |
| <i>arctica</i> (Pulteney, 1799)                          | <i>pulchella</i> (Risso, 1826)                       |
| <i>bitou</i> Pailly, 1913                                | <i>subplicata</i> (Jeffreys, 1885)                   |
| <i>levantina</i> (Smriglio, Mariottini & Buzzurro, 1998) | <b>Amauroopsis</b>                                   |
| <i>monacha</i> (da Costa, 1778)                          | <i>brassiculina</i> (Locard, 1897)                   |
| <i>multilirata</i> Sowerby G.B. II, 1870                 | <i>islandica</i> (Gmelin, 1791)                      |
| <i>pulex</i> (Solander in Gray J.E., 1828)               | <i>sphaeroides</i> (Jeffreys, 1877)                  |
| <i>spongicola</i> (Monterosato, 1923)                    | <b>Bulbus</b>  |
| <b>Family Eratoidae</b>                                  | <i>globosus</i> (Jeffreys, 1885)                     |
| <i>Erato</i>   | <i>smithii</i> Brown, 1839                           |
| <i>voluta</i> (Montagu, 1803)                            | <b>Pseudopolinices</b>                               |
| <b>Family Cypraeidae</b>                                 | <i>nanus</i> (Möller, 1842)                          |
| <i>Erosaria</i>  | <b>Neverita</b>                                      |
| <i>spurca</i> (Linné, 1758)                              | <i>josephinia</i> Risso, 1826                        |
| <i>turdus</i> (Lamarck, 1810)                            | <b>Payraudeautia</b>                                 |
| <i>Luria</i>   | <i>intricata</i> (Donovan, 1804)                     |
| <i>lurida</i> (Linné, 1758)                              | <b>Sinum</b>   |
| <i>Purpuradusta</i>                                      | <i>bifasciatum</i> (Récluz, 1851)                    |
| <i>gracilis</i> (Gaskoin, 1849)                          | <b>Family Tonnidae</b>                               |
| <i>Schilderia</i>  | <i>Tonna</i>   |
| <i>achatidea</i> (Gray in Sowerby G.B. II, 1837)         | <i>galea</i> (Linné, 1758)                           |
| <i>Zonaria</i>   | <b>Eudolium</b>                                      |
| <i>pyrum</i> (Gmelin, 1791)                              | <i>bairdii</i> (Verrill & Smith, 1881)               |
| <b>Family Ovulidae</b>                                   | <b>Family Cassidae</b>                               |
| <i>Aperiowlia</i>  | <i>Galeodes</i>                                      |
| <i>adriatica</i> (Sowerby G.B. I, 1828)                  | <i>echinophora</i> (Linné, 1758)                     |
| <i>juanjosesii</i> Perez & Gomez, 1987                   | <i>rugosa</i> (Linné, 1771)                          |
| <i>Neosimnia</i>   | <b>Oocorys</b>                                       |
| <i>spelta</i> (Linné, 1758)                              | <i>sulcata</i> Fischer P., 1883                      |
| <b>Family Laubierinidae</b>                              | <b>Phalium</b>                                       |
| <i>Laubierina</i>  | <i>granulatum</i> (Von Born, 1778)                   |
| <i>peregrinator</i> Warén & Bouchet, 1990                | <i>saburon</i> (Bruguière, 1792)                     |
| <b>Family Ranellidae</b>                                 |  |

- Ranella*  
*olearium* (Linné, 1758)  
*Charonia*  
*lampas* (Linné, 1758)  
*tritonis* subsp. *variegata* Lamarck, 1816  
*Cymatium*  
*aquatile* (Reeve, 1844)  
*corrugatum* (Lamarck, 1816)  
*kobeltii* (Von Maltzan, 1884)  
*labiosum* (Wood W., 1828)  
*martinianum* (d'Orbigny, 1847)  
*muricinum* (Röding, 1798)  
*nicobaricum* (Röding, 1798)  
*parthenopeum* (Von Salis, 1793)  
*pharcidum* (Dall, 1889)  
*trannebaricum* (Lamarck, 1816)  
*trigonum* (Gmelin, 1791)  
*Caestana*  
*cutacea* (Linné, 1767)  
*dolaria* (Linné, 1767)  
*Linatella*  
*caudata* (Gmelin, 1791)
- Family Pisaniuridae**  
*Pisanianura*  
*grimaldii* (Dautzenberg, 1899)
- Family Personidae**  
*Distorsio*  
*perdistorta* (Fulton, 1938)
- Family Bursidae**  
*Bursa*  
*marginata* (Gmelin, 1791)  
*scrobiculator* (Linné, 1758)  
*ranelloides* subsp. *tenuisculpta* Dautzenberg & Fischer H., 1906  
*thomae* (d'Orbigny, 1842)
- Family Carinariidae**  
*Carinaria*  
*mediterranea* de Blainville, 1825
- Family Atlantidae**  
*Atlanta*  
*fusca* Souleyet, 1852  
*helicinoides* Souleyet, 1852  
*inclinata* Souleyet, 1852  
*infata* Souleyet, 1852  
*lesueuri* Souleyet, 1852  
*perezi* Frontier, 1966  
*peronii* Lesueur, 1817  
*Oxygyrus*  
*keraudrenii* (Lesueur, 1817)  
*Protatlanta*  
*souleyeti* (Smith E.A., 1888)
- Family Fiolidae**  
*Fioloida*  
*desmarestia* Lesueur, 1817  
*Pterotrachea*  
*coronata* Forskål, 1775  
*hippocampus* Philippi, 1836  
*minuta* Bonnevie, 1920  
*scutata* Gegenbaur, 1855
- Family Muricidae**  
*Murex*  
*forskoehlii* Röding, 1798  
*Aspella*  
*anceps* (Lamarck, 1822)  
*Bolinus*  
*brandaris* (Linné, 1758)  
*cornutus* (Linné, 1758)  
*Murexiella*  
*bojadorensis* (Locard, 1897)  
*Dermomurex*  
*gosasi* Houart, 1996  
*scalaroides* (de Blainville, 1829)  
*Hadriania*
- craticuloides* (Vokes, 1964)  
*Hexaplex*  
*trunculus* (Linné, 1758)  
*Muricopsis*  
*aradasii* (Poirier, 1883)  
*cristata* (Brocchi, 1814)  
*medicago* (Watson, 1897)  
*Ocenebra*  
*chavesi* Houart, 1996  
*erinacea* (Linné, 1758)  
*inordinata* Houart & Abreu, 1994  
*Ocinebrina*  
*aciculata* (Lamarck, 1822)  
*edwardsii* (Payraudeau, 1826)  
*hybrida* (Aradas & Benoit, 1876)  
*muscowichii* Pallary, 1920  
*Houartiella*  
*alboranensis* Smriglio, Mariottini & Bonfitto, 1997  
*Pterynotus*  
*atlantideus* Bouchet & Warén, 1985  
*leucas* (Locard, 1897)  
*Trophon*  
*barvicensis* (Johnston, 1825)  
*clathratus* (Linné, 1767)  
*clavatus* Sars G.O., 1878  
*dabneyi* Dautzenberg, 1889  
*drouetti* Dautzenberg, 1889  
*echinatus* (Kiener, 1840)  
*fabricii* Beck in Möller, 1842  
*muricatus* (Montagu, 1803)  
*truncatus* (Ström, 1768)  
*Poirieria*  
*actinophora* (Dall, 1889)  
*Typhinnellus*  
*sowerbyi* (Broderip, 1833)  
*Ergalatax*  
*obscura* Houart, 1996  
*Urosalpinx*  
*cinerea* (Say, 1822)  
*Thais*  
*lacerus* (Von Born, 1778)  
*Stramonita*  
*haemastoma* (Linné, 1766)  
*Nucella*  
*lapillus* (Linné, 1758)  
*Orania*  
*fusulus* (Brocchi, 1814)  
*Cytharomorula*  
*grayi* (Dall, 1889)  
*Rapana*  
*rapiformis* (Von Born, 1778)  
*venosa* (Valenciennes, 1846)
- Family Coralliophilidae**  
*Coralliophila*  
*basileus* (Dautzenberg & Fischer H., 1896)  
*brevis* (de Blainville, 1832)  
*meiyendorffii* (Calcara, 1845)  
*panormitana* (Monterosato, 1869)  
*richardi* (Fischer P., 1882)  
*sofiae* (Aradas & Benoit, 1876)  
*squamosa* (Bivona Ant. in Bivona And., 1838)
- Latiaxis*  
*benoiti* (Tiberi, 1855)  
*cariniferus* (Sowerby G.B. I, 1834)  
*sentix* (Bayer, 1971)
- Family Fasciolariidae**  
*Fasciolaria*  
*lignaria* (Linné, 1758)  
*Fusinus*  
*agadirensis* (Hadorn & Rolán, 1999)  
*amiantus* (Dall, 1889)  
*bocagei* (Fischer P., 1882)  
*boucheti* (Hadorn & Ryall, 1999)  
*crassus* (Pallary, 1901)  
*marmoratus* (Philippi, 1846)

- maroccensis* (Gmelin, 1791)  
*profetai* (Nofroni, 1982)  
*pulchellus* (Philippi, 1844)  
*rostratus* (Olivi, 1792)  
*rudis* (Philippi, 1844)  
*rusticulus* (Monterosato, 1880)  
*syracusanus* (Linné, 1758)  
*tenerifensis* (Hadorn & Rolán, 1999)
- Latirus*  
*armatus* Adams A., 1854
- Family Buccinidae**
- Buccinum*  
*abyssorum* Verrill & Smith, 1884  
*angulosum* Gray J.E., 1839  
*belcheri* Reeve, 1845  
*ciliatum* (Fabricius O., 1780)  
*conoides* Sars G.O., 1878  
*cyaneum* Bruguière, 1792  
*finmarchianum* Verkrüzen, 1875  
*glaciale* Linné, 1761  
*humphreysianum* Bennet, 1824  
*hydrophanum* Hancock, 1846  
*kjennnerudae* Bouchet & Warén, 1985  
*maltzani* Pfeffer, 1886  
*micropoma* Thorson, 1944  
*nivale* Friele, 1882  
*oblitum* Sykes, 1911  
*parvulum* Verkrüzen, 1875  
*polare* Gray J.E., 1839  
*pulchellum* Sars G.O., 1878  
*scalariforme* Möller, 1842  
*superangulare* Thorson & Oskarsson in Oskarsson, 1962  
*tumidulum* Sars G.O., 1878  
*undatum* Linné, 1758
- Belomitra*  
*quadruplex* (Watson, 1882)
- Beringius*  
*ossiania* (Friele, 1879)  
*turtorii* (Bean, 1834)
- Buccinulum*  
*cornuum* (Linné, 1758)
- Chauvetia*  
*affinis* (Monterosato, 1889)  
*brunnea* (Donovan, 1804)  
*candidissima* (Philippi, 1836)  
*crassior* (Odner, 1932)  
*decorata* Monterosato, 1889  
*giunchiorum* (Micali, 1999)  
*lesebvrei* (Maravigna, 1840)  
*lineolata* (Tiberi, 1868)  
*obliqua* Nordsieck & Talavera, 1979  
*procerula* Monterosato, 1889  
*recondita* (Brugnone, 1873)  
*retifera* (Brugnone, 1880)  
*submamilata* (Bucquoy, Dautzenberg & Dollfus, 1882)  
*turritellata* (Deshayes, 1835)  
*ventrosa* Nordsieck, 1976
- Colubraria*  
*canariensis* Nordsieck & Talavera, 1979  
*reticulata* (de Blainville, 1829)
- Colus*  
*altus* (Wood S., 1848)  
*frieli* (Kantor, 1981)  
*glaber* (Kobelt, 1876)  
*gracilis* (da Costa, 1778)  
*holboelli* (Möller, 1842)  
*howsei* (Marshall, 1902)  
*islandicus* (Mohr, 1786)  
*jeffreysianus* (Fischer P., 1868)  
*kroeperi* (Möller, 1842)  
*latericeus* (Möller, 1842)  
*sabini* (Gray J.E., 1824)  
*turgidulus* (Friele, 1877)
- verkruezeni* (Kobelt, 1876)  
*Engina*  
*leucozona* (Philippi, 1843)  
*Kryptos*  
*koehleri* (Locard, 1896)  
*Liomesus*  
*ovum* (Turton, 1825)  
*Mohnia*  
*abyssorum* (Fischer P., 1883)  
*caelata* (Verrill & Smith, 1880)  
*danielsseni* (Friele, 1879)  
*glypta* (Verrill, 1882)  
*mohnii* (Friele, 1877)  
*parva* (Verrill & Smith, 1882)  
*simplex* (Verrill, 1884)
- Neptunea*  
*antiqua* (Linné, 1758)  
*brevicauda* (Deshayes, 1832)  
*contraria* (Linné, 1771)  
*despecta* (Linné, 1758)
- Pisania*  
*striata* (Gmelin, 1791)
- Pollia*  
*assimilis* (Reeve, 1846)  
*dorbignyi* (Payraudeau, 1826)  
*scabra* Locard, 1886  
*scacchiana* (Philippi, 1844)  
*viverratoides* (d'Orbigny, 1840)
- Troschelia*  
*berniensis* (King, 1846)
- Turrisiphon*  
*dalli* (Friele in Tryon, 1881)  
*fenestratus* (Turton, 1834)  
*lachesis* (Mørch, 1869)  
*moebii* (Dunker & Metzger, 1874)  
*undulatus* (Friele in Tryon, 1881)  
*voerungi* Bouchet & Warén, 1985
- Volutopsis*  
*deformis* (Reeve, 1847)  
*norwegicus* (Gmelin, 1791)
- Euthriostoma*  
*saharicum* (Locard, 1897)
- Family Nassariidae**
- Nassarius*  
*antiquatus* (Watson, 1897)  
*circumcinctus* (Adams A., 1852)  
*coralligenus* (Pallary, 1900)  
*corniculum* (Olivi, 1792)  
*cuvieri* (Payraudeau, 1826)  
*denticulatus* (Adams A., 1852)  
*elatus* (Gould, 1845)  
*frigens* (Von Martens, 1878)  
*gibbosulus* (Linné, 1758)  
*goreensis* (Von Maltzan, 1884)  
*granum* (Lamarck, 1822)  
*heynemannii* (Von Maltzan, 1884)  
*incrassatus* (Ström, 1768)  
*johni* (Monterosato, 1889)  
*lima* (Dillwyn, 1817)  
*louisi* (Pallary, 1912)  
*mutabilis* (Linné, 1758)  
*nitidus* (Jeffreys, 1867)  
*ovideus* (Locard, 1886)  
*pfeifferi* (Philippi, 1844)  
*arcularius* subsp. *plicatus* (Röding, 1798)  
*pygmæus* (Lamarck, 1822)  
*macrodon* subsp. *recidivus* (Von Martens, 1876)  
*reticulatus* (Linné, 1758)  
*robustus* (Monterosato, 1890)  
*tinei* (Maravigna in Guérin, 1840)  
*tingitanus* (Pallary, 1901)  
*turulosus* (Risso, 1826)  
*unifasciatus* (Kiener, 1834)  
*vaucherii* (Pallary, 1906)
- Cyclope*

- neritea* (Linné, 1758)  
*pellucida* Risso, 1826  
**Demoulia**  
*obtusata* (Link, 1807)
- Family Columbellidae**  
*Columbella*  
*rustica* (Linné, 1758)  
*adansonii* Menke, 1853  
*Amphissa*  
*acutecostata* (Philippi, 1844)  
**Anachis**  
*aliceae* (Pallary, 1900)  
*avaroides* Nordsieck, 1975  
*savignyi* (Moazzo, 1939)  
*troglodytes* (Souverbie in Souverbie & Montrouzier, 1866)  
**Mitrella**  
*broderipi* (Sowerby G.B. I, 1844)  
*bruggeni* van Aartsen, Menkhorst & Gittenberger, 1984  
*gervillii* (Payraudeau, 1826)  
*minor* (Scacchi, 1836)  
*nitidulina* (Locard, 1897)  
*ocellata* (Gmelin, 1791)  
*ocellina* (Nordsieck, 1975)  
*pallaryi* (Dautzenberg, 1927)  
*rac* (Dautzenberg, 1891)  
*rosacea* (Gould, 1840)  
*scripta* (Linné, 1758)
- Family Costellariidae**  
*Vexillum*  
*depxum* (Deshayes, 1834)  
*ebenus* (Lamarck, 1811)  
*granum* (Forbes, 1844)  
*hypatiae* (Pallary, 1913)  
*savignyi* (Payraudeau, 1826)  
*tricolor* (Gmelin, 1791)  
*zebrinum* (d'Orbigny, 1840)
- Family Marginellidae**  
*Marginella*  
*aronnax* Bouchet & Warén, 1985  
*colomborum* (Bozzetti, 1995)  
*glabella* (Linné, 1758)  
*hesperia* Sykes, 1905  
*impudica* Fischer P., 1883  
*limbata* Lamarck, 1822  
*marocana* Locard, 1897  
*subturrita* Fischer P., 1883  
**Volvarina**  
*ampelusica* Monterosato, 1906  
*ingolfi* Bouchet & Warén, 1985  
*mitrella* (Risso, 1826)  
*oceanica* Gofas, 1989  
*olivaeformis* (Kiener, 1834)  
*ptychasthenia* Gofas, 1989  
*roberti* Bavay, 1917  
**Granulina**  
*boucheti* Gofas, 1992  
*gofasi* Smriglio & Mariottini, 1996  
*guancha* (d'Orbigny, 1840)  
*gubbiolii* (Smriglio & Mariottini, 1999)  
*guttula* (La Perna, 1999)  
*marginalata* (Bivona, 1832)  
*melitensis* (Smriglio, Mariottini & Rufini, 1998)  
*minusculina* (Locard, 1897)  
*occulta* (Monterosato, 1869)  
*torosa* Gofas, 1992  
*vanharenii* (van Aartsen, Menkhorst & Gittenberger, 1984)
- Family Cystiscidae**  
*Gibberula*  
*abyssicola* Locard, 1897  
*caelata* (Monterosato, 1877)  
*epigrus* (Reeve, 1865)
- jansseni* van Aartsen, Menkhorst & Gittenberger, 1984  
*lazaroi* (Contreras, 1992)  
*militaria* (Linné, 1758)  
*oryza* (Lamarck, 1822)  
*philippii* (Monterosato, 1878)  
*recondita* Monterosato, 1884  
*secreta* Monterosato, 1889  
*turgidula* (Locard & Caziot, 1900)  
*vignali* (Dautzenberg & Fischer H., 1896)  
**Persicula**  
*canaryensis* (Clover, 1972)
- Family Mitridae**  
*Mitra*  
*corniculum* (Linné, 1758)  
*cornea* (Lamarck, 1811)  
*zonata* Marryat, 1818
- Family Olividae**  
*Olivella*  
*oteroi* Bermejo, 1979
- Family Pseudolivididae**  
*Benthobia*  
*tryonii* Dall, 1889
- Family Turbinellidae**  
*Latiromitra*  
*cryptodon* (Fischer P., 1882)  
*Metzgeria*  
*alba* (Wyville-Thompson, 1873)  
*gagei* Bouchet & Warén, 1985
- Family Volutidae**  
*Cymbium*  
*cucumis* Röding, 1798  
*olla* (Linné, 1758)  
*tritonis* (Broderip, 1830)  
*Ampulla*  
*priamus* (Gmelin, 1791)
- Family Volutomitridae**  
*Volutomitra*  
*groenlandica* (Beck in Möller, 1842)  
*Microvoluta*  
*superstes* Bouchet & Warén, 1985
- Family Cancellariidae**  
*Cancellaria*  
*cancellata* (Linné, 1767)  
*coronata* Scacchi, 1835  
*similis* Sowerby G.B. I, 1833  
*Axearella*  
*minima* (Reeve, 1856)  
*Broccchinia*  
*azorica* (Bouchet & Warén, 1985)  
*clenchi* Petit R.E., 1986  
*cornidei* (Altimira, 1978)  
*nodosa* (Verrill & Smith, 1885)  
*pusilla* (Adams H., 1869)  
*Solatia*  
*piscatoria* (Gmelin, 1791)  
*Admete*  
*contabulata* Friele, 1879  
*sadko* Gorbunov, 1946  
*viridula* (Fabricius O., 1780)
- Iphinopsis*  
*alba* Bouchet & Warén, 1985  
*fuscoapicata* Bouchet & Warén, 1985  
*inflata* (Friele, 1879)
- Family Drillidae**  
*Crasaspyleura*  
*maravignae* (Bivona Ant. in Bivona And., 1838)  
*Spirotropis*  
*azoricus* Bouchet & Warén, 1980  
*centimatus* (Dall, 1889)  
*modiolus* (de Cristofori & Jan, 1832)  
*monterosatoi* Locard, 1897

**Family Turridae**

- Fusiturris*  
*similis* (Bivona Ant. in Bivona And., 1838)  
*undatiruga* (Bivona Ant. in Bivona And., 1838)
- Haedropleura*  
*flexicosta* (Monterosato, 1884)  
*septangularis* (Montagu, 1803)
- Micropleurotoma*  
*melvilli* (Sykes, 1906)  
*spirotropoides* (Thiele, 1925)  
*travailleurii* Bouchet & Warén, 1980
- Ancistrosyrinx*  
*clytotropis* (Sykes, 1906)
- Irenosyrinx*  
*hypomela* (Dall, 1889)
- Leucosyrinx*  
*verrillii* (Dall, 1881)
- Family Conidae**
- Borsonia*  
*hirondellae* (Dautzenberg, 1891)
- Typhlomangelia*  
*nivalis* (Lovén, 1846)
- Comarmondia*  
*gracilis* (Montagu, 1803)
- Corinnaeturris*  
*leucomata* (Dall, 1881)
- Mitrolumna*  
*crenipicta* Dautzenberg, 1889  
*dalli* (Dautzenberg & Fischer H., 1896)  
*melitensis* (Mifsud, 1993)  
*olivoidea* (Cantraine, 1835)  
*smithi* (Dautzenberg & Fischer H., 1896)  
*willeminae* van Aartsen, Menhorst & Gittenberger, 1984
- Drilliola*  
*emendata* (Monterosato, 1872)  
*megalacme* (Sykes, 1906)
- Microdrillia*  
*loprestiana* (Calcara, 1841)  
*pruina* (Watson, 1881)
- Oenopota*  
*angulosa* (Sars G.O., 1878)  
*assimilis* (Sars G.O., 1878)  
*bergensis* (Friele, 1886)  
*cinerea* (Møller, 1842)  
*conoidea* (Sars G.O., 1878)  
*convexigryra* Bouchet & Warén, 1980  
*declivis* (Lovén, 1846)  
*dictyophora* Bouchet & Warén, 1980  
*elegans* (Møller, 1842)  
*exarata* (Møller, 1842)  
*graphica* (Locard, 1897)  
*arpa* (Dall, 1884)  
*harpularia* (Couthouy, 1838)  
*impressa* (Mørch, 1869)  
*nobilis* (Møller, 1842)  
*novajasemljensis* (Leche, 1878)  
*obliqua* (Sars G.O., 1878)  
*ovalis* (Friele, 1877)  
*pingelii* (Møller, 1842)  
*pyramidalis* (Ström, 1788)  
*rufa* (Montagu, 1803)  
*rugulata* (Troschel, 1866)  
*scalaris* (Møller, 1842)  
*scalaroides* (Sars G.O., 1878)  
*spitzbergensis* (Friele, 1886)  
*tenunicostata* (Sars G.O., 1878)  
*trevelliana* (Turton, 1834)  
*turricula* (Montagu, 1803)  
*violacea* (Mighels & Adams, 1842)  
*viridula* (Møller, 1842)
- Obesotoma*  
*gigas* (Verkrüzen, 1875)  
*simplex* (Middendorff, 1849)  
*woodiana* (Møller, 1842)

**Bela**

- brachystoma* (Philippi, 1844)  
*costulata* (Risso, 1826)  
*cycladensis* (Reeve, 1845)  
*decussata* (Locard, 1897)  
*laevigata* (Philippi, 1836)  
*menkhorsti* van Aartsen, 1988  
*nebula* (Montagu, 1803)  
*oceanica* (Locard, 1897)  
*ornata* (Locard, 1897)  
*septenvillei* (Dautzenberg, 1913)  
*zonata* (Locard, 1892)
- Benthomangelia*  
*antonia* (Dall, 1881)  
*decapitata* Bouchet & Warén, 1980  
*macra* (Watson, 1881)
- Clathromangelia*  
*granum* (Philippi, 1844)  
*loiselieri* Oberling, 1970  
*strigillata* Pallary, 1904
- Fehria*  
*laprurensis* (Pallary, 1904)  
*zenetouiae* van Aartsen, 1988
- Mangelia*  
*attenuata* (Montagu, 1803)  
*barashi* (van Aartsen & Fehr-de Wal, 1978)  
*bertrandii* (Payraudeau, 1826)  
*brusinae* van Aartsen & Fehr-de Wal, 1978  
*caerulans* (Philippi, 1844)  
*callosa* (Nordsieck, 1977)  
*coarctata* (Forbes, 1840)  
*costata* (Donovan, 1804)  
*difficilis* (Locard & Caziot, 1900)  
*fieldeni* (van Aartsen & Fehr-de Wal, 1978)  
*goodallii* Reeve, 1846  
*indistincta* (Monterosato, 1875)  
*jerbaensis* (Della Bella & Spada in Chirli, 1997)  
*multilineolata* (Deshayes, 1835)  
*nuperrima* (Tiberi, 1855)  
*paciniana* (Calcara, 1839)  
*pallaryi* (Nordsieck, 1977)  
*payraudeau* (Deshayes, 1835)  
*ponica* Milaschewitsch, 1908  
*sandrii* (Brusina, 1865)  
*scabrida* Monterosato, 1890  
*secreta* (van Aartsen & Fehr-de Wal, 1978)  
*serga* (Dall, 1881)  
*sicula* Reeve, 1846  
*smithii* (Forbes, 1840)  
*stossiciana* Brusina, 1869  
*taeniata* (Deshayes, 1835)  
*tenuicostata* Brugnone, 1868  
*unifasciata* Deshayes, 1835  
*vauquelini* (Payraudeau, 1826)
- Raphitoma*  
*aequalis* Jeffreys, 1867  
*alternans* (Monterosato, 1884)  
*arnoldi* Pallary, 1904  
*atropurpurea* (Locard & Caziot, 1900)  
*bosilliana* (Sulliotti, 1889)  
*bracteata* (Pallary, 1904)  
*concinna* (Scacchi, 1836)  
*corbis* (Potiez & Michaud, 1838)  
*cordieri* (Payraudeau, 1826)  
*cylindracea* (Locard & Caziot, 1900)  
*densa* (Monterosato, 1884)  
*divae* Carrozza, 1984  
*echinata* (Brockhi, 1814)  
*erronea* (Monterosato, 1884)  
*histris* Bellardi, 1847  
*horrida* (Monterosato, 1884)  
*leufroyi* (Michaud, 1828)  
*linearis* (Montagu, 1803)  
*mirabilis* (Pallary, 1904)  
*nivea* (Marshall in Sykes, 1906)

- papillosa* (Pallary, 1904)  
*philberti* (Michaud, 1829)  
*pruinosa* (Pallary, 1906)  
*pseudohystrix* Sykes, 1906  
*pupoidea* (Monterosato, 1884)  
*purpurea* (Montagu, 1803)  
*volutella* (Kiener, 1839)
- Nepotilla**  
*amoena* (Sars G.O., 1878)
- Teretia**  
*teres* (Reeve, 1844)
- Teretiopsis**  
*thaumastopsis* (Dautzenberg & Fischer H., 1896)
- Conopleura**  
*aliena* Smriglio, Mariottini & Calascibetta, 1999
- Gymnobela**  
*abyssorum* (Locard, 1897)  
*agassizi* (Verrill & Smith, 1880)  
*aquilarum* (Watson, 1881)  
*chyla* (Watson, 1881)  
*emertoni* (Verrill & Smith, 1884)  
*engonia* Verrill, 1884  
*frielei* (Verrill, 1885)  
*fulvincta* (Dautzenberg & Fischer H., 1896)  
*homeotata* (Watson, 1886)  
*lamyi* (Dautzenberg, 1925)  
*leptoglypta* (Dautzenberg & Fischer H., 1896)  
*physanor* (Watson, 1886)  
*pyrrhogramma* (Dautzenberg & Fischer H., 1896)  
*subaraneosa* (Dautzenberg & Fischer H., 1896)  
*watsoni* (Dautzenberg, 1889)
- Pleurotomella**  
*anceyi* (Dautzenberg & Fischer H., 1897)  
*benedicti* Verrill & Smith, 1884  
*bureaui* (Dautzenberg & Fischer H., 1897)  
*coeloropha* (Dautzenberg & Fischer H., 1896)  
*demosia* (Dautzenberg & Fischer H., 1896)  
*eurybrocha* (Dautzenberg & Fischer H., 1896)  
*gibbera* Bouchet & Warén, 1980  
*lottae* Verrill, 1885  
*megalembryon* (Dautzenberg & Fischer H., 1896)  
*obesa* Bouchet & Warén, 1980  
*packardi* Verrill, 1872  
*sandersoni* Verrill, 1884
- Neopleurotomoides**  
*callembryon* (Dautzenberg & Fischer H., 1897)  
*distinctus* Bouchet & Warén, 1980
- Thesbia**  
*nana* (Lovén, 1846)
- Theta**  
*chariessa* (Watson, 1881)  
*lyronuclea* (Clarke A.H., 1959)  
*vayssierei* (Dautzenberg, 1925)
- Famelia**  
*catharinæ* (Verrill & Smith, 1884)  
*mirmidina* (Dautzenberg & Fischer H., 1896)  
*monoceros* (Watson, 1881)  
*monotropis* (Dautzenberg & Fischer H., 1896)
- Bathybela**  
*nudator* (Locard, 1897)  
*tenelluna* (Locard, 1897)
- Xanthodaphne**  
*bruneri* (Verrill, 1884)  
*charcotiana* Bouchet & Warén, 1980  
*dalmasi* (Dautzenberg & Fischer H., 1897)  
*heterogramma* (Odhner, 1960)  
*leptalea* (Bush, 1893)
- Aliceia**  
*aenigmatica* Dautzenberg & Fischer H., 1897
- Lusitanops**  
*blanchardi* (Dautzenberg & Fischer H., 1896)  
*bullioides* (Sykes, 1906)  
*cingulatus* Bouchet & Warén, 1980  
*expansus* (Sars G.O., 1878)  
*hyaloïdes* (Dautzenberg, 1925)
- lusitanicus* (Sykes, 1906)  
*macrapex* Bouchet & Warén, 1980  
*sigmoideus* Bouchet & Warén, 1980
- Phymorhynchus**  
*alberti* (Dautzenberg & Fischer H., 1906)  
*chevreuxi* (Dautzenberg & Fischer H., 1897)  
*sulciferus* (Bush, 1893)
- Taranis**  
*borealis* Bouchet & Warén, 1980  
*laevisculpta* Monterosato, 1880  
*malmi* (Dall, 1889)  
*moerchi* (Malm, 1863)
- Comus**  
*mediterraneus* Hwass in Bruguière, 1792  
*vayssierei* Pallary, 1906
- Family Architectonicidae**
- Basisulcata*  
*lepidia* (Bayer, 1942)
- Discotectonica*  
*discus* (Philippi, 1844)
- Heliacus*  
*canariensis* Nordsieck, 1982  
*contextus* (Seguenza L., 1903)  
*jeffreysianus* (Tiberi, 1867)  
*subvariegatus* (d'Orbigny, 1852)
- Philippia*  
*hybrida* (Linné, 1758)
- Pseudomalaxis*  
*zancleus* (Philippi, 1844)
- Pseudotorinia*  
*architae* (Costa O.G., 1841)
- Solatisonax*  
*alleryi* (Seguenza G., 1876)  
*bannocki* (Melone & Taviani, 1980)  
*certesi* (Dautzenberg & Fischer H., 1896)  
*dolfusi* (Dautzenberg & Fischer H., 1896)
- Spirolaxis**  
*centrifugus* (Monterosato, 1890)  
*clenchi* Jaume & Borro, 1916  
*lamelliferus* (Rehder, 1935)
- Family Mathildidae**
- Mathilda*  
*cochlaeformis* Brugnone, 1873  
*coronata* Monterosato, 1875  
*gemmulata* Semper, 1865  
*quadricarinata* (Brocchi, 1814)  
*retusa* Brugnone, 1873
- Tuba**  
*jeffreysi* (Dall, 1889)  
*pinguis* (Jeffreys, 1884)
- Turritellopsis**  
*simpsoni* (Dall, 1919)
- Brookesena**  
*turrita* (Warén, 1996)
- Family Rissoellidae**
- Rissoella*  
*diaphana* (Alder, 1848)  
*globularis* (Forbes & Hanley, 1853)  
*opalina* (Jeffreys, 1848)
- Family Omalogyridae**
- Omalogyra*  
*atomus* (Philippi, 1841)  
*discula* Palazzi, 1988  
*simplex* (Costa O.G., 1861)  
*undosa* Palazzi, 1988
- Ammonicera**  
*fischeriana* (Monterosato, 1869)  
*lignea* (Palazzi, 1988)  
*rota* (Forbes & Hanley, 1850)  
*rotundata* (Palazzi, 1988)
- Retrotortina**  
*fuscata* Chaster, 1896
- Family Xylodisculidae**  
*Xylodiscula*

- boucheti* Warén, Carrozza & Rocchini in Warén, 1992  
*lens* Warén, 1992
- Family Cornirostridae**
- Tomura*  
*depressa* (Granata-Grillo, 1877)
- Noerrevangia*  
*fragilis* Warén & Schander in Warén, Gofas & Schander, 1993
- Family Hyalogrinidae**
- Xenoskenea*  
*pellucida* (Monterosato, 1874)
- Hyalogryra*  
*zibrowii* Warén in Warén, Carrozza & Rocchini, 1997
- Hyalogryrina*  
*amphorae* Warén, Carrozza & Rocchini, 1997
- Family Cimidae**
- Cima*  
*cuticulata* Warén, 1993  
*cylindrica* (Jeffreys, 1856)  
*inconspicua* Warén, 1993  
*meliensis* Mifsud, 1998  
*minima* (Jeffreys, 1858)
- Murchisonella*  
*columna* (Hedley, 1907)
- Graphis*  
*albida* (Kanmacher, 1798)  
*gracilis* (Monterosato, 1874)  
*striata* (Jeffreys, 1884)
- Family Orbitestellidae**
- Orbitestella*  
*dariae* (Liuzzi & Zucchi Stolfa, 1979)
- Family Pyramidellidae**
- Tiberia*  
*minusculoides* (van Aartsen, Gittenberger & Goud, 1998)  
*minuscula* (Monterosato, 1880)
- Atomiscala*  
*islandica* Warén, 1989
- Rissopsetia*  
*islandica* Warén, 1989
- Chrysallida*  
*angulosa* (Monterosato, 1889)  
*bjoernsoni* Warén, 1991  
*boucheti* (Peñas & Rolán, 1999)  
*brattstroemi* Warén, 1991  
*brevicula* (Jeffreys, 1883)  
*brusinai* (Cossmann, 1921)  
*canariensis* Nordsieck & Talavera, 1979  
*clathrata* (Jeffreys, 1848)  
*decussata* (Montagu, 1803)  
*dollfusi* (Kobelt, 1903)  
*elegans* (de Folin, 1870)  
*emaciata* (Brusina, 1866)  
*excavata* (Philippi, 1836)  
*eximia* (Jeffreys, 1849)  
*fenerata* (Jeffreys, 1848)  
*fischeri* (Hornung & Mermod, 1925)  
*flexuosa* (Monterosato, 1874)  
*ghisotti* (van Aartsen, 1984)  
*hoeisaeteri* Warén, 1991  
*indistincta* (Montagu, 1808)  
*intermixta* (Monterosato, 1884)  
*interstincta* (Adams J., 1797)  
*jeffreysiana* (Monterosato, 1884)  
*juliae* (de Folin, 1872)  
*limitum* (Brusina in de Folin & Périer, 1876)  
*maiae* (Hornung & Mermod, 1924)  
*marthinae* (Nofroni & Schander, 1994)  
*monozena* (Brusina, 1869)  
*monterosatii* (Clessin, 1900)  
*moolenbeeki* Amati, 1987  
*nivosa* (Montagu, 1803)  
*palazzii* Micali, 1984  
*pellucida* (Dillwyn, 1817)
- pirinthella* (Melvill, 1910)  
*sarsi* Nordsieck, 1972
- seamounti* (Peñas & Rolán, 1999)  
*sigmoidea* (Monterosato, 1880)  
*stefanisi* (Jeffreys, 1869)  
*sublustris* (Friele, 1886)  
*suturalis* (Philippi, 1844)  
*terebellum* (Philippi, 1844)  
*truncatula* (Jeffreys, 1850)  
*undata* (Watson, 1897)
- Kejdonia*  
*cachiae* (Mifsud, 1998)
- Pseudoscilla*  
*bilirata* (de Folin, 1870)  
*pauciemersa* Peñas & Rolán, 1999
- Odostomella*  
*doliolum* (Philippi, 1844)
- Clathrella*  
*clathrata* (Philippi, 1844)
- Euparthenia*  
*bulinea* (Lowe, 1841)  
*humboldti* (Risso, 1826)
- Iolaea*  
*neofelixoides* (Nomura, 1936)
- Monotyigma*  
*amoena* (Adams A., 1853)  
*modesta* (de Folin, 1870)
- Oscilla*  
*jocosa* Melvill, 1904
- Cingulina*  
*isseli* (Tryon, 1886)
- Styloptygma*  
*beatrix* (Melvill, 1911)
- Eulimella*  
*acicula* (Philippi, 1836)  
*ataktos* Warén, 1991  
*atlantis* (Peñas & Rolán, 1999)  
*bogii* van Aartsen, 1995  
*carmina* (Peñas & Micali, 1999)  
*cerullii* (Cossmann, 1916)  
*compactilis* (Jeffreys, 1867)  
*cossignani* van Aartsen, 1995  
*neoattenuata* (Gaglini, 1992)  
*phaula* (Dautzenberg & Fischer H., 1896)  
*protofunis* (Peñas & Rolán, 1999)  
*scillae* (Scacchi, 1835)  
*similebala* (Peñas & Rolán, 1999)  
*sudis* (Peñas & Rolán, 1999)  
*unifasciata* (Forbes, 1844)  
*vanhareni* (van Aartsen, Gittenberger & Goud, 1998)  
*ventricosa* (Forbes, 1844)  
*verduini* (van Aartsen, Gittenberger & Goud, 1998)
- Syrnola*  
*cinctella* (Adams A., 1860)  
*fasciata* Jickeli, 1882  
*minuta* Adams H., 1869  
*wenzi* Nordsieck, 1972
- Odostomia*  
*aartseni* Nofroni, 1988  
*acuta* Jeffreys, 1848  
*angusta* Jeffreys, 1867  
*bernardi* (van Aartsen, Gittenberger & Goud, 1998)  
*bismichaelis* Sacco, 1892  
*bulimulus* Monterosato, 1874  
*buzzurroi* (Peñas & Rolán, 1999)  
*carrozzai* van Aartsen, 1987  
*clavulina* Fischer P., 1877  
*conoidea* (Brocchi, 1814)  
*conspicua* Alder, 1850  
*diureni* (van Aartsen, Gittenberger & Goud, 1998)  
*electa* Jeffreys, 1883  
*erjaveciana* Brusina, 1869  
*eulimoides* Hanley, 1844  
*fehrae* (van Aartsen, Gittenberger & Goud, 1998)  
*franki* (Peñas & Rolán, 1999)

- fusulus* Monterosato, 1878  
*glabrata* Forbes & Hanley, 1850  
*harveyi* van Aartsen & Smith, 1996  
*hierroensis* (Peñas & Rolán, 1999)  
*ignorata* (Monterosato, 1917)  
*kromi* van Aartsen, Menkhorst & Gittenberger, 1984  
*kuiperi* (van Aartsen, Gittenberger & Goud, 1998)  
*lesuroiti* (Peñas & Rolán, 1999)  
*lorellae* Micali, 1987  
*lorioli* (Hornung & Mermod, 1924)  
*lukisi* Jeffreys, 1859  
*marci* (van Aartsen, Gittenberger & Goud, 1998)  
*microeques* (Rolán & Templado in Peñas & Rolán, 1999)  
*nitens* Jeffreys, 1870  
*oblongula* Marshall, 1895  
*odostomella* (Peñas & Rolán, 1999)  
*omphaloessa* Watson, 1897  
*palmaensis* (Peñas & Rolán, 1999)  
*plicata* (Montagu, 1803)  
*prona* (Peñas & Rolán, 1999)  
*restii* (Peñas & Rolán, 1999)  
*rutor* (Nofroni & Schander, 1994)  
*scalaris* MacGillivray, 1843  
*sicula* Philippi, 1851  
*silesui* Nofroni, 1988  
*striolata* Forbes & Hanley, 1850  
*suboblonga* Jeffreys, 1884  
*testicula* (Peñas & Rolán, 1999)  
*turgida* Sars G.O., 1878  
*turriculata* Monterosato, 1869  
*turrita* Hanley, 1844  
*umbilicaris* (Malm, 1863)  
*umbilicatissima* (Peñas & Rolán, 1999)  
*undentata* (Montagu, 1803)  
*verduini* van Aartsen, 1987  
*winfredi* (Peñas & Rolán, 1999)
- Aartsenia*  
*candida* (Møller, 1842)
- Liostomia*  
*afzelii* Warén, 1991  
*clavulus* (Lovén, 1846)  
*eburnea* (Stimpson, 1851)  
*hansgei* Warén, 1991  
*mamoi* Mifud, 1993
- Menestho*  
*albula* (Fabricius O., 1780)  
*truncatula* Odhner, 1915
- Noemiamea*  
*dolioliformis* (Jeffreys, 1848)
- Ordina*  
*anceps* (Gaglini, 1992)  
*coarctata* (Sars G.O., 1878)  
*crystallina* Locard, 1892  
*diaphana* (Jeffreys, 1848)  
*dilucida* (Monterosato, 1884)  
*divisa* (Adams J., 1797)  
*mosti* (van Aartsen, Gittenberger & Goud, 1998)  
*normani* (Friele, 1886)  
*obliqua* (Alder, 1844)  
*scandens* (Monterosato, 1884)  
*vitrea* (Brusina, 1866)  
*warreni* (Thompson W., 1845)
- Turbanilla*  
*abradi* (Fischer-Piette & Nicklès, 1946)  
*acutissima* Monterosato, 1884  
*acuta* (Donovan, 1804)  
*atlantica* (Locard, 1897)  
*attenuata* (Jeffreys, 1884)  
*amoena* (Monterosato, 1878)  
*crenata* (Brown, 1827)  
*delicata* Monterosato, 1874  
*edgari* (Melvill, 1896)  
*eodem* (Peñas & Rolán, 1999)  
*formosa* (Jeffreys, 1848)
- fulgidula* (Jeffreys, 1884)  
*gofasi* (Peñas & Rolán, 1999)  
*gradata* Bucquoy, Dautzenberg & Dollfus, 1883  
*hamata* Nordsieck, 1972  
*hamonvillei* (Dautzenberg & Fischer H., 1896)  
*hannoni* Pallary, 1920  
*hoecki* (Dautzenberg & Fischer H., 1896)  
*inobservata* (Peñas & Rolán, 1999)  
*internodula* (Wood S., 1848)  
*jeffreysii* (Forbes & Hanley, 1851)  
*lactea* (Linné, 1758)  
*macandreae* (Adams H., 1871)  
*magnifica* (Seguenza G., 1879)  
*mediocris* (Peñas & Rolán, 1999)  
*micans* (Monterosato, 1875)  
*mirifica* Pallary, 1904  
*multilirata* (Monterosato, 1875)  
*nofronii* Peñas & Rolán, 1997  
*obliquata* (Philippi, 1844)  
*pallaryi* Dautzenberg, 1910  
*paucistriata* (Jeffreys, 1884)  
*pauperata* Locard, 1897  
*postacuticostata* Sacco, 1892  
*pumila* Seguenza G., 1876  
*pusilla* (Philippi, 1844)  
*rectogallica* Sacco, 1892  
*rosewateri* Corgan & van Aartsen, 1993  
*rufescens* (Forbes, 1846)  
*rufa* (Philippi, 1836)  
*semicostata* (Jeffreys, 1884)  
*sinuosa* (Jeffreys, 1884)  
*striatula* (Linné, 1758)  
*subulina* Monterosato, 1889  
*syrtensis* van Aartsen, 1981  
*vallanti* (Dautzenberg & Fischer H., 1896)
- Family Ebalidae**  
*Ebala*  
*nitidissima* (Montagu, 1803)  
*pointeli* (de Folin, 1868)  
*striatula* (Jeffreys, 1856)  
*trigonostoma* (de Folin, 1872)
- Family Tjaernoidae**  
*Tjaernoeia*  
*boucheti* Warén, 1991  
*exquisita* (Jeffreys, 1883)  
*unisulcata* (Chaster, 1897)
- Family Acteonidae**  
*Acteon*  
*monterosatoi* Dautzenberg, 1889  
*tornatilis* (Linné, 1758)  
*Tomlinula*  
*turrita* (Watson, 1886)  
*Inopinodon*  
*azoricus* (Locard, 1897)  
*Crenilabrum*  
*exile* (Jeffreys, 1870)  
*Liocarenus*  
*globulinus* (Forbes, 1844)  
*Japonacteon*  
*pusillus* (MacGillivray, 1843)  
*Callostracon*  
*amabile* (Watson, 1886)  
*tyrrhenicum* Smriglio & Mariottini, 1996
- Family Hydatinidae**  
*Hydatina*  
*vesicaria* (Lightfoot, 1786)  
*Micromelo*  
*undatus* (Bruguière, 1792)
- Family Diaphanidae**  
*Diaphana*  
*abyssalis* (Schiøtte, 1999)  
*cretica* (Forbes, 1844)  
*flava* (Watson, 1897)  
*glacialis* (Odhner, 1907)

- globosa* (Jeffreys, 1864)  
*hiemalis* (Couthouy, 1839)  
*lactea* (Jeffreys, 1877)  
*makarovi* (Gorbunov, 1946)  
*marshalli* (Sykes, 1905)  
*minuta* Brown, 1827  
*quadrata* (Monterosato, 1874)
- Colobocephalus*  
*costellatus* Sars M., 1870  
*striatus* (Monterosato, 1874)
- Colpodaspis*  
*pusilla* Sars M., 1870
- Rhinodiaphana*  
*ventricosa* (Jeffreys, 1865)
- Toledonia*  
*limnaeoides* (Odhner, 1913)
- Bogasonia*  
*volutoides* Warén, 1989
- Family Retusidae**
- Retusa*  
*candidula* (Locard, 1892)  
*fourieri* (Audouin, 1826)  
*leptoeneilema* (Brusina, 1866)  
*mammillata* (Philippi, 1836)  
*mariei* (Dautzenberg, 1889)  
*minutissima* (Monterosato, 1878)  
*obtusa* (Montagu, 1803)  
*pellucida* (Sars G.O., 1878)  
*piriformis* Monterosato, 1878  
*tornata* (Watson, 1886)  
*truncatula* (Bruguière, 1792)
- Relichna*  
*simplex* (Locard, 1897)
- Cylchnina*  
*canariensis* Nordsieck & Talavera, 1979  
*crebrisculpta* Monterosato, 1884  
*girardi* (Audouin, 1826)  
*laevisculpta* (Granata-Grillo, 1877)  
*nitidula* (Lovén, 1846)  
*robagliana* (Fischer P. in de Folin, 1869)  
*tenerifensis* Nordsieck & Talavera, 1979  
*umbilicata* (Montagu, 1803)
- Pyrunculus*  
*hoernesii* (Weinkauff, 1866)  
*ovatus* (Jeffreys, 1870)  
*spretus* (Watson, 1897)
- Volvella*  
*acuminata* (Bruguière, 1792)
- Family Ringiculidae**
- Ringicula*  
*auriculata* (Ménard de la Groye, 1811)  
*pulchella* Morlet, 1880  
*leptocheila* Brugnone, 1873
- Family Runcinidae**
- Runcina*  
*adriatica* Thompson T., 1980  
*africana* Pruvot-Fol, 1953  
*aurata* Garcia-Gomez, Lopez, Luque & Cervera, 1986  
*bahiensis* Cervera, Garcia-Gomez & Garcia, 1991  
*brenkoae* Thompson T., 1980  
*caprensis* Mazzarelli, 1894  
*coronata* (de Quatrefages, 1844)  
*ferruginea* Kress, 1977  
*macrodenticulata* Garcia-Gomez & Lopez de la Cuadra, 1990  
*zavodnikii* Thompson T., 1980
- Family Bullidae**
- Bulla*  
*amygdala* Dillwyn, 1817  
*striata* Bruguière, 1792
- Family Haminoeidae**
- Haminoea*  
*cymoelias* Monterosato, 1917  
*elegans* Leach, 1852
- exigua* Schaefer, 1992  
*fusari* Alvarez, Garcia & Villani, 1983  
*hydatis* (Linné, 1758)  
*navicula* (da Costa, 1778)  
*orbignyanus* (de Féussac, 1822)  
*orteai* Talavera, Murillo & Templado, 1987  
*templadoi* Garcia, Perez-Hurtado & Garcia-Gomez, 1991
- Atys*  
*blainvilliana* (Récluz, 1843)  
*jeffreysi* (Weinkauff, 1866)  
*macandrewi* Smith E.A., 1872
- Cylchinum*  
*africanum* (Locard, 1897)  
*oliviforme* (Watson, 1883)
- Smaragdinella*  
*algirae* (Adams A. in Sowerby G.B. II, 1850)
- Weinkauffia*  
*turgidula* (Forbes, 1844)
- Family Philinidae**
- Philine*  
*angulata* Jeffreys, 1867  
*aperta* (Linné, 1767)  
*azorica* Bouchet, 1975  
*calva* van der Linden, 1995  
*catena* (Montagu, 1803)  
*complanata* Watson, 1897  
*condensa* (van der Linden, 1995)  
*denticulata* (Adams J., 1800)  
*desmotis* Watson, 1897  
*infundata* Pilsbry, 1895  
*intricata* Monterosato, 1875  
*lima* (Brown, 1827)  
*monilifera* Bouchet, 1975  
*monterosati* Monterosato, 1874  
*monterosatoi* (Sykes, 1905)  
*punctata* (Adams J., 1800)  
*quadrata* (Wood S., 1839)  
*rugulosa* (Dautzenberg & Fischer H., 1896)  
*scabra* (Müller, 1784)  
*trachyostraca* Watson, 1897
- Johania*  
*retifera* (Forbes, 1844)
- Laona*  
*finmarchica* (Sars M., 1858)  
*flexuosa* (Sars M., 1870)  
*pruinosa* (Clark W., 1827)
- Family Aglajidae**
- Aglaja*  
*berrieri* (Dieuzeide, 1935)  
*maderensis* (Watson, 1897)  
*taila* Marcus Ev. & Er., 1966  
*tricolorata* Renier, 1807
- Chelidonura*  
*fulvipunctata* Baba, 1938  
*italica* Sordi, 1980  
*orchidea* Perrone, 1990
- Melanochlamys*  
*seurati* (Vayssiére, 1926)
- Philiopsis*  
*depicta* (Renier, 1807)
- Family Cylichnidae**
- Cylichna*  
*alba* (Brown, 1827)  
*crossei* Bucquoy, Dautzenberg & Dollfus, 1886  
*cylindracea* (Pennant, 1777)  
*lemchei* Bouchet & Warén, 1979  
*occulta* (Mighels & Adams, 1842)  
*parvula* Jeffreys, 1883  
*propecylindracea* (de Gregorio, 1890)
- Acteocina*  
*mucronata* (Philippi, 1849)
- Roxania*  
*monterosatoi* Dautzenberg & Fischer H., 1896

- pinguicula* (Seguenza G., 1879)  
*utriculus* (Brocchi, 1814)
- Scaphander**  
*gracilis* Watson, 1886  
*lignarius* (Linné, 1758)  
*nobilis* Verrill, 1884  
*punctostriatus* (Mighels & Adams, 1842)
- Melosaphander**  
*imperceptus* Bouchet, 1975
- Mamillocylichna**  
*abyssicola* Bouchet, 1975  
*richardi* (Dautzenberg, 1889)
- Utriculopsis**  
*vitrea* Sars M., 1870
- Family Gasteropteridae**  
*Gasteropteron*  
*meckeli* Kosse, 1813
- Family Philinoglossidae**  
*Philinoglossa*  
*helgolandica* Hertling, 1932  
*latosoleata* Salvini-Plawen, 1973  
*praelongata* Salvini-Plawen, 1973  
*remanei* Marcus Ev. & Er, 1958
- Family Cavoliniidae**  
*Cavolina*  
*gibbosa* (d'Orbigny, 1835)  
*inflexa* (Lesueur, 1813)  
*tridentata* (Forskål, 1775)  
*uncinata* (Rang, 1829)
- Diacavolina*  
*constricta* (van der Spoel, Bleeker & Kobayashi, 1993)  
*deshayesi* (van der Spoel, Bleeker & Kobayashi, 1993)  
*limbata* (d'Orbigny, 1836)  
*atlantica* van der Spoel, Bleeker & Kobayashi, 1993
- Diacria*  
*atlantica* (Dupont in Bontes & van der Spoel, 1998)  
*quadridentata* (Lesueur, 1821)  
*rampali* (Dupont, 1979)  
*rubecula* (Bontes & van der Spoel, 1998)  
*trispinosa* (Lesueur, 1821)
- Clio*  
*cuspidata* (Bosc, 1802)  
*pyramidata* Linné, 1767
- Crescis*  
*acicula* Rang, 1828  
*virgula* Rang, 1828
- Hyalocylis*  
*obtusa* Di Geronimo, 1974  
*striata* (Rang, 1828)
- Styliola*  
*subula* (Quoy & Gaimard, 1827)
- Cuvierina*  
*columnella* (Rang, 1827)
- Family Limacinidae**  
*Limacina*  
*bulimoides* (d'Orbigny, 1836)  
*helicina* Phipps, 1774  
*helicoides* Jeffreys, 1877  
*inflata* (d'Orbigny, 1836)  
*lesueuri* (d'Orbigny, 1836)  
*retroversa* (Fleming, 1823)  
*trochiformis* (d'Orbigny, 1836)
- Family Cymbuliidae**  
*Cymbulia*  
*parvidentata* Pelseneer, 1888  
*peronii* Lamarck, 1819
- Gleba*  
*chrysosticta* (Troschel, 1854)  
*cordata* Forskål, 1776
- Corolla*  
*spectabilis* Dall, 1871
- Family Desmopteridae**
- Desmopterus*  
*cirropterus* Gegenbaur, 1855  
*papilio* Chun, 1889
- Family Peracidae**  
*Peracle*  
*bispinosa* Pelseneer, 1888  
*diversa* (Monterosato, 1875)  
*reticulata* (d'Orbigny, 1836)  
*triacantha* (Fischer P., 1882)
- Family Clionidae**  
*Clione*  
*limacina* (Phipps, 1774)  
*Fowlerina*  
*punctata* (Tesch, 1903)  
*zetesios* Pelseneer, 1906
- Paracalone*  
*flavescens* (Gegenbaur, 1855)  
*longicaudata* (Souleyet, 1852)
- Thalassopterus*  
*zancleus* Kwietniewski, 1910
- Thliptodon*  
*gegenbauri* Boas, 1886
- Family Cliopsidae**  
*Cliopsis*  
*krohnii* Troschel, 1854
- Family Notobranchaeidae**  
*Notobranchaea*  
*bleekerae* van der Spoel & Pafort, 1985  
*mcdonaldi* Pelseneer, 1886
- Schleschia*  
*tetrabranchiata* (Bonnevie, 1913)
- Family Pneumodermatidae**  
*Pneumoderma*  
*mediterraneum* van Beneden, 1838  
*violaceum* d'Orbigny, 1836
- Pneumodermopsis*  
*canephora* Pruvot-Fol, 1924  
*ciliata* (Gegenbaur, 1855)  
*paucidens* (Boas, 1886)  
*pupula* Pruvot-Fol, 1926  
*teschi* van der Spoel, 1973
- Family Oxynoecidae**  
*Oxynoe*  
*olivacea* Rafinesque, 1814
- Lobiger*  
*serradifalci* (Calcaria, 1840)
- Family Volvatellidae**  
*Ascobulla*  
*fragilis* (Jeffreys, 1856)
- Family Elysiidae**  
*Elysia*  
*flava* Verrill, 1901  
*gordona* Thompson & Jaklin, 1988  
*hetta* Perrone, 1990  
*ornata* (Swainson, 1840)  
*picta* Verrill, 1901  
*timida* (Risso, 1818)  
*translucens* Pruvot-Fol, 1957  
*viridis* (Montagu, 1804)
- Thuridilla*  
*hopei* (Vérany, 1853)
- Family Boselliidae**  
*Bosellia*  
*levis* Fernandez-Ovies & Ortea, 1986  
*mimetica* Trinchese, 1891
- Family Hermaeidae**  
*Polybranchia*  
*borgnini* (Trinchese, 1896)  
*viridis* (Deshayes, 1857)
- Aplysiopsis*  
*elegans* Deshayes, 1864  
*formosa* Pruvot-Fol, 1953

- Cyerce**  
*crystallina* (Trinchesse, 1881)  
*graeca* Thompson T., 1988
- Hermaea**  
*bifida* (Montagu, 1815)  
*boucheti* (Cervera, Garcia-Gomez & Ortea, 1991)  
*paucicirra* Pruvot-Fol, 1953  
*variopicta* (Costa A., 1869)
- Caliphylla**  
*mediterranea* Costa A., 1869
- Family Costasiellidae**  
*Costasiella*  
*virescens* Pruvot-Fol, 1951
- Family Stiligeridae**  
*Alderella*  
*comosa* (Costa A., 1867)  
*Alderia*  
*modesta* (Lovén, 1844)  
*Calliopea*  
*bellula* d'Orbigny, 1837  
*oophaga* Lemche in Gascoigne & Sartory, 1974  
*rissoana* Milne-Edwards, 1842  
*souleyeti* Vérany, 1846  
*Ercolania*  
*coerulea* Trinchesse, 1892  
*funerea* (Costa A., 1867)  
*lozanoi* Ortea, 1981  
*viridis* (Costa A., 1866)  
*Placida*  
*cremoniana* (Trinchesse, 1892)  
*dendritica* (Alder & Hancock, 1843)  
*saronica* (Thompson T., 1988)  
*tardyi* (Trinchesse, 1873)  
*verticillata* Ortea, 1981  
*viridis* (Trinchesse, 1873)  
*Stiliger*  
*llerai* Ortea, 1981  
*niger* Lemche, 1935
- Family Limapontiidae**  
*Limapontia*  
*capitata* (Müller O.F., 1774)  
*depressa* Alder & Hancock, 1862  
*senestra* (de Quatrefages, 1844)
- Family Umbraculidae**  
*Umbraculum*  
*umbraculum* (Röding, 1798)  
*Spiricella*  
*unguicula* Rang, 1828
- Family Tylodinidae**  
*Anidolyta*  
*duebeni* (Lovén, 1846)  
*Tylodina*  
*perversa* (Gmelin, 1791)
- Family Pleurobranchidae**  
*Pleurobranchus*  
*forskali* (Rüppell & Leuckart, 1831)  
*membranaceus* (Montagu, 1815)  
*testudinarius* Cantraine, 1835  
*Berthella*  
*aurantiaca* (Risso, 1818)  
*dautzenbergi* (Watson, 1897)  
*elongata* (Cantraine, 1835)  
*lowei* (Watson, 1897)  
*ocellata* (delle Chiaje, 1830)  
*plumula* (Montagu, 1803)  
*sideralis* Lovén, 1846  
*stellata* (Risso, 1826)  
*Berthellina*  
*citrina* (Rüppell & Leuckart, 1831)  
*engeli* Gardiner, 1936  
*Pleurobranchaea*  
*inconspicua* Bergh, 1897  
*meckelii* Meckelin Leue, 1813
- Family Microhedyliidae**  
*Microhedyle*  
*glandulifera* (Kowalewsky, 1901)  
*glomerans* Salvini-Plawen, 1973  
*lactea* Hertling, 1930  
*neapolitana* (Rankin, 1979)  
*odhneri* (Marcus Ev. & Er., 1955)  
*Pontohedyle*  
*milatschevitchi* (Kowalewsky, 1901)  
*Parahedyle*  
*cryptophtalma* (Westheide & Wawra, 1974)  
*tyrtowii* (Kowalewsky, 1901)
- Family Platyhedyliidae**  
*Platyhedyle*  
*denudata* Salvini-Plawen, 1973
- Family Asperspinidae**  
*Asperspina*  
*brambelli* (Swedmark, 1968)  
*rhopalotecta* (Salvini-Plawen, 1973)  
*Antennella*  
*loricata* (Swedmark, 1968)
- Family Hedylopsidae**  
*Hedylopsis*  
*brambelli* Swedmark, 1968  
*spiculifera* (Kowalewsky, 1901)  
*suecica* Odhner, 1937
- Family Minicheviellidae**  
*Minicheviella*  
*murmanica* (Kuchinskaja & Minichev, 1978)
- Family Rhoplopidae**  
*Rhodope*  
*crucispiculata* Salvini-Plawen, 1988  
*veranyi* Koelliker, 1847
- Family Akeridae**  
*Akera*  
*bullata* Müller O.F., 1776
- Family Aplysiidae**  
*Aplysia*  
*dactylomela* Rang, 1828  
*depilans* Gmelin, 1791  
*fasciata* Poiret, 1789  
*juliana* Quoy & Gaimard, 1832  
*parvula* Guilding in Mørch, 1863  
*punctata* (Cuvier, 1803)  
*Bursatella*  
*leachii* de Blainville, 1817
- Family Dolabriferidae**  
*Dolabrifera*  
*holboelli* Bergh, 1872  
*Notarchus*  
*indicus* Schweigger, 1820  
*punctatus* Philippi, 1836  
*Petalifera*  
*gravieri* (Vayssiére, 1906)  
*petalifera* (Rang, 1828)  
*Phyllaplysia*  
*depressa* (Cantraine, 1835)  
*lafonti* (Fischer P., 1870)
- Family Bathydotidae**  
*Bathydoris*  
*ingolfiana* Bergh, 1899
- Family Aegiretidae**  
*Aegires*  
*leuckarti* Vérany, 1853  
*palensis* Ortea, Luque & Templado, 1990  
*punctilucens* (d'Orbigny, 1837)  
*sublaevis* Odhner, 1932  
*Triopella*  
*incisa* (Sars G.O., 1872)
- Family Corambidae**  
*Corambe*  
*obscura* (Verrill, 1870)

- testudinaria* Fischer P., 1889  
*Echinocorambe*  
*brattegardi* (Valdés & Bouchet, 1998)
- Family Goniodorididae**  
*Goniodoris*  
*barroisi* Vayssiére, 1901  
*castanea* Alder & Hancock, 1845  
*nodosa* (Montagu, 1808)  
*Lophorodoris*  
*danielsseni* (Friele & Hansen, 1876)  
*Okenia*  
*aspersa* (Alder & Hancock, 1845)  
*elegans* (Leuckart, 1828)  
*hispanica* (Valdés & Ortea, 1995)  
*cupella* (Vogel & Schultz, 1970)  
*leachii* (Alder & Hancock, 1854)  
*mediterranea* (Von Ihering, 1886)  
*Ancula*  
*gibbosa* (Risso, 1818)  
*Trapania*  
*fusca* (Lafont, 1874)  
*hispalensis* Cervera & Garcia-Gomez, 1989  
*lineata* Haefelfinger, 1960  
*maculata* Haefelfinger, 1960  
*orteai* Garcia-Gomez & Cervera in Cervera & Garcia-Gomez, 1989  
*pallida* Kress, 1968  
*tartanella* (Von Ihering, 1886)  
*Bermudella*  
*polycerelloides* Ortea & Bouchet, 1983
- Family Onchidorididae**  
*Onchidoris*  
*albonigra* (Pruvot-Fol, 1951)  
*aspera* (Alder & Hancock, 1842)  
*bouvieri* (Vayssiére, 1919)  
*cervinoi* Ortea & Urgorri, 1979  
*depressa* (Alder & Hancock, 1842)  
*fusca* (Müller O.F., 1776)  
*inconspicua* (Alder & Hancock, 1851)  
*muricata* (Müller O.F., 1776)  
*neapolitana* (delle Chiaje, 1841)  
*oblonga* (Alder & Hancock, 1845)  
*pusilla* (Alder & Hancock, 1845)  
*reticulata* Ortea, 1979  
*sparsa* (Alder & Hancock, 1846)  
*tridactila* Ortea & Ballesteros, 1982
- Acanthodoris*  
*pilosa* (Abildgaard in Müller, 1789)  
*Adalaria*  
*loveni* Alder & Hancock, 1862  
*proxima* (Alder & Hancock, 1854)  
*Diaphorodoris*  
*luteocincta* (Sars M., 1870)  
*papillata* Portmann & Sandmeier, 1960
- Doridunculus*  
*echinulatus* Sars G.O., 1878
- Family Triophidae**  
*Crinora*  
*papillata* Alder & Hancock, 1862  
*Kaloplocamus*  
*aureus* (Odhner, 1932)  
*filosus* Cattaneo-Vietti & Sordi, 1988  
*ramosus* (Cantraine, 1835)  
*Plocamopherus*  
*maderae* (Lowe, 1842)  
*ocellatus* (Rüppell & Leuckart, 1831)
- Family Dorididae**  
*Doris*  
*alboranica* Bouchet, 1977  
*bertheloti* (d'Orbigny, 1839)  
*bicolor* (Bergh, 1884)  
*marmorata* Risso, 1818  
*nobilis* Odhner, 1907  
*ocelligera* (Bergh, 1881)
- pseudoverrucosa* (Von Ihering, 1886)  
*sticta* (Iredale & O'Donoghue, 1923)  
*verrucosa* Linné, 1758  
*Thorybopus*  
*lophatus* Bouchet, 1977
- Family Aldisidae**  
*Aldisa*  
*bonyulensis* Pruvot-Fol, 1951  
*barlettai* Ortea & Ballesteros, 1989  
*berghi* Vayssiére, 1901  
*binotata* Pruvot-Fol, 1953  
*zealandica* (Alder & Hancock, 1854)
- Family Archidorididae**  
*Archidoris*  
*pseudoargus* (Rapp, 1827)  
*Anisodoris*  
*marmorata* (Bergh, 1881)  
*Atagema*  
*gibba* Pruvot-Fol, 1951  
*rugosa* Pruvot-Fol, 1951  
*Sclerodoris*  
*minor* Eliot, 1903
- Family Chromodorididae**  
*Chromodoris*  
*britoi* Ortea & Perez, 1983  
*elegantula* (Philippi, 1844)  
*goslineri* Ortea & Valdés in Ortea, Valdés & Garcia Gómez, 1996  
*krohni* (Vérany, 1846)  
*luteopunctata* (Gantès, 1962)  
*luteorosea* (Rapp, 1827)  
*purpurea* (Risso in Guérin, 1831)  
*quadricolor* (Rüppell & Leuckart, 1831)  
*rodomaculata* Ortea & Valdés, 1991  
*Cadlina*  
*excavata* (Pruvot-Fol, 1951)  
*glabra* (Friele & Hansen, 1876)  
*laevis* (Linné, 1767)  
*pellucida* (Risso, 1826)  
*Glossodoris*  
*edmundsi* Cervera, Garcia-Gomez & Ortea, 1989  
*limbata* Vicente, 1967  
*Hypsodoris*  
*bilineata* (Pruvot-Fol, 1953)  
*cantabrica* Bouchet & Ortea, 1980  
*orsini* (Vérany, 1846)  
*fontandraui* (Pruvot-Fol, 1951)  
*gasconi* Ortea, Valdés & Garcia Gómez, 1996  
*infucata* (Rüppell & Leuckart, 1831)  
*malacitana* Luque, 1986  
*tricolor* (Cantraine, 1835)  
*villafranca* (Risso, 1818)  
*picta* (Schultz in Philippi, 1836)
- Family Discodorididae**  
*Discodoris*  
*atromaculata* (Bergh, 1880)  
*concinna* (Alder & Hancock, 1864)  
*confusa* Ballesteros, Llera & Ortea, 1985  
*edwardsi* Vayssiére, 1902  
*erubescens* Bergh, 1884  
*fragilis* (Alder & Hancock, 1864)  
*maculosa* Bergh, 1884  
*millegrana* (Alder & Hancock, 1854)  
*patriziae* Perrone, 1991  
*porri* (Vérany, 1846)  
*punctifera* (Abraham, 1877)  
*rosi* Ortea, 1979  
*rubens* Vayssiére, 1919  
*sordii* (Perrone, 1990)  
*stellifera* (Ihering in Vayssiére, 1904)  
*Geitodoris*  
*bacalladoi* Ortea, 1990  
*bonosi* Ortea & Ballesteros, 1981  
*joubini* (Vayssiére, 1919)

- perfossa* Ortea, 1990  
*planata* (Alder & Hancock, 1846)  
*portmanni* (Schmekel, 1972)  
*pusae* (Marcus Er., 1955)  
*rubens* (Vayssi  re, 1919)
- Paradoris**  
*ceneris* Ortea, 1995  
*granulata* Bergh, 1884  
*indecora* (Bergh, 1881)  
*inversa* Ortea, 1995  
*mollis* Ortea, 1995
- Thordisa**  
*aurea* Pruvot-Fol, 1951  
*azmani* Cervera & Garcia-Gomez, 1989  
*filis* Pruvot-Fol, 1951  
*pallida* Bergh, 1884
- Family Kentrodorididae**  
*Jorunna*  
*atypa* Bergh, 1881  
*onubensis* Cervera, Garcia-Gomez & Garcia, 1986  
*tomentosa* (Cuvier, 1804)
- Family Platydorididae**  
*Platydoris*  
*argo* (Linn  , 1767)  
*dura* Pruvot-Fol, 1951  
*maculata* Bouchet, 1977  
*philippi* Bergh, 1877  
*stomascuta* Bouchet, 1977
- Baptodoris*  
*cinnabarina* Bergh, 1884  
*perezi* Llera & Ortea in Ortea, Perez & Llera, 1982
- Carminodoris*  
*boucheti* Ortea, 1979  
*spinobranchialis* Ortea & Martinez, 1992
- Taringa*  
*armata* Swennen, 1961  
*ascitica* Ortea, Perez & Llera, 1982  
*bacalladoi* Ortea, Perez & Llera, 1982  
*faba* Ballesteros, Llera & Ortea, 1985  
*fanabensis* Ortea & Mart  ez, 1992  
*oleica* Ortea, Perez & Llera, 1982  
*pinoi* Perrone, 1985  
*tarifaensis* Garcia-Gomez, Cervera & Garcia-Martin, 1993  
*tritorquis* Ortea, Perez & Llera, 1982
- Family Rostangidae**  
*Rostanga*  
*anthelia* Perrone, 1991  
*rubra* (Risso, 1818)
- Family Polyceridae**  
*Polydora*  
*aurantiomarginata* Garcia-Gomez & Bobo, 1984  
*dubia* Sars M., 1829  
*elegans* (Bergh, 1894)  
*faeroensis* Lemche, 1929  
*hedgpethi* (Marcus Er., 1964)  
*maculata* Pruvot-Fol, 1951  
*nothus* (Johnston, 1838)  
*quadrilineata* (M  ller O.F., 1776)
- Colga*  
*pacifica* (Bergh, 1894)
- Limacia*  
*clavigera* (M  ller O.F., 1776)
- Polyacerella*  
*emertoni* Verrill, 1881
- Thecacera*  
*pennigera* (Montagu, 1815)  
*virescens* Forbes & Hanley, 1851
- Family Gymnodorididae**  
*Roboastra*  
*europea* Garcia-Gomez, 1985
- Tamja*  
*ceutae* Garcia-Gomez & Ortea, 1988  
*marbellensis* (Schick & Cervera, 1998)
- Family Dendrodorididae**  
*Dendrodoris*  
*grandiflora* (Rapp, 1827)  
*herytra* Vald  s & Ortea in Vald  s, Ortea, Avila & Ballesteros, 1996  
*limbata* (Cuvier, 1804)  
*nigra* (Stimpson, 1855)
- Doriopsilla*  
*areolata* Bergh, 1880  
*pelseneeri* d'Oliveira, 1895
- Family Phyllidiidae**  
*Phyllidia*  
*flava* Aradas, 1847  
*Phyllidiopsis*  
*berghi* Vayssi  re, 1902
- Fryeria*  
*bayi* Bouchet, 1983
- Family Dendronotidae**  
*Dendronotus*  
*comtei* (Vald  s & Bouchet, 1998)  
*frondosus* (Ascanius, 1774)  
*lacteus* (Thompson W., 1840)  
*robustus* Verrill, 1880
- Family Dotidae**  
*Doto*  
*acuta* Schmekel & Kress, 1977  
*affinis* (d'Orbigny, 1835)  
*arteoi* Ortea, 1978  
*cerviceniga* Ortea & Bouchet, 1989  
*cindyneutes* Bouchet, 1977  
*confluens* Hesse, 1872  
*coronata* (Gmelin, 1791)  
*crassicornis* Sars M., 1870  
*cuspidata* Alder & Hancock, 1862  
*dunnei* Lemche, 1976  
*eireana* Lemche, 1976  
*escallari* (Ortea, Moro & Espinosa, 1998)  
*floridicola* Simroth, 1888  
*fluctifraga* Ortea & Perez, 1982  
*fragaria* Ortea & Bouchet, 1989  
*fragilis* (Forbes, 1838)  
*furva* Garcia J.C. & Ortea, 1984  
*hydrallmanniae* (Morrow, Thorpe & Picton, 1992)  
*hystrix* Picton & Brown, 1981  
*koenneckeri* Lemche, 1976  
*lemchei* Ortea & Urgorri, 1978  
*leopardina* Vicente, 1967  
*millbayana* Lemche, 1976  
*oblicua* Ortea & Urgorri, 1978  
*paulinae* Trinchese, 1881  
*pinnatifida* (Montagu, 1804)  
*pontica* Swennen, 1961  
*pygmaea* (Bergh, 1871)  
*rosea* Trinchese, 1881  
*sotilloi* (Ortea, Moro & Espinosa, 1998)  
*tuberculata* Lemche, 1976  
*unguis* Ortea & Rodriguez, 1989  
*verdicioi* Ortea & Urgorri, 1978
- Family Hancockiidae**  
*Hancockia*  
*uncinata* (Hesse, 1872)
- Family Lomanotidae**  
*Lomanotus*  
*barlettai* Garcia-Gomez, Lopez-Gonzalez & Garcia, 1990  
*genei* V  rany, 1846  
*marmoratus* (Alder & Hancock, 1845)
- Family Phylliroidae**  
*Phylliroe*  
*atlantica* Bergh, 1871  
*bucephala* P  ron & Lesueur, 1810
- Cephalopyge*  
*trematoides* (Chun, 1889)

- Family Scyllaeidae**
- Scyllaea*
  - pelagica* Linné, 1758
- Family Tethydidae**
- Tethys*
  - fimbria* Linné, 1767
  - Melibe*
  - fimbriata* Alder & Hancock, 1864
- Family Tritoniidae**
- Tritonia*
  - episcopalis* Bouchet, 1977
  - griegi* Odhner, 1922
  - hombergi* Cuvier, 1803
  - ingolfiana* (Bergh, 1899)
  - lineata* Alder & Hancock, 1848
  - manicata* Deshayes, 1853
  - nilsodhneri* Marcus Ev., 1983
  - plebeia* Johnston, 1828
  - striata* Haefelfinger, 1963
  - Marionia*
  - blainvillaea* (Risso, 1818)
  - Tritoniopsis*
  - cincta* (Pruvot-Fol, 1937)
- Family Arminidae**
- Armina*
  - loveni* (Bergh, 1860)
  - maculata* Rafinesque, 1814
  - neapolitana* (delle Chiaje, 1824)
  - tigrina* Rafinesque, 1814
  - tricuspidata* Thompson, Cattaneo & Wong, 1990
- Lingella**
- elfortiana* de Blainville, 1823
  - quadrilateralis* (Bergh, 1860)
- Family Heterodorididae**
- Heterodoris*
  - ingolfiana* (Bergh, 1899)
  - robusta* Verrill & Emerton, 1882
- Family Heroidae**
- Hero*
  - blanchardi* Vayssièvre, 1888
  - formosa* (Lovén, 1844)
- Family Gonaeolidiidae**
- Gonaeolis*
  - typica* Sars M., 1861
- Family Madrellidae**
- Madrella*
  - aurantiaca* Vayssièvre, 1902
  - Eliotia*
  - souleyeti* Vayssièvre, 1909
- Family Proctonotidae**
- Janolus*
  - cristatus* (delle Chiaje, 1841)
  - faustoi* Ortea & Llera, 1988
  - hyalinus* (Alder & Hancock, 1854)
  - Proctonotus*
  - mucroniferus* (Alder & Hancock, 1844)
- Family Aeolidiidae**
- Aeolidia*
  - papillosa* (Linné, 1761)
  - Aeolidiella*
  - alderi* (Cocks, 1852)
  - glauca* (Alder & Hancock, 1845)
  - indica* Bergh, 1888
  - rubra* (Cantraine, 1835)
  - sanguinea* (Norman, 1877)
  - Baeolidia*
  - cryoporus* Bouchet, 1977
  - nodosa* (Haefelfinger & Stamm, 1958)
  - Berghia*
  - columbina* (Garcia-Gomez & Thompson, 1990)
  - norvegica* Odhner, 1939
  - Spurilla*
- caeruleescens* Laurillard, 1830
- neapolitana* (delle Chiaje, 1841)
- vayssierei* Garcia J.C. & Cervera, 1985
- verrucicornis* (Costa A., 1867)
- Cerberilla*
- bernadettae* Tardy, 1965
- Phidiana*
- indica* (Bergh, 1896)
- Family Calmidae**
- Calma*
  - glaucooides* (Alder & Hancock, 1854)
- Family Cumanotidae**
- Cumanotus*
  - beaumonti* (Eliot, 1906)
  - cuenoti* (Pruvot-Fol, 1948)
- Family Eubranchidae**
- Eubranchus*
  - arci* Ortea, 1981
  - cingulatus* (Alder & Hancock, 1847)
  - doriae* (Trinchese, 1874)
  - exiguus* (Alder & Hancock, 1848)
  - farrani* (Alder & Hancock, 1844)
  - limensis* Garcia-Gomez, Cervera & Garcia, 1990
  - pallidus* (Alder & Hancock, 1842)
  - prietoi* Llera & Ortea, 1981
  - rupium* (Møller, 1842)
  - tricolor* Forbes, 1838
  - vittatus* (Alder & Hancock, 1842)
- Family Facelinidae**
- Facelina*
  - annulicornis* (Chamisso & Eysenhardt, 1821)
  - bostoniensis* (Couthouy, 1838)
  - coronata* (Forbes & Goodsir, 1839)
  - dubia* (Pruvot-Fol, 1948)
  - fusca* Schmekel, 1966
  - lugubris* (Bergh, 1882)
  - quatrefoigesi* Vayssièvre, 1888
  - rubrovittata* (Costa A., 1866)
  - rutila* Pruvot-Fol, 1951
  - variegata* d'Oliveira, 1895
  - vicina* (Bergh, 1882)
  - Algarvia*
  - alba* Garcia-Gomez & Cervera, 1989
- Antonietta*
- luteorufa* Schmekel, 1966
- Caloria*
- elegans* (Alder & Hancock, 1845)
- Facelinopsis*
- marioni* (Vayssièvre, 1888)
- Pruvoifolia*
- pselliotes* (Labbé, 1923)
- Rolandia*
- hispanica* Pruvot-Fol, 1951
- Family Favorinidae**
- Favorinus*
  - bianus* Lemche & Thompson, 1974
  - branchialis* (Rathke, 1806)
  - vitreus* Ortea, 1982
- Dicata*
- odhneri* Schmekel, 1967
- Dondice*
- banyulensis* Portmann & Sandmeier, 1960
- Family Fionidae**
- Fiona*
  - pinnata* (Eschscholtz, 1831)
- Family Flabellinidae**
- Flabellina*
  - affinis* (Gmelin, 1791)
  - babai* Schmekel, 1972
  - baetica* Garcia-Gomez, 1984
  - insolita* Garcia-Gomez & Cervera, 1989
  - ischitana* Hirano & Thompson, 1990
  - pedata* (Montagu, 1815)

- pellucida* (Alder & Hancock, 1843)  
*rubrolineata* (O'Donoghue, 1929)
- Calmella**  
*cavolini* (Vérany, 1846)
- Coryphella**  
*borealis* Odhner, 1922  
*browni* Picton, 1980  
*gracilis* (Alder & Hancock, 1844)  
*lineata* (Lovén, 1846)  
*nobilis* Verrill, 1880  
*parva* Hadfield, 1963  
*salmonacea* (Couthouy, 1838)  
*sarsi* Friele, 1902  
*verrucosa* (Sars M., 1829)
- Rioselaeolis**  
*anadoni* Ortea, 1979
- Paracoryphella**  
*islandica* (Odhner, 1937)
- Family Glaucidae**  
*Glaucus*  
*atlanticus* Forster, 1777
- Family Piseinotecidae**  
*Piseinotecus*  
*gabinieri* (Vicente, 1975)  
*gaditanus* Cervera, García-Gómez & García, 1987  
*sphaeriferus* (Schmekel, 1965)
- Family Pseudovermidae**  
*Pseudovermis*  
*artabrensis* Urgorri, Cobo & Besteiro, 1991  
*axi* Marcus Ev. & Er., 1955  
*boadeni* Salvini-Plawen & Sterrer, 1968  
*kowalewskyi* Salvini-Plawen & Sterrer, 1968  
*papillifer* Kowalewsky, 1901  
*paradoxus* Periaslavzhev, 1891  
*schultzi* Marcus Ev. & Er., 1955  
*setensis* Fize, 1961  
*thompsoni* Salvini-Plawen, 1991
- Family Tergipedidae**  
*Tergipes*  
*edwardsii* Nordmann, 1844  
*tergipes* (Forskål, 1775)
- Catriona*  
*gymnotata* (Couthouy, 1838)  
*maua* Marcus Ev. & Er., 1960
- Cuthona*  
*abyssicola* (Bergh, 1884)  
*albopunctata* (Schmekel, 1968)  
*amoena* (Alder & Hancock, 1845)  
*berghi* (Friele, 1902)  
*caerulea* (Montagu, 1804)  
*concinna* (Alder & Hancock, 1843)  
*distanti* Odhner, 1922  
*ferruginea* (Friele, 1902)  
*foliata* (Forbes & Goodsir, 1839)  
*genovae* (O'Donoghue, 1929)  
*granosaa* (Schmekel, 1966)  
*ilonae* (Schmekel, 1968)  
*leopardina* (Vayssiére, 1888)  
*miniostriata* (Schmekel, 1968)  
*nana* (Alder & Hancock, 1842)  
*norvegica* (Odhner, 1929)  
*ocellata* (Schmekel, 1966)  
*perea* (Marcus Er., 1958)  
*peregrina* (Gmelin, 1791)  
*pustulata* (Alder & Hancock, 1854)  
*rubescens* Picton & Brown, 1978  
*suecica* (Odhner, 1940)  
*thompsoni* Garcia, Lopez-Gonzalez & Garcia-Gomez, 1991  
*viridis* (Forbes, 1840)  
*willani* Cervera, Garcia-Gómez & Lopez-Gonzalez, 1992
- Embletonia*  
*pulchra* (Alder & Hancock, 1844)
- Tenellia*  
*adspersa* (Nordmann, 1845)
- Family Siphonariidae**  
*Siphonaria*  
*kurracheensis* (Reeve, 1856)  
*pectinata* (Linné, 1758)
- Williamia*  
*gussonii* (Costa O.G., 1829)
- Family Trimusculidae**  
*Trimusculus*  
*afer* (Gmelin, 1791)  
*mammilaris* (Linné, 1758)
- Family Onchidiidae**  
*Onchidella*  
*celtica* (Cuvier, 1817)
- Family Ellobiidae**  
*Pseudomelampus*  
*exiguus* (Lowe, 1832)
- Auriculinella*  
*bidentata* (Montagu, 1808)
- Ovatella*  
*aequalis* (Lowe, 1832)  
*firminii* (Payraudeau, 1826)  
*vulcani* (Morelet, 1860)
- Myosotella*  
*denticulata* (Montagu, 1803)  
*myosotis* (Draparnaud, 1801)
- Pedipes*  
*afer* (Gmelin, 1791)
- Family Otinidae**  
*Otina*  
*ovata* (Brown, 1827)
- Class Bivalvia**
- Family Xenoturbellidae**  
*Xenoturbella*  
*bocki* (Westblad, 1949)  
*westbladi* (Israelsson, 1999)
- Family Solemyidae**  
*Solemya*  
*togata* (Poli, 1795)
- Family Nuculidae**  
*Nucula*  
*atacellana* Schenck, 1939  
*bicornis* Gofas & Salas, 1996  
*decipiens* Philippi, 1844  
*hanleyi* Winckworth, 1931  
*nitidosa* Winckworth, 1930  
*nucleus* (Linné, 1758)  
*recondita* Gofas & Salas, 1996  
*sulcata* Brönn, 1831  
*tumidula* Malm, 1861
- Emucula*  
*aegaeensis* (Forbes, 1844)  
*bushae* (Dollfus, 1898)  
*corticata* (Möller, 1842)  
*tenuis* (Montagu, 1808)
- Brevinucula*  
*verrilli* (Dall, 1886)
- Family Pristiglomidae**  
*Pristigloma*  
*nitens* (Jeffreys, 1876)
- Family Nuculanidae**  
*Nuculana*  
*commutata* (Philippi, 1844)  
*illirica* Carrozza, 1987  
*minuta* (Müller O.F., 1776)  
*pella* (Linné, 1767)  
*pernula* Müller O.F., 1779
- Family Malletidae**  
*Katadesmia*  
*cuneata* (Jeffreys, 1876)

- kolthoffi* (Hägg, 1904)  
**Pseudomalletia**  
*obtusa* (Sars G.O., 1872)
- Family Neilonellidae**  
*Neilonella*  
*striolata* (Brugnone, 1876)
- Family Spinulidae**  
*Bathyspinula*  
*excisa* (Philippi, 1844)
- Family Tindariidae**  
*Tindaria*  
*derjugini* Gorbunov, 1946  
*sericea* (Jeffreys, 1876)
- Family Yoldiidae**  
*Yoldia*  
*amygdalea* Valenciennes, 1846  
*hyperborea* Torell, 1859  
*micrometrica* Seguenza G., 1877  
*minima* Seguenza G., 1877  
*Yoldiella*  
*annenkovae* (Gorbunov, 1946)  
*dissimilis* Verrill & Bush, 1898  
*expansa* (Jeffreys, 1876)  
*folini* Warén, 1978  
*frami* Knudsen, 1985  
*frigida* (Torell, 1859)  
*insculpta* (Jeffreys, 1879)  
*intermedia* (Sars M., 1865)  
*jeffreysi* (Hidalgo, 1877)  
*lenticula* (Møller, 1842)  
*lucida* (Lovén, 1846)  
*messanensis* (Jeffreys, 1870)  
*nana* (Sars M., 1865)  
*philippiana* (Nyst, 1845)  
*propinqua* (Leche, 1878)  
*pustulosa* (Jeffreys, 1876)  
*seguenzae* Bonfitto & Sabelli, 1995  
*semistriata* (Jeffreys, 1879)  
*solidula* Warén, 1989  
*subaequilatera* (Jeffreys, 1879)  
*tamara* (Gorbunov, 1946)  
*Megayoldia*  
*thraciaeformis* (Storer, 1838)  
*Portlandia*  
*arctica* (Gray J.E., 1824)  
*Microgloma*  
*guilonardi* (Hoeksema, 1993)  
*pusilla* (Jeffreys, 1879)  
*tumidula* (Monterosato, 1880)
- Family Arcidae**  
*Arca*  
*noae* Linné, 1758  
*tetragona* Poli, 1795  
*Asperarca*  
*magdalena* (La Perna, 1998)  
*nodulosa* (Müller O.F., 1776)  
*secreta* (La Perna, 1998)  
*Barbatia*  
*barbata* (Linné, 1758)  
*clathrata* (Defrance, 1816)  
*plicata* (Dillwyn, 1817)  
*Anadara*  
*corbuloides* (Monterosato, 1878)  
*demiri* (Piani, 1981)  
*inaequivalvis* (Bruguière, 1789)  
*natalensis* (Krauss, 1848)  
*polii* (Mayer, 1868)  
*Bathyarca*  
*frielei* (Friele, 1877)  
*glacialis* (Gray J.E., 1824)  
*inaequisculpta* (Smith E.A., 1885)  
*pectunculoides* (Scacchi, 1834)  
*philippiana* (Nyst, 1848)  
*Bentharca*
- asperula* (Dall, 1881)
- Family Noetiidae**  
*Striarea*  
*lactea* (Linné, 1758)
- Family Limopsidae**  
*Limopsis*  
*angusta* Jeffreys, 1879  
*aurita* (Brocchi, 1814)  
*cristata* Jeffreys, 1876  
*minuta* (Philippi, 1836)  
*multistriata* (Forskål, 1775)  
*friedbergi* Glibert & van de Poel, 1965
- Family Glycymerididae**  
*Glycymeris*  
*bimaculata* (Poli, 1795)  
*glycymeris* (Linné, 1758)  
*violacea* (Lamarck, 1819)
- Family Mytilidae**  
*Mytilus*  
*edulis* Linné, 1758  
*galloprovincialis* Lamarck, 1819  
*trossulus* Gould, 1850  
*Brachidontes*  
*pharaonis* (Fischer P., 1870)  
*Mytilaster*  
*lineatus* (Gmelin, 1791)  
*marioni* (Locard, 1889)  
*minimus* (Poli, 1795)  
*solidus* Monterosato, 1872  
*Perna*  
*perna* (Linné, 1758)  
*Crenella*  
*arenaria* Monterosato, 1875  
*canariensis* (Odhner, 1932)  
*decussata* (Montagu, 1808)  
*pellucida* (Jeffreys, 1859)  
*Gregariella*  
*petagna* (Scacchi, 1832)  
*semigranata* (Reeve, 1858)  
*Modiolarca*  
*subpicta* (Cantraine, 1835)  
*Musculus*  
*costulatus* (Risso, 1826)  
*discors* (Linné, 1767)  
*laevigatus* (Gray J.E., 1824)  
*niger* (Gray J.E., 1824)  
*Rhomboidella*  
*prideuxi* (Leach, 1815)  
*Lithophaga*  
*lithophaga* (Linné, 1758)  
*Myoforceps*  
*aristatus* (Dillwyn, 1817)  
*Modiolus*  
*adriaticus* (Lamarck, 1819)  
*auriculatus* Krauss, 1848  
*barbatus* (Linné, 1758)  
*lulat* (Dautzenberg, 1891)  
*martorelli* (Hidalgo, 1878)  
*modiolus* (Linné, 1758)  
*stultorum* (Jousseaume, 1893)  
*Amygdalum*  
*agglutinans* (Cantraine, 1835)  
*politum* (Verrill & Smith, 1880)  
*Dacyridium*  
*abyssorum* (Allen, 1999)  
*balgimi* Salas & Gofas, 1997  
*dauvini* Salas & Gofas, 1997  
*filiferum* Salas & Gofas, 1997  
*hyalinum* Monterosato, 1875  
*ockelmanni* Mattson & Warén, 1977  
*sandersi* (Allen, 1999)  
*vitreum* (Møller, 1842)  
*viviparum* Ockelmann, 1983  
*wareni* Salas & Gofas, 1997

- Idas**  
*argenteus* Jeffreys, 1876  
*ghisotti* Warén & Carozza, 1990  
*modiolaeformis* (Sturany, 1896)  
*pelagicus* (Forbes in Woodward, 1854)  
*simpsoni* (Marshall, 1900)
- Bathymodiolus**  
*azoricus* (Cosel & Comtet in Cosel, Comtet & Krylova, 1999)
- Modiolula**  
*phaseolina* (Philippi, 1844)
- Musculista**  
*perfragilis* (Dunker, 1857)  
*senhousia* (Benson in Cantor, 1842)
- Xenostrobus**  
*securis* (Lamarck, 1819)
- Family Pinnidae**
- Pinna*  
*nobilis* Linné, 1758  
*rudis* Linné, 1758
- Atrina*  
*pectinata* (Linné, 1767)
- Family Pteriidae**
- Pteria*  
*hirundo* (Linné, 1758)
- Pinctada*  
*radiata* (Leach, 1814)
- Family Malleidae**
- Malleus*  
*regulus* (Forskål, 1775)
- Family Isognomonidae**
- Isognomon*  
*isognomon* (Linné, 1758)
- Family Pectinidae**
- Pecten*  
*jacobeus* (Linné, 1758)  
*maximus* (Linné, 1758)
- Aequipecten*  
*commutatus* (Monterosato, 1875)  
*opercularis* (Linné, 1758)
- Lisspecten*  
*hyalinus* (Poli, 1795)
- Nodipecten*  
*corallinoides* (d'Orbigny, 1840)
- Pallidolum*  
*furtivum* (Lovén, 1846)  
*incomparabile* (Risso, 1826)  
*striatum* (Müller O.F., 1776)  
*tigerinum* (Müller O.F., 1776)
- Arctinula*  
*greenlandica* (Sowerby G.B. II, 1842)
- Propeamussium*  
*fenestratum* (Forbes, 1844)  
*lucidum* (Wyville-Thompson, 1873)  
*propinquum* (Smith E.A., 1885)
- Pseudamussium*  
*clavatum* (Poli, 1795)  
*pesultrae* (Linné, 1771)
- Cyclopecten*  
*brundisiensis* Smriglio & Mariottini, 1990  
*hoskynsi* (Forbes, 1844)  
*imbrifer* (Lovén, 1846)
- Delectopecten*  
*vitreus* (Gmelin, 1791)
- Hyalopecten*  
*frigidus* Jensen, 1904  
*similis* (Laskey, 1811)
- Crassadoma*  
*multistriata* (Poli, 1795)  
*pusio* (Linné, 1758)
- Chlamys*  
*alicei* Dautzenberg & Fischer H., 1897  
*flexuosa* (Poli, 1795)  
*glabra* (Linné, 1758)
- islandica* (Müller O.F., 1776)  
*pesfelis* (Linneé, 1758)  
*protea* (Dillwyn, 1817)  
*sulcata* (Müller O.F., 1776)  
*varia* (Linneé, 1758)
- Family Spondylidae**
- Spondylus*  
*gaederopus* Linneé, 1758  
*gussonii* Costa O.G., 1829  
*senegalensis* (Schreibers, 1793)  
*spinosus* (Schreibers, 1793)
- Family Anomiidae**
- Anomia*  
*ephippium* Linneé, 1758
- Isonomia*  
*alberti* (Dautzenberg & Fischer H., 1896)
- Heteranomia**
- squamula* (Linneé, 1758)
- Pododesmus*  
*patelliformis* (Linneé, 1761)  
*squama* (Gmelin, 1791)
- Family Limidae**
- Lima*  
*lima* (Linneé, 1758)  
*marioni* Fischer P., 1888
- Limaria*  
*hians* (Gmelin, 1791)  
*tuberculata* (Wood S., 1839)
- Limea*  
*loscombii* (Sowerby G.B. I, 1824)
- Acesta*  
*excavata* (Fabricius J.C., 1779)
- Limatula*  
*gwyni* (Sykes, 1903)  
*hyperborea* Jensen, 1905  
*jeffreysi* (Fischer P., 1882)  
*laminifera* (Smith E.A., 1885)  
*similis* (Jensen, 1912)  
*subauriculata* (Montagu, 1808)  
*subovata* (Jeffreys, 1876)
- Notolimea*  
*clandestina* Salas, 1994  
*crassa* (Forbes, 1844)
- Family Ostreidae**
- Ostrea*  
*edulis* Linneé, 1758
- Crassostrea*  
*gigas* (Thunberg, 1793)  
*virginica* (Gmelin, 1791)
- Ostreola*  
*stentina* (Payraudeau, 1826)
- Saccostrea*  
*commercialis* (Iredale & Roughley, 1933)
- Family Gryphaeidae**
- Neopycnodonte*  
*cochlear* (Poli, 1795)
- Family Lucinidae**
- Linga*  
*adansoni* (d'Orbigny, 1839)
- Ctena*  
*decussata* (Costa O.G., 1829)
- Loripes*  
*lacteus* (Linneé, 1758)
- Megaxinus*  
*appendiculatus* (Locard, 1898)  
*unguiculinus* (Pallary, 1904)
- Divaricella*  
*angulifera* Von Martens, 1880
- Lucinella*  
*divaricata* (Linneé, 1758)
- Anodontia*  
*fragilis* (Philippi, 1836)
- Myrtea*

- amorpha* (Sturany, 1896)  
*spinifera* (Montagu, 1803)
- Lucinoma**  
*borealis* (Linné, 1767)
- Family Thyasiridae**
- Axinus*  
*grandis* (Verrill, 1885)
- Axinopsida*  
*orbiculata* (Sars G.O., 1878)
- Thyasira*  
*allenii* Carrozza, 1981  
*biplicata* (Philippi, 1836)  
*biscayensis* Payne & Allen, 1991  
*brevis* (Verrill & Bush, 1898)  
*croulinensis* (Jeffreys, 1847)  
*equalis* (Verrill & Bush, 1898)  
*eumyaria* (Sars M., 1870)  
*ferruginea* (Locard, 1886)  
*flexuosa* (Montagu, 1803)  
*gouldii* (Philippi, 1845)  
*granulosa* (Monterosato, 1874)  
*incrassata* (Jeffreys, 1876)  
*inflata* Payne & Allen, 1991  
*oblonga* (Monterosato, 1878)  
*obsoleta* (Verrill & Bush, 1898)  
*planata* (Jeffreys, 1882)  
*perplicata* (Salas, 1996)  
*pygmaea* (Verrill & Bush, 1898)  
*sarsi* (Philippi, 1845)  
*striata* (Sturany, 1896)  
*subcircularis* Payne & Allen, 1991  
*subovata* (Jeffreys, 1881)  
*succisa* (Jeffreys, 1876)  
*tortuosa* (Jeffreys, 1881)  
*transversa* Payne & Allen, 1991  
*ultima* Payne & Allen, 1991
- Family Ungulinidae**
- Diplodonta*  
*apicalis* Philippi, 1836  
*brocchii* (Deshayes, 1852)  
*eddystonia* (Marshall, 1895)  
*rotundata* (Montagu, 1803)  
*subrotunda* (Issel, 1869)  
*torelli* Jeffreys, 1876
- Ungulina*  
*cuneata* (Spengler, 1782)
- Family Chamidae**
- Chama*  
*pacifica* (Broderip, 1834)  
*gryphoides* Linné, 1758
- Pseudochama*  
*cornucopia* (Reeve, 1846)  
*gryphina* (Lamarck, 1819)  
*radians* (Lamarck, 1819)
- Family Galeommatidae**
- Galeomma*  
*turtori* Sowerby G.B. I in Turton, 1825
- Vasconia*  
*jeffreysiana* (Fischer P. in de Folin & Périer, 1873)
- Family Kelliidae**
- Kellia*  
*suborbicularis* (Montagu, 1803)
- Pseudopythina*  
*macandrewi* (Fischer P., 1867)
- Bornia*  
*geoffroyi* (Payraudeau, 1826)  
*sebetia* (Costa O.G., 1829)
- Solecardia*  
*rotunda* (Jeffreys, 1881)
- Family Lasaeidae**
- Lasaea*  
*rubra* (Montagu, 1803)
- Scacchia*
- oblonga* (Philippi, 1836)  
*zorni* van Aartsen & Fehr-de Wal, 1985
- Family Leptonidae**
- Lepton*  
*lacerum* Jeffreys in de Folin & Périer, 1873  
*squamosum* (Montagu, 1803)  
*subtrigonom* Jeffreys in de Folin & Périer, 1873
- Hemilepton*  
*nitidum* (Turton, 1822)
- Arculus*  
*sykesi* (Chaster, 1895)
- Litigella*  
*corgani* van Aartsen, 1996  
*glabra* (Fischer P. in de Folin & Périer, 1873)
- Family Montacutidae**
- Montacuta*  
*convexa* Monterosato, 1875  
*donacina* Wood S., 1848  
*ferruginosa* (Montagu, 1808)  
*goudii* (van Aartsen, 1996)  
*maltzani* Verkrüzen, 1876  
*phascolionis* Dautzenberg & Fischer H., 1925  
*pura* (Smith E.A., 1885)  
*semirubra* (Gaglini, 1992)  
*substriata* (Montagu, 1808)  
*tenella* Lovén, 1846  
*voeringi* Friese, 1879
- Axinodon*  
*symmetros* (Jeffreys, 1876)
- Kelliopsis*  
*jozinae* (van Aartsen & Carrozza, 1997)
- Mysella*  
*bidentata* (Montagu, 1803)  
*dawsoni* (Jeffreys, 1864)  
*obliquata* (Chaster, 1897)  
*ovata* (Jeffreys, 1881)  
*pellucida* (Jeffreys, 1881)  
*triangularis* (Watson, 1897)  
*tumidula* (Jeffreys, 1866)
- Devonia*  
*perrieri* (Malard, 1904)
- Epilepton*  
*clarkiae* (Clark W., 1852)  
*parrussetensis* (Giribet & Peñas, 1999)
- Family Neoleptonidae**
- Neolepton*  
*cancellatum* (Salas & Gofas, 1998)  
*guanche* (Salas & Gofas, 1998)  
*sulcatulum* (Jeffreys, 1859)
- Family Sportellidae**
- Sportella*  
*recondita* (Fischer P. in de Folin, 1872)
- Family Turtoniidae**
- Turtonia*  
*minuta* (Fabricius O., 1780)
- Family Carditidae**
- Cardita*  
*calyculata* (Linné, 1758)
- Glans*  
*aculeata* (Poli, 1795)  
*trapezia* (Linné, 1767)
- Pteromeris*  
*jozinae* van Aartsen, 1984  
*minuta* (Scacchi, 1836)
- Venericardia*  
*antiquata* (Linné, 1758)
- Family Astartidae**
- Astarte*  
*acuticostata* Friese, 1877  
*arctica* (Gray, 1824)  
*borealis* (Schumacher, 1817)  
*crebricostata* McAndrew & Forbes, 1847  
*crenata* (Gray, 1824)

- elliptica* (Brown, 1827)  
*fusca* (Poli, 1795)  
*montagui* (Dillwyn, 1817)  
*sulcata* (da Costa, 1778)
- Digitaria**  
*digitaria* (Linné, 1758)
- Gonilia**  
*biplicata* (Dall, 1903)
- Goodallia**  
*gofasi* (Giribet & Peñas, 1999)  
*macandrewi* (Smith E.A., 1881)  
*micalii* (Giribet & Peñas, 1999)  
*pusilla* (Forbes, 1844)  
*triangularis* (Montagu, 1803)
- Family Crassatellidae**  
**Crassatina**  
*planata* (Calcaro, 1840)
- Family Cardiidae**  
**Cardium**  
*indicum* Lamarck, 1818  
**Acanthocardia**  
*aculeata* (Linné, 1758)  
*deshayesii* (Payraudeau, 1826)  
*echinata* (Linné, 1758)  
*paucicostata* (Sowerby G.B. II, 1841)  
*spinosa* (Solander, 1786)  
*tuberculata* (Linné, 1758)
- Parvicardium**  
*elegantulum* (Møller, 1842)  
*exiguum* (Gmelin, 1791)  
*hauniense* (Høpner Petersen & Russell, 1971)  
*minimum* (Philippi, 1836)  
*ovale* (Sowerby G.B. II, 1840)  
*scabrum* (Philippi, 1844)  
*trapezium* (Cecalupo & Quadri, 1996)
- Afrocardium**  
*richardi* (Audouin, 1826)
- Plagiocardium**  
*papillosum* (Poli, 1795)
- Laevicardium**  
*angmagsalikense* (Voskuil & Onverwagt, 1992)  
*crassum* (Gmelin, 1791)  
*flavum* (Linné, 1758)  
*oblongum* (Gmelin, 1791)
- Cerastoderma**  
*edule* (Linné, 1758)  
*glaucum* (Poiret, 1789)
- Ciliatocardium**  
*ciliatum* (Fabricius O., 1780)
- Serripes**  
*groenlandicus* (Bruguière, 1789)
- Fulvia**  
*australis* (Sowerby G.B. II, 1834)  
*fragilis* (Forskål, 1775)
- Family Mactridae**  
**Mactra**  
*glaуca* Von Born, 1778  
*olorina* Philippi, 1846  
*stultorum* (Linné, 1758)
- Spisula**  
*elliptica* (Brown, 1827)  
*solida* (Linné, 1758)  
*subtruncata* (da Costa, 1778)
- Lutraria**  
*angustior* Philippi, 1844  
*lutraria* (Linné, 1758)  
*magna* (da Costa, 1778)
- Eastonia**  
*rugosa* (Helbling, 1779)
- Family Mesodesmatidae**  
**Actactdea**  
*striata* (Gmelin, 1791)
- Donacilla**  
*cornea* (Poli, 1795)
- Monterosatus**  
*primus* (Locard, 1899)
- Family Solenidae**  
**Solen**  
*marginatus* Pulteney, 1799
- Family Pharidae**  
**Pharus**  
*legumen* (Linné, 1758)
- Ensis**  
*arcuatus* (Jeffreys, 1865)  
*directus* (Conrad, 1843)  
*ensis* (Linné, 1758)  
*minor* (Chenu, 1843)  
*silqua* (Linné, 1758)
- Phaxas**  
*pellucidus* (Pennant, 1777)
- Simpharusr**  
*combieri* (Fischer-Piette & Nicklès, 1946)
- Family Tellinidae**  
**Tellina**  
*compressa* Brocchi, 1814  
*distorta* Poli, 1791  
*donacina* Linné, 1758  
*fabula* Gmelin, 1791  
*incarnata* Linné, 1758  
*nitida* Poli, 1791  
*planata* Linné, 1758  
*pulchella* Lamarck, 1818  
*punicea* (Von Born, 1778)  
*pygmaea* Lovén, 1846  
*serrata* Brocchi, 1814  
*temis da Costa, 1778*  
*valtonis* Hanley, 1844
- Arcopagia**  
*balaustina* (Linné, 1758)  
*crassa* (Pennant, 1777)
- Macoma**  
*balthica* (Linné, 1758)  
*calcarea* (Gmelin, 1791)  
*cumana* (Costa O.G., 1829)  
*melo* (Sowerby G.B. III, 1866)
- Gastrana**  
*fragilis* (Linné, 1758)
- Strigilla**  
*pseudocarnaria* (Boss, 1969)
- Family Donaciidae**  
**Donax**  
*semistriatus* Poli, 1795  
*trunculus* Linné, 1758  
*venustus* Poli, 1795  
*vittatus* (da Costa, 1778)
- Capsella**  
*variegata* (Gmelin, 1791)
- Family Psammobiidae**  
**Gari**  
*costulata* (Turton, 1822)  
*depressa* (Pennant, 1777)  
*fervens* (Gmelin, 1791)  
*intermedia* (Deshayes, 1855)  
*pseudoweinkauffi* Cosel, 1989  
*tellinella* (Lamarck, 1818)
- Soletellina**  
*rubra* (Schroeter, 1788)  
*subradiata* (Deshayes in Reeve, 1857)
- Family Scrobiculariidae**  
**Scrobicularia**  
*cottardi* (Payraudeau, 1826)  
*plana* (da Costa, 1778)
- Family Semelidae**  
**Semele**  
*striata* (Reeve, 1853)
- Ervilia**  
*castanea* (Montagu, 1803)

- Abra**  
*alba* (Wood W., 1802)  
*longicallus* (Scacchi, 1834)  
*nitida* (Müller O.F., 1776)  
*prismatica* (Montagu, 1808)  
*profundorum* (Smith E.A., 1885)  
*segmentum* (Récluz, 1843)  
*tenuis* (Montagu, 1803)
- Family Solecurtidae**  
*Solecurtus*  
*multistriatus* (Scacchi, 1835)  
*scopula* (Turton, 1822)  
*strigilatus* (Linné, 1758)
- Azorinus*  
*chamasolen* (da Costa, 1778)
- Family Arcticidae**  
*Arctica*  
*islandica* (Linné, 1767)
- Family Kelliellidae**  
*Kelliella*  
*abyssicola* (Forbes, 1844)
- Family Trapezidae**  
*Trapezium*  
*oblongum* (Linné, 1758)  
*Coralliphaga*  
*lithophagella* (Lamarck, 1819)
- Iisoropodon*  
*perplexum* (Sturany, 1896)
- Family Vesicomyidae**  
*Vesicomya*  
*atlantica* (Smith E.A., 1885)
- Family Glossidae**  
*Glossus*  
*humanus* (Linné, 1758)
- Family Veneridae**  
*Venus*  
*casina* Linné, 1758  
*nux* Gmelin, 1791  
*verrucosa* Linné, 1758
- Mercenaria*  
*mercenaria* (Linné, 1758)
- Globivenus*  
*effossa* (Philippi, 1836)
- Chamelea*  
*gallina* (Linné, 1758)  
*striatula* (da Costa, 1778)
- Liocyma*  
*fluctuosa* (Gould, 1841)
- Clausinella*  
*fasciata* (da Costa, 1778)
- Timoclea*  
*ovata* (Pennant, 1777)  
*roemeriana* (Issel, 1869)
- Gastrarium*  
*calipygum* (Von Born, 1778)  
*pectinatum* (Linné, 1758)
- Gouldia*  
*minima* (Montagu, 1803)
- Clementia*  
*papyracea* (Gmelin, 1791)
- Dosinia*  
*exoleta* (Linné, 1758)  
*lupinus* (Linné, 1758)
- Pitar*  
*mediterranea* (Tiberi, 1855)  
*rudis* (Poli, 1795)
- Callista*  
*chione* (Linné, 1758)
- Tapes*  
*decussata* (Linné, 1758)  
*philippinarum* (Adams & Reeve, 1850)
- Irus*  
*irus* (Linné, 1758)
- Paphia**  
*aurea* (Gmelin, 1791)  
*dura* (Gmelin, 1791)  
*lucens* (Locard, 1886)  
*rhomboides* (Pennant, 1777)  
*textilis* (Gmelin, 1791)
- Venerupis**  
*geographica* (Gmelin, 1791)  
*pullastra* (Montagu, 1803)  
*saxatilis* (Fleurieu de Bellevue, 1802)
- Family Petricolidae**  
*Petricola*  
*lithophaga* (Philippson, 1788)  
*pholadiformis* Lamarck, 1818
- Lajonkairia*  
*lajonkairii* (Payraudeau, 1826)
- Mysia*  
*undata* (Pennant, 1777)
- Family Myidae**  
*Mya*  
*arenaria* Linné, 1758  
*truncata* Linné, 1758
- Sphenia*  
*binghami* Turton, 1822  
*rueppelli* Adams A., 1850
- Family Corbulidae**  
*Corbula*  
*gibba* (Olivi, 1792)
- Lentidium*  
*mediterraneum* (Costa O.G., 1829)
- Family Gastrochaenidae**  
*Gastrochaena*  
*cymbium* Spengler, 1783  
*dubia* (Pennant, 1777)
- Family Hiatellidae**  
*Hiatella*  
*arctica* (Linné, 1767)  
*rugosa* (Linné, 1767)
- Panomya*  
*norvegica* (Spengler, 1793)
- Panopea*  
*glycimeris* (Von Born, 1778)
- Saxicavella*  
*angulata* (Wood S., 1857)  
*jeffreysi* Winckworth, 1930
- Cyrtodaria*  
*siliqua* (Spengler, 1793)
- Family Pholadidae**  
*Pholas*  
*dactylus* Linné, 1758
- Barnea*  
*candida* (Linné, 1758)  
*parva* (Pennant, 1777)
- Pholadidea*  
*loscombiana* Goodall in Turton, 1819
- Zirfaea*  
*crispata* (Linné, 1767)
- Family Teredinidae**  
*Teredo*  
*bartschi* Clapp, 1923  
*bipartita* (Jeffreys, 1860)  
*navalis* Linné, 1758  
*utriculus* Gmelin, 1791
- Lyrodus*  
*pedicellatus* (de Quatrefages, 1849)
- Psiloteredo*  
*megotara* (Hanley in Forbes & Hanley, 1848)  
*senegalensis* (de Blainville, 1824)
- Teredora*  
*malleola* (Turton, 1822)
- Bankia*  
*bipennata* (Turton, 1819)  
*carinata* (Gray J.E., 1827)

- jimbriatula* (Moll & Roch, 1931)
- Nototeredo**
- norvegica* (Spengler, 1792)
- Teredothyra**
- excavata* (Jeffreys, 1860)
- Spathoteredo**
- spatha* (Jeffreys, 1860)
- Family Xylophagidae**
- Xylophaga*
- anselli* (Harvey, 1996)
  - dorsalis* (Turton, 1819)
  - gagei* (Harvey, 1996)
  - nidarosiensis* Santhakumaran, 1980
  - noradi* Santhakumaran, 1980
  - praestans* Smith E.A., 1903
  - ricei* (Harvey, 1996)
- Xyloredo*
- ingolfia* (Turner, 1972)
- Family Pholadomyidae**
- Pholadomya*
- loveni* Jeffreys, 1882
- Family Thraciidae**
- Thracia*
- convexa* (Wood W., 1815)
  - corbuloides* Deshayes, 1830
  - devexa* Sars G.O., 1878
  - distorta* (Montagu, 1803)
  - myopsis* Beck in Møller, 1842
  - papyracea* (Poli, 1791)
  - pubescens* (Pulteney, 1799)
  - villosiuscula* (MacGillivray, 1827)
- Family Laternulidae**
- Laternula*
- subrostrata* (Lamarck, 1818)
- Family Periplomatidae**
- Cochlodesma*
- praetenua* (Pulteney, 1799)
  - tenerum* Fischer P., 1882
- Family Clavagellidae**
- Clavagella*
- aperta* Sowerby G.B. I, 1824
  - balanorum* Scacchi, 1841
  - melitensis* Broderip, 1835
- Family Pandoridae**
- Pandora*
- glacialis* Leach, 1819
  - inaequivalvis* (Linné, 1758)
  - pinna* (Montagu, 1803)
- Family Lyonsiidae**
- Lyonsia*
- arenosa* (Møller, 1842)
  - norwegica* (Gmelin, 1791)
- Allogramma*
- formosa* (Jeffreys, 1882)
- Family Poromyidae**
- Poromya*
- granulata* (Nyst & Westendorp, 1839)
  - neaeroides* Seguenza G., 1877
  - tornata* (Jeffreys, 1876)
- Cetoconcha*
- braziliensis* Allen & Morgan, 1981
- Family Verticordiidae**
- Verticordia*
- acuticostata* (Philippi, 1844)
  - angulata* (Jeffreys, 1882)
  - granulata* Seguenza G., 1860
  - quadrata* Smith E.A., 1885
  - sinuosa* (Jeffreys, 1882)
  - trapezoidea* Seguenza G., 1876
- Halicardia*
- axinoides* Seguenza G., 1876
  - ferruginea* Di Geronimo, 1974
- Lyonsiella*
- abyssicola* Sars G.O., 1878
  - compressa* (Locard, 1898)
  - frielei* Allen & Turner, 1974
  - smidti* (Friele, 1886)
  - subquadrata* (Jeffreys, 1881)
- Polycordia*
- densicostata* (Locard, 1898)
  - gemma* (Verrill, 1880)
  - jeffreysi* (Friele, 1879)
- Family Cuspidariidae**
- Cuspidaria*
- arctica* (Sars M., 1859)
  - atlantica* Allen & Morgan, 1981
  - canariensis* De Boer, 1985
  - centobi* Bouchet & Warén, 1979
  - circinata* (Jeffreys, 1876)
  - cuspidata* (Olivi, 1792)
  - elliptica* Di Geronimo, 1974
  - exigua* (Jeffreys, 1876)
  - glacialis* (Sars G.O., 1878)
  - inflata* (Jeffreys, 1882)
  - jeffreysi* (Dall, 1881)
  - jugosa* (Wood S., 1856)
  - lamellosa* (Sars G.O., 1878)
  - obesa* (Lovén, 1846)
  - obliqua* De Boer, 1985
  - parva* Verrill & Bush, 1898
  - rostrata* (Spengler, 1793)
  - subtorta* (Sars G.O., 1878)
  - teres* (Jeffreys, 1882)
  - truncata* (Jeffreys, 1882)
  - ventricosa* Verrill & Bush, 1898
  - wollastoni* (Smith E.A., 1885)
- Tropidomya*
- abbreviata* (Forbes, 1843)
- Cardiomya*
- costellata* (Deshayes, 1835)
  - curta* (Jeffreys, 1876)
  - knudseni* Allen & Morgan, 1981
  - striata* (Jeffreys, 1876)
- Rhinoclama*
- halimera* (Dall, 1886)
  - notabilis* (Jeffreys, 1876)
- Myonera*
- angularis* (Jeffreys, 1876)
  - atlantica* Allen & Morgan, 1981
  - paucistriata* (Dall, 1881)
  - tillamookensis* Dall, 1916
- Halonympha*
- depressa* (Jeffreys, 1882)
- Protocuspidaria*
- atlantica* (Allen & Morgan, 1981)
  - azorica* (Smith E.A., 1885)
  - colpodes* (Dautzenberg & Fischer H., 1897)
  - simplicis* (Allen & Morgan, 1981)
- Class Scaphopoda**
- Family Dentaliidae**
- Dentalium*
- agile* Sars M. in Sars G.O., 1872
  - dentalis* Linné, 1758
  - entalis* Linné, 1758
  - inaequicostatum* (Bucquoy, Dautzenberg & Dollfus, 1891)
  - novemcostatum* (Lamarck, 1818)
  - occidentale* Stimpson, 1851
  - panormum* Chenu, 1858
  - rossati* Caprotti, 1966
  - vulgare* da Costa, 1778
- Fissidentalium*
- candidum* (Jeffreys, 1877)
  - capillosum* (Jeffreys, 1877)
  - ergasticum* (Fischer P., 1882)
  - exuberans* (Locard, 1897)

- scommatum* (Locard, 1897)  
**Laevidentalium**  
*caudani* (Locard, 1896)
- Family Fustiariidae**  
*Fustiaria*  
*rubescens* (Deshayes, 1825)
- Family Gadilinidae**  
*Episiphon*  
*filum* (Sowerby G.B. II, 1860)
- Family Entalinidae**  
*Entalina*  
*tetragona* (Brocchi, 1814)  
*Bathoxiphus*  
*ensiculus* (Jeffreys, 1877)  
*Heteroschismoides*  
*subterfissum* (Jeffreys, 1877)
- Family Pulsellidae**  
*Pulsellum*  
*affine* (Sars G.O., 1878)  
*lofotense* (Sars M., 1865)  
*teres* (Jeffreys, 1883)
- Family Gadiliidae**  
*Cadulus*  
*amphora* (Jeffreys, 1883)  
*ortatus* (Locard, 1897)  
*cylindratus* (Jeffreys, 1877)  
*gibbus* (Jeffreys, 1880)  
*gracilis* (Jeffreys, 1877)  
*jeffreysi* (Monterosato, 1875)  
*monterosatoi* (Locard, 1897)
- Gadila*  
*olivii* (Scacchi, 1835)
- Cadulus*  
*ovulum* (Philippi, 1844)  
*propinquus* (Sars G.O., 1878)  
*strangulatus* (Locard, 1897)  
*subfusiformis* (Sars M., 1865)  
*tumidousus* (Jeffreys, 1877)
- Dischides*  
*politus* (Wood S., 1842)
- Siphondentalium*  
*laubieri* Bouchet & Warén, 1979  
*lobatum* (Sowerby G.B. II, 1860)
- Class Cephalopoda**
- Family Spirulidae**  
*Spirula*  
*spirula* (Linné, 1758)
- Family Sepiidae**  
*Sepia*  
*bertheloti* (d'Orbigny, 1839)  
*elegans* de Blainville, 1827  
*officinalis* Linné, 1758  
*orbigniana* de Féussac, 1826
- Family Sepiolidae**  
*Rossia*  
*macrosoma* (Delle Chiaje, 1828)  
*Neorossia*  
*caroli* (Joubin, 1902)
- Heteroteuthis*  
*dispar* (Rüppell, 1845)
- Stoloteuthis*  
*leucopтерus* (Verrill, 1878)
- Rondeletiola*  
*minor* (Naef, 1912)
- Sepiola*  
*affinis* Naef, 1912  
*atlantica* d'Orbigny, 1839  
*aurantiaca* Jatta, 1896  
*intermedia* Naef, 1912  
*ligulata* Naef, 1912  
*robusta* Naef, 1912  
*rondeleti* Leach, 1817
- steenstrupiana* Levy, 1912  
**Sepieta**  
*neglecta* Naef, 1916  
*obscura* Naef, 1916  
*oweniana* (d'Orbigny, 1839)
- Family Loliginidae**  
*Loligo*  
*forbesi* Steenstrup, 1856  
*vulgaris* Lamarck, 1798
- Alloteuthis*  
*medius* (Linné, 1758)  
*subulatus* (Lamarck, 1798)
- Family Ctenopterygidae**  
*Ctenopteryx*  
*siculus* (Vérany, 1851)
- Family Lycoteuthidae**  
*Lampadioteuthis*  
*megaleius* Berry, 1916
- Family Enoplateuthidae**  
*Abralia*  
*veranyi* (Rüppell, 1844)
- Abraaliopsis*  
*pfefferi* Joubin, 1896
- Family Pyroteuthidae**  
*Pyroteuthis*  
*margaritifer* (Rüppell, 1844)
- Pterygioteuthis*  
*giardi* Fischer, 1896
- Family Ancistrocheiridae**  
*Ancistrocheirus*  
*lesueurii* (de Féussac & d'Orbigny, 1835)
- Family Octopoteuthidae**  
*Octopoteuthis*  
*siculus* Rüppell, 1844
- Taningia*  
*danae* Joubin, 1931
- Family Onychoteuthidae**  
*Chaunoteuthis*  
*mollis* Appellöf, 1890
- Onychoteuthis*  
*banksii* (Leach, 1817)
- Ancistroteuthis*  
*lichtensteinii* (de Féussac & d'Orbigny, 1839)
- Onykia*  
*carriboea* Lesueur, 1821
- Family Cycloteuthidae**  
*Cycloteuthis*  
*sirventi* Joubin, 1919
- Family Gonatidae**  
*Gonatus*  
*steenstrupi* Kristensen, 1981
- Family Lepidoteuthidae**  
*Lepidoteuthis*  
*grimoldii* Joubin, 1895
- Family Histiopteuthidae**  
*Histioteuthis*  
*bonnellii* (de Féussac, 1835)  
*corona* (Voss & Voss, 1962)  
*dofleini* (Pfeffer, 1912)  
*elongatus* (Voss & Voss, 1962)  
*meledgroteuthis* (Chun, 1910)  
*reversus* (Verrill, 1880)
- Family Bathytethidae**  
*Bathyteuthis*  
*abyssicola* Hoyle, 1885
- Family Brachioteuthidae**  
*Brachioteuthis*  
*riisei* (Steenstrup, 1882)
- Family Ommastrephidae**  
*Illex*

- coindetii* (Vérany, 1839)  
*Todaropsis*  
*eblanae* (Ball, 1841)  
*Todarodes*  
*sagittatus* (Lamarck, 1798)  
*Ommastrephes*  
*bartrami* (Lesueur, 1821)  
*Sthenoteuthis*  
*pteropus* (Steenstrup, 1855)
- Family Thysanoteuthidae**  
*Thysanoteuthis*  
*rhombus* Troschel, 1857
- Family Chiroteuthidae**  
*Chiroteuthis*  
*picteti* Joubin, 1894  
*veranyi* (de Féussac, 1835)  
*Valbyteuthis*  
*danae* Joubin, 1931
- Family Mastigoteuthidae**  
*Mastigoteuthis*  
*atlanticus* Joubin, 1933  
*flammeus* Chun, 1908  
*grimaldii* (Joubin, 1895)  
*schmidti* Degner, 1925  
*talismani* (Fischer & Joubin, 1906)
- Family Cranchiidae**  
*Leachia*  
*atlantica* (Degner, 1925)  
*Liocranchia*  
*reinhardtii* (Steenstrup, 1856)  
*Helicocranchia*  
*pfefferi* Massy, 1907  
*Bathothauma*  
*lyromma* Chun, 1906  
*Taonius*  
*pavo* (Lesueur, 1821)  
*Galiteuthis*  
*armatus* Joubin, 1898  
*Teuthowenia*  
*megalops* (Prosche, 1847)  
*Megalocranchia*  
*speculator* (Chun, 1906)
- Family Vampyroteuthidae**  
*Vampyroteuthis*  
*infernalis* Chun, 1903
- Family Cirroteuthidae**  
*Cirrothauma*  
*murrayi* Chun, 1911
- Family Opisthoteuthidae**  
*Opisthoteuthis*  
*agassizi* Verrill, 1883  
*grimaldii* (Joubin, 1903)  
*Grimpoteuthis*  
*umbellatus* (Fischer, 1883)
- Family Bolitaenidae**  
*Japetella*  
*diaphana* Hoyle, 1885
- Family Vitreledonellidae**  
*Vitreledonella*  
*richardi* Joubin, 1918
- Family Octopodidae**  
*Octopus*  
*defilippi* Vérany, 1851  
*macropus* Risso, 1826  
*salutii* Vérany, 1836  
*vulgaris* Cuvier, 1797  
*Scaeurgus*  
*unicirrus* (Delle Chiaje, 1838)  
*Pteroctopus*  
*tetricirrus* (Delle Chiaje, 1830)  
*Eledone*  
*cirrhosa* (Lamarck, 1798)
- moschata* (Lamarck, 1798)  
*Bathytopypus*  
*arcticus* (Prosche, 1849)  
*proschi* Muus, 1962  
*sponsalis* (Fischer & Fischer, 1892)  
*Benthocotpus*  
*ergasticus* (Fischer & Fischer, 1892)
- Family Tremoctopodidae**  
*Tremoctopus*  
*violaceus* Delle Chiaje, 1830
- Family Ocythoidae**  
*Ocythoe*  
*tuberculata* Rafinesque, 1814
- Family Argonautidae**  
*Argonauta*  
*argo* Linné, 1758
- Family Alloposidae**  
*Haliphron*  
*atlanticum* Steenstrup, 1861