



Monte Carlo Tailor's Complete Measurement Guide

This is the measurement guide you fill out when ordering men's suit or shirt. You can adjust for measurements of other garments accordingly. Measuring in inches is preferable, but centimeters will do too, in case your measurement tape does not have inches on them.

You Need

- A Fabric Tape Measure (*Download our [printable tape measure](#)*)
- Ten to twenty minutes.

It would help if

- You have a friend to help you measure
- You wore a good fitting dress-shirt and slacks. *If you do not have these items, any form-fitting clothing is ok too. No jeans and empty your pockets.*

About Measuring


- When taking measurements the tape should be held flat against the body; it should be held snug enough so it does not droop, but never so tight as to feel restrictive.
- All measurements should be taken to the nearest quarter (.25) inch.
- Do not add wiggle room to your measurements. We will adjust the fit based off of your selected preferences and build by ourselves. All measurements are "skin measurements".

General Information

- Height _____
- Weight _____
- Shoe Size (USA) _____
- Watch Hand Right / Left
- Skin Color _____
- Hair Color _____
- Eye Color _____
- Jean Size _____
- Describe any problems you usually have with non-tailored clothing.
- What did you wear while being measured? (IMPORTANT)



- Your Stance



Neck Measurement

- Measure around your neck at the height where your collar, if buttoned, would be.
- This measurement should be taken along the lower section of the neck, below your Adams Apple and above your Sternal Notch.
- The tape should be comfortably touching the skin, with enough room so that you do not feel restricted.
- My Neck Measurement is _____._____ inches/cms.





Full Chest Measurement

- Measure around the chest and body at its fullest part (typically right under the armpits and shoulder blades, right across the nipples).
- Hold the tape against the body tight enough so that it does not slip down, but not so tight that it restricts breathing. It should be “snug”.
- Make sure the tape is horizontal and the person's arms are by their side; then take a normal breath and measure.
- Do not puff out your chest.
- My Full Chest Measurement is ____ . ____ inches/cms.





Full Shoulder Width Measurement

- Measure from the end of the right shoulder to the end of the left shoulder.
- We define the “End of the Shoulder” as where the horizontal plane of the shoulder intersects the vertical plane of the arm.
- My Full Shoulder Width Measurement is _____._____ inches/cms.





Right/Left Sleeve Measurement

- Measure from the end of the right shoulder to where the base of the thumb and the base of the index finger intersect (approximately 1 inch above the index finger knuckle). Do the same to the left sleeve.
- Right Sleeve Measurement is _____ inches/cms.
- Left Sleeve Measurement is _____ inches/cms.









Bicep Measurement

- Measure around the fullest part of the bicep with the arms by your side.
- My Bicep Measurement is _____ inches/cms.





Wrist Measurement

- Measure around the fullest part of the wrist.
- Wrist Measurement is _____ inches/cms





Waist / Stomach Measurement

- Measure around the fullest part of the waist/stomach or right below your bottom ribs, whichever is greater.
- Jacket/Shirt Waist Measurement is _____ inches/cms.





Hips/Seat Measurement

- Measure around the fullest part of your hips and buttocks.
- My Hips/Seat Measurement is _____ inches/cms.





Front Jacket/Shirt Length Measurement

- Measure straight down the front from the base of the neck (right or left side) to the point level with your thumb knuckle. For shirt, just half inch (1.25cm) above that.
- My Front Jacket/Shirt Length Measurement is _____ inches/cms.





Front Chest Width Measurement

- With the person's arms by their side, measure across the front of the chest.
- Start at the front of the right armpit, continue measuring across the nipples, and then stop at the front of the left armpit. Do not measure under the arms.
- My Front Chest Width Measurement is ____ . ____ inches/cms.





Back Width Measurement

- With the person's arms by their side, measure across the back.
- Start at the back of the right armpit, continue measuring across the shoulder blades, and then stop at the back of the left armpit. Do not measure under the arms.
- My Back Width Measurement is ___ inches/cms.





Trouser Waist Measurement

- Measure around your waist at the level where you would normally wear your pant's belt.
- With the tape measure snug around your waist, relax, and take the measurement.
- Don't be alarmed if this measurement seems larger than expected; off-the-rack pants are normally labeled as being smaller than what they really are.
- Trouser Waist Measurement is _____ inches/cms.





Trouser's Outseam Measurement

- Measure from the top of your pant's waistband to the floor along the outside of your leg.
- Make sure the tape is tight, that you are standing straight, and then measure. No shoes please!
- Trouser's Outseam Measurement is _____ inches/cms.





Crotch Measurement

- Measure from the front top of the pant's waistband to the back top of the pant's waistband.
- Make sure not to take this measurement too tight.
- Crotch Measurement is _____ inches/cms.







Thigh Measurement

- Measure around your thigh at its widest point.
- You need measure only one side.
- My Thigh Measurement is _____ inches/cm.





Knee Measurement

- Measure around your knee at its widest point.
- You need only measure one side.
- My Knee Measurement is _____ inches/cms.





Cuff Measurement

- Measure around your cuff at its widest point.
- You need only measure one side.
- My Cuff Measurement is _____ inches/cms.

