BS ISO 6855-1:2012



BSI Standards Publication

Mopeds — Measurement method for gaseous exhaust emissions and fuel consumption

Part 1: General test requirements

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



BS ISO 6855-1:2012 BRITISH STANDARD

This is a preview of "BS ISO 6855-1:2012". Click here to purchase the full version from the ANSI store.

This British Standard is the UK implementation of ISO 6855-1:2012. Together with BS ISO 6855-2:2012 and BS ISO 6855-3:2012, it supersedes BS ISO 7859:2000, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee AUE/14, Motor cycles and mopeds.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2012. Published by BSI Standards Limited 2012.

ISBN 978 0 580 68463 0

ICS 13.040.50; 43.140

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 October 2012.

Amendments issued since publication

Date Text affected

ISO

This is a preview of "BS ISO 6855-1:2012". Click here to purchase the full version from the ANSI store.

First edition 2012-09-15

Mopeds — Measurement method for gaseous exhaust emissions and fuel consumption —

Part 1:

General test requirements

Cyclomoteurs — Méthode de mesure des émissions de gaz polluants et de consommation de combustible —

Partie 1: Exigences générales d'essai



BS ISO 6855-1:2012 **ISO 6855-1:2012(E)**

This is a preview of "BS ISO 6855-1:2012". Click here to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Contents			
Forew	ord		v
Introd	luction		vi
1	Scope		1
2	Normative references		
3	Terms and definitions		
4		ols	
5	Standard reference conditions		
6			
O	6.1 6.2	Measurement of gaseous exhaust emissions Measurement of fuel consumption	4
7	Measurement equipment		
	7.1	Chassis dynamometer	
	7.2	Gas-collection equipment	
	7.3 7.4	Analytical equipment	
	7.5	Fuel consumption measurement.	
	7.6	Accuracy of instruments and measurements	
8	Prepa	ring the test	8
	8.1	Engine fuel and lubricants	
	8.2	Description of the test moped	
	8.3 8.4	Conditioning/preparation of the test moped	
9	System check procedure		
	9.1	Accuracy of the CVS system	9
	9.2	Metering a constant flow of pure gas (CO or C ₃ H ₈) using a critical flow orifice	9
	9.3	Metering a limited quantity of pure gas (CO or C ₃ H ₈) by means of a gravimetric technique	9
10	Procedure for sampling, analysing and measuring the volume of gaseous		
	exhau	st emissions	
		Operations to be carried out before the moped start up	
	10.2 10.3	Beginning of sampling and volume measurement End of sampling and volume measurement	
	10.3	Analysis	
	10.5	Measuring the driving distance	
	10.6	Open type CVS system	13
11	Deteri	mination of the quantity of gaseous exhaust emissions	13
	11.1	Total diluted exhaust mixture volume corrected to the standard reference conditions	13
	11.2	Exhaust gas sampling and the dilution factor	
	11.3	Mass of the gaseous exhaust emissions	
12	Determination of the fuel consumption		
	12.1	Carbon balance method	
	12.2 12.3	Fuel flow measurement method Calculation of results in litres per 100 km	
	12.3	Criteria of the statistical accuracy for the fuel consumption measurements	
Annex		mative) Method and equipment for measuring fuel consumption by the fuel flow	
		rement method	
	-	rmative) Example for record form of test fuel specifications	
Annex	C (info	rmative) Exhaust gas leakage check procedure for the open type CVS system	31

BS ISO 6855-1:2012 **ISO 6855-1:2012(E)**

This is a preview of "BS ISO 6855-1:2012". Click here to purchase the full version from the ANSI store.

Annex D (informative) Determination of the dilution factor	36
Annex E (informative) Principle of the carbon balance method	44
Annex F (informative) Simplified determination method of the atom number ratio of hydrogen and carbon, and that of oxygen and carbon in gasoline	
Annex G (normative) Fuel consumption for two-stroke engines	49
Annex H (informative) Criteria of the statistical accuracy for the fuel consumption measurements	50
Bibliography	52

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 6855-1 was prepared by Technical Committee ISO/TC 22, Road vehicles, Subcommittee SC 23, Mopeds.

ISO 6855-1 cancels and replaces ISO 6855:1983 and ISO 7859:2000, both of which have been technically revised.

ISO 6855 consists of the following parts, under the general title *Mopeds* — *Measurement method for gaseous exhaust emissions and fuel consumption*:

- Part 1: General test requirements
- Part 2: Test cycles and specific test conditions
- Part 3: Fuel consumption measurement at a constant speed

BS ISO 6855-1:2012 **ISO 6855-1:2012(E)**

This is a preview of "BS ISO 6855-1:2012". Click here to purchase the full version from the ANSI store.

Introduction

For measurement of moped fuel consumption, the carbon balance method, where the fuel consumption is calculated from analysis of the carbon quantity in the exhaust gas, is now widely used in addition to the conventional fuel flow measurement. Therefore, the measurement of exhaust gas and that of fuel consumption are inseparably related to each other.

ISO 6855 now covers in one single series of standards the two subjects that were previously covered separately by ISO 6855:1983 and by ISO 7859:2000. This part of ISO 6855 defines fundamental elements such as the measurement accuracy, test vehicle conditions and the details of the carbon balance method. Measurement of gaseous exhaust gas emissions and fuel consumption of test cycles can be conducted with this part of ISO 6855 and ISO 6855-2. Together with ISO 6855-3, they also give details of those measurements at a constant speed.

While the most up-to-date technologies are reflected in the ISO 6855 series, further technical development in the following aspects will be necessary in the future, when measurement of exhaust gas at a lower level is required:

- cleaning of the background air (i.e the air in the test room which is used for the dilution air);
- heating of the sampling line;
- control of the test room humidity;
- the exhaust gas analysis system for low-level emissions;
- consideration for the evaporated fuel from the test moped.

In addition to the above future issues, the chassis dynamometer with electrically simulated inertia is at the stage of practical application. Standardization of the verification method and the allowance of simulated inertia would be necessary for this recent development.

Mopeds — Measurement method for gaseous exhaust emissions and fuel consumption —

Part 1:

General test requirements

1 Scope

This part of ISO 6855 specifies the general test requirements for measurement for the gaseous exhaust emissions from mopeds, and for determining the fuel consumption of mopeds as defined in ISO 3833. It is applicable to mopeds equipped with a spark ignition engine (four-stroke engine, two-stroke engine or rotary piston engine).

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3833, Road vehicles — Types — Terms and definitions

ISO 6855-2:2012, Mopeds — Measurement method for gaseous exhaust emissions and fuel consumption — Part 2: Test cycles and specific test conditions

ISO 6855-3:2012, Mopeds — Measurement method for gaseous exhaust emissions and fuel consumption — Part 3: Fuel consumption measurement at a constant speed

ISO 28981, Mopeds — Methods for setting the running resistance on a chassis dynamometer

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 3833 and the following apply.

3.1

moped kerb mass

dry mass of the moped to which is added the mass of the following:

- fuel: tank filled at least to 90 % of the capacity specified by the manufacturer;
- auxiliary equipment usually supplied by the manufacturer in addition to that necessary for normal operation [tool-kit, carrier(s), windscreen(s), protective equipment, etc.]

3.2

reference mass of the moped

kerb mass of the moped increased by a uniform figure of 75 kg, which represents the mass of a rider

3 3

equivalent inertia

total inertia of the rotating masses of the test bench, determined with respect to the reference mass of the moped