



Main Street Lumber
Main Street Millwork

Interior Doors



In Stock and Quick Ship



Main Street Lumber
Main Street Millwork

(903) 465-5388 MainStreetCompanies.com



Main Street Lumber
Main Street Millwork

Interior Molded Panel Doors Solid or Hollow

NEW INTERIOR MOLDED DOOR

LIVINGSTON™



The Livingston™ door instantly transforms any interior with a unique profile that is universally appealing. Set yourself apart by selecting the only molded door designed to make a lasting statement.

- ▶ Unique, versatile and timeless design perfect for any style of home
- ▶ Authentic recessed panel adds a hint of rich detailing
- ▶ Clean, three-panel equal poised to replace traditional six-panel doors

"Homeowners want doors that are current, and that they can **LIVE WITH FOR A LONG TIME.** I see both with the Livingston."

— Kate Rumson, Founder,
The Real Houses of Instagram

300
Pros and Consumers
were surveyed

9 Door
designs
tested

70%
Positive Feedback

MASONITE.
Open to extraordinary.




Main Street Lumber
Main Street Millwork

Interior Molded Panel Doors Solid or Hollow

Time Tested Classic and Traditional Styling




2 Panel Square
W/Raised
Panels



2 Panel Roman
W/Raised
Panels




2 Panel Cheyenne
W/Raised
Panels




6 Panel Square
W/Raised
Panels

Clean and Simple - Great for a Modern or Shaker Style



Lincoln Park
W/Flat Panel &
Beveled Edge



Logan
W/Flat Panels &
Beveled Edges



Winslow
W/Flat Panels &
Beveled Edges



Livingston
W/Flat Panel
Step Down Mld




Riverside
W/Raised
Panels




Main Street Lumber
Main Street Millwork

Interior Solid Stile and Rail Doors

Primed Wood/MDF Shaker Style Doors



1 Panel Flat
Wood/MDF



2 Panel Flat
Wood/MDF



3 Equal Panel Flat
Wood/MDF



3 Panel Shaker
Wood/MDF



5 Equal Panel Flat
Wood/MDF

Stainable Clear Pine Interior Doors



2 Panel Arch Top
W/Raised Panels
Clear Pine



2 Panel Square
W/Flat Panels
Clear Pine



2 Panel Square
W/Raised Panels
Clear Pine



5 Equal Panel
W/Flat Panels
Clear Pine



6 Panel Colonial
W/Raised Panels
Clear Pine



White Oak Shaker Style Doors



1 Lite Open for
Glass White Oak



2 Panel Flat
White Oak



3 Equal Panel Flat
White Oak




5 Panel Flat
White Oak

Knotty Alder Interior Raised Panel Doors




2 Panel Square
Plain Raised Panels
Knotty Alder
8-0 Shown



2 Panel Square
V-Grooved Raised
Panels Knotty Alder
8-0 Shown




2 Panel Arch
Plain Raised Panels
Knotty Alder
8-0 Shown




2 Panel Arch
V-Grooved Raised
Panels Knotty Alder
6-8 Shown




Hemlock/Fir Shaker Style Doors




720 Shaker
3/8" FP
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 6'8",
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 8'0"




9320 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0"




782 Shaker
3/8" FP
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 6'8",
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 8'0"




9382 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0"




730 Shaker
3/8" FP
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 6'8"




9330 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"




760 Shaker
3/8" FP
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 6'8"



9360 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"



755 Shaker
3/8" FP
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 6'8",
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 8'0"



9355 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0"



Main Street Lumber
Main Street Millwork

Interior Solid Stile and Rail Doors Continued . .


Rustic Knotty Pine Interior Doors




2 Panel Arch Top
Raised Panel
Knotty Pine



2 Panel Arch Top
Raised Panel
V-Grooved
Knotty Pine



2 Panel Square Top
Flat Panel
V-Grooved
Knotty Pine



4 Panel Square Top
Raised Panel
Knotty Pine



6 Panel Square
Top Raised Panel
Knotty Pine


True Louvered Interior Doors



Louver-Louver
Plantation Style
Primed Pine



Louver-Louver
Clear Pine



Louver-Panel
Clear Pine

**Louvered doors
are great for
ventilation.**

Please note that the
Primed Plantation
style has larger
louvers.



Main Street Lumber
Main Street Millwork


Interior Solid Stile and Rail Barn Doors

Primed Wood and Rustic Knotty Alder Barn Doors

Choose from
primed wood
or knotty
alder. →



Basic Barn
Primed Wood




Basic Barn
Stainable Knotty
Alder




Example of a twin knotty alder
barn door with the "K" pattern


Pick your basic
door and we will
add any of these
design patterns.




2 PANEL
BASIC BARN




K PATTERN




HALF X




FULL X




DOUBLE X



HALF Z



FULL Z



DOUBLE Z



Main Street Lumber
Main Street Millwork

Barn Door Hardware

Barn Door Hardware



STRAIGHT STRAP



BENT STRAP



TOP MOUNT
ROLLER



SOFT CLOSE
ADAPTER KIT



BYPASS
BRACKET



HANDLE ROD

HANDLE
TRADITIONAL



TRACK
JOINER
KIT




MORTISE FLOOR
GUIDE

Installers Note:

For door openings up to 36" wide, it is best to use the 78-3/4" kits, while for door openings up to 46" wide, the 96" kits are suggested. Wider openings using double doors will require two kits along with a joiner plate.


Hardware Color Options




BLACK



SATIN NICKEL



STAINLESS STEEL



BRONZE



FLAT RAIL
STOPS
BLACK



Main Street Lumber
Main Street Millwork

Interior Stile and Rail French Doors - Pine

Interior Clear Pine French Doors



CLEAR PINE PANTRY
2-0x6-8x1-3/8 ONLY (4RU)



1 LITE



5 LITE



6 LITE



10 LITE



12 LITE



15 LITE



18 LITE

Note - 1 Lite doors are available in single glazed clear tempered or frosted glass. All others are single glazed clear tempered glass.

Note - See size and availability chart below.

Clear Pine French Door

| SIZE | THICKNESS | 1 LITE | 1 LITE FROSTED | 5 LITE | 6 LITE | 10 LITE | 12 LITE | 15 LITE | 18 LITE |
|---------|-----------|--------|----------------|--------|--------|---------|---------|---------|---------|
| 1-6x6-8 | 1-3/8" | - | CFA | BA1 | - | - | - | - | - |
| 2-0x6-8 | 1-3/8" | BB8 | CFB | - | - | BA2 | - | - | - |
| 2-4x6-8 | 1-3/8" | - | CFC | - | - | - | - | - | - |
| 2-6x6-8 | 1-3/8" | BB9 | CFD | - | - | - | - | BA3 | - |
| 2-8x6-8 | 1-3/8" | BA6 | CFE | - | - | - | - | BA4 | - |
| 3-0x6-8 | 1-3/8" | BA7 | CFF | - | - | - | - | BA5 | - |
| 1-6x8-0 | 1-3/8" | - | CFH | - | 1NA | - | - | - | - |
| 2-0x8-0 | 1-3/8" | 1NP | CFI | - | - | - | 1NB | - | - |
| 2-4x8-0 | 1-3/8" | - | CFJ | - | - | - | - | - | - |
| 2-6x8-0 | 1-3/8" | 1NS | CFK | - | - | - | - | - | 1NC |
| 2-8x8-0 | 1-3/8" | 1NF | CFL | - | - | - | - | - | 1ND |
| 3-0x8-0 | 1-3/8" | 1NG | CFM | - | - | - | - | - | 1NE |



Main Street Lumber
Main Street Millwork

Interior Stile and Rail French Doors - Primed

Interior Primed Wood French Doors

Note - See size and availability chart for size and glass type availability.



1 LITE



5 LITE



10 LITE



12 LITE



15 LITE

Primed French Door

| SIZE | THICKNESS | 1 LITE | 5 LITE | 10 LITE | 12 LITE | 15 LITE | 18 LITE |
|---------|-----------|--------|--------|---------|---------|---------|---------|
| 1-6x6-8 | 1-3/8" | - | BA8 | - | - | - | - |
| 2-0x6-8 | 1-3/8" | BAC | - | BA9 | - | - | - |
| 2-6x6-8 | 1-3/8" | BAE | - | - | - | BB1 | - |
| 2-8x6-8 | 1-3/8" | BAG | - | - | - | BB4 | - |
| 3-0x6-8 | 1-3/8" | BAJ | - | - | - | BB3 | - |
| 2-0x8-0 | 1-3/8" | BAD | - | - | BAA | - | - |
| 2-6x8-0 | 1-3/8" | BAF | - | - | - | - | BAB |
| 2-8x8-0 | 1-3/8" | BAH | - | - | - | - | - |
| 3-0x8-0 | 1-3/8" | BAK | - | - | - | - | - |

**Primed Doors
Make Painting
Easy!**

Square Edge
Sticking Shaker
Style Doors



18 LITE

Primed Shaker Style French Door

| SIZE | THICKNESS | 5 LITE CLEAR | 5 LITE FROSTED | 6 LITE CLEAR | 6 LITE FROSTED |
|---------|-----------|-----------------|-------------------|-----------------|-------------------|
| 2-0x6-8 | 1-3/8" | 3AS | 3BC | - | - |
| 2-4x6-8 | 1-3/8" | 3AT | 3BD | - | - |
| 2-6x6-8 | 1-3/8" | 3AU | 3BE | - | - |
| 2-8x6-8 | 1-3/8" | 3AV | 3BF | - | - |
| 3-0x6-8 | 1-3/8" | 3AW | 3BG | - | - |
| 2-0x8-0 | 1-3/8" | - | - | 3AX | 3BH |
| 2-4x8-0 | 1-3/8" | - | - | 3AY | 3BI |
| 2-6x8-0 | 1-3/8" | - | - | 3AZ | 3BJ |
| 2-8x8-0 | 1-3/8" | - | - | 3BA | 3BK |
| 3-0x8-0 | 1-3/8" | - | - | 3BB | 3BL |

Note - 5 Lite and 6 Lite doors are available in single glazed clear tempered or frosted glass. All others are single glazed clear tempered glass.



5 LITE



6 LITE



Main Street Lumber
Main Street Millwork

Interior Stile and Rail Hemlock Doors

Full View 1-3/4" Hemlock Doors - Single Glazed Tempered

**1-3/4" thick
Hemlock
Doors offer a
heavier feel
and are great
for staining or
painting.**



Full View 1 Lite
Single Glazed
Hemlock

Hemlock Doors

| SIZE | THICKNESS | 1 LITE S/G CLEAR |
|---------|-----------|---------------------|
| 2-0x6-8 | 1-3/4" | - |
| 2-4x6-8 | 1-3/4" | - |
| 2-6x6-8 | 1-3/4" | - |
| 2-8x6-8 | 1-3/4" | HLL |
| 3-0x6-8 | 1-3/4" | HLN |
| 2-0x8-0 | 1-3/4" | - |
| 2-4x8-0 | 1-3/4" | - |
| 2-6x8-0 | 1-3/4" | - |
| 2-8x8-0 | 1-3/4" | HLM |
| 3-0x8-0 | 1-3/4" | HLP |



PANTRY

Frosted and Etched Pantry Doors



PANTRY CLOSE UP

Hemlock Pantry

| SIZE | THICKNESS | CODE |
|---------|-----------|------|
| 2-0x6-8 | 1-3/8" | HLQ |
| 2-4x6-8 | 1-3/8" | HLR |
| 2-6x6-8 | 1-3/8" | HLS |
| 2-8x6-8 | 1-3/8" | HLT |
| 2-0x8-0 | 1-3/8" | HLU |
| 2-4x8-0 | 1-3/8" | HLV |



Main Street Lumber
Main Street Millwork

Interior Stile and Rail Pantry and Laundry Doors

1-3/8" Pantry and Laundry - Frosted and Etched



1590
Hemlock
Pantry
2'0", 2'4",
2'6" x 6'8"



1590 (8'0")
Hemlock
Pantry with
3/4" RP
2'0", 2'4",
2'6" x 8'0"



1593
Hemlock
Laundry with
3/4" RP
2'8", 3'0" x 6'8"





1590
Knotty
Alder
Pantry
2'0", 2'4",
2'6" x 6'8"












1593
Knotty
Alder
Laundry with
3/4" RP
2'8", 3'0" x 6'8"

Note - These doors
are also available in
White Pine.

Interior Door Units











Note* You do not have to specify open in or open out on interior door units. Twin units with ball catches do not lock and don't require a swing to be specified when ordering. Locking Twin units require a T-astagal and a swing to be specified for the normally active door.



Exterior Door Units

Note* Exterior swings are called out the same way as interior door units; however, when ordering we need to know if the door is opening to the inside of the house or to the outside.





Interior Door Unit Rough Opening Schedule

Interior Rough Opening Width Schedule

| <u># OF Doors</u> | <u>Unit Size and Configuration</u> | <u>Rough Opening</u> |
|-------------------|------------------------------------|----------------------|
| 1- 18" Door | 1-6 Single | 20-1/2" |
| 1- 24" Door | 2-0 Single | 26-1/2" |
| 1- 28" Door | 2-4 Single | 30- 1/2" |
| 1- 30" Door | 2-6 Single | 32-1/2" |
| 1- 32" Door | 2-8 Single | 34-1/2" |
| 1- 36" Door | 3-0 Single | 38-1/2" |
| 2- 24" Doors | 4-0 Twin W/Ball Catches | 50-1/2" |
| 2- 30" Doors | 5-0 Twin W/Ball Catches | 62-1/2" |
| 2- 32" Doors | 5-4 Twin W/Ball Catches | 66-1/2" |
| 2- 36" Door | 6-0 Twin W/Ball Catches | 74-1/2" |
| 2- 24" Doors | 4-0 Twin W/T-Astragal | 51-.25" |
| 2- 30" Doors | 5-0 Twin W/T-Astragal | 63-1/4" |
| 2- 32" Doors | 5-4 Twin W/T-Astragal | 67-1/4" |
| 2- 36" Doors | 6-0 Twin W/T-Astragal | 75-1/4" |

Rough Opening Heights - 6-8 = 82-1/2" 8-0 = 98-1/2"

Pocket Door Frame Rough Openings

Single Pocket Doors

2-0 x 6-8 = 4'-2" x 7'-0" R.O.
2-4 x 6-8 = 4'-10" x 7'-0" R.O.
2-6 x 6-8 = 5'-2" x 7'-0" R.O.
2-8 x 6-8 = 5'-6" x 7'-0" R.O.
3-0 x 6-8 = 6'-2" x 7'-0" R.O.
2-0 x 8-0 = 4'-2" x 8'-4" R.O.
2-4 x 8-0 = 4'-10" x 8'-4" R.O.
2-6 x 8-0 = 5'-2" x 8'-4" R.O.
2-8 x 8-0 = 5'-6" x 8'-4" R.O.
3-0 x 8-0 = 6'-2" x 8'-4" R.O.

Twin Pocket Doors

4-0 x 6-8 = 8'-2-1/2" x 7'-0" R.O.
4-8 x 6-8 = 9'-6-1/2" x 7'-0" R.O.
5-0 x 6-8 = 10'-2-1/2" x 7'-0" R.O.
5-4 x 6-8 = 10'-8-1/2" x 7'-0" R.O.
6-0 x 6-8 = 12'-2-1/2" x 7'-0" R.O.
4-0 x 8-0 = 8'-2-1/2" x 8'-4" R.O.
4-8 x 8-0 = 9'-6-1/2" x 8'-4" R.O.
5-0 x 8-0 = 10'-2-1/2" x 8'-4" R.O.
5-4 x 8-0 = 10'-8-1/2" x 8'-4" R.O.
6-0 x 8-0 = 12'-2-1/2" x 8'-4" R.O.

Sliding Barn Doors - Barn Doors should be ordered 4" over the finished opening width and height.



Main Street Lumber
Main Street Millwork

Pocket Door Frames and Hardware



Single Pocket Door Frames

Stock Sizes With Rough Openings

2-0 x 6-8 = 4'-2" x 7'-0" R.O.

2-4 x 6-8 = 4'-10" x 7'-0" R.O.

2-6 x 6-8 = 5'-2" x 7'-0" R.O.

2-8 x 6-8 = 5'-6" x 7'-0" R.O.

3-0 x 6-8 = 6'-2" x 7'-0" R.O.

2-0 x **8-0** = 4'-2" x 8'-4" R.O.

2-4 x **8-0** = 4'-10" x 8'-4" R.O.


2-6 x **8-0** = 5'-2" x 8'-4" R.O.

2-8 x **8-0** = 5'-6" x 8'-4" R.O.


3-0 x **8-0** = 6'-2" x 8'-4" R.O.

***#100 Track and Hardware is Standard**

Pocket Door Track and Hardware Options



L.E. Johnson #100 Standard Duty Track
and #100 Standard Duty Hardware
Rated Up to 175 Pounds




L.E. Johnson #200 Heavy Duty I-Beam
Track and #200 Heavy Duty Hardware
Rated Up to 300 Pounds

HOT INTERIOR DOOR TRENDS

PRIMED SHAKER STYLE
MDF & FRENCH DOORS



Main Street Lumber
Main Street Millwork



New Primed MDF 3 Panel and Primed French Doors have the true shaker style with 90-degree square edges.

Primed MDF Shaker 3 Panel has a full product offering of 6'8" and 8'0" doors plus 1-3/4" 20-min fire rated doors.

Primed Shaker French Doors are available in 6'8" and 8'0" with options for 5 lite or 6 lite with frosted glass.



Main Street Lumber
Main Street Millwork

230 E. Main Street - Denison, Texas 75021
(903) 465-5388 - www.MainStreetCompanies.com