Mud Flap Hangers



Building A Tradition Of Excellence Since 1868



Betts Spring Company was founded in 1868, in San Francisco. Through the pioneer days of the Old West, through the Great Earthquake of 1906, through two World Wars, and into the new millennium, Betts Spring has been owned and operated by six generations of the same American family. We have long been known for truck parts that improve vehicle safety and long-term performance. Innovative products, state-of-the-art manufacturing, and service to our customers has been a Betts trademark, now spanning three centuries.

We have always managed our business for long-term results... and long-term relationships with our customers. Our employees have always been key in achieving this goal, by realizing that our success is based on our customers' success. Through training and progressive management, Betts empowers its team to provide outstanding products and service to our many business partners.

Betts Mud Flap Hangers exemplify this commitment. Each hanger is designed, manufactured and finished for unsurpassed performance and enhanced vehicle appearance. Betts is demanding about every detail... because rig operators are demanding about what goes on their trucks.

If you have questions about any of the Mud Flap Hangers or accessories in this catalog, please call us. We'll be happy to assist you.

Our Vision

To be recognized as the world's leading manufacturer of suspension components, heavy duty truck parts, and accessories, that serves a diverse and wide range of customers.

Our Mission

The fundamental purpose of Betts Spring Company is to exceed our customers expectations with quality, responsiveness, innovation, value, and to provide cost effective products and services.

We will pursue excellence in all that we do; in the value and safety of our products, our support services, our customer and associate relations, our competitiveness, and our profitability.

Exceeding our customers expectations is paramount and is the cornerstone of our success.



Contents

| Warranty | 1 |
|---|-------|
| Standard Hangers and Mounting Brackets | 2-3 |
| Heavy Duty Hangers and Mounting Brackets | 4-5 |
| DirectFlex® System | 6-9 |
| Spring Loaded Hangers | 10-11 |
| Lighted Hangers | 12 |
| Conspicuity Requirements | 13 |
| Custom Manufacturing | 13 |
| Marketing Literature | 14 |
| Betts Spring Stool | 15 |
| Merchandising Displays | 16 |
| Distribution Centers | 17 |

LIMITED WARRANTY

Betts Products are guaranteed for a period of one year from date of shipment against defects in materials or workmanship, provided these defects were not caused by improper application, abuse, accident, or improper installation. While Betts uses appropriate materials, finishes, and manufacturing processes for the transportation industry, flap hangers and related components are known to serve in an abusive environment. Tangling with other truck components, abuse, vibration from rough roads, and impacts from debris are all likely during the lifetime of the products.

Defects arising from repairs made or attempted by parties other than the manufacturer are excluded from this warranty. Painted or powder coated parts are not guaranteed for cosmetic appearance or corrosion resistance. The cosmetic appearance of Bright Stainless Steel components are only guaranteed until time of installation. Service conditions can cause a decline in appearance. Maintenance and care are required to maintain the like-new condition.

Never attempt to repair a damaged flap hanger. Straightening can leave hidden cracks, which could eventually result in failure. Always follow the installation instructions provided.

If the Buyer discovers a defect, he must report the defect in writing to Betts within thirty(30) days after discovery and on or before thirty(30) days after the expiration of the warranty period. If Betts finds uninstalled equipment to be defective, we will replace or repair it at no charge and bear the cost of transportation for the defective goods. Betts will not bear transportation costs for goods found defective in service. Except as provided in this warranty, Betts shall not be liable for labor, transportation, or any other expense required to repair or replace defective goods. Also excluded are any claims arising from loss of use, consequential damages, arising out of or caused by a defect of any goods sold to the Buyer, nor for any loss resulting from loss of use or resale. No other warranty is expressed or implied in any way, it being the intent of the parties to specifically disclaim the warranty of merchantability and the warranty of fitness.

At its own discretion, Betts reserves the right to alter or change specifications of its product, to make product improvements or changes as required by market conditions, without any special notice. Betts makes no warranty as to fitness for use or merchantability in event of these changes.

Standard

Straight Bar

These .640 square spring steel hangers, standard equipment on many new trucks, are the workhorse of the industry. Betts hangers are shot peened and painted to ensure long life. Hangers and mounting brackets are interchangeable to suit your application.

Kits include (2) B711 mounting brackets (unless otherwise specified), (2) mud flap hangers, adjustable flap clips, (2) cotter pins, and mounting hardware for flap and bracket.

A23



A25



Betts strongly recommends the use of cotter pins with all bar-type hangers. Please note that cotter pins are only included in the kits.

Angled Down

These .640 square spring steel hangers accommodate close trailer hookups and prevent damage due to tangling with landing gear. Betts hangers are shot peened and painted to ensure long life. Hangers and mounting brackets are interchangeable to suit your application.

Kits include (2) B711 mounting brackets (unless otherwise specified), (2) mud flap hangers, adjustable flap clips, (2) cotter pins, and mounting hardware for flap and bracket.

A33



A35



Betts is Safety Focused

Betts Spring Company believes that the safety of our customers comes first. Carefully read all safety and installation instructions enclosed with your Betts products before installation. For additional information, please contact us toll free at (800) 227-2192.



MUD FLAP HANGERS 1-800-227-2192 509001 / ISO14001 CERTIFIE VEHICLE COMPONENT MANUFACTURING www.bettsspring.com



1-800-227-2192 K017/ISO14001 CERTIFE VEHICLE COMPONENT MANUFACTURING Www.bettespring.cs//

A25/A35 Bulk Displays

The A25RLB40 and the A35RLB40 come in a small Betts barrel shown.

The A25RLB90 and the A35RLB80 come in the large Betts barrel shown.

B516

Flap Mounting Kit

110

Contains nuts, bolts and washers to mount one mud flap. Sold only in lots of 50 kits.





RT35 📮


For mud flap hangers without Conspicuity tape, Betts offers these light weight, aluminum, reflective Conspicuity Strips which meet the FMVS standard for retroreflective material. These conspicuity strips are designed to fit most popular straight or angled down mud flap hangers.

RT25

Offset

These .640 square spring steel hangers are designed to fit trucks with short frames and allow flexibility to position the flap where desired. Betts hangers are shot peened and painted to ensure long life.

Kits include (2) B711 mounting brackets (unless otherwise specified), (2) mud flap hangers, adjustable flap clips, (2) cotter pins, and mounting hardware for flap and bracket.



Standard Mounting Brackets

Betts one-piece, cast steel, heavy duty mounting brackets provide **greater strength and longer life** than metalstamped brackets. The brackets below are designed to fit all Betts Standard mud flap hangers. Mounting brackets reflect the same high quality finish as Betts hangers and are painted black to match hangers.

Kit includes 2 brackets and mounting hardware.




Heavy Duty

.750 BAR TYPE MUD FLAP HANGERS

Straight Bar

These .750 square spring steel hangers are among the strongest and most durable flap hangers on the market, designed to meet the heavy load of anti-spray flaps. Betts hangers are shot peened and painted to ensure long life. Hangers and mounting brackets are interchangeable to suit most applications.


Kits include (2) B700 mounting brackets (unless otherwise specified), (2) mud flap hangers, adjustable flap clips, (2) cotter pins, and mounting hardware for flap and bracket.



Angled Down

These .750 square spring steel hangers provide maximum durability, accommodate close trailer hookups and prevent damage due to tangling with landing gear. They are highly recommended for dollies. The special end-clip design on our B87 and B88 hangers helps prevent tear-outs and supports the entire flap.

Kits include (2) B700 mounting brackets (unless otherwise specified), (2) mud flap hangers, adjustable flap clips, (2) cotter pins, and mounting hardware for flap and bracket.



Offset

These .750 square spring steel hangers provide maximum durability and are designed to fit trucks with short frames. They allow flexibility to position the flap where desired. Betts hangers are shot peened and painted to ensure long life.

Kits include (2) B700 mounting brackets (unless otherwise specified), (2) mud flap hangers, adjustable flap clips, (2) cotter pins, and mounting hardware for flap and bracket.



Betts strongly recommends the use of cotter pins with all bar-type hangers. Please note that cotter pins are only included in the kits.

Heavy Duty Mounting Brackets

Betts one-piece, cast steel, heavy duty mounting brackets provide **greater strength and longer life** than metalstamped brackets. The brackets below are designed to fit all Betts heavy duty mud flap hangers. Mounting brackets reflect the same high quality finish as Betts hangers and are painted black to match hangers.

Kit includes 2 brackets and mounting hardware.





VEHICLE COMPONENT MANUFACTURING

NEW? DirectionalFlexibilitySystem

End Costly Downtime, Expense & Tickets For Mud Flap Damage

The Betts DirectFlex® System Delivers Improved Performance and Durability You Can Count On


Imagine a product that would nearly eliminate the problems of lost or torn mud flaps or destroyed hangers from curb pinches. Gone are the expensive tickets for operating without mud flaps, and say goodbye to costly downtime for repairs. The NEW Betts DirectFlex® System sets a new industry standard for durability, directional flexibility, and value. The System is composed of two uniquely designed and manufactured components; the Betts DirectFlex® spring steel mud flap hanger and the ingeniously designed Betts ChannelFlap[™]. These two Betts innovations have come together into one smart system for today's diverse trucking industry. The patented system has been ingeniously engineered to be light weight, more durable, and offers a greater value than any other spray suppression systems on the market today.

Betts DirectFlex® System

DF25 and DF35

- System far exceeds industry standards for durability and strength thus greatly reducing the need for flap and hanger replacements.
- Revolutionary, patented concept in splash guard protection. Another Betts innovation that saves you costly down time.
- Constructed of high quality, non-welded, alloy spring steel built tough to last.
- Arm pre-fastened to mounting bracket with strong vibration resistant Huck® fasteners giving you one of the strongest hanger connections on the road.
- Available in weather resistant powder coated or galvanized finish to ensure maximum corrosion protection and longer life.
- Every DirectFlex® hanger is shot peened for increased durability and life span.
- Integrated conspicuity (meets FMVS standards) saving you the expense and hassle of having to add additional conspicuity strips.
- Easily retrofit to existing frame bracket hole pattern making for an easy installation, without additional frame drilling.
- Available in straight and angled versions offering the perfect solution to your turning clearance needs.
- ChannelFlap[™] mounting hardware creates a strong compression fit to hanger increasing the strength of the connection by more than 300%.
- Innovative reinforced channel design in light weight / heavy duty poly ChannelFlap™ which will provide maximum strength you can count on.
- Custom Logo imprints available on the ChannelFlap[™] allowing you an opportunity to advertise your company name and logo.

US PATENT # 6,827,372



Betts DirectFlex® System ChannelFlap™

- Reinforced ChannelFlap[™] Provides Maximum Strength And Durability
 - The DirectFlex® System exceeds the needs of today's diverse trucking industry

DirectFlex[®] Spring Steel Mud Flap Hanger

- Vibration resistant Huck® fasteners for long life
- High quality alloy spring steel. Available in weather resistant powder coated or galvanized finish
- DirectFlex[®] accepts standard mud flaps as well as Directflex[®] ChannelFlap[™]





DF35

- Integrated Conspicuity
- Available in heavy duty, light weight poly material



CALL 1-800-227-2192 TO ORDER

Straight Arm



How to use the tables below


Use the following steps to determine the correct DirectFlex® Part Number:

 Select the style of hanger.
 Measure and select the mounting hole center to center dimension Select the overall length desired (column B).

- Use the following steps to determine the correct ChannelFlap[™] Part Number:
- Select mud flap top to bottom dimension.
 Find ChannelFlap™ part number.
- t number. 😕 Find Cł
- (column A).
 Determine the bolt hole orientation: Horizontal or Vertical.

select kit part number.





| DirectFlex [®] Straight Arm | | | | | | | |
|--|--------------|-----------------------------|---------------------------|-----------|-----------------------|--|-----------------|
| Mounting Hole Center To Center Dimension | Fra Ho | contal me ble tern | Vert Fra Ho Patt | me ble | Mounting Bolt Size | B Overall Length Dimension | Kit Part Number |
| 1.12″ | | | | | 1/2" | 25″ | DF2525G-941* |
| 1.12″ | | | | | 1/2" | 30.25″ | DF25PB-941 |
| 1.18″ | | | | | 1/2" | 30.25″ | DF25PB-941 |
| 1.88″ | | | | | 7/16" | 30.25″ | DF25PB-901 |
| 2.00″ | | | | | 1/2" | 30.25″ | DF25PB-951 |
| 2.50″ | | | | | 1/2" | 30.25″ | DF25PB-941 |
| 2.88″ | | • | | | 1/2" | 30.25″ | DF25PB-931 |
| 3.31″ | | | | | 1/2" | 30.25″ | DF25PB-941 |
| | ChannelFlap™ | | | | | | |
| Dimension | | | Material | Color | Part Number | | |
| | 24" x 24″ | | | Poly | Black | CF25RL24PB | |
| | 24" x | 30″ | | | Poly | Black | CF25RL30PB |
| | 24" x | 36″ 🔺 | 1 | | Poly | Black | CF25RL36PB |

DF25 Kit Contents



▲ Special Order; call for availability.

Kits include (2) mud flap hangers pre-assembled to mounting brackets using Huck® Fasteners and mounting hardware for flap and bracket as well as integrated conspicuity.


* Galvanized arm; conspicuity not included.

Angled Arm



Bolt Patterns





| DirectFlex [®] Angled Arm | | | | | | | |
|--|--------------|-----------------------------|---------------------------|-----------|-----------------------|--|-----------------|
| Mounting Hole Center To Center Dimension | Fra Ho | contal me ble tern | Vert Fra Ho Patt | me ble | Mounting Bolt Size | B Overall Length Dimension | Kit Part Number |
| 1.12″ | | | | | 1/2" | 30.25″ | DF35PB-941 |
| 1.18″ | | | | | 1/2" | 30.25″ | DF35PB-941 |
| 1.88″ | • | | | | 7/16" | 30.25″ | DF35PB-901 |
| 2.00" | | | | | 1/2" | 30.25″ | DF35PB-951 |
| 2.50″ | | | | • | 1/2" | 30.25″ | DF35PB-941 |
| 2.88″ | | | | | 1/2" | 30.25″ | DF35PB-931 |
| 3.31″ | | | | | 1/2" | 30.25″ | DF35PB-941 |
| | ChannelFlap™ | | | | | | |

| | CnanneiFiap | | | | | | | | |
|---|-------------|------|-------|----------|-------|-------------|--|--|--|
| | Dimension | Left | Right | Material | Color | Part Number | | | |
| 1 | 24" x 24" | • | | Poly | Black | CF35LH24PB | | | |
| | 24" x 24" | | • | Poly | Black | CF35RH24PB | | | |
| | 24" x 30" | • | | Poly | Black | CF35LH30PB | | | |
| | 24" x 30" | | • | Poly | Black | CF35RH30PB | | | |
| | 24" x 36" 🔺 | • | | Poly | Black | CF35LH36PB | | | |
| | 24" x 36" 🔺 | | • | Poly | Black | CF35RH36PB | | | |

▲ Special Order; call for availability.

Kits include (2) mud flap hangers pre-assembled to mounting brackets using Huck® Fasteners and mounting hardware for flap and bracket as well as integrated conspicuity.



DF35 Kit Contents



CALL 1-800-227-2192 TO ORDER

WWW.BETTSSPRING.COM

Spring Loaded

MUD FLAP HANGERS

How to use the tables

- Use the following steps to determine the correct Part Number:
- below
- Select the style of hanger. Measure and select the mounting hole center to
- center dimension (column A). Select the overall length desired (column B).
- Choose between black carbon steel or 4
- stainless steel. Choose with or without conspicuity.
 - Select quantity. Select kit part number.

Straight Arm

These steel hangers spring back after impact every time. Precision cut, robotically welded end caps for durability, radiused ends to minimize flap tears, and contoured finished appearance are just a few ways Betts improves this common industry hanger style with uncommon styling. Available in black carbon steel or in bright, mirror finish stainless steel.



| A Mounting Hole Center To Center Dimension | B Length | Carbon Steel | Stainless Steel | Conspicuity Tape | Quantity | Kit Part Number |
|--|--------------------|-----------------|--------------------|---------------------|----------|--------------------|
| 1.12″ | 30.25″ | | | YES | Set (2) | B50 |
| 1.12″ | 30.25" | • | | YES | Single | M50 |
| 1.12″ | 30.25" | | • | YES | Set (2) | B50S |
| 1.12″ | 30.25″ | | • | YES | Single | M50S |
| 1.18″ | 28.00″ | | | YES | Set (2) | B5728 |
| 1.18″ | 28.00″ | • | | YES | Single | M5728 |
| 1.18″ | 28.00″ | • | | NO | Set (2) | B5728NT |
| 1.18″ | 30.25″ | • | | YES | Set (2) | B57 |
| 1.18″ | 30.25" | • | | YES | Single | M57 |
| 1.18″ | 30.25″ | | | NO | Set (2) | B57NT |
| 1.18″ | 30.25″ | | • | YES | Set (2) | B57S |
| 1.18″ | 30.25″ | | • | YES | Single | M57S |

Kits include mud flap hanger(s) with mounting hardware for flap and hanger.

Tapered Arm

Betts offers the tapered arm in black carbon steel, or in a bright, mirror finish stainless steel. The tapered arm also can be purchased with a lamp mount housing welded to the end for use with clearance lights. See page 12.




| A Mounting Hole Center To Center Dimension | B Length | Carbon Steel | Stainless Steel | Conspicuity Tape | Quantity | Kit Part Number |
|--|-------------|-----------------|--------------------|---------------------|----------|--------------------|
| 2.5″ | 30.25″ | • | | NO | Set (2) | B7 |
| 2.5" | 30.25″ | • | | YES | Single | M7 |
| 2.5″ | 30.25″ | | • | NO | Set (2) | B7S |
| 2.5″ | 30.25″ | | • | YES | Single | M7S |

Kits include mud flap hanger(s) with mounting hardware for flap and hanger.

Angled Down

These steel hangers provide all the benefits of the Straight Arm style, but with additional clearance for landing gear. These hangers have set new standards for performance and durability. Available in black carbon steel or in a bright, mirror finish stainless steel.



| A Mounting Hole Center To Center Dimension | B Length | e Height | Carbon Steel | Stainless Steel | Conspicuity Tape | Quantity | Kit Part Number |
|---|--------------------|--------------------|-----------------|--------------------|---------------------|----------|--------------------|
| 1.12″ | 31.25″ | 13.5" | • | | YES | Set (2) | B60 |
| 1.12″ | 31.25" | 13.5" | • | | YES | Single | M60 |
| 1.12″ | 31.25" | 13.5" | | • | YES | Set (2) | B60S |
| 1.12″ | 31.25″ | 13.5" | | • | YES | Single | M60S |
| 1.18″ | 28.00″ | 13.5" | | | YES | Set (2) | B6728 |
| 1.18″ | 28.00″ | 13.5" | • | | YES | Single | M6728 |
| 1.18″ | 30.25″ | 13.5" | • | | YES | Set (2) | B67 |
| 1.18″ | 30.25" | 13.5" | • | | YES | Single | M67 |
| 1.18″ | 30.25″ | 13.5" | • | | NO | Set (2) | B67NT |
| 1.18″ | 30.25″ | 13.5" | | • | YES | Set (2) | B67S |
| 1.18″ | 30.25″ | 13.5" | | • | YES | Single | M67S |
| 2.5″ | 30.25″ | 13.5" | | | YES | Set (2) | B68 |
| 2.5" | 30.25″ | 13.5" | • | | YES | Single | M68 |

Kits include mud flap hanger(s) with mounting hardware for flap and hanger.



Betts is Safety Focused

Betts Spring Company believes that the safety of our customers comes first. Carefully read all safety and installation instructions enclosed with your Betts products before installation. For additional information, please contact us toll free at





11

Lighted

| LT77S | Incandescent Lamps L.E.D.'s (shown) Without Lamps | LT98S | Incandescent Lamps L.E.D.'s (shown) Without Lamps |
|---------------------------|--|---------------------------|---|
| <u>2.5</u> " | | | 30.25" |
| LT76S MT76SR MT76SL | Kit Single Hanger (Right) Single Hanger (Left) | LT97S MT97SR MT97SL | Kit Single Hanger (Right) Single Hanger (Left) |
| LT77S MT77SR MT77SL | Kit Single Hanger (Right) Single Hanger (Left) | LT98S MT98SR MT98SL | Kit Single Hanger (Right) Single Hanger (Left) |
| | Kit Single Hanger (Right) Single Hanger (Left) | | Kit Single Hanger (Right) Single Hanger (Left) |
| **A10SPR | Replacement Spring | **A10SPR | Replacement Spring |
| Kits include (2) | stainless steel mud flap hangers. Group 60 lamps and grommets, y | viring harnesses for Ston | /Tail/Turn, and mounting hardware for flap |

Kits include (2) stainless steel mud flap hangers, Group 60 lamps and grommets, wiring harnesses for Stop/Tail/Turn, and mounting hardware for flap and hanger.

* Lamps and grommets are not included.


** These hangers use two A10SPR springs per arm and are specifically designed for easy and safe replacement of springs.



**A7SPR Replacement Spring

Kits include (2) stainless steel mud flap hangers with lamp mount housing(s) and mounting hardware for flap and hanger.

- * Includes Conspicuity Strip.
- ** This hanger uses one A7SPR spring per arm and is specifically designed for easy and safe replacement of the spring.



Flap Hangers with clearance lamps have become popular in many applications. They provide improved vehicle visibility and driver convenience when maneuvering the tractor at night. Betts is the first company to provide a flap hanger with a stainless clearance lamp housing, giving improved corrosion resistance over common chrome lamp holders.

The LT9S provides increased length over the Betts B7S. The end user is responsible for checking his frame and axle width to ensure that the flap hanger and lamp meet legal vehicle width requirements.

Betts welded lamp housing is an industry exclusive.

NEW TECH-TEN SYSTEM

simple tools.

US Patent # 6,443,492



12

Custom Manufacturing



Betts' technology and commitment to customer satisfaction allows us to efficiently provide special flap hangers, torsion bars, custom colors, metal fabrications, and custom springs. Contact 1-800-227-2192 for technical assistance.



The Conspicuity Law

All tractors built after July 1, 1997 must use reflective material on rear fenders or horizontal hangers supporting mud flaps. D.O.T. (FMVSS 108)



reflective tape or reflectors must be applied to horizontal hangers supporting mud flaps

White, L-shaped reflectors must be applied to the upper corners of the cab or sleeper box

Conspicuity Requirements

For mud flap hangers without integrated Conspicuity tape, Betts offers light weight, aluminum, reflective Conspicuity Strips which meet the Federal Motor Vehicle Safety Standard for retroreflective material. Conspicuity Strips may be used with a variety of hanger types for aftermarket application. They are packaged in pairs and easy to install.



13

Marketing Literature

Betts has created a complete line of new marketing literature to help you increase sales. Attractive and informative, these pieces will help you and your customers understand Betts total commitment to better design, better manufacturing, and better finishing. Our marketing literature is just one more way we show you... better service.



Betts Quick Reference Guide QR-1

This two-sided Quick Reference Guide is a convenient reference for mailing or posting. Allows a quick visual reference to our part numbers.



Full Line Catalog CAT-1 CAT-2/SP Spanish Version

You're reading this one, but you may need more. Just let us know.

Betts Counter Mat CM-1

Protect your counter, and increase point of purchase sales with this attractive and useful counter mat.



Betts Spring Stool



SPRING INTO COMFORT!!

Your Customers and Your Team deserve the best! Now from Betts Spring Company and Coiled Concepts comes the "Hard-Line Coil" series of unique, comfortable seats. These rugged and handsome stools represent the durable, heavy duty quality for which Betts has been known for over 130 years and will make a similar statement about your business. Available in two sitting heights and in standard and custom coil and seat colors; custom logos can be developed and screen printed onto a Naugahyde vinyl seat cushion. Betts – A Legend in Tradition and Service – And Now Comfort!





| Color | Overall Height | Part Number |
|-------|-------------------|----------------|
| RED | 19" | SHORTRED |
| BLACK | 19" | SHORTBLACK |
| RED | 31" | TALLRED |
| BLACK | 31" | TALLBLACK |



Merchandising Displays

DR-1

Steel display rack displays up to six Betts hangers and/or Conspicuity Strips.•• Measures 32"wide by 73 5/8"tall by 18 1/4"deep.

DR-2

Steel display rack displays up to three Betts hangers and/or Conspicuity Strips.•• Measures 32"wide by 43"tall by 18 1/4"deep.

DR-RT

Displays up to 40 Conspicuity Strips. Measures 17"wide by 45 3/4"tall by 12"deep.

DirectFlex[®] and ChannelFlap[™]

Merchandising Display





Available Spring 2006



2867 South Maple Ave Fresno, CA 93725 559-498-3304 fax 559-498-8615

Betts Distribution Centers

The Sloan Company 4605 Old Denton Road Fort Worth, TX 76117 817-485-1252 fax 817-656-4702

Certified Logistics 5088 South Royal Atlanta Drive Tucker, GA 30084 770-934-5117 fax 770-938-0956

Kenakore Solutions 487 J Street Perrysburg, OH 43551 800-227-2192 fax 559-498-8615

Truckers Warehouse 61 Willett Street Passaic, NJ 07055 973-815-0770 fax 973-815-0771



CALL 1-800-227-2192 TO ORDER



BettsHD Headquarters

2843 South Maple Avenue Fresno, CA 93725 Phone: 559.498.3304 Customer Service Fax: 559.445.9129 Toll Free: 800.227.2192 BettsHD.com

