



Table of Contents

Pricing	3
Packages	4
Technology Package	4
Advance Package	5
A-Spec Package	6
V–6 Features	7
SH-AWD Features	7
Specifications	8
Engine	8
Powertrain	9
Chassis	10
Exterior Dimensions	11
Interior Dimensions	11
Fuel Economy Ratings, Capacities and Weights	12
Standard Features	13
Exterior Features	13
Interior Features	13
Media & Connectivity	14
Driver Convenience	15
Safety & Driver Assistive Technologies	15
Warranties	16
Disclaimers	17





Pricing

2019 TLX TRIM LEVELS (Configuration Options)¹

TLX 2.4 8-DCT P-AWS	Starting at: \$33,000
TLX 2.4 8-DCT P-AWS with Technology Package	Starting at: \$36,700
TLX 2.4 8-DCT P-AWS with A-Spec and Technology Package	Starting at: \$39,400

TLX 3.5 V-6 9-AT P-AWS	Starting at: \$36,200
TLX 3.5 V-6 9-AT P-AWS with Technology Package	Starting at: \$40,100
TLX 3.5 V-6 9-AT P-AWS with A-Spec and Technology Package	Starting at: \$42,800
TLX 3.5 V-6 9-AT P-AWS with Advance Package	Starting at: \$43,950

TLX 3.5 V-6 9-AT SH-AWD	Starting at: \$38,200
TLX 3.5 V-6 9-AT SH-AWD with Technology Package	Starting at: \$42,100
TLX 3.5 V-6 9-AT SH-AWD with with A-Spec and Technology Package	Starting at: \$44,800
TLX 3.5 V-6 9-AT SH-AWD with Advance Package	Starting at: \$45,950







Packages

Acura Navigation System with 3D view ¹⁰	
HD Traffic with exclusive street and freeway conditions Traffic Rerouting ^{™57}	
AcuraLink® The Next Generation ⁷⁰	
ELS Studio ^{®32} Premium Audio System with 10 speakers	
Song By Voice®	
HD Radio®	
Blind spot information (BSI) system ⁵⁰	
Rear Cross Traffic Monitor	
GPS-linked ¹⁰ climate control	
Rain-sensing windshield wipers	
Rear Doors Smart Key Entry	
Perforated Milano premium leather-trimmed interior	
19-inch Pewter Gray Machine-Finished Split 5-Spoke Wheels (V-6 only)	
Seating with contrast stitching and piping (V-6 only)	
Driver's 12-Way Power Seat with Power Lumbar Support and Power Thigh Extension (V-6 only)	
Rocker panel extension with chrome trim (V-6 only)	







Includes Technology Package	
Remote engine start with vehicle feedback	
Auto dimming side mirrors	
Flush front and rear parking sensors	
Body-color rear spoiler	
Trapezoid LED fog lights	
LED puddle lights	
Surround-View Camera System	
Head-Up Warning (HUW)	
Wireless Charger	
White interior accent lighting	
Heated windshield	
Heated steering wheel	
6-level heated and ventilated front seats	
3-level heated rear outboard seats	





PRECISION CRAFTED PERFORMANCE

A-Spec Package

Includes Technology Package

Exterior	
	Revised front bumper and lower air intakes
	Round LED fog lights
	Dark chrome grille and exterior trim
	Black window trim
	19-inch Shark Gray Split 5-Spoke Wheels
	Round dual exhaust outlets
	Gloss black rear spoiler
	Front and rear flush parking sensors
	Dark chrome taillight details
	A-Spec badge on front fenders and rear decklid
Interior	
	Choice of Black leather with Alcantara® or Full Red leather seating, both with contrast stitching and piping
	Driver's 12-way power seat with power lumbar support and power thigh extension
	Sport grip steering wheel
	6-Level heated and ventilated front seats
	Driver's power thigh extension
	Wireless Charger
	Red on black gauges
	Red interior accent lighting
	Metallic finish interior trim
	Metallic finish footrest pad
	Black headliner
	A-Spec badging on steering wheel and door sill garnish



V-6 Features

290-hp, 3.5-liter, i-VTEC® V-6

9-speed automatic transmission with Sequential SportShift paddle shifters

Electronic gear selector

8-way power front passenger's seat

18-inch split-5-spoke aluminum-alloy wheels (n/a Technology and Advance Packages)

Revised rear bumper with dual trapezoid exhaust outlets and chrome trim (n/a A-Spec)

SH-AWD Features

Super Handling All-Wheel Drive™ (SH-AWD®)*

Idle stop

* Replaces Precision All-Wheel Steer™ (P-AWS®) system





Specifications

Engine		
Engine Tune	Inline-4	Direct injection 4-cylinder
Engine Type V-6		Direct injection V-6
Displacement	Inline-4	2.4-liters
Displacement	V-6	3.5-liters
Valvetrain	Inline-4	16-valve, DOHC i-VTEC®
Valvetrain V-6		24-valve, SOHC i-VTEC®
Horsepower @ rpm (SAE net)	Inline-4	206 @ 6800
horsepower @ rpin (SAL het)	V-6	290 @ 6200
Torque (lb-ft @ rpm) (SAE net)	Inline-4	182 @ 4500
V-6		267 @ 4500
Compression Ratio	Inline-4	11.6:1
V-		11.5:1
Throttle Control		Drive-by-Wire™ throttle system
CARB Emissions Rating		ULEV-2
Tune-Up Interval ³		No scheduled tune-ups required for 100,000 +/- miles





Powertrain

	Inline-4 & V-6	Front-wheel drive Super Handling All-Wheel Drive™ (SH-AWD®)		
Туре	V-6 SH-AWD			
Transmission	Inline-4	8-Speed DCT (Dual-Clutch Transmission) with torque converter and Sequential SportShift paddle shifters		
V-		9-speed automatic transmission with Sequential SportShift paddle shifters		
Gear Ratios (:1)		Inline-4	V-6	
	1 st	3.08	4.71	
	2 nd	2.18	2.84	
	3 rd	1.61	1.91	
	4 th	1.22	1.38	
	5 th	0.96	1.00	
	6 th	0.74	0.81	
	7 th	0.62	0.70	
	8 th	0.48	0.58	
	9 th		0.48	
	Reverse	2.22	3.83	
	Final Drive	4.57	3.52	



Chassis

Suspension		4-wheel independent MacPherson strut front / multi-link rear		
Front Stabilizer Bar		26 mm solid		
Inline-4 Rear Stabilizer Bar		24.7 x 3.7 mm		
Rear Stabilizer Bar	V-6 & SH-AWD	25.4 x 3.81 mm		
		Electric Power-Assisted Rack-and-Pinion Steering (EPS)		
Steering	FWD:	Precision All-Wheel Steer™ (P-AWS®) system		
	Inline-4	15.0:1		
	V-6	14.6:1		
Steering ratio	SH-AWD	16.1:1		
	SH-AWD A-Spec	15:1:1		
	SH-AWD w/ Advance Package	15:0:1		
	Inline-4	39.2 ft.		
Turning Diameter, Curb to Curb	V-6	38.8 ft.		
	SH-AWD	39.5 ft.		
Front Disc Brakes		12.6" ventilated		
Rear Disc Brakes		12.2″ solid		
Braking Systems		4-wheel disc brakes with: Anti-lock braking system (ABS) Electronic Brake Distribution (EBD) Brake Assist Automatic Brake Hold		
	Inline-4	17 x 7.5 Pewter Gray Metallic Machine-Finished 10-Spoke		
	V-6	18 x 7.5 Pewter Gray Machine-Finished Split 5-Spoke		
Wheels	V-6, Technology & Advance			
	A-Spec	19 x 8.0 Shark Gray Split 5-Spoke		
	Inline-4	P225/55 R17 high-performance all-season		
Tires	V-6	P225/50 R18 high-performance all-season		
	V-6, Technology, Advance & A-Spec	P245/40 R19 94V high-performance all-season		





Exterior Dimensions

Wheelbase	109.3 in (2775 mm)
Length	190.7 in (4844 mm) A-Spec 191.0 in (4851 mm)
Height	57.0 in (1447 mm)
Width	73.0 in (1854 mm)
Front Track	62.8 in (1596 mm)
Rear Track	109.3 in (2775 mm)
Ground Clearance (unladen)	Inline-4 5.8 in (147 mm) V-6 5.9 in (151 mm)

Interior Dimensions

Headroom	Front: Rear:	37.2 in (945 mm) 36.7 in (932 mm)
Legroom	Front: Rear:	42.6 in (1082 mm) 34.5 in (876 mm)
Hip room	Front: Rear:	55.3 in (1405 mm) 54.9 in (1395 mm)
Shoulder Room	Front: Rear:	57.5 in (1461 mm) 55.4 in (1407 mm)
EPA Passenger Volume		93.3 cu ft.
EPA Cargo Volume (SAE)		14.3 cu ft.



Fuel Economy Ratings, Capacities and Weights

(city / highway / combined)A-Spec Ve320 / 30 / 23(Gity / highway / combined)20 / 29 / 2320 / 29 / 23A-Spec SH-AWD20 / 29 / 2320 / 29 / 23Recommended Fuel!*Premium unleaded 91 octaneInline-43050 lb. (1590 kg)Inline-4 with Technology Packaga3508 lb. (1591 kg)Inline-4 with A-Spec & Technology Packaga3600 lb. (1624 kg)Inline-4 with A-Spec & Technology Packaga3600 lb. (1661 kg)Curb WeightV-6 with A-Spec and Technology Packaga3600 lb. (1662 kg)V-6 with A-Spec and Technology Packaga3604 lb. (1662 kg)V-6 SH-AWD with Technology Packaga3608 lb. (1708 kg)V-6 SH-AWD with Advance Packaga3618 lb. (1718 kg)V-6 SH-AWD with Advance Packaga3612 lb. (1729 kg)V-6 SH-AWD with Advance Packaga3612 lb. (1729 kg)Weight Distribution (% front / reat)V-6 V-6 MH361 Jb. (1729 kg)Weight Distribution (% front / reat)SH-AWD361 Jb. (1720 kg)Weight Distribution (% front / reat)SH-AWD361 Jb. (1720 kg)Weight Distribution (% front / reat)SH-AWD361 Jb. (1720 kg)Ful Tank CapacitySH-AWDSH-AWD361 Jb. (1720 kg)	······································		
EPA Fuel Economy Ratings** V-6 20/31/24 A-Spec V-6 20/30/23 SH-AWD 20/29/23 Commended Fuel** 20/29/23 Recommended Fuel** Premium unleaded 91 octane Inline-4 with Technology Package 3508 lb. (1590 kg) Inline-4 with A-Spec & Technology Package 3508 lb. (1591 kg) Inline-4 with A-Spec & Technology Package 3640 lb. (1640 kg) V-6 with A-Spec and Technology Package 3640 lb. (1651 kg) V-6 with A-Spec and Technology Package 3640 lb. (162 kg) V-6 with A-Spec and Technology Package 3640 lb. (162 kg) V-6 with A-Spec and Technology Package 3640 lb. (162 kg) V-6 with A-Spec and Technology Package 3640 lb. (162 kg) V-6 with A-Spec and Technology Package 3640 lb. (162 kg) V-6 with A-Spec and Technology Package 3680 lb. (1718 kg) V-6 with A-Spec and Technology Package 383 lb. (1714 kg) V-6 with A-Spec and Technology Package 383 lb. (1718 kg) V-6 with A-Spec and Technology Package 383 lb. (172 kg) V-6 with A-Spec and Technology Package 383 lb. (1714 kg) V-6 with A-Spec and Technology Package 383 lb. (1714 kg) Weight Distri	EPA Fuel Economy Ratings ³⁸ (city / highway / combined)	Inline-4	23 / 33 / 27
PA Fuel Economy Ratings** A-Spec V-6 20 / 30 / 23 (city / highway / combined) 20 / 29 / 23 SH-AWD 20 / 29 / 23 A-Spec SH-AWD 20 / 29 / 23 Recommended Fuel** Premium unleaded 91 octane Inline -4 505 lb. (1590 kg) Inline-4 with Technology Package 508 lb. (1591 kg) Inline-4 with A-Spec & Technology Package 5080 lb. (1624 kg) Inline-4 with A-Spec & Technology Package 640 lb. (1661 kg) V-6 with A-Spec and Technology Package 640 lb. (1662 kg) V-6 with A-Spec and Technology Package 665 lb. (1708 kg) V-6 with A-Spec and Technology Package 665 lb. (1708 kg) V-6 Weight V-6 With A-Spec and Technology Package 383 lb. (1718 kg) V-6 Weight A-Spec and Technology Package 312 lb. (1729 kg) V-6 Weight Distribution (% from / read) V-6 With A-Spec and Technology Package 312 lb. (1729 kg) Weight Distribution (% from / read) V-6 Weight A-Spec and Technology Package 312 lb. (1729 kg) Weight Distribution (% from / read) V-6 Weight A-Spec and Technology Package 312 lb. (1729 kg) Weight Distribution (% from / read) 0/ 40		A-Spec Inline-4	23 / 32 / 26
(city / highway / combined)A-Spec Ve320 / 30 / 23(Gity / highway / combined)20 / 29 / 2320 / 29 / 23A-Spec SH-AWD20 / 29 / 2320 / 29 / 23Recommended Fuel!*Premium unleaded 91 octaneInline-43050 lb. (1590 kg)Inline-4 with Technology Packaga3508 lb. (1591 kg)Inline-4 with A-Spec & Technology Packaga3600 lb. (1624 kg)Inline-4 with A-Spec & Technology Packaga3600 lb. (1661 kg)Curb WeightV-6 with A-Spec and Technology Packaga3600 lb. (1662 kg)V-6 with A-Spec and Technology Packaga3604 lb. (1662 kg)V-6 SH-AWD with Technology Packaga3608 lb. (1708 kg)V-6 SH-AWD with Advance Packaga3618 lb. (1718 kg)V-6 SH-AWD with Advance Packaga3612 lb. (1729 kg)V-6 SH-AWD with Advance Packaga3612 lb. (1729 kg)Weight Distribution (% front / reat)V-6 V-6 MH361 Jb. (1729 kg)Weight Distribution (% front / reat)SH-AWD361 Jb. (1720 kg)Weight Distribution (% front / reat)SH-AWD361 Jb. (1720 kg)Weight Distribution 		V-6	20 / 31 / 24
A-Spec SHAWD 20 / 29 / 23 Recommended Fuel** Premium unleaded 91 octame Inline-4 3505 lb. (1590 kg) Inline-4 with Technology Packag 3508 lb. (1591 kg) Inline-4 with A-Spec & Technology Packag 3608 lb. (1624 kg) Inline-4 with A-Spec & Technology Packag 3640 lb. (1651 kg) V-6 with A-Spec and Technology Packag 3640 lb. (1652 kg) Inline-4 with A-Spec and Technology Packag 3640 lb. (1662 kg) V-6 with A-Spec and Technology Packag 3640 lb. (1662 kg) Inline-4 with A-Spec and Technology Packag 3640 lb. (1662 kg) V-6 with A-Spec and Technology Packag 3640 lb. (1620 kg) Inline-4 with A-Spec and Technology Packag 3640 lb. (1620 kg) V-6 with A-Spec and Technology Packag 3640 lb. (1620 kg) Inline-4 with A-Spec and Technology Packag 3640 lb. (1620 kg) V-6 with A-Spec and Technology Packag 3630 lb. (1718 kg) Inline-4 with A-Spec and Technology Packag 3830 lb. (1720 kg) V-6 With A-Spec and Technology Packag 3830 lb. (1720 kg) Weight Distribution Weight Distribution 3040 Weight Distribution 10 / 40 11 / 30 Weight Distribution Weight Distribution 3040 Weight Distribution 10 / 40 11 / 30		A-Spec V-6	20 / 30 / 23
Recommended Fuel!* Premium unleaded 91 octame Inline-4 3505 lb. (1590 kg) Inline-4 with Technology Package 3508 lb. (1591 kg) Inline-4 with A-Spec & Technology Package 3508 lb. (1624 kg) Inline-4 with A-Spec & Technology Package 3640 lb. (1640 kg) V-6 with Technology Package 3640 lb. (1651 kg) V-6 with A-Spec and Technology Package 3664 lb. (1669 kg) V-6 with A-Spec and Technology Package 3664 lb. (1662 kg) V-6 with A-Spec and Technology Package 3665 lb. (1708 kg) V-6 with A-Spec and Technology Package 3788 lb. (1718 kg) V-6 With A-Spec and Technology Package 3812 lb. (1721 kg) V-6 With A-Spec and Technology Package 3818 lb. (1718 kg) V-6 With A-Spec and Technology Package 3812 lb. (1721 kg) V-6 With A-Spec and Technology Package 3812 lb. (1721 kg) V-6 With A-Spec and Technology Package 3812 lb. (1721 kg) Weight Distribution (% front / rear) 60 / 40 (% front / rear) 60 / 40 Weight Distribution (% front / rear) 60 / 40 Weight Distribution (% front / rear) 60 / 40		SH-AWD	20 / 29 / 23
Inline-4 S055 lb. (1590 kg) Inline-4 with Technology Package S058 lb. (1591 kg) Inline-4 with A-Spec & Technology Package S058 lb. (1624 kg) Inline-4 with A-Spec & Technology Package S060 lb. (1624 kg) V-6 with A-Spec and Technology Package S060 lb. (1651 kg) V-6 with A-Spec and Technology Package S060 lb. (1669 kg) V-6 with A-Spec and Technology Package S064 lb. (1662 kg) V-6 with A-Spec and Technology Package S065 lb. (1708 kg) V-6 SH-AWD with Technology Package S088 lb. (1718 kg) V-6 with A-Spec and Technology Package S083 lb. (1718 kg) V-6 with A-Spec and Technology Package S083 lb. (1729 kg) V-6 with A-Spec and Technology Package S012 lb. (1729 kg) V-6 with A-Spec and Technology Package S012 lb. (1729 kg) Weight Distribution (% front / rear) S014 lb. (1662 kg) Weight Distribution (% front / rear) S014 lb. (160 kg) Weight Distribution (% front / rear) S014 lb. (1729 kg) Weight Distribution (% front / rear) S014 lb. (160 kg) Weight Distribution (% front / rear) S014 lb. (160 kg) Weight Distribution (% front / rear) S014 lb. (160 kg)<		A-Spec SH-AWD	20 / 29 / 23
Inline-4 with Technology Package 3508 lb. (1591 kg) Inline-4 with A-Spec & Technology Package 3580 lb. (1624 kg) Inline-4 with A-Spec & Technology Package 3640 lb. (1640 kg) Curb Weight V-6 with A-Spec and Technology Package 3640 lb. (1651 kg) V-6 with A-Spec and Technology Package 3664 lb. (1669 kg) 3640 lb. (1669 kg) Curb Weight V-6 with A-Spec and Technology Package 3664 lb. (1662 kg) V-6 with A-Spec and Technology Package 3664 lb. (1662 kg) 3640 lb. (1708 kg) V-6 SH-AWD with Technology Package 3788 lb. (1718 kg) 3788 lb. (1714 kg) V-6 with A-Spec and Technology Package 3812 lb. (1729 kg) 3812 lb. (1729 kg) Weight Distribution (% front / rear) V-6 SH-AWD with Advance Package 3812 lb. (1729 kg) Weight Distribution (% front / rear) 60 / 40 60 / 40 Weight Distribution (% front / rear) SH-AWD 60 / 40	Recommended Fuel ¹⁹		Premium unleaded 91 octane
Inline-4 with A-Spec & Technology Packages 3580 lb. (1624 kg) V-6 with Technology Packages 3640 lb. (1640 kg) V-6 with Technology Packages 3640 lb. (1651 kg) Curb Weight V-6 with A-Spec and Technology Packages 3680 lb. (1669 kg) V-6 with A-Spec and Technology Packages 3664 lb. (1662 kg) 3664 lb. (1662 kg) V-6 with A-Spec and Technology Packages 3664 lb. (1662 kg) 3680 lb. (1708 kg) V-6 SH-AWD with Technology Packages 3788 lb. (1718 kg) 3788 lb. (1718 kg) V-6 with A-Spec and Technology Packages 3812 lb. (1729 kg) 3812 lb. (1729 kg) Weight Distribution (% front / rear) V-6 SH-AWD with Advance Package 60 / 40 Weight Capacity SH-AWD 60 / 40	Curb Weight	Inline-4	3505 lb. (1590 kg)
Curb Weight V-6 with Technology Package 3640 lb. (1651 kg) Curb Weight V-6 with A-Spec and Technology Packages 3680 lb. (1669 kg) V-6 with A-Spec and Technology Packages 3664 lb. (1662 kg) V-6 with Advance Package 3665 lb. (1708 kg) V-6 SH-AWD with Technology Packages 3788 lb. (1718 kg) V-6 with A-Spec and Technology Packages 3838 lb. (1741 kg) V-6 with A-Spec and Technology Packages 3812 lb. (1729 kg) V-6 With A-Spec and Technology Packages 3812 lb. (1729 kg) Weight Distribution (% front / rear) 60 / 40 Weight Distribution (% front / rear) 60 / 40 Fuel Tank Capacity 17.2 U.S. gallons (65 liters)		Inline-4 with Technology Package	3508 lb. (1591 kg)
Curb Weight V-6 with A-Spec and Technology Package 3640 lb. (1651 kg) Curb Weight V-6 with A-Spec and Technology Package 3680 lb. (1669 kg) V-6 with Advance Package 3664 lb. (1662 kg) 3665 lb. (1708 kg) V-6 SH-AWD V-6 SH-AWD 3665 lb. (1708 kg) V-6 SH-AWD with Technology Package 3788 lb. (1718 kg) V-6 with A-Spec and Technology Package 3838 lb. (1741 kg) V-6 SH-AWD with Advance Package 3812 lb. (1729 kg) V-6 SH-AWD with Advance Package 3812 lb. (1729 kg) Weight Distribution (% front / rear) 60 / 40 Weight Distribution (% front / rear) SH-AWD 60 / 40 Fuel Tank Capacity 17.2 U.S. gallons (65 liters)		Inline-4 with A-Spec & Technology Packages	3580 lb. (1624 kg)
Curb Weight V-6 with A-Spec and Technology Packages ACUP Weight V-6 with A-Spec and Technology Packages V-6 SH-AWD V-6 SH-AWD with Technology Package V-6 SH-AWD with Technology Packages V-6 SH-AWD with A-Spec and Technology Packages V-6 SH-AWD with Advance Package V-6 SH-AWD with Advance Package ACUP V-6 SH-AWD ACU		V-6	3616 lb. (1640 kg)
V-6 with Advance Package 3664 lb. (1662 kg) V-6 SH-AWD 3665 lb. (1708 kg) V-6 SH-AWD with Technology Package 3788 lb. (1718 kg) V-6 with A-Spec and Technology Package 3838 lb. (1741 kg) V-6 SH-AWD with Advance Package 3812 lb. (1729 kg) V-6 SH-AWD with Advance Package 3812 lb. (1729 kg) Weight Distribution (% front / rear) 60 / 40 Fuel Tank Capacity 17.2 U.S. gallons (65 liters)		V-6 with Technology Package	3640 lb. (1651 kg)
V-6 SH-AWD3665 lb. (1708 kg)V-6 SH-AWD with Technology Package3788 lb. (1718 kg)V-6 with A-Spec and Technology Packages3838 lb. (1741 kg)V-6 SH-AWD with Advance Package3812 lb. (1729 kg)V-6 SH-AWD with Advance Package60 / 40Weight Distribution (% front / rear)61 / 39Fuel Tank Capacity17.2 U.S. gallons (65 liters)		V-6 with A-Spec and Technology Packages	3680 lb. (1669 kg)
V-6 SH-AWD with Technology Package 3788 lb. (1718 kg) V-6 with A-Spec and Technology Packages 3838 lb. (1741 kg) V-6 SH-AWD with Advance Package 3812 lb. (1729 kg) V-6 SH-AWD with Advance Package 3812 lb. (1729 kg) Weight Distribution (% front / rear) 60 / 40 Fuel Tank Capacity 17.2 U.S. gallons (65 liters)		V-6 with Advance Package	3664 lb. (1662 kg)
V-6 with A-Spec and Technology Packages3838 lb. (1741 kg)V-6 SH-AWD with Advance Package3812 lb. (1729 kg)Inline-460 / 40Weight Distribution (% front / rear)V-6H-AWD61 / 39Fuel Tank Capacity17.2 U.S. gallons (65 liters)		V-6 SH-AWD	3665 lb. (1708 kg)
V-6 SH-AWD with Advance Package3812 lb. (1729 kg)Inline-460 / 40Weight Distribution (% front / rear)V-661 / 39SH-AWD60 / 4060 / 40Fuel Tank Capacity17.2 U.S. gallons (65 liters)		V-6 SH-AWD with Technology Package	3788 lb. (1718 kg)
Inline-460 / 40Weight Distribution (% front / rear)V-661 / 39SH-AWD60 / 40Fuel Tank Capacity17.2 U.S. gallons (65 liters)		V-6 with A-Spec and Technology Packages	3838 lb. (1741 kg)
Weight Distribution (% front / rear)V-661 / 39SH-AWD60 / 40Fuel Tank Capacity17.2 U.S. gallons (65 liters)		V-6 SH-AWD with Advance Package	3812 lb. (1729 kg)
(% front / rear) V-0 017 37 SH-AWD 60 / 40 Fuel Tank Capacity 17.2 U.S. gallons (65 liters)	Weight Distribution (% front / rear)	Inline-4	60 / 40
Fuel Tank Capacity 17.2 U.S. gallons (65 liters)		V-6	61 / 39
		SH-AWD	60 / 40
Maximum Seating Capacity 5	Fuel Tank Capacity		17.2 U.S. gallons (65 liters)
	Maximum Seating Capacity		5





Standard Features

Exterior Features

Power moonroof

Jewel Eye® LED headlights

LED-illuminated taillights, brake lights, side mirror-integrated directional signals, rear license and Center High Mount Stop Light

Acoustic glass windshield

Remote-operated windows and moonroof-open function

Capless fuel lid

Interior Features

Dual-zone, adaptive automatic climate control with humidity control and air filtration

Keyless Access System with smart entry, pushbutton ignition and Acura personalized settings

Power windows with auto-up/down and auto-reverse and key-off operation

Driver's 10-way power seat with power lumbar support

Front passenger's 4-way power seat

Heated front seats

60/40 split folding rear seatback

Tilt and telescopic steering column

Leather-wrapped steering wheel and shift knob

Steering wheel-mounted controls (cruise control, audio, phone, Multi-Information Display and available voice recognition)

Color Multi-Information Display (MID)

Connectivity pocket with sliding tray

Active Sound Control

Ambient cabin lighting







Automatic dimming rearview mirror

Retained accessory power for windows and moonroof

12-volt power outlets (center console and front armrest)

Trunk cargo bin

Media & Connectivity

Apple CarPlay ^{™51} integration			
Android Auto ^{™52} integration			
Siri® Eyes Free			
SMS, MMS text message and email capability ⁴⁴			
On Demand Multi-Use Display™ (ODMD™)			
Multi-Information Display (MID)			
<i>Bluetooth</i> ®11 HandsFreeLink® wireless smartphone interface			
Acura Premium Audio System with 7 Speakers			
Aha™ compatibility			
SiriusXM® Satellite Radio ⁴			
Pandora®45 compatibility			
USB ⁷ Audio Interface with iPhone ^{®8} integration			
Bluetooth®11 streaming audio			
MP3/auxiliary input jack			
Speed-sensitive Volume Compensation (SVC)			
HomeLink®			
Compass			
Maintenance Minder™ system			







Driver Convenience

Hill start assist	
Electronic parking brake with automatic brake hold	
Cruise control	
Auto-on/off headlight operation with wiper integration	
Heated side mirrors with reverse gear tilt-down	
Safety & Driver Assistive Technologies	
Lane Keeping Assist System (LKAS) ⁵⁹	
Adaptive Cruise Control (ACC) with low-speed follow ⁵³	
Road Departure Mitigation system	
Collision Mitigation Braking System™ (CMBS™) with head-up warning	
Multi-view rear camera ⁵⁰ with dynamic guidelines	
Next-generation Advanced Compatibility Engineering™ (ACE™) body structure	
Advanced front airbags (SRS)	
Side curtain airbags	
Driver's knee airbag	
Vehicle Stability Assist™ (VSA®) ¹² with traction control and motion adaptive steering	
Agile Handling Assist®	
4-Wheel Anti-Lock Braking System (ABS)	
Electronic Brake Distribution (EBD)	
Brake Assist	
LED Daytime Running Lights (DRL)	
Tire Pressure Monitoring System (TPMS) with location and pressure indicators and tire fill assist	
Theft-deterrent system with electronic immobilizer	
Tire sealant and repair kit	





PRECISION CRAFTED PERFORMANCE

Warranties

Vehicle ¹⁶	4-year / 50,000-mile limited warranty
Powertrain ¹⁶	6-year / 70,000-mile limited warranty
Outer body rust-through	5-year / unlimited-mile limited warranty
Acura Genuine Accessories ¹⁷	4-year / 50,000-mile limited warranty
Acura Total Luxury Care [®] (TLC) with Roadside Assistance ¹⁸	4-year / 50,000-mile



Disclaimers

Prices shown are Acura suggested retail prices only and do not include taxes, license or a \$940 destination and handling charge. Acura vehicle accessory costs, labor and installation vary. Dealers set their own prices. Please consult your selected dealer.

- ³ Does not apply to fluid and filter changes or periodic inspections. Please refer to the maintenance section of your owner's manual to determine all appropriate maintenance intervals.
- 4

1

SiriusXM Satellite Radio, subscription purchasable after trial period. If you decide to continue your service at the end of your trial subscription, the plan you choose will automatically renew and bill at then-current rates until you call 1-866-635-2349 to cancel. See SiriusXM Customer Agreement for complete terms at siriusxm.com. Other fees and taxes will apply. All fees and programming subject to change. Not all vehicles are capable of receiving all services offered by SiriusXM. Current information and features may not be available in all locations, or on all receivers. XM satellite service is available only to those at least 18 years of age in the 48 contiguous USA and DC. SiriusXM Internet Radio service is available throughout our satellite service area and in AK, HI and PR. © 2017 Sirius XM Radio Inc. Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc.

Windows Media® Audio is a trademark or registered trademark of Microsoft® Corporation in the United States and/or other countries.

7 The USB Audio Interface is used for direct connection to and control of some current digital audio players and other USB devices that contain MP3, WMA or AAC music files. Some USB devices with security software and digital rights-protected files may not work. Please see your local Acura dealer for details on compatibility.

⁸ iPhone® and iPod® are registered trademarks of Apple Computer, Inc., registered in the U.S. and other countries.

Acura Navigation System and related features available only in the United States, Puerto Rico and parts of Canada. See your local Acura dealer for information regarding navigation system area coverage

¹¹ The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc., and any use of such marks is under license.

- ¹² VSA is not a substitute for safe driving. It cannot correct the vehicle's course in every situation or compensate for reckless driving. Control of the vehicle always remains with the driver.
- 16 Ordinary maintenance items or adjustments, parts subject to normal wear and replacement, and certain other items are excluded.
- ¹⁷ When installed at the time of new-vehicle delivery.
- ¹⁸ See your local dealer for details about Total Luxury Care® (TLC), Roadside Assistance, and Concierge Service.
- ¹⁹ Some models require premium fuel and for others, it's recommended. Consult your dealer for details.
- ²⁰ The system is not a substitute for your own visual assessment before changing lanes; system accuracy will vary based on weather, size of object and speed.
- ³² ELS Studio[®] is a registered trademark of Panasonic Corporation of North America. All rights reserved.
- 38 Based on 2019 EPA mileage ratings. Use for comparison purposes only. Your actual mileage will vary, depending on how you drive and maintain your vehicle, driving conditions, battery pack age/condition (hybrid only) and other factors.
- ⁴⁵ Compatible with select smartphones. Your wireless carrier's rate plans apply.
- 50 Always visually confirm that it is safe to drive before backing up; the rear view camera display does not provide complete information about all conditions and objects at the rear of your vehicle.





Depending on use, Apple CarPlay can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with the connected iPhone. See Apple's privacy policy for details regarding Apple's use and handling of data uploaded by CarPlay. Use of CarPlay is at user's own risk, and is subject to agreement to the CarPlay terms of use, which are included as part of the Apple iOS terms of use. CarPlay vehicle integration is provided "as is," and Honda cannot guarantee CarPlay operability or functionality now or in the future due to, among other conditions, changes in CarPlay software/Apple iOS, service interruptions, or incompatibility or obsolesce of vehicle-integrated hardware or software. See dealer for details.

52

Depending on use, Android Auto can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with Google and its service providers. See Google privacy policy for details regarding Google's use and handling of data uploaded by Android Auto. Use of Android Auto is at user's own risk, and is subject to agreement to the Android Auto terms of use, which are presented to the user when the Android Auto application is downloaded to the user's Android phone. Android Auto vehicle integration is provided "as is," and Acura cannot guarantee Android Auto operability or functionality now or in the future due to, among other conditions, changes in Android Auto software/Android operating system, service interruptions, or incompatibility or obsolesce of vehicle-integrated hardware or software. See dealer for details. Only use Android Auto when conditions allow you to do so safely.

⁵³ Adaptive Cruise Control (ACC) with Low-Speed Follow cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. ACC should not be used in heavy traffic, poor weather or on winding roads. The driver remains responsible for avoiding a collision.

59

LKAS only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. LKAS may not detect all lane markings; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.

70

Credit card and AcuraLink The Next Generation enrollment required to sign up for 90-Day Free Trial of AcuraLink Premium. For owners with Standard package enrollment, credit card will be billed for 1-year Premium package subscription if 90-Day Free Trial not cancelled by day 90. For owners with Connect package enrollment, credit card will be immediately billed for 1-year Connect package subscription, and the difference between the 1-year Connect and Premium packages will be charged if 90-Day Free Trial not cancelled by day 90. For owners with Premium package enrollment, credit card will be immediately billed for 1-year Premium package subscription. If you cancel by day 90, you will be refunded the Premium package subscription fee. If you do not cancel, your 1-year AcuraLink Premium subscription begins – giving you 15 months for the price of 12.

