UNIT 9: POLYGONS AND QUADRILATERALS

I can define, identify and illustrate the following terms: Polygon Hexagon Parallelogram **Regular Polygon** Heptagon Rhombus **Irregular Polygon** Octagon Diagonal Concave Nonagon Kite Convex Decagon Isosceles trapezoid Quadrilateral Dodecagon Pentagon n-gon Dates, assignments, and quizzes subject to change without advance notice.

of
s
nd
3

Monday, 1/28

Naming and Classifying Polygons

- □ I can name polygons
- □ I can classify polygons

PRACTICE: Complete Vocabulary Worksheet

Tuesday, 1/29

Angles in Polygons

- □ I can find the sum of the measures of the interior angles in a polygon.
- □ I can find the sum of the measures of the exterior angles in a polygon.
- □ I can determine the polygon given the sum of the interior angles.
- □ I can determine the regular polygon given the measure of one interior angle or one exterior angle.

Practice: Angles in Polygons Practice Part 1

Wednesday or Thursday, 1/30 – 1/31

Properties of Parallelograms and Special Parallelograms

QUIZ: POLYGONS

□ I can state the properties of a parallelogram

- □ I can state the properties of the different special parallelograms
- □ I can compare and contrast the properties of a parallelogram, rectangle, rhombus, and square.

PRACTICE: Angles in Polygons Practice Part 2

Friday, 2/1

Properties of Parallelograms and Special Parallelograms

I can state the properties of a parallelogram

- □ I can state the properties of the different special parallelograms
- □ I can compare and contrast the properties of a parallelogram, rectangle, rhombus, and square.

PRACTICE: Quadrilaterals Properties Homework

Monday, 2/4

Using Properties of Parallelograms and Special Parallelograms

- □ I can use the properties of a parallelogram to solve problems
- □ I can use the properties of the different special parallelograms to solve problems.
- □ I can use the relationships of the special parallelograms and parallelograms to answer questions.

PRACTICE: Using Properties of Parallelograms Worksheet #1-24

Tuesday, 2/5

Using Properties of Parallelograms and Special Parallelograms

- □ I can use the properties of a parallelogram to solve problems
- □ I can use the properties of the different special parallelograms to solve problems.
- □ I can use the relationships of the special parallelograms and parallelograms to answer questions.

PRACTICE: Using Properties of Parallelograms Worksheet #25-39

Wednesday or Thursday, 2/6 – 2/7

Proving and Constructing Parallelograms and Special Parallelograms

- □ I can prove that a quadrilateral is a parallelogram, rectangle, rhombus, or square.
- □ I can justify that 4 points on a coordinate plane create a parallelogram, rectangle, rhombus, or square.
- □ I can recognize the construction of parallel lines and perpendicular lines used to create a specific quadrilateral.

PRACTICE: Quadrilaterals in a Coordinate Plane Worksheet

Friday, 2/8

Properties of Kites and Trapezoids

- □ I can use the properties of a kite to solve problems.
- □ I can use the properties of a trapezoid or isosceles trapezoid to solve problems.

PRACTICE: Trapezoids and Kites Assignment #1

Monday, 2/11

Properties of Kites and Trapezoids

- □ I can use the properties of a kite to solve problems.
- □ I can use the properties of a trapezoid or isosceles trapezoid to solve problems.
- □ I can prove that a quadrilateral is a kite, trapezoid, or isosceles trapezoid.
- □ I can justify that 4 points on a coordinate plane create a kite, trapezoid, or isosceles trapezoid.

PRACTICE: Trapezoids and Kites Assignment #2

Tuesday, 2/12

Review


PRACTICE: Review Worksheet

Wednesday or Thursday, 2/13 – 2/14

Test #9: Polygons and Quadrilaterals

Name	Period
	Vocabularv Notes
NUMBER OF SIDES	NAME OF POLYGON
3	
4	
5	
6	
7	
8	
9	
10	
12	
п	

Describe the following vocabulary terms based on the given examples.



Vocabulary Assignment

1) Tell why each shape is or is not a polygon. If it is a polygon, name it by the sides.







C.



2) Tell why each shape is regular or irregular.



3) Tell why each shape is convex or concave.





4) Draw the following, or tell why it cannot be drawn.

A. Concave equilateral pentagon

C. Irregular Equilateral triangle







B. Concave trapezoid

D. Convex irregular heptagon

5) Tell whether each statement is Always, Sometimes, or Never true.

- A. An equiangular triangle is a regular convex polygon
- B. A convex pentagon is a regular polygon
- C. A equilateral dodecagon is equiangular
- D. A concave polygon is irregular.
- E. Regular octagons are similar polygons.
- F. A dodecagon has 12 sides.
- G. A nine sided polygon is a nonagon.

6) As the number of sides increases in a regular polygon, what geometric shape does it approach?

7) If 2 polygons are similar, then what is true about their angles and their sides?

Name of polygon	Number of Sides	Number of Diagonals from a vertex	Number of triangles in polygon	Sum of interior angles	Measure of one interior angle (Regular Only)	Measure of one exterior angle (Regular Only)	Sum of exterior angles
Triangle							
Quadrilateral							
Pentagon							
Hexagon							
Heptagon							
Octagon							
Nonagon							
Decagon							
<i>n</i> -gon							

Angles in Polygons – Assignment Part 1

I. Fill in the chart for the regular polygons.


Polygon	Sum of Interior \angle 's	Each Interior \angle	Sum of Exterior ∠ 's	Each Exterior ∠
octagon				
heptagon				
20-gon				
pentagon				
	1440°			
12-gon				
18-gon				
hexagon				
				40°
36-gon				
		60°		
				90°
72-gon				

II. Solve the following word problems.

1) If the sum of the interior angles is 1980° , what is the name of the polygon?

- 2) If each of the exterior angles is 15° , what is the name of the polygon?
- 3) If each on the interior angles is 108° , what is the name of the polygon?
- 4) If it is a decagon, what is the sum of the exterior angles?
- 5) If the sum of the interior angles is 3600°, what is the name of the polygon?
- 6) If each of the exterior angles is 24° , what is the name of the polygon?
- 7) If each of the interior angles is 135° , what is the name of the polygon?
- 8) If each of the exterior angles is 60° , what is the name of the polygon?
- 9) If each interior angle is 160° , what is the name of the polygon?

Find the value of x in each of the following.



Angles in Polygons – Assignment Part 2

The sum of the interior angles of a polygon is the same as the sum of its exterior angles. What type of polygon is it?

- A quadrilateral
- B hexagon
- C octagon
- D decagon

The measures of the interior angles of a pentagon are 2x, 6x, 4x - 6, 2x - 16, and 6x + 2. What is the measure, in degrees, of the largest angle?

- A 28
- **B** 106
- C 170
- D 174

A regular polygon has 12 sides. What is the measure of each exterior angle?

- A 15°
- B 30°
- C 45°
- D 60°


What is the measure of an exterior angle of a regular hexagon?

- A 30°
- B 60°
- C 120°
- D 180°

If the measure of an exterior angle of a regular polygon is 120°, how many sides does the polygon have?

- A 3
- **B** 4
- C 5
- **D** 6

Which equation could best be used to determine the value of X?



Α	120° +	110° + x	$x^{\circ} + 155^{\circ} + x^{\circ} = 72$	0°
в	120° +	110° + x	$x^{\circ} + 155^{\circ} + x^{\circ} = 54$	٥°
с	120° +	110° + x	$x^{\circ} + 155^{\circ} + x^{\circ} = 36$	0°
D	120° +	110° + x	$x + 155^\circ + x^\circ = 18$	0°

For the quadrilateral shown below, what is $m\angle a + m\angle c$?


B

A

в

С

D



The sum of the interior angles of a polygon of n sides is

(1) 360 (3)
$$(n-2) \cdot 180$$

(2)
$$\frac{360}{n}$$
 (4) $\frac{(n-2)\cdot 180}{n}$

Three interior angles of a convex heptagon measure 125°, and two of the interior angles measure 143°. Which are possible measures for the other two interior angles of the heptagon?

F 48° and 48°	H 100° and 116°
G 39° and 100°	J 89° and 150°

For which polygon does the sum of the measures of the interior angles equal the sum of the measures of the exterior angles?


(1) hexagon

(3) quadrilateral

(2) pentagon


(4) triangle

Find the value of r.




A pentagon has two exterior angles that measure $(3x)^\circ$, two exterior angles that measure $(2x + 22)^\circ$, and an exterior angle that measures $(x + 41)^\circ$. If all of these angles have different vertices, what are the measures of the exterior angles of the pentagon?

Find the measure of $\angle RKL$.



What is the measure of ∠GCD?



F	123	н	13
G	116°	J	29°

LL 700

1000

Quadrilaterals Discovery

Use the 4 figures and patty paper to answer the following questions. There may be more than one answer to each question. ALWAYS LIST ALL THAT APPLY.

- 1. Which of these figures have congruent sides? How do you know they are congruent? Which sides are congruent? State the congruencies.
- 2. Which of these figures have congruent corner angles? How do you know they are congruent? Which angles are congruent? State the congruencies.
- 3. Are there any other angles in each figure that are congruent? How do you know they are congruent? State all congruent pairs.

4. Which of these figures have right angles in the corners? How do you know they are right angles? Are all corners right angles in these figures, or just some?

5. Which of these figures have bisected diagonals? How do you know they are bisected? Which pieces are congruent? State the congruencies.

6. Which of these figures have congruent diagonals? How do you know they are congruent? State the congruencies?


- 7. Which of these figures have bisected corner angles? How do you know they are bisected? State the congruencies.
- 8. Which of these figures have perpendicular diagonals? How do you know they are perpendicular?
- 9. Which of these figures have congruent triangles in them? Is there more than one pair of congruent triangles? List all congruent triangle pairs for each figure? How do you know they are congruent (which theorem did you use SSS, SAS, ASA, AAS, HL)?

10. List all segment addition and angle addition equations for each figure. (Part + Part = whole)

SUMMARY:

Figure 1: Type of quadrilateral ______ List of properties that apply to figure 1:

- Figure 2: Type of quadrilateral ______ List of properties that apply to figure 2:
- Figure 3: Type of quadrilateral ______ List of properties that apply to figure 3:
- Figure 4: Type of quadrilateral ______ List of properties that apply to figure 4:



3. EFGH is a parallelogram. Find *FH*.

]

4. Carpentry The rectangular gate has diagonal braces. Find *HJ*. Find *HK*.

5. TVWX is a rhombus. Find TV.

Find m $\angle VZT$.

Find m∠*VTZ*.

Quadrilateral Properties HW

Answer each of the following questions.


- 1. If a property is true in a square, what other figure(s) must it be true in?
- 2. If a property is true in a rectangle, what other figure(s) must it be true in?
- 3. If a property is true in a rhombus, what other figure(s) must it be true in?
- 4. If a property is true in a parallelogram, what other figure(s) must it be true in?
- 5. If a figure is a rectangle, what else MUST it be?
- 6. If a figure is a parallelogram, what else MUST it be?
- 7. If a figure is a square, what else MUST it be?
- 8. If a figure is a rhombus, what else MUST it be?

Tell whether the following are true or false. If false, state or draw a counterexample.


- 9. A square is always a parallelogram.
- 10. A parallelogram is always a square.
- 11. A rectangle is always a rhombus.
- 12. A rhombus can never be a square.
- 13. Every rectangle is also a square.
- 14. Every parallelogram is regular.
- 15. A rhombus is always irregular.

For each shape, finish the statements.

Parallelogram




Rectangle



$\overline{RS} \cong$	$\overline{SP} \cong$	$\overline{QZ} \cong ___$	$\overline{PR} \cong ___$
$QZ + SZ = _$	PR-	- ZR =	$m \not < QZR = ___$
m∢PQR =	m∢l	PQZ + =	m∢PQR
$\Delta QPS \cong$	ΔQZ	ZR ≅	


Rhombus



$\overline{XW} \cong ___$	$\overline{XY} \cong __$	$\overline{XZ} \cong$	$\overline{WZ} \cong ___$
XZ + VZ =	_ WY -	$__=WZ$	=90°
$m \sphericalangle WXY = _$	<i>m∢W</i>	$XY + m \sphericalangle XWV$	=
$m \not\prec VWZ = _$	ΔWZ	∕≅	$\Delta WVY \cong$

Square





USING QUADRILATERAL PROPERTIES

Properties of a parallelogram:

- 1. Opposite sides are parallel.
- 2. Opposite sides are congruent.
- 3. Opposite angles are congruent.
- 4. Consecutive angles are supplementary.
- 5. Diagonals bisect each other.

EXAMPLE 1


Complete each statement regarding the parallelogram below.


- a) Name the parallelogram:_____
- b) AB | | _____
- c) DA ≅ _____
- d) ∠CDA ≅ _____
- e) DE ≅


4.


EXAMPLES


For each parallelogram, find the values of 'x', 'y', and 'z'.












EXAMPLE 5

Use the rectangle KLMN and the given information to find the following.




m∠1 = 70°	m∠6 =
m∠2 =	m∠7 = 20°
m∠3 =	m∠8 =
m∠4 =	m∠9 =
m∠5 =	m∠10 =

CN = 15	KL = 16
CM =	KM =
CL =	KN =
CK =	NM =
NL =	LM =

 Opposite sides parallel. Opposite sides congruent. Opposite angles congruent. 	
3. Opposite angles congruent.	
4. Consecutive angles supplementary.	
5. Diagonals bisect each other.	
6. Four congruent sides.	
7. Diagonals are perpendicular.	
8. Diagonals bisect opposite angles.	

EXAMPLE 6

Given Rhombus RSTV, if $m \angle RST = 67^{\circ}$, find $m \angle RSW$.




EXAMPLE 7 Given Rhombus RSTV, find m \angle SVT if m \angle STV = 135°.




In rhombus DLMP, DM = 24, m \angle LDO = 43°, and DL = 13. Find each of the following.

- a) OM = _____
- b) m∠DOL = _____
- c) m∠DLO = _____
- d) m∠DML = _____
- e) DP = _____




Ŵ





EXAMPLE 9

MATH is a square.

- a) If MA = 8, then AT = _____
- b) m∠HST = _____
- c) m∠MAT = _____
- d) If HS = 2, then HA = _____ and MT = _____







Use rhombus ABCD and the given information to find each value.

	given information to find cach value.	-
15. m∠ACD=	If $m \angle BAF = 28^{\circ}$, find $m \angle ACD$.	B D C
16. m∠ABC =	If m∠ACD = 34°, find m∠ABC.	

-

Use rhombus PQRS and the given information to find each value.

17. SQ =	If ST = 13, find SQ.	S T R
18. m∠QRS =	If m∠PRS = 17°, find m∠QRS.	P
19. m∠STR =	Find m∠STR.	


Use the rhombus ABCD and the given information to find each measure.

20	Find m∠BEC.		59°
21	Find m∠BCE.	A	12cm
22	Find AC.		14 cm
23	Find m∠ABD.		
24	Find AD.		

- 25. Which of the following statements describes properties and characteristics of squares?
 - I. Consecutive angles are supplementary.
- II. Diagonals are perpendicular bisectors and angle bisectors.
- III. It is the only regular quadrilateral.
- IV. Four right isosceles triangles form from the intersection of the diagonals.
 - A All of the above statements are true.
 - B II, III, and IV only
 - C I, III, IV only
 - **D** I, II, and III only
 - E I, II, and IV only

26. Which choice must be true about parallelograms?


- A The diagonals are congruent.
- **B** Two pairs of sides are parallel.
- C The diagonals are perpendicular bisectors.
- **D** The diagonals are angle bisectors.
- E All quadrilaterals are parallelograms.
- 27. The figure below is rectangle *ABCD* with point *E* as the intersection of diagonals *AC* and *DB*.




- 28. Which of the following procedures can be used to find $m \angle AEB$?
 - A Find the complement of $\angle 1$, multiply the result by 2, and then subtract from 180.
 - **B** Find the supplement of $\angle 5$, divide by 2, and then subtract the result from 180.
 - C Add $\angle 1$, $\angle 3$, and $\angle 4$ together. Then subtract the result from 180.
 - **D** Add $\angle 2$, $\angle 3$, and $\angle 5$ together. Then subtract the result from 180.


- 29. In rhombus *ABCD*, $m \angle DCB$ is 120°. What is $m \angle ABD$?
 - **A** 20° **B** 30° **C** 60° **D** 120°
- 30. Choose the best counterexample for the conditional statement below:


"If a quadrilateral has a pair of parallel sides and a pair of congruent sides, then the quadrilateral is a parallelogram."






- **A** $\overline{AD} = 31$ and $\overline{DC} = 44$
- **B** $\overline{AD} = 8$ and $\overline{DC} = 6$
- **C** $\overline{AD} = 10$ and $\overline{DC} = 26$
- **D** $\overline{AD} = 30$ and $\overline{DC} = 10$





33. The figure below shows interior angles of a quadrilateral. Find the value of *x* that would make the figure a parallelogram.



Record your answer in the grid provided.

34.


Parallelogram ABCD has coordinates A(1,5), B(6,3), C(3,-1), and D(-2,1). What are the coordinates of E, the intersection of diagonals \overline{AC} and \overline{BD} ?

(1) (2,2)	(3) (3.5,2)
-----------	-------------

(2) (4.5,1)	(4)	(-1,3)
-------------	-----	--------

÷	\odot						
Θ	0	0	0	0	0	0	0
	1	1	1	1	1	1	1
	2	2	2	2	2	2	2
	3	3	3	3	3	3	3
	4	4	4	4	4	4	4
	5	5	5	5	5	5	5
	6	6	6	6	6	6	6
	7	7	7	7	7	7	7
	8	8	8	8	8	8	8
	9	9	9	9	9	9	9

35. If *ABCD* is a parallelogram, what is the length of segment *BD*?




Quadrilateral ABCD is a parallelogram. If
 37. adjacent angles are congruent, which statement must be true?

- A Quadrilateral ABCD is a square.
- B Quadrilateral ABCD is a rhombus.
- C Quadrilateral ABCD is a rectangle.
- D Quadrilateral ABCD is an isosceles trapezoid.

38.

In parallelogram ABCD shown below, diagonals \overline{AC} and \overline{BD} intersect at E.




Which statement must be true?

(1) $\overline{AC} \cong \overline{DB}$	(3) $\triangle AED \cong \triangle CEB$
(2) $\angle ABD \cong \angle CBD$	(4) $\triangle DCE \cong \triangle BCE$

39. In the diagram below, MATH is a rhombus with diagonals \overline{AH}





If $m \angle HAM = 12$, what is $m \angle AMT$?

(1) 12	(3)	84
(2) 78	(4)	156

the conjecture below?

10

12

А

B 11

С

D 14

36.

If one pair of opposite sides of a quadrilateral is parallel, then the quadrilateral is a parallelogram.


Which figure can serve as a counterexample to


- A rectangle
- B rhombus
- C square
- D trapezoid

Which Parallelogram Am I?


A	$\measuredangle 7 \cong \measuredangle 8 \cong \measuredangle 6$	В	$\overline{BE} \cong \overline{AE}$
С	$\Delta BEC \cong \Delta DEA$	D	$m \measuredangle 7 = m \measuredangle 8$
Е	$\overline{AB} \parallel \overline{CD}$; $\overline{AB} \perp \overline{BC}$	F	$\measuredangle ABE and \measuredangle CBE$ are complementary $\measuredangle ABC$ and $\measuredangle BEC$ are supplementary
G	$m\measuredangle7 = m\measuredangle4$	н	$m \measuredangle E = 90^{\circ}$
Ι	ΔAED is an isosceles right triangle.	J	If $\overline{AE} = 9$, then $\overline{DE} = 9$
K	E is the midpoint of \overline{BD} and \overline{AC}	L	$\measuredangle 7 \cong \measuredangle 3; \measuredangle 1 \cong \measuredangle 5$


Parallelogram






Rectangle





QUADRILATERALS ON THE COORDINATE PLANE



Use the diagonals to determine whether a parallelogram with the given vertices is a rectangle rhombus, or square. Give all the names that apply.

Example

P(-1, 4), Q (2, 6), R(4, 3), S(1, 1)

Step 1- Graph PQRS.

Step 2- Find PR and QS to determine if PQRS is a rectangle.

PQ = RS =

The diagonals are ______, therefore *PQRS* is a ______.

Step 3- Determine if \square QRS is a rhombus.

Slope of PR =


Slope of QS =

Step 4- Determine if *P***PPPRS** is a square.

Since PQRS is a ______ and a ______, it has four ______ angles and


four ______ sides. So \square PQRS is a square by ______.

YOUR TURN!!! WHOO HOO!!! W(0, 1), X(4, 2), Y(3, -2), Z(-1, -3)




Quadrilaterals on a Coordinate Plane Assignment

1. Show that ABCD is a parallelogram using the following points: A(-3, 2), B(-2, 7), C(2, 4), and D(1, -1).




2. Show that FGHJ is a parallelogram using the following points: (F(-4, -2), G(-2, 2), H(4, 3), and J(2, -1).




4. Use the diagonals to determine whether a parallelogram with the given vertices is a rectangle, rhombus, or square. Give all the names that apply.

P(-5, 2), Q(4, 5), R(6, -1), S(-3, -3)




3. Rachel graphs a parallelogram with the coordinates A(5,4), B(5, 10), C(9, 8), D(9, 2). What is the coordinates of the point where the diagonals meet?




7


Trapezoid and Kite Examples

Trapezoid Ex. 1 Find m<C








Ex. 3 *JN* = 10. 6, and *NL* = 14.8. Find *KM*.




Ex. 4 Find the value of *a* so that *PQRS* is isosceles.








Kites Ex. 1 Find KL




Ex. 2 In kite *PQRS*, $m \angle PQR = 78^\circ$, and $m \angle TRS = 59^\circ$. Find $m \angle QPS$.



Trapezoid and Kites Assignment

I. For each shape finish the statements.



- II. Answer the following questions.
 - 1. Draw the following and label the 2 bases: TRAP is an isosceles trapezoid with diagonals \overline{RP} and \overline{TA} .
 - 2. Draw the following quadrilateral: ABCD, $\overline{AB} \parallel \overline{CD}$, $\measuredangle A \cong \measuredangle B$, and $\overline{AB} \neq \overline{CD}$.
 - 3. The measures of the bases of a trapezoid are 8 and 26. What is the measure of the midsegment of the trapezoid?
 - 4. Which statement is never true for a kite?
 - a. The diagonals are perpendicular
 - b. One pair of opposite angles are congruent
 - c. One pair of opposite sides are parallel
 - d. Two pairs of consecutive sides are congruent.

- III. Please answer the following questions as Always, Sometimes, or Never true
 - 5. If a quadrilateral is a trapezoid then it is an isosceles trapezoid.
 - 6. If a quadrilateral is an isosceles trapezoid then it is a trapezoid.
 - 7. If the diagonals of a quadrilateral are perpendicular then it is a kite.
 - 8. If a quadrilateral has exactly one pair of parallel sides, then it is a parallelogram.
- IV. Mark the symbols on each figure to match the given definition.
 - 9. Kites are quadrilaterals with perpendicular diagonals.

- 10. Kites are quadrilaterals with exactly one pair of congruent opposite angles.
- 11. Kites are quadrilaterals with exactly two pairs of congruent consecutive sides.
- 12. Trapezoids are quadrilaterals with exactly one pair of parallel sides.



13. Isosceles trapezoids are trapezoids with congruent legs.




- 14. Isosceles trapezoids are trapezoids with two pairs of congruent base angles.

15. Isosceles trapezoids are trapezoids with congruent diagonals.


Trapezoid and Kites Assignment #2

1. In the diagram below, LATE is an isosceles trapezoid with $\overline{LE} \cong \overline{AT}$, LA = 24, ET = 40, and AT = 10. Altitudes \overline{LF} and \overline{AC} are drawn.



What is the length of \overline{LF} ?

- (1) 6 (3) 3
- (2) 8 (4) 4
- In the diagram below of isosceles trapezoid ABCD, AB = CD = 25, AD = 26, and BC = 12.



What is the length of an altitude of the trapezoid?


1)	7	(3)	19
2)	14	(4)	24

(


7. Find mZA.




Find the value of z so that EFGH is isosceles.




11. Find QR.



In the diagram below, *EF* is the median of trapezoid ABCD.




If AB = 5x - 9, DC = x + 3, and EF = 2x + 2, what is the value of x? (1) 5 (3) 7 (2) 2 (4) 8




- 8. RW = 17.7, and SV = 23.3. Find TW.
- MQ = 7y 6, and LP = 4y + 11.
 Find the value of y so that LMPQ is isosceles.





12. Find AZ.





Give the best name for the quadrilateral with the given verticies. Justify using slopes and/or distance. 22. (-4, -1), (-4, 6), (2, 6), (2, -4) 23. (-4, -3), (0, 3), (4, 3), (8, -3)





Unit 9 Review

1. Circle which the properties the	at are common to the rectan	gle, rhombus, and square
Equiangular	Diagonals bisect the angles	Diagonals are perpendicular to
1 0	Diagonals bisect each other	each other
	Opposite Angles Congruent	Consecutive Angles
Equilateral	Opposite Sides Congruent	
2. Complete the following		
Number of Sides	Number of Diago	ngonals
Triangle		
Quadrilateral		
II		
 diagonals meet? 4. List the properties of the parallelogram 	ABCD form a parallelogram	n. What is the coordinate of of where the
1 1 1 1 1		ame all the different types of quadrilaterals
7. ABCD is a rhombus. A(-3,5) B(2,7) perimeter?8. In Rhombus ABCD, in the problem all equation of diagonal AC?		its

9. Name the different ways you can prove a quadrilateral is a parallelogram.

10. Two interior angles of an octagon are 126° and 146° . The other six angles are congruent. Which equation could be used to find the measure of the six congruent angles.

A. 126 + 146 + x = 1080
B. 126 + 146 + 8x = 1440
C. 126 + 146 + 6x = 1080
D. 126 + 146 = 1440 - 6x

11. Given Isosceles Trapezoid PQRM with the coordinates (-4,-3) (0,3) (4,3) and (8,-3), What is the

slope of the midsegment?

12. Tell whether each statement is sometimes, always, or never true.

- a. A rectangle is a parallelogram_____
- b. A parallelogram is a rhombus _____
- c. A square is a rhombus _____
- d. A square is a rectangle _____
- e. A rhombus is a square _____
- f. A rhombus is a rectangle _____
- g. A rectangle is a quadrilateral _____
- h. A rectangle is a square _____

13) Make sure you know all the properties of the various quadrilaterals we


have studied.

17) Find x 18) Find y

19) TA =


14) Give the best classification for the following figure (-5,2) (-5,6) (-1,6)


(2,1)




S

Use for #15 and 16







R

WX.	VZ io	<u>a</u>	parallelogram.	Find	each m	casure.
21.	WV		22	. YW		
23.	XZ		24	. ZV		

20) Measure of angle A =