## **NCHRP**

20-07/Task 377

## Standardized Format for Bridge and Structure Information Models

**Project Status** 

Mark Mlynarski Hanjin Hu 06/27/2016



This investigation was sponsored by TRB under the NCHRP Program. Data reported are work in progress. The contents of this presentation has not been reviewed by the project panel or NCHRP, nor do they constitute a standard, specification, or regulation.



### Project Overview

Synthesize current practices and propose recommendations for future development of a standardized modeling format

#### Tasks to Date:

- Task 1: Conduct literature Review
- Task 2: Synthesize Common Modelling Formats
- Task 3: Hold a 2-Day Workshop

#### On-going Tasks:

- Task 4: Propose Recommendations for Future Research
- Task 5: Present Research Findings to T-19
- Task 6: Submit a Final Report



#### Task 1 – Literature Review

Task 1: Conduct a literature review of relevant standards and current practices utilized by State DOTs and international agencies.

Literature review included:

- Bridge/transportation efforts
- Building efforts
- Current practices and software application
- BIM/BrIM Roadmaps



## Task 2 – Format Synthesis

Task 2: Synthesize the common modelling formats including developed, proposed, or used by similar infrastructure industries.

#### 4-step synthesis:

- Step 1: Overview of common modeling formats and schemas
- Step 2: Selection of formats and schemas
- Step 3: Detailed evaluation of selected formats and schemas
- Step 4: Gap analysis of three schemas



### Task 2 – Stewardship Models

- Model 1: administrated by the AASHTOWare
- Model 2: administrated by a non-profit industry consortium
- Model 3: administrated by a coordination of FHWA, AASHTO and other organizations
- Model 4: administrated using a multi-year contract
- Model 5: administrated using a hybrid model




## Task 2 – Stewardship Model 1: AASHTOWare



Establish a task force under the AASHTOWare

#### Structure:


- The task force is under supervision of AASHTO
- Several technical working groups
- A working group for promotion



## Task 2 – Stewardship Model 2: Industry Consortium

#### Structure:

- Board of directors
- Specification program
- Interoperability program
- Public outreach and community adoption program






## Task 2 – Stewardship Model 3: Coordination of FHWA, AASHTO and other organizations

#### Structure:

- An executive director and a board of directors
- Member agencies
- Consultants
- Volunteers






## Task 2 – Stewardship Model 4: Multiyear Contract

FHWA or AASHTO-funded competitively awarded multiyear contract with:

- 1. University research center,
- 2. Nonprofit organization, or
- 3. Consulting firm



## Task 2 – Stewardship Model 5: Hybrid Stewardship Model






## Task 3 – Workshop

#### Task 3:

- Hold a two-day workshop to gather information and discuss recommendations
- The workshop was held on May 10<sup>th</sup> and 11<sup>th</sup> with 39 participants



## Task 3 – Workshop Attendees



## Task 3 – Workshop Presentations

#### 8 presentations in the workshop

- 2 Bridge owner/designer (state DOTs)
- 1 Fabricator
- 1 NSBA task group
- 2 Update of FHWA BrIM project
- 2 Schema synthesis and development



## Task 3 – Workshop Discussion and Polling Sessions

- Break-out session for 3 groups:
  - Stewardship of common modeling format
  - Design/fabrication/construction
  - Data format development/implementation


Two polling sessions



Which format should be chosen as the dominant data schema?

1. IFC


2. OpenBrIM



What is the best time frame to select the dominant data schema,

e.g. IFC, OpenBrIM?


- 1. 3 months
- 2. 6 months
- 3. 1 year
- 4. Other
- 5. Not sure



Who should make the selection? (Rank the following – select one

or more)


- 1. AASHTO T-19
- AASHTO SCOBS
- 3. FHWA
- 4. Software vendors
- 5. Software user groups
- 6. Other



Which is the preferred stewardship model for developing the standardized data


#### format?

- 1. Model 1: by AASHTOWare
- 2. Model 2: by an independent non-profi industry consortium
- Model 3: by a coordination of FHWA,AASHTO and other organizations
- 4. Model 4: using a multi-year contract
- 5. Model 5: using a hybrid model
- 6. Other
- 7. Not sure



Who should own/maintain the common modeling format?


- 1. FHWA
- 2. AASHTO
- Formats should emerge organically
- 4. Other



What are the possible funding sources for the standardized data

format?


- **FHWA**
- 2. AASHTO
- State DOTs
- Pooled Fund
- Consulting firms/contractors
- 6. Other



Can the AASHTOWare software be leveraged to promote the

standardized data format? If so, how?

- Implement the data format in AASHTOWare as a pilot study
- Promote the data format with AASHTOWare newsletter
- 3. Do nothing



## Summary of Task 4

#### Work conducted for task 4

- Identify potential challenges
- Provide a strategic plan for format adoption
- Propose recommendations for future work




### Task 4 – Challenges to BrIM Adoption

#### Challenges in 5 categories

- Technical challenges
- Process-related challenges
- Mindset-related challenges
- Legal challenges
- Return-on-investment challenges




## Task 4 – 4-Phase Cyclic Strategic Plan





## Task 4 – 4-Phase Cyclic Strategic Plan


Future work	Phase 1 Program	Phase 2 Develop	Phase 3 Implement	Phase 4 Deploy
Technical tasks	V	V	V	
Process-related tasks	V		V	<b>V</b>
Mindset-related tasks				V
Legal tasks				V
Investment tasks				V





#### Technical Tasks (3 months to 1 year)


- Work groups formation
- Define data exchange requirements
  - What data need to be exchanged
  - When the data exchanges happen
  - Among <u>whom</u> the data exchanges occur





Process-related Tasks (3 months to 1 year)


- Define vision, mission statements, and implementation objectives
- Define functional needs and business requirements
- Define BrIM use cases and level of detail





Technical Tasks (3 months to 3 years)


- Determine the dominant data exchange schema
- Generate common modeling format
- Test and publish the format





Technical Tasks (1 year to 3 years)


- Implement the format on bridge software
- Certify the software that implements the format
- Configure system to support the software
- Create an inter-disciplinary data environment





Process-related Tasks (1 year to 3 years)


- Create guides for model version control, data exchange, etc.
- Make standards for BrIM object libraries
- Define procedures for testing data exchanges





Process-related Tasks (1 year to 3+ years)


- Define guidelines for wide use of BrIM in bridge projects
- Update bridge development policies
- Foster collaboration locally and internationally





Mindset-related Tasks (1 year to 3+ years)


- Develop suitable pilot projects to test-drive
- Promote success stories, best practices, and lessons learned
- Provide training programs for BrIM





#### Legal Tasks (1 year to 3+ years)


- Review and re-define contract agreement, legal clauses, and data liability
- Draft BrIM specific contractual provisions
- Conduct a risk evaluation for deploying BrIM





Investment Tasks (1 year to 3+ years)

- Obtain funding to deploy software/hardware, configure IT systems, conduct training, etc.
- Conduct ROI analysis to measure benefits of using BrIM





# Thank you Questions?

#### Contacts:

Mark Mlynarski, 412-269-7933, Mmlynarski@mbakerintl.com

Hanjin Hu, 412-269-7946, hanjin.hu@mbakerintl.com

