



new lab start-up programme 2016

A sure start to laboratory excellence



Write your New Lab Start-Up
account number here

Welcome to new lab start-up

Are you...

- Setting up a new lab
- Expanding or renovating your lab
- Relocating to new premises
- In receipt of a first time grant

Yes? Then you are in the RIGHT place...

Our well-established programme includes:

- Exclusive offers only available to New Lab Start-Up customers
- New Products
- Free Products
- Fisherbrand vouchers
- Tailored packages
- A dedicated Field Sales person

This is how it works

1

Apply

Complete the online application form to get your New Lab Start-Up account number.
www.eu.fishersci.com/go/nlsu

2

Order

Place your orders on this account number. Simply order online or obtain a quotation for your specific requirements.

3

Redeem

Once your account passes the required spend thresholds we email you your Fisherbrand Vouchers to redeem online.

Always on hand...



Your dedicated Field Sales Person
Your Customer Service Specialist

Contents - *Take advantage of these exclusive offers*

Equipment

Balances	2-3
Baths & Circulators	4-6
Centrifuges	6-7
Cryogenics	8
Electrophoresis	8-10
Heating blocks & Mantles	10-11
Hotplates	18
Incubators & Ovens	11-12
Label printers	14
Molecular Biology	12-13
pH meters	13
Pumps	14-15
Refrigeration	16-17
Sealing	15
Storage cabinets	15
Spectrophotometers	17
Stirrers, Shakers, Mixers & Rollers	18-21
Water purification	22

Consumables

Bags	23
Beakers, Bottles, Flasks & Aspirators	23-24
Centrifuge tubes	25
Containers	26-27
Cylinders	27
Desiccators	26
Inoculating	28
Liquid handling	28-31
Microplates	31
Paper, bench protection	32
Petri dishes	32
Sampling	32-33
Sealing	32
Swabs	33

Chemicals

Bioreagents for horizontal gel electrophoresis	35
Bioreagents for vertical gel electrophoresis	35
Silica gel, bulk pack offer	35
Starter Kits:	
Aqualine	34
Elemental Analysis	34
Extra Dry solvent	35
Solvents for NMR	34
Optima LC/MS	34

Fisherbrand Favourites 36-59

A useful guide to some of the Fisherbrand consumable items that qualify for voucher redemption

Fisherbrand vouchers

You have six months from the date of your first order to hit one of the three spend thresholds.

Use your voucher to stock up on Fisherbrand consumable items. The Fisherbrand Favourites Supplement at the back of this brochure provides a good guide to qualifying redemption items. Or alternatively look out for Dr Blues recommendations.

We will email you a unique Fisherbrand voucher code.

To redeem go to...


www.eu.fishersci.com/go/nlsu

Redeeming your voucher is EASY!

Spend **200 000 SEK** receive a further **5 000 SEK Fisherbrand voucher**

Spend **100 000 SEK** receive an additional **5 000 SEK Fisherbrand voucher**

Spend **20 000 SEK** receive a **5 000 SEK Fisherbrand voucher**



Starting from Scratch?

Use the checklist to cover your basics

for full product listings visit
www.fisherscientificcatalogues.com/NElabcatalogue



Featured New Lab Start-Up Suppliers

Thermo
SCIENTIFIC

Fisherbrand[®]

CORNING



Electrothermal

scienceware[®]
BEL-ART PRODUCTS

asecos[®]

 sartorius

stuart[®]

TECHNE

Grant

JENWAY

eppendorf

BRADY[®]

Lec⁺

LIEBHERR
Design, Quality & Innovation

Fisher
Chemical

ACROS
ORGANICS
A Thermo Fisher Scientific Brand

F
Fisher BioReagents[®]



indicates exclusive product offers which can be found inside the brochure

- Autoclaves
- Bags
- Balances
- Balance accessories
- Baths
- Beakers
- Bins
- Bottles
- Brushes
- Buckets
- Burettes
- Burners
- Centrifuges
- Centrifuge tubes
- Chloride meters
- Chromatography
- Cleaning
- Cleanroom
- Climate chambers
- Colony counters
- Colorimeters
- Containers
- Crucibles
- Cryogenics
- Cuvettes
- Cylinders
- Data loggers
- Density meters
- Desiccators
- Dispensers
- Dissection
- Distillation
- Drying
- Electrical accessories
- Electrophoresis
- Electrochemistry

- Evaporators
- Filtration
- Flame photometers
- Flasks
- Flowmeters
- Fluorometers
- Funnels
- Furnaces
- Glove boxes
- Heaters
- Homogenisers
- Hotplates
- Humidity
- Hydrometers
- Ice
- Incubators
- Jugs
- Labelling
- Lamps
- Lubricants
- Magnifiers
- Melting point apparatus
- Meteorology
- Microplates
- Microscopes
- Mills
- Mixers
- Moisture analysers
- Mortars
- NMR
- Nutritional analysis
- Ovens
- Paper
- PCR instruments
- Petri dishes
- Pipettes
- Pipettors
- Polarimeters
- Pumps
- Quickfit
- Reaction vessels

- Refractometers
- Refrigeration
- Roller apparatus
- Safety
- Safety cabinets
- Sampling
- Scoops
- Shakers
- Sieves
- Sieve shakers
- Soil testing
- Sound level meters
- Spatulas
- Spectrophotometers
- Stands
- Stirrers
- Stoppers
- Storage
- Swabs
- Syringes
- Tanks
- Thermometers
- Timers
- Titrators
- Tongs
- Tools
- Trays
- Tripods
- Trolleys
- Tubes
- Tube racks
- Tubing
- Turbidity
- Ultrasonics
- Vials
- Viscometers
- Washing machines
- Watch glasses
- Water sampling
- Water testing
- Water purification

Fisherbrand™

Balances, compact series

2nd

10%
OFF



- Sleek, low profile design
- Large, high contrast LCD
- Energy saving auto shut-off feature
- Two-button keypad
- Storage made easy with a stackable design
- Integrated load cell lock
- Over-load and under-load indicators
- Digital calibration from keypad
- Low battery indicator
- Three AA batteries (included) or optional a.c. adapter
- Stabilisation time: 3 seconds
- Two year warranty

Cat. No	15305103	15315103	15325103	15335103
Capacity, g	200	500	2,000	5,000
Readability, g	0.1	0.1	1.0	1.0
Linearity, g	0.1	0.1	1.0	1.0
Repeatability, g	0.1	0.1	1.0	1.0
Pan shape	Round	Round	Round	Round
Dimensions [w x d x h], mm	140 x 200 x 40	140 x 200 x 40	140 x 200 x 40	140 x 200 x 40
Pan size	120mm dia.	120mm dia.	120mm dia.	120mm dia.
Calibration	External	External	External	External

Cat. No	Description	Price
15305103	Balance compact, model CSC201	356,40
15315103	Balance compact, model CSC501	427,50
15325103	Balance compact, model CSC2000	299,70
15335103	Balance compact, model CSC5000	356,40

Fisherbrand™

Balances, portable series

2nd

10%
OFF



- Excellent shock resistance and overload protection
- Large, high contrast LCD
- 50 hour battery life with auto shut-off
- Two button operation
- Shipping and calibration locks
- Integral weigh-below hook, critical for density or specific gravity determination
- Optional RS232 or USB snap-in module allows data connection to PC or printer
- a.c. adapter (included) or requires four AA batteries (not included)
- Stabilisation time: 3 secs
- Two year warranty

Cat. No	15365103	15345103	15355103	15375103	15385103
Capacity, g	120	400	600	2,000	6,000
Repeatability, g	0.003	0.01	0.01	0.1	0.1
Pan shape	Round	Round	Round	Square	Square
Dimensions [w x d x h], mm	192 x 210 x 54	192 x 210 x 54	192 x 210 x 54	192 x 210 x 54	192 x 210 x 54
Pan size	120mm dia.	120mm dia.	120mm dia.	165mm x 142mm	165mm x 142mm
Calibration	External	External	External	External	External

Cat. No	Description	Price
15365103	Portable balance, model PSS123	2 794,50
15345103	Portable balance, model PSS202	2 055,60
15355103	Portable balance, model PSS602	2 518,20
15375103	Portable balance, model PSS2001	1 876,50
15385103	Portable balance, model PSS6001	2 518,20

Fisherbrand

Balances, analytical series

2nd

10% OFF



- Weighing modes include weighing, parts counting and percentage weighing
- Large draft shield with sliding top and side doors
- Single line LCD
- Three button operation
- RS232 bi-directional interface
- Front level indicator - no need to look in back of balance during levelling process
- Solid diecast metal base, stainless steel pan
- Works well in harsh environments; settings can be adjusted to compensate for vibrations and other disturbances
- Calibration lockout
- Integral menu lock - a combination of software and a mechanical switch locks menus, including calibration
- Security loop in rear of balance
- a.c. adapter (included), balance power input 8 to 14.5V a.c., 50/60Hz 4VA or 8 to 20V d.c., 4W
- Stabilisation time: 3 seconds
- Two year warranty

Cat. No	15395103	15305113	15315113
Capacity, g	65	210	210
Readability, mg	0.1	0.1	0.1
Linearity, mg	0.1	0.1	0.1
Repeatability, mg	0.1	0.1	0.1
Pan shape	Round	Round	Round
Dimensions [w x d x h], mm	196 x 320 x 287	196 x 320 x 287	196 x 320 x 287
Pan size	90mm dia.	90mm dia.	90mm dia.
Calibration	Internal	External	Internal

Cat. No	Description	Price
15395103	Analytical balance, model PAS64C	8 034,30
15305113	Analytical balance, model PAS214	7 806,60
15315113	Analytical balance, model PAS214C	9 180,00

sartorius
mechatronics

Balances, precision, Quintix™

15% OFF



Smart and efficient weighing, improved workflows with touchscreen. 100 to 240V, 50/60Hz

- Simple menu navigation and integrated applications at the touch of a key
- isoCAL, fully automatic internal calibration and balance adjustment
- Easy cleaning
- 'Plug and Work' connectivity to printer or computer

Precision balances	13552980	13532980	13522980	13592980	13582980
Capacity, g	210	310	510	610	1,100
Readability, mg	1	1	1	10	10
Pan diameter, mm	120	120	120	180	180

Precision balances	13562980	13572980	13542980	13502990	13512990
Capacity, g	2,100	3,100	5,100	5,100	5,100
Readability, mg	10	10	10	100	1,000
Pan diameter, mm	180	180	180	180	180

Analytical balances	13512980	13502980
Capacity, g	120	220
Readability, mg	0.10	0.10
Pan diameter, mm	90	90

Cat. No	Description	Price
13552980	Precision balance QUINTIX213-1S	16 592,87
13532980	Precision balance QUINTIX313-1S	17 867,85
13522980	Precision Balance QUINTIX513-1S	21 268,38
13592980	Precision balance QUINTIX612-1S	13 192,49
13582980	Precision balance QUINTIX1102-1S	14 892,68
13562980	Precision balance QUINTIX2102-1S	16 592,87
13572980	Precision balance QUINTIX3102-1S	17 442,96
13542980	Precision balance QUINTIX5102-1S	22 551,54
13502990	Precision balance QUINTIX5101-1S	15 285,64
13512990	Precision balance QUINTIX5100-1S	12 390,52

Cat. No	Description	Price
13512980	Analytical balance QUINTIX124-1S	22 888,37
13502980	Analytical balance QUINTIX224-1S	25 438,65

Fisherbrand voucher idea...



As recommended by Dr Blue

Fisherbrand

Water baths, general purpose, Fisherbrand

35%
OFF



- Ideal for industrial, clinical, pharmaceutical or biomedical applications
- Low bath profile and front panel controls allow for easier access and safe operation
- Compact footprint optimises laboratory bench space
- Rounded reservoir corners and sample trays with finger holes allow for easy removal and cleaning
- Removable covers lift to 90 degree stay-open position or can be removed completely with quick release to accommodate large glassware
- Hinged gable cover includes fins to protect hands from hot vapours
- Acrylic lid included

Capacity, performance and ease of use in a compact design

Ideal for industrial, clinical, pharmaceutical or biomedical applications.

Cat. No	Description	Price
15197833	Water bath IsoTemp digital with acrylic cover 2L	3 442,08
15127843	Water bath IsoTemp digital with acrylic cover 5L	3 628,36
15137843	Water bath IsoTemp digital with acrylic cover 10L	4 213,09

Grant

Water bath, shaking

20%
OFF



- OLS26 combines adjustable orbital and linear shaking in one bath
- Excellent temperature performance with stability and uniformity at $\pm 0.1^\circ\text{C}$
- Dual point user calibration for optimum accuracy
- Easy to change between orbital and linear motion, simply rotate carrier tray 180°
- Discrete shaking mechanism maximises working area
- Easy to insert and remove shaking trays even when loaded
- Wide range of accessory shaking trays for secure hold on most commonly used vessels
- Dual display showing temperature and shaking speed
- Adjustable shaking intensity and speed
- User-defined high temperature alarm and cut-off
- Advanced run dry/dry start protection
- Countdown timer from 1 to 999 minutes

Cat. No	Description	Price
15345802	Water bath, shaking, OLS26, 26L, ambient 0°C (with accessory cooling) to 99°C , $\pm 0.1^\circ\text{C}$ stability and uniformity, includes polycarbonate lid and drain tap (tray sold separately), UK/EU plug	24 912,80
15355812	Tray, water bath, TU26 universal with adjustable springs to accommodate a variety of vessel types for OLS26 bath	1 949,60

Grant

Water bath, linear shaking LSB12 and LSB18



- Excellent temperature performance with stability and uniformity at $\pm 0.1^\circ\text{C}$
- Dual point user calibration for optimum accuracy
- Reliable, consistent linear shaking
- Adjustable shaking speed
- Discrete shaking mechanism maximises working area
- Removable shaking mechanism for easy cleaning
- Wide range of accessory shaking trays for secure hold on most commonly used vessels
- User-defined high temperature alarm and cut-off
- Advanced run dry/dry start protection
- Countdown timer from 1 to 999 minutes

20%
OFF

LSB12 1

Cat. No	Description	Price
15365802	Water bath, linear shaking, LSB12, 12L, ambient $+5^\circ\text{C}$ to 99°C , includes polycarbonate lid and drain tap (tray sold separately), UK/EU plug	14 406,40
15315812	Tray, water bath, TU12 universal with adjustable springs, accommodates a variety of vessel types for LSB12 bath	1 841,60

LSB18 2

Cat. No	Description	Price
15395802	Water bath, linear shaking, LSB18, 18L, ambient $+5^\circ\text{C}$ to 99°C , includes polycarbonate lid and drain tap (tray sold separately), UK/EU plug	16 247,20
15335812	Tray, water bath, TU18 universal with adjustable springs, accommodates a variety of vessel types for LSB18 bath	1 949,60



Chiller, recirculating, laboratory, Thermo Scientific™ Accel 500 LC

25% OFF



- Temperature range from -10°C to 80°C (-25°C to 100°C version available - not shown)
- 2kW heater for rapid heating
- Powerful force/suction pump - Flow rates up to 21L/min and pressure up to 805mbar
- 500W cooling capacity at 20°C (for the price of 250W cooling at 20°C)
- Five programmable set points
- USB port for plug and play connectivity
- Energy saving mode
- High temperature and low level alarms/shut down

Cat. No	Description	Price
12306323	Laboratory chiller, Accel 500 LC	26 102,41



Chiller, recirculating, ThermoFlex™ TF25

25% OFF



- Temperature range from 5°C to 40°C
- 2.2kW cooling capacity (20°C setpoint and 25°C ambient)
- Internal pressure relief valve
- Custom temperature and pressure alarms
- An intuitive user interface for ease of operation
- Integrated funnel for easy filling
- Full flow fluid filter ensures clean fluid to protect your application and maximise recirculation system life
- Easily removable condenser grill and air filter allow for quick and simple cleaning to optimise chiller performance and maximise component life
- Air and water filters that can be changed while unit is in operation
- Innovative, patented packaging for rapid installation
- Quick start guide for seamless start-up in minutes
- Advanced design allows two sides of the unit to be blocked, allowing placement in a corner while maintaining full refrigeration performance
- Minimises space requirements, even when compared to chillers with smaller footprints
- Temperature stability to ±0.1°C accuracy

Cat. No	Description	Price
13458126	Chiller, recirculating, ThermoFlex™ TF25	43 267,50



Chiller, recirculating, ThermoChill II

25% OFF



- Temperature range from -10°C to 30°C
- 900W cooling capacity (at set point and ambient temperature of 20°C)
- Accessible fill port on the top of the chiller for easy filling
- Magnetically driven pump delivers high flow rates at low pressure making unit ideal for use with laboratory glassware and other low back-pressure applications
- Pressure gauge located on control panel for easy viewing of application pressure
- Easy to use, intuitive controller with a plug-and-play design that allows you to be up and running in minutes
- High and low temperature alarms

Cat. No	Description	Price
15271418	Chiller, recirculating, ThermoChill II	18 603,00

Fisherbrand voucher idea...



As recommended by Dr Blue

Fisherbrand™

Baths, ultrasonic, analogue, S30H

Purchase a S30H ultrasonic bath and get a basket and cover FREE

FREE
Accessories



- Durable long life, thanks to cavitation resistant stainless steel tanks
- LED display showing set and remaining time and pre-set and actual temperature
- Ergonomically shaped plastic carrying handles
- Newly developed cover reduces noise and accelerates the heating up process
- Easy draining of cleaning liquid through the drain duct via a dial on the side
- Operating panel arranged so that liquid cannot enter the electronics
- Degas function key

Cat. No	Description	Price
10162372	Ultrasonic bath heated S30H 30°C to 80°C 2.75L	7 531,51

Accessories

Cat. No	Description	Price
10241320	Basket for ultrasonic bath	FREE*
10560243	Cover for ultrasonic bath	FREE*

*items must be added to your order

Fisherbrand™

Ultrasonic cleaning unit, P30H

Purchase a P30H ultrasonic bath and get a basket and cover FREE

FREE
Accessories



- Ultrasonic tank made of cavitation-proof stainless steel
- Casing made of stainless steel, hygienic and easy to clean
- Two ultrasonic frequencies, switchable in one unit: 37kHz and 80kHz
- 37kHz frequency: for the removal of coarse contaminations and for mixing, dissolving, dispersing and degassing
- 80kHz frequency: perfect for the cleaning of capillaries and for the use in quiet work areas, prolonged cleaning periods
- Automatic frequency switch-over for simultaneous coarse and fine cleaning
- Activatable Sweep mode for an optimised sound field distribution within the cleaning bath
- Activatable Pulse mode for an intensified ultrasonic cleaning power, additional ultrasonic power up to 20%
- Activatable Degas mode for the quick degassing of HPLC samples or solvents and of fresh cleaning liquid

Cat. No	Description	Price
11718029	Ultrasonic bath P30H ultrasonic, stainless steel 2.75L	9 708,11

Accessories

Cat. No	Description	Price
10241320	Basket for ultrasonic bath	FREE*
10560243	Cover for ultrasonic bath	FREE*

*items must be added to your order

Fisherbrand™

Centrifuge, mini

2^{yr}

Save
25%



- Small footprint
- Maximum speed 6,000rpm
- Maximum RCF 2,000xg
- Dimensions, mm 153 x 128 x 104
- Six place standard rotor for 1.5/2mL tubes
- Eight place strip rotor for two 0.2mL tube strips or 16 single tubes

Cat. No	Description	Price
15358266	Minicentrifuge includes 6 place rotor, 8 place rotor, UV resistant plastic	1 690,50

Fisherbrand™

Centrifuge, midi

2^{yr}

Save
20%



- Small footprint
- Supplied with two rotors:
 - 12 place rotor with lid for 1.5/2.0mL tubes
 - eight place strip rotor, spin up to 32 x 0.2mL tubes
- Variable speed and timer settings
- Fast spins and quick spin-downs (up to 12,500rpm)
- Low noise and vibration
- Imbalance and safety cut-out

Cat. No	Description	Price
12972041	Centrifuge, mini, compact, 12 place standard (1.5mL/2.0mL), 32 place strip 0.2mL, rotor and 12 adapters	4 309,50

Fisherbrand

Microcentrifuge, Micro 17 and 17R

Save up to 30%



- Includes rotor and biocontainment lid
- Capacity: 48mL (24 x 1.5/2mL tubes)
- Maximum speed/RCF: 13,300rpm/ 17,000xg
- Easy to use controls with digital display
- Adjustable 99 minute timer and quick-spin feature for short runs
- Memory retains last setting for repeatable runs
- Replacement microlitre rotor (13-100-679), lid (13-100-681), and optional 4 x 8 PCR* rotor (13-100-680) available separately
- One year parts and labour warranty

Cat. No	Description	Price
11516873	Microcentrifuge Micro 17 with rotor and ClickSeal bio-contaminant lid, ventilated	9 983,12
11526873	Microcentrifuge Micro 17R with rotor and ClickSeal bio-contaminant lid, refrigerated	27 440,04

*Polymerase Chain Reaction (PCR) is a process covered by patents owned by Hoffmann-La Roche

Thermo SCIENTIFIC

Centrifuge, Megafuge™ 8 and 8R, Thermo Scientific™ Heraeus™

Save 20%



- Each pack includes:
 - TX-150 rotor
 - TX-150 round buckets
 - Sealing lids
 - 15mL conical adapter
 - 50mL conical adapter

Cat. No	Description	Price
15287519	Centrifuge pack contains centrifuge Heraeus Megafuge 8 230V, TX-150 rotor, TX-150 round buckets, sealing lids, 50mL conical adapter, 15mL conical adapter	28 205,47
15287539	Centrifuge pack contains centrifuge Heraeus Megafuge 8R 230V, TX-150 rotor, TX-150 round buckets, sealing lids, 50mL conical adapter, 15mL conical adapter	47 608,47

Thermo SCIENTIFIC

Centrifuges, Megafuge™ 16/16R and 40/40R, Thermo Scientific™ Heraeus™

Great Value Bundles



All bundles contain centrifuge plus rotor, buckets, sealing caps and adapters for 15mL and 50mL conical tubes

- TX-200 bundle contains TX-200 rotor, round buckets, sealing caps, 4 x 50mL and 20 x 15mL conical tubes
- TX-400 bundle contains TX-400 rotor, round buckets, sealing caps, 16 x 50mL and 36 x 15mL conical tubes
- TX-750 bundle contains TX-750 round buckets, sealing caps, 28 x 50mL and 56 x 15mL conical tubes
- BIO bundle contains BIOLiner rotor, BIOLiner buckets, sealing caps, 40 x 50mL and 88 x 15mL conical tubes

Cat. No	Description	Price
12813402	Megafuge 16 TX-200 centrifuge bundle	35 367,20
12823402	Megafuge 16R TX-200 refrigerated centrifuge bundle	50 622,40
12883372	Megafuge 16 TX-400 centrifuge bundle	48 215,04
12816744	Megafuge 16R TX-400 refrigerated centrifuge bundle	64 296,35

Cat. No	Description	Price
12932798	Megafuge 40 TX-750 centrifuge bundle	60 021,60
12843372	Megafuge 40R TX-750 refrigerated centrifuge bundle	80 666,40

Fisherbrand voucher idea...



As recommended by Dr Blue

Thermo
SCIENTIFIC

Cryogenic storage systems, with factory-installed hot gas bypass, racks and riser, Thermo Scientific™ CryoPlus™

25%
OFF



- Two package sizes to meet your vapour phase storage capacity needs
- Easy to use: auto-fill for convenience and CryoPlus contains visual identification of LN₂ levels
- Hot Gas Bypass: Protects samples by diverting warm LN₂ gas from the fill hose to the atmosphere, at the beginning of a filling cycle

Cat. No	Description	Price
15381095	Cryogenic liquid nitrogen storage system, CryoPlus 1, factory-installed hot gas bypass plus FREE racks and risers offer	73 125,00
15391095	Cryogenic liquid nitrogen storage system, CryoPlus 2, factory-installed hot gas bypass plus FREE racks and risers offer	101 514,00

Thermo
SCIENTIFIC

Cryogenic, Thermo Scientific™ Locator Plus™

25%
OFF



- Versatile
- Available in four sizes
- Suited for both manual and computerised inventory record keeping methods
- Storage capacity up to 6,000 vials!
- Convenient: Unique hanging rack and gridded box design allows for vial inventory tracking and easy sample retrieval

Cat. No	Description	Price
15341095	Cryogenic liquid nitrogen storage system, Locator Jr Plus, with level monitor plus FREE wheeled accessory cart offer	30 259,50
15351095	Cryogenic liquid nitrogen storage system, Locator 4 Plus, with level monitor plus FREE wheeled accessory cart offer	33 990,00
15361095	Cryogenic liquid nitrogen storage system, Locator 6 Plus, with level monitor plus FREE wheeled accessory cart offer	37 727,25
15371095	Cryogenic liquid nitrogen storage system, Locator 8 Plus, with level monitor plus FREE wheeled accessory cart offer	33 990,00

Fisherbrand

Horizontal electrophoresis gel system, SUB-GEL Mini

20%
OFF



- Economic low gel and buffer volumes
- Small footprint
- Injection moulded

Technical Specification - General

Dimensions [l x w], mm	70 x 70, 100 x 70 (gel tray)
Dimensions [l x w x h], mm	90 x 210 x 90
Capacity	32 samples (max., 70mm x 70mm tray) 64 samples (max., 70mm x 100mm tray)
Volume, mL	225 (buffer)
No. of samples	1, 2, 4, 8MC, 8, 10, 12MC, 16
Thickness, mm	0.75, 1, 1.5, 2

MC = Multichannel pipettor compatible

Cat. No	Description	Price
11863303	Horizontal gel tank SUB-GEL Mini submarine with UV transparent gel trays, loading guides 2 x 8 well combs (1mm), gel casting gates	2 796,54

Fisherbrand

Horizontal electrophoresis gel systems; SUB-GEL Midi

20%
OFF



- Run up to 100 samples
- Low buffer volumes
- Ideal for rapid electrophoresis
- Injection moulded

Technical Specification - General

Dimensions [l x w], mm	100 x 70, 100 x 100 (gel tray)
Dimensions [l x w x h], mm	125 x 220 x 90
Capacity	50 samples (100mm x 70mm tray, max.) 100 samples (100mm x 100mm tray, max.)
Volume, mL	300 (buffer)
No. of samples	1, 2, 4, 8, 10MC, 12, 16, 20MC, 25
Thickness, mm	0.75, 1, 1.5, 2

MC=Multichannel pipettor compatible

Cat. No	Description	Price
11853303	Horizontal gel tank SUB-GEL Midi submarine with UV transparent gel trays, 2 x 16 well combs (1mm), loading guides, casting gates	1 995,90

Fisherbrand

Electrophoresis gel system, Verti-Gel mini



- Low buffer volumes
- Run up to four gels
- Interchangeable modules for IEF/2D electrophoresis and electroblotting in a universal tank
- Injection moulded construction, durable and leakproof
- Compatible with all 80mm x 100mm and 100mm x 100mm precast gels

Technical Specification - General

Dimensions, mm	100 x 100 (plate), 75 x 80 (gel plate)
Dimensions [w x d x h], mm	190 x 130 x 150
Capacity	80 samples, 20 samples per gel
Volume, mL	250 to 1,200 (buffer)
No. of samples	1, 5, 8MC, 9, 10, 12, 16MC, 20 (per comb)
Thickness, mm	0.5, 0.75, 1, 1.5, 2 (combs)

MC = Multichannel pipettor compatible

Cat. No	Description	Price
11843293	Vertical gel tank Verti-Gel mini complete dual PAGE system, sliding clamps, 100mm x 100mm, caster, 2 x plain glass plates, with 1mm spacers, 2 glass plates, 2 x 12 sample combs (1mm)	3 762,32
11893293	Vertical gel tank Verti-Gel mini precast dual PAGE System with sliding clamps, no accessories for precast gels	2 718,56
11883293	Complete system for mini vertical (100 x 100mm) electrophoresis and blotting	7 538,52

Fisherbrand

Horizontal electrophoresis gel system, SUB-GEL Midi-Plus



- Run up to 210 samples
- Low buffer volumes
- Multichannel pipettor compatible combs for fast gel loading
- Injection moulded
- Supplied with 150mm x 70mm, 150mm x 100mm and 150mm x 150mm gel trays

Technical Specification - General


Dimensions [l x w], mm	150 x 70, 150 x 100, 150 x 150 (gel tray)
Dimensions [l x w x h], mm	175 x 265 x 90
Capacity	70 samples, max. (100mm x 70mm tray) 140 samples, max. (100mm x 100mm tray) 210 samples, max. (150mm x 150mm tray)
Volume, mL	500 (buffer)
No. of samples	1, 2, 4, 10, 10MC, 12, 14MC, 16, 18MC, 20, 28MC, 30MC, 35
Thickness, mm	0.75, 1, 1.5, 2

MC = Multichannel pipettor compatible

Cat. No	Description	Price
11833293	Horizontal gel tank SUB-GEL midi-plus submarine, with 3 x UV transparent gel trays, loading guides and gel casting gates	2 787,06

Fisherbrand

Horizontal electrophoresis gel systems; SUB-GEL Maxi



- Supplied with 200mm x 100mm and 200mm x 200mm gel trays
- 200mm x 250mm gel tray is also available
- Run up to 550 samples
- Low buffer volumes
- Ideal for extended separations
- Injection moulded

Technical Specification - General

Dimensions [l x w], mm	200 x 100, 200 x 200 (gel tray)
Dimensions [l x w x h], mm	230 x 395 x 90 (tray)
Capacity	200 samples, max. (200 x 100mm tray) 450 samples, max. (200 x 200mm tray) 550 samples, max. (200 x 250mm tray)
Volume, mL	1,200 (buffer)
No. of samples	1, 2, 4, 10, 16, 20MC, 25, 30, 36, 40MC, 50
Thickness, mm	0.75, 1, 1.5, 2

MC = Multichannel pipettor compatible

Cat. No	Description	Price
11843303	Horizontal gel tank SUB-GEL maxi submarine with UV transparent gel trays 1 x 200mm x 100mm and 1 x 200mm x 200mm (w x l) 2 x 20 well combs, loading guides, casting gates	3 910,45

Fisherbrand

Power supplies, Mini 300V Plus and Midi 300V/4

15% OFF



- Suitable with all Fisher Scientific horizontal Sub-Gel systems and vertical Verti-Gel PAGE mini gel systems
- Enhanced in-built safety features
- Three digit LED display

Cat. No	Description	Price
12643546	Mini 300V Plus power supply, 300V, 400mA, 60W, 100-240V a.c., twin output	2 843,17
12613546	Midi 300V/4 power supply, 300V, 700mA, 150W, 100-240V a.c., four output, stackable	4 583,34

Thermo SCIENTIFIC

Digital Dry Bath / Block Heater, Thermo Scientific™

15% OFF



- Digital controls and display of time and temperature
- Built-in temperature sensing probe for outstanding temperature accuracy and control
- Precise temperature control with PID circuit
- Temperature calibration enables to offset the temperature to desired value
- Timer allows the user to accurately monitor the heating time
- Interchangeable aluminum alloy sample blocks provide versatility and allow for easy cleaning and disinfecting
- Powder-coated steel body construction ensures durability

Cat. No	Description	Price
15392185	Dry bath/block heater, advanced touch-screen, single block	3 740,85
15302195	Dry bath/block heater, advanced touch-screen, two-block	4 244,90
15312195	Dry bath/block heater, advanced touch-screen, four-block	5 173,10
15372195	Heating block, 28 x 2.0mL, for digital and touch screen dry baths/block heaters	456,45
15352195	Heating block, 28 x 1.5mL, for digital and touch screen dry baths/block heaters	456,45
15322195	Heating block, 46 x 6mm diameter, for digital and touch screen dry baths/block heaters	495,55
15342195	Heating block, 28 x 10mm diameter, for digital and touch screen dry baths/block heaters	495,55



Dri-block heaters, 2 position, DB100/2

3rd

2 FREE Block Inserts



- Bright orange LED digital display
- Can hold up to two aluminium insert blocks or one 96 well plate block
- Temperature range from ambient to 100°C
- Fast heat-up rate 30°C to 100°C in just 12min
- Temperature stability at 40°C, ±0.05°C

Cat. No	Description	Price
15330240	DB100/2 heater, plus 1 x block for 30 x 0.5mL tubes and 1 x block for 20 x 1.5mL tubes	8 861,00
15320240	DB100/2 heater, plus 2 x blocks for 20 x 1.5mL tubes	8 861,00

Dry block heater QBD1 and QBD2

Grant

Save 10%



- Stability ±0,1°C (@ 37°C)
- Timer 1 minute to 72 hours
- Timer for delayed start
- Two point calibration
- Offset adjustment

Cat. No	Description	Price
11450958	QBD1, for 1 block	5 107,50
11470958	QBD2, for 2 block	6 592,50
11490918	Block QB-E1 for 24x1,5ml tubes	941,87



Heating mantles, EM Electromantles



Great Value

- The safest heating mantles on the market
- Use with round bottom flasks from 50mL to 500mL
- Innovative design to prevent outer casing from getting hot
- Maximum element temperature of 450°C
- Built-in controller
- Replaceable insulated heater cartridge
- A chemically resistant polypropylene outer casing

Cat. No	Description	Price
15159732	Heating mantle, EM250, controlled, 250mL capacity	2 087,97
15169732	Heating mantle, EM500, controlled, 500mL capacity	2 244,90



Incubator, microbiological, compact, Thermo Scientific™ Heratherm™

2nd

20% OFF



- Minimal footprint for space-restricted laboratory areas
- Temperatures at or below ambient 17°C to 40°C
- High temperature accuracy
- Easy to use interface
- Internal light and viewing window in door facilitates sample observation
- Temperature uniformity $\pm 1.2^{\circ}\text{C}$ (measured at 37°C)
- Temperature stability $\pm 0.2^{\circ}\text{C}$ (measured at 37°C)

Technical Specification - General

Electrical supply	Compact: 100V to 240V, 50/60Hz
Power supply	Country specific power supply included
Load per shelf, kg	Compact: 2
Control	Compact: LED display
Temperature range, °C	Compact: 17 to 40 General protocol: ambient +5 to 75 Advanced protocol: ambient +5 to 105 Advanced protocol security: ambient +5 to 105
Timer	Compact: no timer General protocol: no timer Advanced protocol: weekly/real time/hourly Advanced protocol security: weekly/real time/hourly

Cat. No	Description	Price
10699640	Incubator, microbiological, compact model, mechanical, convection corrosion-free plastic peltier technology, 260mm x 470mm x 430mm (w x d x h), 18L	6 240,73



Incubator, microbiological, general protocol, Thermo Scientific™ Heratherm™

2nd

20% OFF



- Gravity convection provides gentle air flow and minimal drying out
- Temperature range from ambient 5°C to 75°C
- Temperature uniformity $\pm 0.6^{\circ}\text{C}$ (measured at 37°C)
- Temperature stability $\pm 0.2^{\circ}\text{C}$ (measured at 37°C)
- Corrosion resistant stainless steel chamber (AISI 430)
- Intuitive user interface for setting temperature
- Large, easy to read vacuum fluorescent display
- Internal glass door allows sample viewing without impacting temperature
- Exceptionally small footprint

Cat. No	Description	Price
10839810	Incubator, microbiological, stackable, 640mm x 565mm x 855mm (w x d x h), 100L	12 152,00



Incubator CO₂, HERAcell™ VIOS 160i

25% OFF



- 165L electropolished stainless steel chamber with compact footprint, easily stackable
- In-chamber fan gently distributes clean, humidified air throughout the chamber ensuring homogeneous conditions
- Fast recovery of all parameters ten minutes or less for stable culturing conditions
- In-chamber HEPA continuously filters the entire chamber air volume every 60 seconds
- Directly heated water reservoir provides stable high relative humidity levels thereby preventing culture desiccation
- Choice of thermal conductivity (TC) with rH compensation or single beam, dual wavelength infrared (IR) CO₂ sensor
- O₂ control ranges 1% to 21% (hypoxic) and 5% to 90% (hyperoxic)
- Intuitive, interactive iCAN™ touchscreen control

Cat. No	Description	Price
15331035	Incubator, CO ₂ , HERAcell VIOS 160i, single stainless steel inner chamber with HEPA filtration, Steri-Run sterilisation cycle, TC180 sensor	61 200,00
15363212	Incubator, CO ₂ , HERAcell VIOS 160i, single stainless steel inner chamber with HEPA filtration, Steri-Run sterilisation cycle, IR CO ₂ sensor	66 051,00

Thermo
SCIENTIFIC

Oven, general protocol, Thermo Scientific™ Heratherm™

2nd

20%
OFF



- Operating temperatures from 50°C to 250°C
- Automatic over-temperature alarm system to protect samples
- Low overall energy consumption
- Built-in timer
- Excellent footprint/volume ratio
- Corrosion resistant stainless steel chambers with rounded corners for easy cleaning
- Large, easy to read vacuum fluorescent display
- Easy to use, microprocessor controlled touch button operation
- Easy to access - doors can be opened to over 180°

Please contact Customer Service for information on Factory Fitted Options.

Cat. No	Description	Price
10794982	Oven, general, mechanical convection, stackable, grey, 640mm x 565mm x 855mm (w x d x h), 100L	17 464,80

Thermo
SCIENTIFIC

Reliable and flexible PCR instrument Arktik Thermal Cycler

15%
OFF



- Interchangeable blocks with excellent thermal precision
- Dual 48-well block for multi-user option
- Broad and accurate temperature gradient
- Reliable and easy to use
- Low noise level
- Accepts almost all standard PCR plastics

Cat. No	Description	Price
11511475	Arktik Thermal Cycler base unit, with gradient	32 895,00
11531475	96-well single block	14 926,00
11541475	384-well single block	16 564,14
11551475	Dual block (2 x 48 wells)	19 014,50

Thermo
SCIENTIFIC

qPCR PikoReal Real-Time PCR System

- The unique block design (patent pending) of PikoReal system combined with precise temperature control brings confidence to your qPCR. The superior thermal performance ensures that your quantification results are reliable and reproducible. Five optical channels facilitate multiplexing
- PikoReal qPCR system is controlled by PikoReal software, which allows you to remotely monitor any qPCR experiment on-line from your own computer
- The unique design of the heating block and the small plate format allow significant savings both in plastics and reagent consumption. This reduces costs of your research and produces less plastic waste

15%
OFF



Cat. No	Description	Price
11578525	PikoReal 24 Real-Time PCR System	97 240,00

Fisherbrand voucher idea...



Eppendorf

Electroporator, Eporator

2^{yr}

30% OFF



- Easy to use
- Fast sample handling
- Exponentially diminishing pulse
- Compact space design
- User defined function keys
- USB port for data transfer and GLP compliant documentation

Cat. No	Description	Price
11538673	Electroporator Eporator for bacteria, yeast, and other microorganisms, with USB port 240-50V 60Hz 275mm x 190mm x 125mm (l x w x h) pulse voltage: 200V to 2,500V	27 377,70

Thermal cycler, ⁵PRIME/02

4^{yr}

35% OFF



- Colour touch screen and intuitive software
- Wide choice of block formats
- Block temperature range 10°C to 100°C
- Fast ramp rate up to 3.4°C/sec
- Can be upgraded for gradient cycling
- Data transfer via USB

Cat. No	Description	Price
12688885	Thermal cycler, ⁵ Prime 384 well sample capacity	39 701,91

Thermal cycler, gradient ³PrimeG/02

4^{yr}

35% OFF



- Colour touchscreen interface for fast program set-up
- Gradient can be applied across a temperature range of 30°C to 80°C
- Maximum gradient 14°C
- Block temperature range 4°C to 100°C
- Gradient calculator function
- Small space-saving footprint
- Larger block sizes: 48 x 0.2mL (half 96 well plate)
- Fast ramp rate up to 3.0°C/sec
- Upgrade to gradient cycling
- Data transfer via USB
- Four year warranty

Cat. No	Description	Price
12658875	Thermal cycler, gradient, 210mm x 350mm x 180mm (w x d x h)	31 908,52

Fisherbrand

pH meters, AB150, accumet™

3^{yr}

Great accuracy, simplified performance, fabulous price.

10% OFF



- Multiple views
- Backlit display
- Date/time for GLP requirements
- User buffer calibration options
- Three position electrode holder
- Stirring capability
- Upgradeable software
- Wall mounting available

Cat. No	Description	Price
12870633	pH/mV/temperature kit AB150 with TRIS compatible pH/ATC electrode (11500194), RS232 and USB cables, power supply, manual 100-240V 50Hz -2.000 to 20.000pH, -5°C to 105°C, ±2000.0mV	5 350,11
12880633	pH/mV/temperature meter bio kit AB150 with ATC probe (10236064), TRIS compatible accuTupH pH electrode (11550174), power supply, manual 110-220V 50Hz -2.000 to 20.000pH, -5°C to 105°C, ±2000.0mV	5 890,64

Fisherbrand

pH meters, AB200 series, accumet™

- Multiple views
- Backlight display
- Date/time for GLP requirements
- Customer buffer calibration options
- Three position electrode holder
- Stirring capability
- Upgradeable software
- Wall mounting available



15% OFF

Cat. No	Description	Price
12800643	pH/conductivity/temperature meter AB200 with RS232 and USB cables, power supply, manual 100-240V 50Hz -2.000 to 20.000pH, -5°C to 105°C, 0.00mS to 500.0mS	6 651,90
12810643	pH/conductivity/temperature kit AB200 with TRIS compatible pH/ATC electrode (11500194), conductivity/temp probe (11550164), RS232 and USB cables, power supply, manual 100-240V 50Hz -2.000 to 20.000pH, -5°C to 105°C, 0.00mS to 500.0mS	7 571,94



Label printer, BMP™51

35%
OFF



- Allows accurate identification of laboratory samples
- Print small characters and 2D barcodes quickly and easily
- Can be used to print labels for cryo tubes, centrifuge tubes, well plates, straws, slides, tissue cassettes and more
- Labels have been developed specifically for laboratory use and can withstand harsh environments including liquid nitrogen, freezers and autoclaves
- BMP51 - has QWERTY keyboard and USB and Bluetooth connections as standard

Cat. No	Description	Price
12719638	Printer, label, BMP51, portable, with LabelMark software PC linked only, QWERTY keys	6 717,90



Pumps, vacuum, two stage, rotary vane

15%
OFF



- Quiet running and excellent ultimate vacuum
- Active corrosion protection
- Easy maintenance
- Supplied with clamps and seals for the inlet and outlet
- Each pumps comes with anti-suck back valve, gas ballast valve, oil charging, centring ring, clamping ring and motor overload protection
- 100V to 230V, 50/60Hz, 90W

Cat. No	Description	Price
12901141	Rotary vane vacuum pump, double stage, ultimate vacuum, without gas ballast 1×10^{-2} mbar, with Labovac 10 oil, 90W, 300mm x 120mm x 150mm, pumping speed 30/36L/min	9 793,11
12911141	Rotary vane vacuum pump, double stage, ultimate vacuum, without gas ballast, 2×10^{-3} mbar, with Labovac 10 oil, 90W, 415mm x 150mm x 235mm, pumping speed 70/92L/min	14 411,77
12921141	Rotary vane vacuum pump, double stage, ultimate vacuum, without gas ballast, 2×10^{-3} mbar, with Labovac 10 oil, 90W, 430mm x 150mm x 235mm, pumping speed 97/110L/min	14 620,65
12931141	Rotary vane vacuum pump, double stage, ultimate vacuum, without gas ballast 2×10^{-3} mbar, with Labovac 10 oil, 90W, 445mm x 150mm x 235mm, pumping speed 120/143L/min	15 889,78
12951141	Rotary vane, vacuum pump, double stage, ultimate vacuum, without gas ballast 2×10^{-3} mbar, with Labovac, 10 oil, 90W, 540mm x 170mm x 260mm, pumping speed 183/220L/min	19 849,17



Label, printer, BBP™33

15%
OFF



- Quick and easy label design
- Trouble-free printer cartridges
- Wireless printing capabilities
- Rugged construction from durable materials

Cat. No	Description	Price
15147133	Printer BBP33 UK, LM + MW software 101.6mm max. label width 230.6mm x 241.6mm x 304.8mm	14 193,30

Fisherbrand™

Aspiration system, Biovac 106 with 4L PP bottle

UP TO 10% OFF



Cat. No	Description	Price
15348191	Aspiration system, Biovac 106, with 4L polypropylene bottle	14 503,00
15309804	Foot switch, for Biovac 106 aspiration system, with on-off function	1 074,00

Fisherbrand™

Bag sealer with cutter

35% OFF



- Seals polyethylene or polypropylene bags, sheets or flat tubing 0.01 mm to 0.8 mm thick
- Timing knob ensures safe sealing, heating element only hot when sealing
- Sliding blade removes excess material
- Includes extra blades, heating elements, PTFE cloths

Cat. No	Description	Price
15350360	Heat sealer, with cutter, UK plug	1 361,07

asecos®

Storage cabinets, safety

5' 10'



10% OFF



- Professional storage and handling of hazardous materials
- 90 minute fire resistance (EN 14470-1)
- 10 year warranty for Q-LINE cabinets
- Five year warranty for all other cabinets
- Delivery charge not included

Cat. No	Description	Price
13469706 1	Q-PEGASUS-90 Safety storage cabinet, grey, 3 shelves, 1 perforated metal plate insert, 1 bottom collecting sump 33L	22 620,44
15107303 2	K-PHOENIX-90 Combi safety storage cabinet, light grey. Left side: 3 shelves, 1 perforated metal plate insert, 1 bottom collecting sump 22L. Right side: 4 pull-out shelves including plastic sump	24 241,11
12173951	Recirculating air filter for Q-LINE	10 609,55
15121866 3	G-ULTIMATE-90 Safety storage cabinet, light grey, with mounting rails, bottle holders and fold-away ramp, 250mm length	22 397,03
15111866	S-PHOENIX Vol. 2-90 Safety storage cabinet, light grey, 4 pull out drawers	26 759,70
15101566 4	UB-S-90 safety storage cabinet, underbench, includes one drawer with sumps and perforated inserts, stainless steel, 17.5L capacity, 1100 x 570 x 600mm (w x d x h), light grey	13 218,28
15261015	Q-CLASSIC-90, safety storage cabinet, including 3 shelves and bottom collecting sump plastic laminated sheet steel RAL 7035	20 516,40

Fisherbrand voucher idea...



As recommended by **Dr Blue**

Fisherbrand™

Freezers, ULT, upright and chest

25%
OFF



- Operational efficiency
- Comfortable lab environment
- Environmentally friendly product

Delivering the highest quality you can expect, Fisherbrand freezers feature robust, high quality construction with foam insulation, flexible storage and precision controls.

For delivery, siting and factory fitted options, please contact Customer Service.

ULT freezers, upright

Cat. No	Description	Price
12689265	ULT freezer, volume 368L	64 946,25
12656035	ULT freezer, volume 490L	71 733,75
12609275	ULT freezer, volume 630L	78 804,00
12676035	ULT freezer, volume 792L	89 134,50

ULT freezers, chest

Cat. No	Description	Price
12619265	Chest freezer, volume 85L	52 185,00
12696025	Chest freezer, volume 360L	65 646,75
12649265	Chest freezer, volume 566L	73 773,75

Thermo SCIENTIFIC

Monitoring kit, for ULT freezers, Smart-View™

10%
OFF



Cat. No	Description	Price
15380351	Smart-View™ monitoring kit for ULT freezers, comes with client server software	7 912,62
15380381	Smart-View™ monitoring starter kit for refrigerators, comes with client server software	6 287,52
15320391	Smart-View™ monitoring starter kit for 2/3 door refrigerators, comes with client server software	6 304,10

LIEBHERR

Refrigerator and freezer, undercounter

- Maximum capacity and compact design
- Hygienic interior for versatile use
- Low energy consumption
- Natural refrigerant R600a
- Integrated lock

20%
OFF



Temperature range, °C	15131936 1 to 15	15141936 -9 to -26
Volume, L	180	143
Dimensions [w x d x h], mm	600 x 600 x 850	600 x 615 x 830
Electrical supply	220-240V, 50Hz	220-240V, 50Hz

Cat. No	Description	Price
15131936	Refrigerator FKv1800-20 undercounter integrated lock dynamic cooling system	4 636,00
15141936	Freezer GGU1400-20 undercounter integrated lock static cooling system	4 636,00



Refrigerator/freezer, 'Temperature in Control'

2^{yr}

Special Price



- New advanced controller
- Management of internal temperature and monitoring of min/max settings at touch of a button
- Temperature range: fridge 2°C to 10°C, freezer -18°C to -25°C
- Lock fitted as standard
- Auto fridge and manual freezer defrost
- Spark free
- Moulded drawers
- Adjustable feet and rollers
- R600a energy efficient refrigerant
- Temperature alarm

Cat. No	Description	Price
12918664	LSC263UK freestanding laboratory fridge freezer, volume 159L and 104L	9 586,80



Freezer, 'Temperature in Control'

2^{yr}

Special Price



- New advanced controller
- -18°C to -20°C set temperature
- Perfect for short term sample storage
- Management of internal temperature
- Monitor min/max settings at touch of a button
- Lock fitted as standard
- Manual defrost
- Spark free
- Wire shelves
- R134a refrigerant
- Temperature alarm

Cat. No	Description	Price
12958664	ISU27C Countertop freezer, volume 50L, UK plug	3 962,40



BioPhotometer™, D30

2^{yr}

10% OFF



- 10 common fixed wavelengths
- Xenon flash lamp, long lifespan and no warm up time
- Compatible with the Eppendorf Cuvette G1.0 - allowing sample volumes as low as 1.5µL
- Purity scan for specific applications
- Preprogrammed applications
- Easy data transfer via USB interface
- Help function to guide you step by step
- Integrated results memory


Cat. No	Description	Price
10544214	BioPhotometer™ D30	4 9943,25



Spectrophotometer, UV/visible, 7315

3^{yr}

10% OFF



- Icon-driven software
- Auto logging capabilities
- Press-to-read xenon lamp
- Spectrum scanning across entire wavelength range
- Three year warranty including xenon lamp
- Results and method saving to USB memory stick
- Extensive range of accessories available (contact Customer Services)

Wavelength range, nm	198 to 1,000
Spectral bandwidth, nm	5
Transmittance	0 to 199.9%
Absorbance range	-0.3 to 2.5

Cat. No	Description	Price
15179702	Spectrophotometer 7315 UV/visible with 10mm x 10mm cuvette holder offer	31 777,43



Hotplate stirrers UC152 and US152, PLUS temperature controller SCT1

Package includes hotplate stirrer, SCT1 temperature controller, retort rod and probe holder.

Special Package Price



UC152 and US152 Hotplate stirrer

- Choice of top plate: robust coated aluminium or chemically resistant ceramic
- Flashing 'Hot' warning light, mains independent
- Accurate temperature control with LED indicator scale
- Compact space saving design

SCT1 Temperature controller

- Accurate liquid temperature control
- Built-in retort fitting and probe holder
- Detachable temperature probe
- Bright, easy to read LED display
- Compact and lightweight
- Comprehensive range of accessories (contact Customer Service)

Cat. No	Description	Price
15129712	Magnetic hotplate stirrer UC152 with ceramic top and SCT1 temperature controller	5 390,13
15119712	Magnetic hotplate stirrer US152 with coated aluminium top and SCT1 temperature controller	5 192,33



Stirrer, RT touch

15% OFF



- Low profile, lightweight design with small footprint
- Speed 30rpm to 2,000rpm
- Gradual start up to prevent splashing
- Stirring capacity: 4L (medium), 5L (RT touch)
- Magnetic coupling ensures stirring consistency
- Non-slip plate covers - one white, one black

Cat. No	Description	Price
15258834	Stirrer, RT touch, medium, 230V, international plug	2 010,92
15278834	Stirrer, magnetic, RT Touch, 230V, International plug	2 240,43



Stirrer, magnetic, RT Basic series

15% OFF



- Low profile, lightweight design with small footprint
- Speed 150rpm to 2,500rpm
- Stirring capacity: 2L (small), 4L (medium)
- Magnetic coupling ensures stirring consistency
- Non-slip plate covers - one white, one black

Cat. No	Description	Price
15298824	Stirrer, magnetic, RT Basic series, small, 230V, international plug	1 064,37
15218834	Stirrer, magnetic, RT Basic series, medium, 230V, international plug	1 247,08



Hotplate, RT2 basic

15% OFF



- Low profile design
- Digital control
- Temperature range 0°C to 350°C
- Overheat prevention
- Keypad lock button
- User selectable modes
- Separate operation Run/Stop button
- Hot top warning indicator
- Safety shield

Cat. No	Description	Price
15238824	Hotplate, RT2 basic, 230V	4 636,65



Hotplate stirrer, RT2 advanced

15% OFF



- Low profile design
- Digital control
- Temperature range ambient to 350°C
- Speed 30rpm to 2,000rpm
- Stirring capacity 20L
- Overheat prevention
- User selectable modes
- Separate operation Run/Stop button
- Hot top warning indicator
- Safety shield

Cat. No	Description	Price
15268824	Hotplate stirrer, RT2 advanced, 230V	4 950,15



Stirrer, overhead, Compact, general purpose mixing

15% OFF



- Easy to move and easy to set up
- Compact size ideal for fume hood or enclosed workstation and small volume applications
- Brushless DC motor is efficient, with less heat and maintenance free
- Belt driven transmission is smooth and quiet, with high power efficiency
- Easy to use intuitive controls - stirrer remembers last speed before powered off
- Chemical resistant, sealed keypad and splashproof housing
- Through-shaft makes impeller adjustment easy
- Two cord sets included (EU and UK)
- Safety approved - CE marked
- Adjustable chuck up to 10mm
- Manuals in four languages - English, French, Spanish and German
- High torque model also available

Cat. No	Description	Price
15203807	Compact overhead stirrer, general purpose mixing	6 987,85



Stirrer, magnetic, ultra thin

15% OFF



- Modern magnetic coil technology
- Flat surface
- Ultra thin design - just 12mm high
- Simple control panel with easy to use interface
- Variable speed setting from 15rpm to 1,500rpm
- Speed indicator during operation
- Anti-skid pads
- Wear-free drive (no moving parts). Maintenance free
- Set-up plate and casing made from chemically resistant materials
- Stir bar docking location to place or attach magnetic stir bar
- Power supply - supplied with UK and EU adapter
- Pulse function provides better mixing (stir bar alternates rotating clockwise and counter clockwise every 30s)

Cat. No	Description	Price
15361901	Magnetic stirrer, ultra-thin, 800mL capacity, 15rpm to 1,500rpm, 100-240V, 50/60Hz	1 247,90



Stirrer, overhead, high torque

15% OFF



- Durable, unbeatable quality - TENV cast aluminum housing coated with chemical resistant epoxy paint
- Brushless DC motor is efficient, with less heat and maintenance free
- Belt driven transmission is smooth and quiet, with high power efficiency
- Adjustable chuck up to 10 mm
- Chuck guard protects the user from moving chuck and protects the chuck itself from splashes
- Electronic speed control, two speed transmission maintains set speed at all viscosities
- Transmission changes automatically to high torque or high speed range
- Zero torque feature similar to a tare feature on a scale
- Sealed keypad is easy to use, intuitive and water tight
- Through shaft makes impeller adjustment easy
- Two cord sets included (EU and UK)
- Safety approved - CE marked
- Manuals in four languages - English, French, Spanish and German
- Compact model also available

Cat. No	Description	Price
15293797	High torque, digital overhead stirrer	11 496,25

Fisherbrand™

Mixer, Vortex, fixed 280rpm, 4.5mm orbit

2nd

15%
OFF



- Small, compact vortex mixer
- Fixed speed 2,800rpm
- Orbit 4.5mm
- 2 year warranty

Cat. No	Description	Price
15212985	Vortex mixer, fixed 2,800rpm, 4.5mm orbit	957,86

Thermo SCIENTIFIC

Mixer, bottle/tube roller

15%
OFF



- Adjustable speed accommodates a variety of applications
- Stackable unit, saves bench space
- CO₂ resistant
- Optional remote allows control without disturbing incubator or Biosafety cabinet samples
- Speed range 1rpm to 80rpm
- Temperature range 4°C to 60°C
- Six rollers as standard, up to 11
- Continuous mode
- Digital display

Cat. No	Description	Price
15258854	Bottle/tube roller, 100-240V, international plug	7 039,52

Fisherbrand™

Mixers, vortex, Classic and Wizard

15%
OFF



Technical Specification - General

Speed, rpm	0 to 3,000
Orbit diameter, mm	4.5
Mass, kg	2.4
Dimensions [w x d x h], mm	180 x 220 x 70
Protection	IP42
Electrical supply	230V 50Hz

Cat. No	Description	Price
11726744	Vortex mixer ZX Classic	1 266,93
11746744	Vortex mixer ZX Wizard , with infrared sensor	1 554,86

Thermo SCIENTIFIC

Mixer, tube revolver

15%
OFF



- Small footprint and Plug & Play equipment
- Digital display
- Speed range 10rpm to 40rpm
- Temperature range 4°C to 60°C
- Adjustable and interchangeable paddles
- Revolution 360°
- Paddles supplied

Cat. No	Description	Price
15238854	Revolver, tube, 100V-240V, International plug	2 587,82



Shaker, microplate, digital

15% OFF



- Compact design ideal for incubators, chambers and refrigerators
- Digital speed control 150rpm to 1,200rpm
- PID control
- Standard configuration capacity - four microplates
- Continuous or 1min to 99hr., 59min
- Digital display for easy viewing
- Automatic overload shutdown
- Chemically resistant

Cat. No	Description	Price
15258844	Shaker, microplate 230V, international plug	6 322,27



Incubator, shaking, orbital, SI600

Special price

Great Savings



- Shaking incubator, 115L capacity
- Digital display for temperature and speed
- Integrated timer
- Unique retractable platform for easy loading and unloading

Ideal for cell culture procedures, the SI600 orbital shaking incubator can accommodate a variety of vessels, including up to 6 x 2,000mL flasks or 9 x 1,000mL flasks.

Cat. No	Description	Price
15159712	Shaking incubator SI600 orbital	36 981,39



Shaker, orbital, MaxQ 2000 CO₂ Plus, CO₂ resistant

25% OFF



- Orbital shaking via magnetic power avoids the need to replace transmission belts
- Small footprint ideal for use in a CO₂ incubator
- Specially treated mechanical components provide protection against up to 20% CO₂ and 95% humidity conditions
- Convenient external control box with LED display allows for easy adjustments without opening the chamber door
- Minimal heat dissipation assures conditions within a CO₂ chamber are not affected
- Stainless steel construction for protection from corrosive CO₂ gassing conditions
- An extensive selection of accessories fits most applications, including platforms, flask clamps, tube racks, plugs and power adapters
- Shaker can also be used as a stand-alone unit for maximum value

Cat. No	Description	Price
15341105	Shaker, orbital, MaxQ 2000 CO ₂ Plus, CO ₂ resistant, EU APAC plug	16 924,50
15321135	Flask clamp starter kit for carbon dioxide-resistant shaker	1 290,00



Rockers, with FREE three tier system

FREE Tier System



- Compact rockers with space saving design
- See-saw or 3D gyratory motion
- FREE three tier system to triple capacity

The SSM3 has a gyratory motion. The SSM4 has see-saw motion. Both units have digital speed control and come with a FREE three tier system to triple capacity.

Cat. No	Description	Price
15119722	Rocker SSM3 gyratory with FREE tier platform SSM3/1	6 709,20
15129722	Rocker SSM4 see-saw with FREE tier platform SSM4/1	5 289,13

Thermo
SCIENTIFIC

Water purification systems, Type 1, ultrapure, Thermo Scientific™ Barnstead™, MicroPure™

10%
OFF



Smart features

- Backlit display tilts for easy viewing
- Variable speed dispensing
- Optional integrated 6L feed water reservoir so you can place the system without direct access to a water line

Monitor feed water quality

- Good feed water quality leads to consistently ultrapure water and maximises cartridge life

Smart design

- Recirculation pump prevents bacterial growth during standstill and allows for constant monitoring of all system functions, allowing for the immediate display of fault messages if a problem is detected
- Systems shipped fully equipped with pressure reducer, ultrapure cartridge and 0.2µm sterile filter

Superior filters

- Ultrafilter is flushed automatically to assure the highest retention of endotoxins and nucleases, which produces a long two year lifetime
- Validated 0.2µm final filter with folded membrane can be sterilised up to 5 times

IQ/OQ Documentation for MicroPure™ systems available, please enquire.

Technical Specification - General

Operating pressure	0.1bar to 6bar
Conductivity	0.055µS/cm
Resistance	18.2MΩ-cm at 25°C
Bacteria	<1CFU/mL
Particles	<1/mL (>0.2µm)
Electrical supply	90-240V, 50/60Hz
Power consumption, W	60
Dimensions [w x d x h], mm	305 x 300 x 545
Temperature range, °C	2 to 35

Cat. No	Description	Price
10169639	MicroPure UV, ultrapure water system with UV photo oxidation	33 372,14
11337011	MicroPure UF, ultrapure water system with ultrafiltration membrane	30 935,03
11367011	MicroPure UF/UV, ultrapure water system with ultrafiltration membrane and UV photo oxidation	37 027,81
11357011	MicroPure ultrapure water system with ultrafiltration membrane and an integrated 6L feed water tank	32 559,78
11397011	MicroPure ultrapure water system with UV photo oxidation and an integrated 6L feed water tank	34 996,89
11377011	MicroPure ultrapure water system with UV photo oxidation, ultrafiltration membrane and an integrated 6L feed water tank	38 652,55

Fisherbrand voucher idea...



As recommended by **Dr Blue**



Bags, biohazard and bag holders, Thermo Scientific Sterilin™

A



- Standard or high temperature
- Autoclavable
- Polypropylene

Cat. No	Description	Price
11399093	Bags, non-sterile, standard, 121°C, 305mm x 660mm. Pack of 200	719,21
11309103	Bags, non-sterile, standard, 121°C, 406mm x 610mm. Pack of 200	1 329,64
11339103	Bags, non-sterile, standard, 121°C, 610mm x 810mm. Pack of 200	2 591,09

Cat. No	Description	Price
11329103	Bags, non-sterile, high temperature, 134°C, 610mm x 810mm. Pack of 200	2 774,46
11389103	Bags, non-sterile, high temperature, 134°C, 406mm x 610mm. Pack of 200	1 700,59



Bottles, aspirators, Thermo Scientific™ Nalgene™

A



Cat. No	Description	Price
10028090 1	Aspirator bottle rectangular polypropylene autoclavable, leak proof, moulded calibrations, sturdy handle 9L	548,23
10540022	Aspirator bottle rectangular polypropylene autoclavable, leak proof, moulded calibrations, sturdy handle 20L	684,47

Cat. No	Description	Price
10028080 2	Aspirator bottle, rectangular with polypropylene tap, HDPE, with handle and screw closure, with leakproof 89mm neck, I.D. 218mm x 318mm, 20L	628,66
10353401	Aspirator bottle, rectangular, HDPE, with handle and polypropylene tap, 9L	476,01



Beakers, PPCO, low form, Griffin, variety pack

A



- Includes seven beakers, one each size: 50mL, 100mL, 150mL, 250mL, 400mL, 600mL and 1,000mL
- No drip single-spout design provides precision pouring control
- With ribs for easy stacking
- Silk screened with graduations, size code, resin code, catalogue number, max./ temperature and 'No Flame' symbol for easy identification and safe use
- Impact resistant at temperatures above -40°C
- Autoclavable/graduated

Cat. No	Description	Price
15321674	Beakers, Griffin low form variety pack, one each of 50mL, 100mL, 150mL, 250mL, 400mL, 600mL and 1,000mL, PPCO	157,50



Bottles, aspirators, Thermo Scientific™ Nalgene™, Lowboy™

A



Cat. No	Description	Price
10799091 1	Aspirator Lowboy bottle low profile polypropylene autoclavable 8L	1 789,98
10662561	Aspirator Lowboy bottle low profile polypropylene autoclavable 15L	2 099,78

Cat. No	Description	Price
10231901 2	Aspirator Lowboy bottle low profile HDPE with integral handle and polypropylene tap 8L	1 564,70
10170341	Aspirator Lowboy bottle low profile HDPE with integral handle and polypropylene tap 15L	1 981,58



Bottles, aspirators, Thermo Scientific™ Nalgene™



1	Cat. No	Description	Price
	10634651	Aspirator carboy with handle and polypropylene tap, polypropylene autoclavable, 10L	626,65
	10644651	Aspirator carboy with handle and polypropylene tap, polypropylene, autoclavable, 20L	786,08
	10312611	Aspirator carboy with handle and polypropylene tap, polypropylene, autoclavable, 50L	1 366,38
2	Cat. No	Description	Price
	10492911	Aspirator carboy with handles and polypropylene spigot, LDPE, 4L	233,52
	10528081	Aspirator carboy with handles and polypropylene spigot, LDPE, 10L	388,10
	10109120	Carboy with handles and polypropylene tap, LDPE, 20L	556,19
	10119120	Carboy with handles and polypropylene tap, LDPE, 25L	664,46
	10097670	Carboy with handles and polypropylene tap, LDPE, 50L	993,73



Flasks, PETG, disposable, sterile, Erlenmeyer, Thermo Scientific™ Nalgene™

S



Cat. No	Description	Price
10465622	Flask, Erlenmeyer, conical, disposable, PETG, plain bottom, 125mL, pack of 24	2 237,58
10292032	Tissue culture flask, Erlenmeyer, conical, PETG, plain bottom, disposable, 250mL, pack of 12	1 213,77
10179661	Tissue culture flask, Erlenmeyer, conical, PETG, plain bottom, 500mL, pack of 12	1 430,01
10475622	Flask, Erlenmeyer, conical, disposable, PETG, plain bottom, 1L, pack of 6	775,87
10385012	Tissue culture flask, Erlenmeyer, conical, PETG, plain bottom, 2L, pack of 4	790,83
10228732	Flask, disposable, plain bottom, sterile, PETG, 2.8L, pack of 4	1 387,74

Cat. No	Description	Price
10395012	Flask, Erlenmeyer, conical, disposable, PETG, baffled bottom, 125mL, pack 24	2 018,46
10764033	Tissue culture flask, Erlenmeyer, conical, PETG, baffled bottom, disposable, 250mL, pack of 12	1 245,82
10345112	Tissue culture flask, Erlenmeyer, conical, PETG, baffled bottom, disposable, 500mL, pack of 12	1 382,13
10621513	Flask, Erlenmeyer, conical, disposable, PETG, baffled bottom, 1L, pack of 6	928,16
10599592	Tissue culture flask, Erlenmeyer, conical, PETG, baffled bottom, disposable, 2L, pack of 4	546,16
10750664	Flask, disposable, baffled bottom, sterile, PETG, 2.8L, pack of 4	1 479,24

Cat. No	Description	Price
10266432	Flask, vented, Erlenmeyer, PETG, plain bottom, 125mL, pack of 24	2 389,32
10592033	Flask, vented, Erlenmeyer, PETG, plain bottom, 250mL, pack of 12	1 316,97
10686673	Flask, vented, Erlenmeyer, PETG, plain bottom, 500mL, pack of 12	1 600,67
10357302	Flask, vented, Erlenmeyer, PETG, plain bottom, 1,000mL, pack of 6	885,83
10473582	Flask, vented, Erlenmeyer, PETG, plain bottom, 2,000mL, pack of 4	877,78
10156192	Flask, disposable, plain bottom, sterile, PETG, 2.8L, pack of 4	1 272,77

Cat. No	Description	Price
10529962	Flask, vented, Erlenmeyer, PETG, baffled bottom, 125mL, pack of 24	2 308,39
10403972	Flask, vented, Erlenmeyer, PETG, baffled bottom, 250mL, pack of 12	1 245,20
10082332	Flask, vented, Erlenmeyer, PETG, baffled bottom, 500mL, pack of 12	1 592,17
10206582	Flask, vented, Erlenmeyer, PETG, baffled bottom, 1,000mL, pack of 6	875,57
10434162	Flask, vented, Erlenmeyer, PETG, baffled bottom, 2,000mL, pack of 4	838,78
10228602	Flask, disposable, baffled bottom, sterile, PET,G 2.8L, pack of 4	1 427,55



Bottles, HDPE, single use, wide neck, round and square, with assembled cap



- Single use, HDPE, square bottles from 50mL to 2,000mL
- Available with a choice of three different caps:
 - Single closure, red, deep thread screw cap
 - Double closure: polyethylene seal and red screw cap
 - Leak proof screw cap, red, with a tresylene seal (100mL to 1,000mL sizes only)
- Bottles are screw cap assembled and set in cases
- Available aseptic or sterile by irradiation with peel away sterility certificate
- For research use only, unless otherwise indicated

Cat. No	Description	Price
11773064	Bottle, single use, square with wide neck, non-sterile, HDPE with assembled double closure PE seal red screw cap, clear, 500mL, pack of 175	1 200,59
11728643	Bottle, single use, square with wide neck, non-sterile HDPE with assembled double closure PE seal red screw cap, clear, 1L, pack of 90	657,76
11743044	Bottle, single use, square with wide neck, non-sterile, HDPE with assembled double closure, PE seal red screw cap, clear, 2L, pack of 50	504,79
11783064	Bottle, single use, square with wide neck, sterile by irradiation, with peel away certificate, HDPE with assembled double closure PE seal red screw cap, clear, 500mL, pack of 175	1 845,56

Thermo
SCIENTIFIC

Tubes, centrifuge, conical, 13.5mL, Thermo Scientific™ Sterilin™

Aseptically manufactured from virgin polystyrene with moulded graduation marks at 5mL and 10mL. All 100mm x 16mm. Recommended RCF value: 3,200xg in suitably balanced rotor.

25% OFF



Cat. No	Description	Price
11309223	Centrifuge tube, round bottom, sterile, polystyrene, clear, 13.5mL, pack of 450	1 819,16
11399223	Centrifuge tube, conical base, sterile, polystyrene, clear, 13.5mL, pack of 450	2 044,58

Fisherbrand voucher idea...



As recommended by **Dr Blue**

CORNING

Tubes, centrifuge, 50mL

S

30% OFF



- Black printed graduations and large white marking spot
- Choice of cap styles
- Original plug seal or flat top rim seal
- Plug seal caps can be colour coded using inserts
- Available in racks or bulk packed
- Certified non-pyrogenic and RNase/DNase free
- Sterile by gamma irradiation

PET = Polyethylene terephthalate
PP = Polypropylene

Cat. No	Description	Price
10314131	Centrifuge tube plug, seal cap, sterile, polypropylene, non-pyrogenic, subpacked 20 racks x 25 tubes, 15,500xg max., 50mL x 5mL	1 143,00
10694541	Centrifuge tube, plug seal cap, sterile, polypropylene, non-pyrogenic, subpacked 20 sleeves x 25 tubes, 15,500xg max., 50mL x 5mL	1 022,32
10684541	Centrifuge tube, plugseal, cap, sterile, polystyrene, non-pyrogenic, subpacked 20 racks x 25 tubes, 1,800xg max., 50mL x 5mL	1 648,35
10334131	Centrifuge tube, flat top, cap sterile, polypropylene, non-pyrogenic, subpacked 20 racks x 25 tubes, 15,500xg max., 50mL x 5mL	1 287,19
10291433	Centrifuge tube, universal rack, polypropylene, sterile, flat top, 50mL	825,52
10604551	Centrifuge tube, flat top cap, sterile, polypropylene, non-pyrogenic, subpacked 20 x 25 tubes, 15,500xg max., 50mL x 5mL	1 151,27

Cat. No	Description	Price
10164212	Rack, foam for 50mL centrifuge tubes	226,98
10546813	Rack, universal, foam for 15mL/50mL centrifuge tubes	226,98

CORNING

Tubes, centrifuge, 15mL

S

30% OFF



- Black printed graduations and a large white marking area
- Certified non-pyrogenic and RNase/DNase free
- Sterile by gamma irradiation
- Available in racks or sleeves
- Choice of cap styles - original plug seal or flat top cap

PET = Polyethylene terephthalate
PP = Polypropylene

Cat. No	Description	Price
10262861	Centrifuge tube, plug seal cap, sterile/non-pyrogenic, polystyrene, 15mL x 0.5mL, 3,600xg max., 10 racks of 50 tubes	1 044,94
10272861	Centrifuge tube, plug seal cap, sterile, PET, non-pyrogenic, subpacked 20 sleeves x 25 tubes, 12,000xg max., 15mL x 0.5mL	1 012,53
10579691	Centrifuge tube, with flat top cap, sterile/non-pyrogenic, polypropylene, 15mL, 8,400xg max., 10 racks of 50 tubes	1 129,30
10738771	Centrifuge tube, with flat top cap, sterile, polypropylene, non-pyrogenic, subpacked 20 sleeves x 25 tubes, 12,000xg max., 15mL	1 118,38
10151151	Centrifuge tube, plug seal cap, sterile, polypropylene, non-pyrogenic, subpacked 20 sleeves x 25 tubes, 12,000xg max., 15mL	1 012,53
10431013	Centrifuge tube, plug seal cap, sterile/non-pyrogenic, polypropylene, 15mL x 0.5mL, 12,000xg max., 10 racks of 50 tubes	1 002,80

Cat. No	Description	Price
10393023	Tube rack for 15mL centrifuge tubes, foam	236,09
10546813	Rack, universal, foam for 15mL/50mL centrifuge tubes	226,98



Desiccator cabinets, Secador™

30% OFF



Desiccator cabinets

- Patented seal assures moisture and dust free storage of humidity sensitive items
- Contents are easily viewed through a large, clear door, which seals with positive latches and can be securely closed with tamper evident seals or padlock
- Dial hygrometer in the door allows easy monitoring of relative humidity
- Mini Secador™ is moulded from clear polystyrene that does not have a UV blocker; all other Secador™ cabinets are moulded from rugged co-polyester plastic resistant to staining, crazing and chemical attack with built-in protection which blocks 99% of UV light
- Desiccant can be placed under the bottom shelf to preserve storage space
- Vertical profile cabinets are all stackable
- Horizontal profile has a fold down door
- Shelves are perforated and removable
- Blue cabinet bodies and end caps are available, visit our website for our full range of products

Auto-Desiccator cabinets

- Patented built-in electronic dehumidifier system reduces the relative humidity inside the cabinet from 75% to 25% and circulates dry air automatically
- All features of standard Secador™ cabinets
- All Secador™ auto-desiccator cabinets are 230V a.c. with a low voltage power adapter with two pin continental style plug

Cat. No	Description	Price
12348985	Desiccator cabinet, mini, polystyrene, clear, 216mm x 338mm x 254mm (h x w x d)	1 123,94
12318995	Desiccator cabinet, 3.0, co-polyester with three shelves, clear, 417mm x 341mm x 414mm (h x w x d)	4 968,51

Cat. No	Description	Price
12309005	Desiccator cabinet 2.0, auto-desiccator, co-polyester with two shelves, clear, 314mm x 341mm x 414mm (h x w x d)	6 721,60
10290652	Desiccator cabinet 4.0, vertical, auto-desiccator, co-polyester with three shelves, clear, 518mm x 341mm x 414mm (h x w x d)	7 666,39

Fisherbrand voucher idea...

As recommended by Dr Blue



Containers, polystyrene, 7mL to 250mL, Thermo Scientific™ Sterilin™



UP TO 35% OFF



Sample containers, manufactured under strict aseptic conditions and leak tested to EN 14254 Annex D. With metal or plastic screw cap.

7mL bijou, pack of 700

Cat. No	Description	Price
11369123	Bottle, empty, unlabelled, aseptically produced, polystyrene, bijou with white polypropylene cap, clear, 7mL	1 750,25
11399133	Container empty, plain label, sterile, polystyrene, white polyethylene cap, clear, 7mL	1 922,43

30mL universal, pack of 400

Cat. No	Description	Price
12501299	Container, empty, unlabelled, sterile, polystyrene, white flow seal polypropylene cap, clear, 30mL	738,47
11339133	Universal container, no label with Quick Start cap, 30mL	716,44
11359133	Universal container with printed label, boric acid with Quick Start cap, 30mL	750,38
11319153	Universal container, plain label, with QuickStart cap, aseptic, polystyrene, base/polypropylene cap, 30mL	716,44
12511299	Container, empty, printed label, aseptically manufactured, polystyrene, white flow seal, polypropylene cap, clear, 30mL	945,90
12521299	Container, empty, plain label, sterile, polystyrene, white flow seal, polypropylene cap, clear, 30mL	932,79
11339633	Universal container, printed label, QuickStart cap, aseptic, polystyrene, base/polypropylene cap, 30mL	716,44

60mL, pack of 300

Cat. No	Description	Price
11379123	Container, empty, unlabelled, sterile, polystyrene, metal cap, clear, 60mL	1 589,06
11389123	Container, empty, unlabelled, sterile, polystyrene, white polyethylene cap, clear, 60mL	1 953,50
11708908	Container, empty, plain label, sterile, polystyrene, white polyethylene cap, clear, 60mL	1 672,29

100mL, pack of 200

Cat. No	Description	Price
11309133	Container, empty, unlabelled, sterile, polystyrene, white polyethylene cap, clear, 100mL	2 428,08
11349143	Container empty printed label sterile polystyrene metal cap clear 100mL	2 517,94

150mL, pack of 120

Cat. No	Description	Price
11319133	Container, empty, unlabelled, sterile, polystyrene, metal cap, clear, 150mL	1 929,44
11389143	Container, empty, printed label, sterile, polystyrene, metal cap, clear, 150mL	1 883,37
11399143	Container empty plain label sterile polystyrene metal cap clear 150mL	1 883,37

250mL, pack of 50

Cat. No	Description	Price
11329133	Container, no label, sterile, polystyrene, metal cap, clear, 250mL	807,70
11349153	Container, empty, printed label, sterile, polystyrene, metal cap, clear, 250mL	988,06
12047492	Container, empty, plain label, sterile, polystyrene, metal cap, clear, 250mL	955,62

Thermo
SCIENTIFIC

Container, 30mL, universal

20%
OFF



- Universal container
- No label, with polypropylene cap
- High chemical resistance
- Soda-lime glass
- Capacity 30mL
- Tray packed

Cat. No	Description	Price
12653546	Container, universal, with polypropylene Quick Start screw cap, unlabelled, aseptically produced, polypropylene, clear, 30mL, supplied as 8 inner bags of 50	788,76
12673546	Container universal, with polypropylene Quick Start screw cap, with plain label, aseptically produced, polypropylene, clear, 30mL, supplied as 8 inner bags of 50	788,76

Thermo
SCIENTIFIC

Containers, polystyrene, non-pyrogenic, endotoxin free, 7mL to 250mL, Thermo Scientific™ Sterilin™

S

UP TO
25%
OFF



- Batch number on each container and certificate with every case
- Useful for the storage of samples, formulation work, sterility testing and endotoxin testing
- Convenient and ready to use

Cat. No	Description	Price
11319123	Container, non-pyrogenic, labelled with plastic cap, polystyrene, 30mL, pack of 400	2 315,11
11339123	Container, non-pyrogenic, labelled with plastic cap, polystyrene, 100mL, pack of 200	2 548,48
11349123	Container, non-pyrogenic, labelled with plastic cap, polystyrene, 150mL, pack of 120	2 039,85
11359123	Container, non-pyrogenic, labelled with plastic cap, polystyrene, 250mL, pack of 50	1 364,06
11309123	Container, non-pyrogenic, labelled with plastic cap, polystyrene, 7mL, pack of 700	2 911,85
11329123	Container, non-pyrogenic, labelled with plastic cap, polystyrene, 60mL, pack of 300	2 299,46

Thermo
SCIENTIFIC

Containers, polystyrene, double bagged, 30mL to 250mL, Thermo Scientific™ Sterilin™

S CE IVD

20%
OFF



- Each container is double wrapped with two 'easy tear' bags

Cat. No	Description	Price
11804732	Container, double bagged, plain label with metal cap, polystyrene, gamma irradiated, 250mL, pack of 40	4 723,41

Thermo
SCIENTIFIC

NALGENE

Cylinders, PPCO, graduated variety pack

20%
OFF



- Includes seven cylinders, one each size: 10mL, 25mL, 50mL, 100mL, 250mL, 500mL and 1,000mL
- Guaranteed to meet requirements of ASTM Class B, E1272 for accuracy
- No meniscus to confuse readings - eliminates guesswork
- Large blue octagonal base prevents rolling and tipping
- Generous pour spout provides ease in dispensing liquids
- Molded-in graduations are silk-screened for easy reading
- Excellent chemical resistance for a wide variety of solutions
- Impact resistant at temperatures above -40°C
- Autoclavable/graduated

Compliance:

Meets ASTM Class B, E1272 Class B and 21 CFR Part 177.1520 for food/beverage use

Notes:

Autoclaving will affect graduation accuracy

Cat. No	Description	Price
15331674	Graduated cylinders variety pack, one each of 10mL, 25mL, 50mL, 100mL, 250mL, 500mL and 1,000mL, PPCO	722,40

Thermo
SCIENTIFIC

Filter cones, Büchner

20%
OFF




Cat. No	Description	Price
11349183	Cone filter, natural, rubber, red, for Buchner funnels, set of 6	442,31

Thermo
SCIENTIFIC

Inoculating loops, with sphere, sterile, Thermo Scientific™ Sterilin™ Quadloops™

S

20% OFF



Pack of 1,000

Cat. No	Description	Price
11778858	Inoculating loop, Quadloop, irradiated, polystyrene, green, 1µL	1 502,12
11788858	Inoculating loop, Quadloop, irradiated, polystyrene, blue, 10µL	852,72

Thermo
SCIENTIFIC

Pipettors, GLP kits, F1-ClipTip, Thermo Scientific™ FinnpiPETTE™

20% OFF



Kit 1 includes:

- F1-ClipTip 1µL to 10µL single channel
- F1-ClipTip 10µL to 100µL single channel
- F1-ClipTip 100µL to 1,000µL single channel
- F-Series stand
- ClipTip 20 rack
- ClipTip 200 rack
- ClipTip 1,000 rack
- 25mL reservoir
- 25mL divided reservoir
- 100mL divided reservoir

Kit 2 includes:

- F1-ClipTip 2µL to 20µL single channel
- F1-ClipTip 20µL to 200µL single channel
- F1-ClipTip 100µL to 1,000µL single channel
- F1-ClipTip 30µL to 300µL 8 channel
- F-Series stand
- ClipTip 20 rack
- ClipTip 200 rack
- ClipTip 300 rack
- ClipTip 1,000 rack
- 25mL reservoir
- 25mL divided reservoir
- 100mL divided reservoir

Cat. No	Description	Price
13216309	Pipettor package F1-ClipTip GLP Kit 1, variable volume, 3 x manual single channel, 6 position F-stand, 3 x reagent reservoir, 3 x ClipTip rack 1µL to 10µL, 10µL to 100µL, 100µL to 1,000µL	3 726,07
13296299	Pipettor package F1-ClipTip GLP Kit 2, variable volume, 4 x manual single channel, 8 channel 30µL to 300µL, 6 position F-stand, 3 x reagent reservoir, 4 x ClipTip rack 2µL to 20µL, 20µL to 200µL, 100µL to 1,000µL, 30µL to 300µL	5 964,60

Thermo
SCIENTIFIC

Pipettors, single and multichannel, Thermo Scientific™ FinnpiPETTE™ Novus

2nd **CE** **IVD**

20% OFF



- Clear, easy to read, intuitive menu navigation
- New multilingual graphical user interface
- Backlight technology eliminates surrounding light reflections and improves contrast in low light conditions
- Ten pipetting options; nine aspirate/dispense speeds
- Functions include forward, reverse, diluting, stepper pipetting, mixing, sequential stepping, and more
- Programmable for your own custom applications
- Easy in-lab calibration for accuracy and precision
- Fully autoclavable tip cone ensures sterility and avoids cross contamination
- Long life battery allows approximately 4,000 pipetting operations; recharged in about 1hr

Cat. No	Description	Price
11736914	Pipettor, Novus, single channel, electronic, pink, 1µL to 10µL	4 376,00
11746914	Pipettor, Novus, single channel, electronic, turquoise, 5µL to 50µL	4 376,00
11756914	Pipettor, Novus, single channel, electronic, yellow, 5µL to 50µL	4 376,00
11766914	Pipettor, Novus, single channel, electronic, yellow, 10µL to 100µL	4 376,00
11786914	Pipettor, Novus, single channel, electronic, blue, 100µL to 1,000µL	4 376,00
11770715	Pipettor, electronic, Novus, 1µL to 10µL charger, CE marked	4 376,00
11776914	Pipettor, electronic, Novus, 30µL to 300µL	4 376,00
11796914	Pipettor, electronic, Novus, 500µL to 5,000µL	4 376,00
11706924	Pipettor, electronic, Novus, 1mL to 10mL	4 376,00

Cat. No	Description	Price
11720715	Pipettor, Novus, 8 channel, electronic, 1µL to 10µL	7 123,20
11750715	Pipettor, Novus, 8 channel, electronic, 5µL to 50µL	7 123,20
10727084	Pipettor, Novus, 8 channel, electronic, 30µL to 300µL	7 123,20
11722245	Pipettor, Novus, 8 channel, electronic, 100µL to 1,200µL	8 378,40

Cat. No	Description	Price
11751485	Pipettor, electronic, Novus, 12 channel 1µL to 10µL	8 059,20
11740715	Pipettor, Novus, 12 channel, electronic, 5µL to 50µL	8 059,20
11730715	Pipettor, Novus, 12 channel, electronic, 30µL to 300µL	8 059,20

Cat. No	Description	Price
11716924	Pipettor, Novus, 16 channel, electronic, 5µL to 50µL	9 344,80

Thermo
SCIENTIFIC

Pipette fillers, Thermo Scientific™ S1

20%
OFF



- Lightweight cordless pipette filler
- Ergonomically designed
- Use with graduated, volumetric glass and plastic serological pipettes
- Supplied with heavy duty rechargeable lithium ion battery
- Separate aspirate and dispense speed controls
- Backlit LCD display

Technical Specification - General

Aspirate speed, s	8
Dispensing speed, s	8 (+ gravity dispense)
Battery	Lithium ion
Run time, hr	20 (continuous use between charges approx.)
Recharge time, min	60 (approx)
Weight, g	220
Nosepiece Pipette Holder	Autoclavable silicone rubber
Pipette Compatibility	All major brands of glass or plastic serological pipettes, 1mL to 100mL
Filter assembly, µm	0.45
Fill time, s	5 (for 50mL pipette)

Cat. No	Description	Price
10402822	Pipette filler, serological, includes Li-ion battery, charger, table stand, wall bracket, 1mL pipette tip stabiliser, 1mL to 100mL, white	2 922,40
10729534	Pipette filler, serological, includes Li-ion battery, charger, table stand, wall bracket, 1mL pipette tip stabiliser, 1mL to 100mL, clear	2 922,40
10626293	Pipette filler, serological, includes Li-ion battery, charger, table stand, wall bracket, 1mL pipette tip stabiliser, 1mL to 100mL, blue	2 922,40
10367302	Pipette filler, serological, includes Li-ion battery, charger, table stand, wall bracket, 1mL pipette tip stabiliser, 1mL to 100mL, red	2 922,40
10072332	Pipette filler, serological, includes Li-ion battery, charger, table stand, wall bracket, 1mL pipette tip stabiliser, 1mL to 100mL, green	2 922,40

Thermo
SCIENTIFIC

Pipettes, Pasteur, polyethylene, Thermo Scientific™ Sterilin™

30%
OFF



Pack of 500

Cat. No	Description	Price
11329203	Pipette, Pasteur, non-sterile, polyethylene, graduated, 1mL	250,61
12909487	Pipette, Pasteur, non-sterile, polyethylene, graduated, 3mL	159,11

Thermo
SCIENTIFIC

Pipettes, transfer



30%
OFF

- Grips easily with latex gloves – no slipping
- Clear graduated markings
- Fine tip accuracy
- Packaging materials greatly reduce airborne mold spores from entering testing areas
- Precision-cut tips deliver a uniform drop size every time
- Proprietary controlled processes produce a uniform bulb with uncompromised integrity

Cat. No	Description	Price
15307813	Transfer pipette, general purpose, 7.7mL capacity, 3.2mL bulb volume, non-sterile, pack of 500	97,94
15367813	Transfer pipette, graduated, small bulb, 3.9mL capacity, 2.2mL bulb volume, non-sterile, pack of 500	109,94
15251799	Transfer pipette, graduated, large bulb, 3.2mL bulb draw, 7.5mL capacity, sterile, individually wrapped, pack of 4,000	2 091,40
10374850	Transfer pipette, extended fine tip, 3.3mL bulb draw, 5mL capacity, non-sterile, pack of 250	161,12
15337833	Transfer pipette, fine tip, large bulb, 4.8mL bulb draw, 8.7mL capacity, non-sterile, pack of 400	190,18

Fisherbrand voucher idea...



As recommended by **Dr Blue**

Thermo
SCIENTIFIC

Pipettes, straight, serological, polystyrene, ready certified, Thermo Scientific™

S

30%
OFF



Blow-out, colour coded plugged polystyrene pipettes. Non-wettable surface. Negative graduations allow dispensing of volumes greater than stated capacity. Pre-packed with a batch specific certification. 10252751/10693961/11383794 are supplied with suction adapter.

Cat. No	Description	Price
10344451	Pipette, serological, constricted jet opening - sleeve 25 polystyrene, fast flow, normal nip, colour coded with suction adapter, orange, 10mL, pack of 500	1 854,51
10429652	Pipette, serological, restricted jet, polystyrene, yellow, 1mL, pack of 1,000	1 971,53
11363794	Pipette, serological, constricted jet opening - single wrap, polystyrene, fast flow, individually wrapped, blue, 5mL, 0.1 graduation, pack of 200	720,31
10384351	Pipette, serological, constricted jet opening - single wrap polystyrene, fast flow, individually wrapped, blue, 5mL, 0.1 graduation, pack of 200	772,19
10252751	Pipette, serological constricted jet opening - single wrap, polystyrene, fast flow, individually wrapped, orange, 10mL, 0.1 graduation, pack of 500	1 926,11
10693961	Pipette, serological, constricted jet opening - single wrap polystyrene, fast flow, individually wrapped, red, 25mL, 1.0 graduation, pack of 200	1 737,12
11383794	Pipette, serological, constricted jet opening - single wrap polystyrene, fast flow, individually wrapped, purple, 50mL, 1.0 graduation, pack of 50	1 103,61

Thermo
SCIENTIFIC

Pipettes, straight, serological, plugged, polystyrene, paper peel, Thermo Scientific™

S

30%
OFF



- Printed with product code, lot number and expiry date
- Paper backing allows for easy access and disposal after use
- Sterile by irradiation

Cat. No	Description	Price
11329193	Pipette, paper peel single wrap, polystyrene, with suction adapter, 5mL, pack of 200	779,71
11339193	Pipette, paper peel single wrap, polystyrene, with suction adapter, 25mL, pack of 200	1 643,87
11349193	Pipette, paper peel single wrap, polystyrene, with suction adapter, 50mL, pack of 50	1 151,77
11389203	Pipette, single wrap, with suction adapter, polystyrene paper peel, 10mL, pack of 500	2 048,01

Thermo
SCIENTIFIC

Pipettes, straight, serological, polystyrene, sterile, Thermo Scientific™ Sterilin™ Shortie

S

20%
OFF



- Short convenient length
- Batch specific certificate inside each box
- Sterile by irradiation
- Designed for use in laminar air flow cabinets - easier to manipulate in confined spaces

Individually wrapped with a batch specific certificate inside each box.

Cat. No	Description	Price
11393794	Pipette, serological, ready certificated, Shortie, paper peel, polystyrene sterile, 5mL, pack of 200	1 967,45
11303804	Pipette, serological, ready certificated, Shortie, paper peel, polystyrene sterile, 10mL, pack of 200	2 963,34

CORNING

Pipettes, serological, polystyrene, paper/plastic wrap, Stripette™

S

25%
OFF



- Individually wrapped with easy opening by pop-through or peel-apart techniques
- Unique colour coded magnifying stripe for easier meniscus viewing
- Colour coding on wrapping allows easy size identification
- Sterile, non-pyrogenic and DNase and RNase free
- Exclusive anti-drip tip assures accurate delivery
- Bidirectional graduations provide choice of ascending and descending scales

Cat. No	Description	Price
10074450	Pipette, Stripette, tissue culture, sterile, polystyrene, non-pyrogenic, individual paper/plastic wrap, 20 subpacks of 50 pipettes, yellow stripe, 1mL x 0.01mL	1 468,03
10288370	Pipette, Stripette, tissue culture, sterile, polystyrene, non-pyrogenic, individual paper/plastic wrap, 20 subpacks of 50 pipettes, green stripe, 2mL x 0.01mL	1 606,55
10420201	Pipette, Stripette, tissue culture, sterile, polystyrene, non-pyrogenic, individual paper/plastic wrap, 4 subpacks of 50 pipettes, blue stripe, 5mL x 0.1mL	478,13
10084450	Pipette, Stripette, tissue culture, sterile, polystyrene, non-pyrogenic, individual paper/plastic wrap, 4 subpacks of 50 pipettes, orange stripe, 10mL x 0.1mL	482,02
10606151	Pipette, Stripette, tissue culture, sterile, polystyrene, non-pyrogenic, individual paper/plastic wrap, 8 subpacks of 25 pipettes, red stripe, 25mL x 0.2mL	917,29
10255221	Pipette, Stripette, tissue culture, sterile, polystyrene, non-pyrogenic, individual paper/plastic wrap, 10 bags of 10 pipettes, aqua stripe, 100mL x 1mL	4 398,75
10041591	Pipette, Stripette, tissue culture, sterile, polystyrene, non-pyrogenic individual paper/plastic wrap, 4 subpacks of 25 pipettes, purple stripe, 50mL x 0.5mL	1 029,71

CORNING

Pipettes, serological, polystyrene, all plastic wrap, Stripette™

S

25% OFF



- Unique colour-coded magnifying stripe for easier meniscus viewing
- Individual 'banana peel' plastic wrap provides easy aseptic opening and pipette removal
- Clear wrap allows full view of pipette for easy size identification and reduces storage space requirements
- 10194331 has a wide tip for handling viscous fluids
- Sterile, non-pyrogenic and DNase and RNase free
- Exclusive anti-drip tip assures accurate delivery
- Bidirectional graduations provide choice of ascending and descending scales

Cat. No	Description	Price
10238800	Pipette, Stripette, tissue culture, sterile, polystyrene, non-pyrogenic, individual banana-peel plastic wrap, yellow stripe, 1mL x 0.01mL, 10 bags of 100	1 504,14
10340501	Pipette, Stripette, tissue culture, sterile, non-pyrogenic, polystyrene, indiv. banana-peel plastic wrap, 10 bags of 100 pipettes, green stripe, 2mL x 0.01mL	1 473,45
10127400	Pipette, Stripette, tissue culture, sterile, polystyrene, non-pyrogenic, individual 4 subpacks of 50 pipettes, blue stripe, 5mL x 0.1mL	457,24
10677341	Pipette, Stripette, tissue culture, sterile, polystyrene, individual banana-peel plastic wrap, non-pyrogenic, 4 subpacks of 50 pipettes, orange stripe, 10mL x 0.1mL	493,87
10732742	Pipette, Stripette, tissue culture, sterile, polystyrene, non-pyrogenic, individual banana-peel plastic wrap, 4 subpacks of 50 pipettes, red stripe, 25mL x 0.2mL	963,95
10636391	Pipette, Stripette, tissue culture, sterile, polystyrene, non-pyrogenic, individual banana-peel plastic wrap, 4 subpacks of 25 pipettes, purple stripe, 50mL x 0.5mL	1 026,59
10194331	Pipette, Stripette, tissue culture, sterile, non-pyrogenic, polystyrene, individual banana-peel plastic wrap, 10 bags of 10 pipettes, 100mL x 1mL	4 444,65

CORNING

Pipettes, straight, serological, polystyrene, plastic wrap, bulk pack, Stripette™

S

25% OFF



- Sterile, non-pyrogenic and DNase/RNase free
- Exclusive anti-drip tip assures accurate delivery
- Bidirectional graduations provide choice of ascending and descending scales


Cat. No	Description	Price
10420672	Pipette, Stripette, tissue culture, sterile, polystyrene, non-pyrogenic, bulk wrapped, 20 subpacks of 50 pipettes, yellow stripe, 1mL x 0.01mL	1 570,91
10574712	Pipette, Stripette, tissue culture, sterile, polystyrene, non-pyrogenic, bulk wrapped, 40 subpacks of 25 pipettes, green stripe, 2mL x 0.01mL	1 529,28
10758782	Pipette, Stripette, tissue culture, sterile, polystyrene, non-pyrogenic, bulk wrapped, 20 subpacks of 25 pipettes, blue stripe, 5mL x 0.1mL	1 356,62
10275471	Pipette, Stripette, tissue culture, sterile, polystyrene, non-pyrogenic, bulk wrapped, 20 subpacks of 25 pipettes, orange stripe, 10mL x 0.1mL	1 405,63
10633053	Pipette, Stripette, tissue culture, sterile, polystyrene, non-pyrogenic, bulk wrapped, 10 bags of 20 pipettes, red stripe, 25mL x 0.2mL	1 073,25
10534961	Pipette, Stripette, tissue culture, sterile, polystyrene, pyrogenic, bulk wrapped, 4 bags of 25 pipettes, purple stripe, 50mL x 0.5mL	1 027,99

Thermo SCIENTIFIC

Microplates, 96 well, polystyrene, non-treated, Thermo Scientific™ Sterilin™

S CE IVD

35% OFF



Cat. No	Description	Price
11339163	Microplate, U bottom polystyrene, non-treated, non-sterile clear, 96 well, pack of 50	405,42
11349163	Microplate, flat bottom, polystyrene, non-treated, non-sterile, clear, 96 well, pack of 50	401,38

Fisherbrand voucher idea...

As recommended by Dr Blue

Thermo
SCIENTIFIC

Paper, bench protector, BenchGuard™, Thermo Scientific™ Sterilin™

20%
OFF




Cat. No	Description	Price
11359183	Bench protection, BenchGuard, standard absorbent plastic coated paper, white, 50m x 490mm 400mL/m ₂	1 598,68
11952568	Bench protector, BenchGuard, absorbent paper sheet, 490mm x 600mm, absorbency 400mL/m ₂	1 566,31
Cat. No	Description	Price
11389183	Bench protection, BenchGuard, extra absorbent plastic coated, white, 50m x 490mm, 800mL/m ₂	2 052,36
11399183	Bench protection, BenchGuard, extra absorbent plastic coated, white, 600mm x 490mm, 800mL/m ₂	1 085,49

Thermo
SCIENTIFIC

Petri dishes, polystyrene, Thermo Scientific™ Sterilin™



UP TO
10%
OFF



Single use petri dishes with recessed lids. Fit popular makes of automatic agar filling machines. CE marked. Square lid turns 90° to allow venting or non-venting of the dish.

Cat. No	Description	Price
11349273	Petri dish, sterile, polystyrene, clear, 100mm x 100mm, pack of 120	2 331,90
11339273	Petri dish, 25 compartment, sterile, polystyrene, clear, 100mm, pack of 120	2 359,81
Cat. No	Description	Price
10655821	Petri dish, 1 vent, sterile, polystyrene, clear, 50mm, pack of 500	2 117,18
11359273	Petri dish, 1 vent, sterile, polystyrene, clear, 50mm, pack of 700	2 447,02
11389273	Petri dish, 1 vent, aseptically produced, polystyrene, clear, 90mm, pack 500	815,16
11309283	Petri dish, 3 vents, sterile, polystyrene, clear, 90mm, pack of 500	624,96
11749252	Petri dish, non-vented, sterile, polystyrene, 90mm, pack of 500	791,41
15370366	Petri dish, non-vented, sterile, polystyrene, 90mm, pack of 500	699,52
11339283	Petri dish, 3 vents, sterile, polystyrene, clear, 140mm, pack of 80	835,55
11379273	Petri dish, sterile, polystyrene, clear, 55mm contact plate, pack of 300	2 094,22
11329283	Petri dish, 3 vents, sterile, polystyrene, clear, 30mm, pack of 800	3 922,96
11369273	Petri dish, 1 vent, sterile, polystyrene, clear, 60mm, pack of 340	2 356,45

Sealing film, Parafilm® M

35%
OFF



- Interleaved with paper to prevent sticking

Cat. No	Description	Price
12378039	Sealing film, 75m length x 50mm width	163,20
11772644	Sealing film interleaved with paper to prevent sticking 38m length 100mm width	236,31
10018130	Sealing film, 75m length x 100mm width	303,86
11747487	Sealing film, 15m length x 50mm width	493,60

Thermo
SCIENTIFIC

Containers water sampling

25%
OFF



Undosed, rectangular water sampling containers are manufactured from clear PET and supplied with a double over-cap and tamper evident seal. Batch numbers are displayed on each bottle.

Cat. No	Description	Price
12622035	Container, water sampling, undosed, rectangular, 350mL, pack of 144	4 131,71
12652035	Container, water sampling, undosed, rectangular, 500mL, pack of 144	3 782,78
13158770	Container, water sampling, undosed, rectangular, 1,000mL, pack of 70	2 397,66



Containers, water sampling, Thermo Scientific™ Sterilin™

S

25% OFF




Cat. No	Description	Price
11309243	Container dosed with sodium thiosulfate, labelled, irradiated, polystyrene, clear, 500mL, pack of 70	4 140,64
11319243	Container undosed with sodium thiosulfate, labelled, irradiated, polystyrene, clear, 500mL, pack of 70	3 508,98



Swabs, plain

S

25% OFF



Cat. No	Description	Price
11319633	Swab plain with wooden stick, individually wrapped, pack of 1,000	3 425,34



Sample dippers, polystyrene, sterile, with caps, Thermo Scientific™ Sterilin™ Dippha

S

25% OFF



Cat. No	Description	Price
11788848	Dipper, Dippha, individually wrapped, polystyrene, metal cap, clear base, clear, 100mL, pack of 100	3 668,44
11748938	Dipper, Dippha, individually wrapped, polystyrene, metal cap, clear base, clear, 250mL, pack of 50	2 020,16



Swabs, plain, in a tube

S CE IVD

25% OFF



- CE marked as Class IIa in accordance with the Medical Device Directive 93/42/EEC (for transient invasive use)
- Colour coded caps for ease of identification
- Supplied in a tube for easy handling
- Sterile by irradiation, individually packed

Cat. No	Description	Price
11349173	Swab plain with polypropylene swab tube, wooden stick, pack of 100	307,63
11369633	Swab plain with polypropylene swab tube, plastic stick, pack of 100	596,18

Fisherbrand voucher idea...



As recommended by Dr Blue



Elemental analysis starter kit

40%
OFF



- Convenient - packaged in HDPE bottles for safer, easier handling and to maintain quality
- Reliable - bottled in class 10 clean room environment and individually double-bagged in class 100 clean room to ensure product quality

Cat. No	Description	Price
11325870	Hydrochloric acid Trace Metal in polybottle, 1L GHS: Skin Corr. 1A, STOT SE 3 H290, H314, H335 P310, P280, P305+P351+P338, P234, P390	688,69
11395790	Nitric acid Trace Metal in polybottle, 1L GHS: Ox. Liq. 2, Skin Corr. 1A H272, H314, H290, EUH071 P301+P330+P331, P280, P305+P351+P338, P310, P304+P340, P210	676,36
11315830	Sulfuric acid Trace Metal in polybottle, 1L GHS: Skin Corr. 1A H314 P301+P330+P331, P280, P305+P351+P338, P303+P361+P353	748,08



Aqualine starter kit for Karl Fischer volumetric analysis, single component reagents

UP TO
50%
OFF



- Reliable - fast and stable end points ensure reliable and accurate results
- Safe - low toxicity and pyridine free

Cat. No	Description	Price
10538810	Karl Fischer Aqualine™ Complete 1, for Karl Fischer titration by volumetry, 1L GHS: Eye Irrit. 2, Skin Irrit. 2, STOT RE 2 H360D, H319, H315, H373 P280, P305+P351+P338, P201, P302+P352, P260, P310	534,29
10744761	Karl Fischer Aqualine™ Complete 2, for Karl Fischer titration by volumetry, 1L GHS: Eye Irrit. 2, Skin Irrit. 2, STOT RE 2 H319, H315, H360D, H373 P280, P305+P351+P338, P201, P302+P352, P260, P310	583,78
10181570	Karl Fischer Aqualine™ Complete 5, for Karl Fischer titration by volumetry, 1L GHS: Skin Corr. 1A, STOT RE 1 H314, H360D, H372 P280, P305+P351+P338, P201, P260, P310, P301+P330+P331	444,38
10468410	Methanol, extra dry, for synthesis, 1L GHS: Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1, Flam. Liq. 2 H301, H311, H331, H370, H225 P301+P310, P280, P302+P350, P304+P340, P210, P240	104,73



Optima LC/MS starter kit

30%
OFF



- Innovative LC-UV gradient test ensures that UV-absorbing impurities will not interfere with your analysis
- ≤0.1 micron filtration protects columns and components from clogging
- Formulated for UHPLC-UV applications

Cat. No	Description	Price
10031094	Methanol for LC-MS Optima, 1L GHS: Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1, Flam. Liq. 2 H301, H311, H331, H370, H225 P301+P310, P280, P302+P350, P304+P340, P210, P240	304,50
10091304	Propan-2-ol for LC-MS Optima, 1L GHS: STOT SE 3, Eye Irrit. 2, Flam. Liq. 2 H336, H319, H225 P261, P280, P305+P351+P338, P210, P240	427,70
10489553	Acetonitrile for LC-MS Optima, 1L GHS: Eye Irrit. 2, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Flam. Liq. 2 H319, H332, H302, H312, H225 P280, P302+P352, P301+P312, P304+P340, P280, P305+P351+P338, P210, P240	625,45
10728098	Water, for LC-MS Optima, 1L	262,85



Solvents for NMR starter kit

25%
OFF

Cat. No	Description	Price
10525671	Methanol-d ₄ , for NMR, with 0.03% TMS, in 0.75mL ampoules, 99.8 atom % D, 7.5mL GHS: Flam. Liq. 2, Acute Tox. 3, H225, H370, H301, H311, H331 P310, P307+P311, P304+P340, P210, P240	479,56
10255880	Deuterium oxide, for NMR, 99.8 atom % D, 100mL GHS: Acute Tox. 4, Skin Irrit. 2, Carc. 2, Repr. 2, STOT RE 2, STOT SE 3 H302, H332, H315, H319, H351, H361d, H336, H373 P304+P340, P312, P302+P352, P362, P305+P351+P338, P280	776,60
10205790	Chloroform-d, for NMR, 99.8 atom % D, 100mL GHS: Acute Tox. 4, Skin Irrit. 2, Carc. 2, STOT RE 2 H302, H332, H315, H319, H351, H373, H336, H361d P281, P260, P301+P312, P302+P352	383,09

Visit our website for further information on technical specification, safety data sheets and certificates of analysis.



Extra dry solvent starter kit for organic synthesis



- Supplied with Aeroseal packaging - guaranteeing improved yield and consistency of your research experiments while reducing chemical waste

Cat. No	Description	Price
10613372	Tetrahydrofuran, 99.85%, Extra Dry, stabilised, AcroSeal™, 100mL GHS: STOT SE 3, Eye Irrit. 2, Flam. Liq. 2 H335, H319, H225, EUH019, H351 P310, P280, P261, P305+P351+P338, P302+P352, P210	267,52
10747582	Methanol, 99.9%, Extra Dry, AcroSeal™, 100mL GHS: Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1, Flam. Liq. 2 H301, H311, H331, H370, H225 P301+P310, P280, P302+P350, P304+P340, P210, P240	212,46
10018031	Diethyl ether, 99.5%, Extra Dry, stabilised, AcroSeal™, 100mL	218,29
10295761	N,N-Dimethylformamide, 99.8%, Extra Dry, AcroSeal™, 100mL GHS: Eye Irrit. 2, Acute Tox. 4, Acute Tox. 4, Flam. Liq. 3 H319, H312, H332, H360D, H226 P301+P310, P302+P352, P304+P340, P280, P305+P351+P338, P210	308,97



Silica gel, bulk pack offer



Cat. No	Description	Price
10446042	Silica gel, for chromatography, 0.035-0.070mm, 60Å, 30kg	6 849,83
10723203	Silica gel, for chromatography, 0.060-0.200mm, 60Å, 30kg	6 326,46

Fisherbrand voucher idea...



As recommended by Dr Blue



Fisher BioReagents®

Bioreagents for horizontal gel electrophoresis



From buffer solutions which act to reduce pH changes and over-heating the gel, to DNA ladders for accurate estimation of fragment size, Fisher Bioreagents have your horizontal gel electrophoresis needs covered.

Cat. No	Description	Price
10776644	Agarose broad separation range for DNA/RNA, Genetic Analysis Grade, 500g	5 327,63
10284633	DNA ladder, 100bp low scale ladder, 50 to 2000 bp, 11 bands, for PCR size confirmation, 1000µL, sufficient for 200 loadings	1 600,05
10775494	Tris-acetate-EDTA (TAE) solution 10X, DNase RNase and protease free, for electrophoresis, 4L	963,78
10031223	Tris-borate-EDTA (TBE) solution 10X, DNase RNase and protease free, for electrophoresis, 4L	1 054,55
10618973	Ethylendiaminetetraacetic acid, disodium salt dihydrate, crystalline powder, for electrophoresis, ≥99.0%, 500g	456,81
10021083	Glycerol, for molecular biology, ≥99.5%, 1L	353,86



Fisher BioReagents®

Bioreagents for vertical gel electrophoresis



For essential bioreagents such as PAGE buffers, detergents and denaturing reagents as well as protein standards, look no further than on Fisher Bioreagents.

Cat. No	Description	Price
10284673	EZ-Run™ protein gel solution, 10% ready-to-pour premixed, 500mL	1 427,55
10214963	Acrylamide:bis-acrylamide 19:1 solution 40%, DNase and RNase free, electrophoresis tested, 1L	1 154,65
10001313	Acrylamide:bis-acrylamide 29:1 solution 40%, DNase and RNase free, electrophoresis tested, 1L	1 127,39
10376643	Acrylamide:bis-acrylamide 37.5:1 solution 40%, DNase and RNase free, electrophoresis tested, 1L	1 127,43
10785674	EZ-Run™ prestained recombinant protein ladder, for SDS-PAGE electrophoresis, 10 to 170kDa, 10 bands, 2 x 500µL	1 521,23
10061073	Glycine, white crystals or crystalline powder, 98.5 to 101.0%, 1kg	392,74
10376743	Tris base, DNase RNase protease free, electrophoresis tested, white crystals or crystalline powder, for molecular biology, ≥99.8 %, 1kg	658,40
10356463	Sodium dodecyl sulfate, SDS, for electrophoresis, white powder, ≥99% as fatty alcohol sulfate, 500g	1 053,11
10485733	Tween™ 20, 500mL	457,32