NICHQ Vanderbilt Assessment Scale – PARENT Informant*

Today's Date: ______ Child's Name: ______ Date of Birth:

Parent's Name: ______ Parent's Phone Number: ______

Directions: Each rating should be considered in the context of what is appropriate for the age of your child. When completing this form, please think about your child's behaviors in the past 6 months.

Is this evaluation based on a time when the child \Box was on medication \Box was not on medication \Box not sure?

	Symptoms	Never	Occasionally	Often	Very Often
1.	Does not pay attention to details or makes careless mistakes with, for example, homework	0	1	2	3
2.	Has difficulty keeping attention to what needs to be done	0	1	2	3
3.	Does not seem to listen when spoken to directly	0	1	2	3
4.	Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand)	0	1	2	3
5.	Has difficulty organizing tasks and activities	0	1	2	3
6.	Avoids, dislikes, or does not want to start tasks that require ongoing mental effort	0	1	2	3
7.	Loses things necessary for tasks or activities (toys, assignments, pencils, or books)	0	1	2	3
8.	Is easily distracted by noises or other stimuli	0	1	2	3
9.	Is forgetful in daily activities	0	1	2	3
10.	Fidgets with hands or feet or squirms in seat	0	1	2	3
11.	Leaves seat when remaining seated is expected	0	1	2	3
12.	Runs about or climbs too much when remaining seated is expected	0	1	2	3
13.	Has difficulty playing or beginning quiet play activities	0	1	2	3
14.	Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15.	Talks too much	0	1	2	3
16.	Blurts out answers before questions have been completed	0	1	2	3
17.	Has difficulty waiting his or her turn	0	1	2	3
18.	Interrupts or intrudes in on others' conversations and/or activities	0	1	2	3
19.	Argues with adults	0	1	2	3
20.	Loses temper	0	1	2	3
21.	Actively defies or refuses to go along with adults' requests or rules	0	1	2	3
22.	Deliberately annoys people	0	1	2	3
23.	Blames others for his or her mistakes or misbehaviors	0	1	2	3
24.	Is touchy or easily annoyed by others	0	1	2	3
25.	Is angry or resentful	0	1	2	3
26.	Is spiteful and wants to get even	0	1	2	3
27.	Bullies, threatens, or intimidates others	0	1	2	3
28.	Starts physical fights	0	1	2	3
29.	Lies to get out of trouble or to avoid obligations (i.e. "cons" others)	0	1	2	3
30.	Is truant from school (skips school) without permission	0	1	2	3
31.	Is physically cruel to people	0	1	2	3
32.	Has stolen things that have value	0	1	2	3
33.	Deliberately destroys others' property	0	1	2	3
34.	Has used a weapon that can cause serious harm (bat, knife, brick, gun)	0	1	2	3
35.	Is physically cruel to animals	0	1	2	3
36.	Has deliberately set fires to cause damage	0	1	2	3

NICHOVanderbiltParent.20050602

* Copyright 2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality. Revised 1102

NICHQ Vanderbilt Assessment Scale – PARENT Informant*

Today's Date: Child's Name:			Da	te of Birth <u>:</u>		
Pare	Parent's Name:		Parent's Phone Number:			
	Symptoms		Never	Occasionally	Often	Very Often
37.	Has broken into someone else's home, business, or car		0	1	2	3
38	Has stayed out at night without permission		0	1	2	3
39.	Has run away from home overnight		0	1	2	3
40.	Has forced someone into sexual activity		0	1	2	3
41.	Is fearful, anxious, or worried		0	1	2	3
42.	Is afraid to try new things for fear of making mistakes		0	1	2	3
43.	Feels worthless or inferior		0	1	2	3
44.	Blames self for problems, feels guilty		0	1	2	3
45.	Feels lonely, unwanted, or unloved; complains that "no one love	es him or her"	0	1	2	3
46.	Is sad, unhappy, or depressed		0	1	2	3
47.	Is self-conscious or easily embarrassed		0	1	2	3
	Performance	Excellent	Above Average	Average	Somewhat of a Problem	Problematic
48.	Overall school performance	1	2	3	4	5
49.	Reading	1	2	3	4	5
50.	Writing	1	2	3	4	5
51.	Mathematics	1	2	3	4	5
52.	Relationship with parents	1	2	3	4	5
53.	Relationship with siblings	1	2	3	4	5
	Relationship with peers	1	2	3	4	5
54.	Participation in organized activities (e.g. teams)	1	2	3	4	5

Comments:

For Office Use Only
Total number of questions scored 2 or 3 in questions 1-9:
Total number of questions scored 2 or 3 in questions 10-18:
Total Symptom Score for questions 1-18:
Total number of questions scored 2 or 3 in questions 19-26:
Total number of questions scored 2 or 3 in questions 27-40:
Total number of questions scored 2 or 3 in questions 41-47:
Total number of questions scored 4 or 5 in questions 48-55:
Average Performance Score:

NICHQVanderbiltParent.20050602

* Copyright 2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality. Revised 1102

NICHQ Vanderbilt Assessment Scale—TEACHER Informant

Teacher's Name:	Class Time:	Class Name/Period:	

Today's Date: Child's Name:

_ Child's Name. _

_____ Grade Level: _____

<u>Directions:</u> Each rating should be considered in the context of what is appropriate for the age of the child you are rating and should reflect that child's behavior since the beginning of the school year. Please indicate the number of weeks or months you have been able to evaluate the behaviors: ______.

Is this evaluation based on a time when the child 🛛 🗌 was on medication 🗌 was not on medication 🗌 not sure?

Symptoms	Never	Occasionally	Often	Very Often
1. Fails to give attention to details or makes careless mistakes in schoolwork	0	1	2	3
2. Has difficulty sustaining attention to tasks or activities	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through on instructions and fails to finish schoolwork (not due to oppositional behavior or failure to understand)	0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or is reluctant to engage in tasks that require sustained mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (school assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by extraneous stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat in classroom or in other situations in which remaining seated is expected	0	1	2	3
12. Runs about or climbs excessively in situations in which remaining seated is expected	0	1	2	3
13. Has difficulty playing or engaging in leisure activities quietly	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks excessively	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting in line	0	1	2	3
18. Interrupts or intrudes on others (eg, butts into conversations/games)	0	1	2	3
19. Loses temper	0	1	2	3
20. Actively defies or refuses to comply with adult's requests or rules	0	1	2	3
21. Is angry or resentful	0	1	2	3
22. Is spiteful and vindictive	0	1	2	3
23. Bullies, threatens, or intimidates others	0	1	2	3
24. Initiates physical fights	0	1	2	3
25. Lies to obtain goods for favors or to avoid obligations (eg, "cons" others)	0	1	2	3
26. Is physically cruel to people	0	1	2	3
27. Has stolen items of nontrivial value	0	1	2	3
28. Deliberately destroys others' property	0	1	2	3
29. Is fearful, anxious, or worried	0	1	2	3
30. Is self-conscious or easily embarrassed	0	1	2	3
31. Is afraid to try new things for fear of making mistakes	0	1	2	3

The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

American Academy of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD. Revised - 1102





National Initiative for Children's Healthcare Quality

NICHQ Vanderbilt Assessment Scale—TEACHER Informant

Teacher's Name: Class Name/Period:	Teacher's Name:	Class Time:	
------------------------------------	-----------------	-------------	--

Today's Date:	Child's Name:	Grade Level:

Symptoms (continued)	lever	Occasionally	Often	Very Often
32. Feels worthless or inferior	0	1	2	3
33. Blames self for problems; feels guilty	0	1	2	3
34. Feels lonely, unwanted, or unloved; complains that "no one loves him or her"	0	1	2	3
35. Is sad, unhappy, or depressed	0	1	2	3

				Somewhat	t
Performance Academic Performance	Excellent	Average	Above Average	of a Problem	Problematic
36. Reading	1	2	3	4	5
37. Mathematics	1	2	3	4	5
38. Written expression	1	2	3	4	5

Classroom Behavioral Performance	Excellent	Above Average	Average	Somewhat of a Problem	t Problematic
39. Relationship with peers	1	2	3	4	5
40. Following directions	1	2	3	4	5
41. Disrupting class	1	2	3	4	5
42. Assignment completion	1	2	3	4	5
43. Organizational skills	1	2	3	4	5

Comments:

Please return this form to:	
Mailing address:	
Fax number:	

For Office	Use Only
------------	----------

Total number of questions scored 2 or 3 in questions 1–9:
Total number of questions scored 2 or 3 in questions 10-18:
Total Symptom Score for questions 1–18:
Total number of questions scored 2 or 3 in questions 19-28:
Total number of questions scored 2 or 3 in questions 29-35:
Total number of questions scored 4 or 5 in questions 36-43:
Average Performance Score:





DEDICATED TO THE HEALTH OF ALL CHILDREN™





National Initiative for Children's Healthcare Quality

SISTEMA NICHQ VANDERBILT DE EVALUACIÓN. CUESTIONARIO PARA PADRES NICHQ VANDERBILT ASSESSMENT SCALE—PARENT INFORMANT

Fecha de hoy/Today's Date:
Nombre del niño(a)/Child's Name:
Fecha de nacimiento/Date of Birth:
Nombre del padre y/o de la madre/ <i>Parent's Name</i> :
Teléfono/Parent's Phone Number:

Instrucciones:Conteste basándose en lo que considera apropiado para un niño de esa edad. Al completar
este cuestionario, piense por favor en la conducta de su niño durante los últimos seis meses.Directions:Each rating should be considered in the context of what is appropriate for the age of your child.

<u>Directions:</u> Each rating should be considered in the context of what is appropriate for the age of your child. When completing this form, please think about your child's behaviors in the past <u>6 months.</u>

tomaba medicamentosno tomaba medicamenwas on medicationwas not on medication				no lo recuerda not sure?		
Síntomas/ Symptoms	Nunca/ <i>Never</i>	A veces/ Occasionally	Seguido/ <i>Often</i>	Muy seguido/ Very Often		
 No pone atención a los detalles o comete errores por descuido, como por ejemplo, cuando hace la tarea Does not pay attention to details or makes careless mistakes with, for example, homework 	0	1	2	3		
2. Se le dificulta mantenerse atento al llevar a cabo sus actividades Has difficulty keeping attention to what needs to be done	0	1	2	3		
3. Parece no estar escuchando cuando se le habla directamente Does not seem to listen when spoken to directly	0	1	2	3		
4. No sigue las instrucciones hasta el final y no concluye sus actividades (no porque se rehúse a seguirlas o porque no las comprenda) Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand)	0	1	2	3		
5. Tiene dificultad al organizar sus tareas diarias y actividades Has difficulty organizing tasks and activities	0	1	2	3		
6. Evita, le disgusta o no quiere comenzar actividades que requieren un mayor esfuerzo mental Avoids, dislikes, or does not want to start tasks that require ongoing mental effort	0	1	2	3		
 Pierde cosas que son indispensables para cumplir con sus tareas o actividades (juguetes, tareas de la escuela, lápices o libros) Loses things necessary for tasks or activities (toys, assignments, pencils, or books) 	0	1	2	3		
8. Se distrae fácilmente con ruidos u otros estímulos externos Is easily distracted by noises or other stimuli	0	1	2	3		
9. Es olvidadizo(a) en sus actividades cotidianas Is forgetful in daily activities	0	1	2	3		
 Mueve constantemente las manos o los pies, o no se está quieto(a) en su asiento Fidgets with hands or feet or squirms in seat 	0	1	2	3		
 Se pone de pie cuando debiera permanecer sentado(a) Leaves seat when remaining seated is expected 	0	1	2	3		

La información contenida en esta publicación no debe usarse a manera de substitución del cuidado médico y consejo de su pediatra. Éste podría recomendar variaciones en el tratamiento, según hechos y circunstancias individuales.

Esta evaluación se refiere a un período en el que su hijo(a)

Derechos de Autor © 2005 Academia Americana de Pediatría, Universidad de North Carolina en Chapel Hill para su Centro de Mejoramiento del Cuidado de Salud Infantil de North Carolina y la Iniciativa Nacional en Favor de la Calidad del Cuidado de Salud Infantil.

Adaptación de las Escalas de Clasificación Vanderbilt, diseñadas por Mark L. Wolraich, MD. Revisión - 1102

American Academy of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN"

Rest Healthcare Quality

volin

SISTEMA NICHQ VANDERBILT DE EVALUACIÓN. CUESTIONARIO PARA PADRES NICHQ VANDERBILT ASSESSMENT SCALE—PARENT INFORMANT

Fecha de hoy/Today's Date:_

Nombre del niño(a)/Child's Name:___

Fecha de nacimiento/Date of Birth:_

Nombre del padre y/o de la madre/Parent's Name:_____

Teléfono/Parent's Phone Number:_

Síntomas (continuación)/ Symptoms (continued)	Nunca/ <i>Never</i>	A veces/ Occasionally	Seguido/ <i>Often</i>	Muy seguido/ Very Often
12. Corre o camina por todos lados cuando debiera permanecer sentado Runs about or climbs too much when remaining seated is expected	0	1	2	3
13. Se le dificulta jugar o empezar actividades recreativas más tranquilas Has difficulty playing or beginning quiet play activities	0	1	2	3
 14. Está en constante movimiento o actúa como si "tuviera un motor por dentro" Is "on the go" or often acts as if "driven by a motor" 	0	1	2	3
15. Habla demasiado Talks too much	0	1	2	3
16. Responde precipitadamente, incluso antes de escuchar la pregunta completa Blurts out answers before questions have been completed	0	1	2	3
17. Tiene dificultad al esperar su turno Has difficulty waiting his or her turn	0	1	2	3
 Interrumpe o se entromete en conversaciones o actividades ajenas Interrupts or intrudes in on others' conversations and/or activities 	0	1	2	3
19. Discute con adultos Argues with adults	0	1	2	3
20. Se enfurece con facilidad Loses temper	0	1	2	3
21. Desafía abiertamente o se niega a cumplir las órdenes o las reglas de los adultos Actively defies or refuses to go along with adults' requests or rules	0	1	2	3
 Molesta adrede a los demás Deliberately annoys people 	0	1	2	3
23. Culpa a otros de sus propios errores o su mal comportamiento Blames others for his or her mistakes or misbehaviors	0	1	2	3
24. Se ofende o se molesta fácilmente con otros Is touchy or easily annoyed by others	0	1	2	3
25. Está enojado(a) o resentido(a) Is angry or resentful	0	1	2	3
26. Es rencoroso y vengativo Is spiteful and wants to get even	0	1	2	3
27. Reta, amenaza o intimida a otros Bullies, threatens, or intimidates others	0	1	2	3
28. Comienza peleas de contacto físico Starts physical fights	0	1	2	3
29. Miente con el fin de salir de apuros o para eludir sus obligaciones Lies to get out of trouble or to avoid obligations (ie, "cons" others)	0	1	2	3
30. Falta a la escuela sin permiso Is truant from school (skips school) without permission	0	1	2	3



National Initiative for Children's Healthcare Quality

NICH

SISTEMA NICHQ VANDERBILT DE EVALUACIÓN. CUESTIONARIO PARA PADRES NICHQ VANDERBILT ASSESSMENT SCALE—PARENT INFORMANT

Teléfono/Parent's Phone Number:_

Síntomas (continuación)/ Symptoms (continued)	Nunca/ <i>Never</i>	A veces/ Occasionally	Seguido/ <i>Often</i>	Muy seguido/ Very Often
31. Es físicamente cruel con los demás Is physically cruel to people	0	1	2	3
32. Ha robado cosas de valor Has stolen things that have value	0	1	2	3
 Destruye deliberadamente la propiedad ajena Deliberately destroys others' property 	0	1	2	3
34. Ha usado un objeto que puede herir a alguien (bate, cuchillo, ladrillo, pistola) Has used a weapon that can cause serious harm (bat, knife, brick, gun)	0	1	2	3
35. Tortura animales Is physically cruel to animals	0	1	2	3
 Ha provocado fuegos para causar daños Has deliberately set fires to cause damage 	0	1	2	3
37. Ha entrado a una casa, un negocio o un carro ajeno Has broken into someone else's home, business, or car	0	1	2	3
38. Ha permanecido fuera de la casa sin permiso durante la noche Has stayed out at night without permission	0	1	2	3
39. Se ha escapado de la casa durante la noche Has run away from home overnight	0	1	2	3
40. Ha obligado a alguien a sostener algún tipo de actividad sexual Has forced someone into sexual activity	0	1	2	3
41. Siente miedo, ansiedad o está preocupado Is fearful, anxious, or worried	0	1	2	3
42. Teme hacer nuevas cosas por temor a cometer errores Is afraid to try new things for fear of making mistakes	0	1	2	3
 Se desprecia a sí mismo se siente inferior Feels worthless or inferior 	0	1	2	3
14. Siente que los problemas son responsabilidad suya y se siente culpable Blames self for problems, feels guilty	0	1	2	3
45. Se siente solo(a), rechazado(a) o sin amor; se queja de que nadie lo quiere Feels lonely, unwanted, or unloved; complains that "no one loves him or her"	0	1	2	3
 Se siente triste, infeliz o deprimido(a) Is sad, unhappy, or depressed 	0	1	2	3
47. Está al pendiente de sus actos o se avergüenza fácilmente Is self-conscious or easily embarrassed	0	1	2	3



SISTEMA NICHQ VANDERBILT DE EVALUACIÓN. CUESTIONARIO PARA PADRES NICHQ VANDERBILT ASSESSMENT SCALE—PARENT INFORMANT

Fecha de hoy/Today's Date:_

Nombre del niño(a)/Child's Name:_

Fecha de nacimiento/Date of Birth:_

Nombre del padre y/o de la madre/Parent's Name:____

Teléfono/Parent's Phone Number:_

Comportamiento/ Performance	Excelente/ <i>Excellent</i>	Sobre lo normal/ <i>Above</i> Average	Normal/ Average	Cierta dificultad/ Somewhat of a Problem	Con dificultad/ Problematic
48. Comportamiento general en la escuela Overall school performance	1	2	3	4	5
49. Lectura Reading	1	2	3	4	5
50. Escritura Writing	1	2	3	4	5
51. Matemáticas Mathematics	1	2	3	4	5
52. Relación con sus padres Relationship with parents	1	2	3	4	5
53. Relación con sus hermanos Relationship with siblings	1	2	3	4	5
54. Relación con sus compañeros Relationship with peers	1	2	3	4	5
 Participación en actividades organizadas (ejemplo: equipos deportivos) Participation in organized activities (eg, teams) 	1	2	3	4	5

Comentarios/Comments:

For Office Use Only	
Total number of questions scored 2 or 3 in questions 1–9:	
Total number of questions scored 2 or 3 in questions 10-18:	
Total Symptom Score for questions 1–18:	
Total number of questions scored 2 or 3 in questions 19-26:	
Total number of questions scored 2 or 3 in questions 27-40:	
Total number of questions scored 2 or 3 in questions 41-47:	
Total number of questions scored 4 or 5 in questions 48-55:	
Average Performance Score:	



The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate. Original document included as part of Addressing Mental Health Concerns in Primary Care: A Clinician's Toolkit. Copyright © 2010 American Academy of Pediatrics. All Rights Reserved. The American Academy of Pediatrics does not review or endorse any modifications made to this document and in no event shall the AAP be liable for any such changes. American Academy of Pediatrics

