

ASME B16.5-2017
(Revision of ASME B16.5-2013)

Pipe Flanges and Flanged Fittings

NPS 1/2 Through NPS 24
Metric/Inch Standard

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

ASME B16.5-2017
(Revision of ASME B16.5-2013)

Pipe Flanges and Flanged Fittings

NPS $\frac{1}{2}$ Through NPS 24
Metric/Inch Standard

AN AMERICAN NATIONAL STANDARD



**The American Society of
Mechanical Engineers**

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: November 20, 2017

The next edition of this Standard is scheduled for publication in 2020.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Periodically certain actions of the ASME B16 Committee may be published as Cases. Cases and interpretations are published on the ASME Web site under the Committee Pages at <http://cstools.asme.org/> as they are issued.

Errata to codes and standards may be posted on the ASME Web site under the Committee Pages to provide corrections to incorrectly published items, or to correct typographical or grammatical errors in codes and standards. Such errata shall be used on the date posted.

The Committee Pages can be found at <http://cstools.asme.org/>. There is an option available to automatically receive an e-mail notification when errata are posted to a particular code or standard. This option can be found on the appropriate Committee Page after selecting "Errata" in the "Publication Information" section.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,
in an electronic retrieval system or otherwise,
without the prior written permission of the publisher.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2017 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

CONTENTS

Foreword	viii
Committee Roster	x
Correspondence With the B16 Committee	xi
Summary of Changes	xiii
List of Changes in Record Number Order	xv
1 Scope	1
2 Pressure-temperature Ratings	2
3 Component Size	3
4 Marking	3
5 Materials	4
6 Dimensions	8
7 Tolerances	13
8 Pressure Testing	15
Mandatory Appendices	
I Threading of Pipe for American National Standard Threaded Flanges	108
II Pressure-temperature Ratings and Dimensional Data for Classes 150, 300, 400, 600, 900, 1500, and 2500 flanges and classes 150 and 300 flanged fittings in u.s. customary units	110
III References	195
Nonmandatory Appendices	
A Method Used for Establishing Pressure-temperature Ratings	198
B Limiting Dimensions of Gaskets other than ring joint gaskets	203
C Method for Calculating Bolt Lengths	205
D Quality System Program	207
E Dimensions of Classes 400, 600, 900, 1500, and 2500 Flanged Fittings in U.S. Customary Units	208
Figures	
1 Bevel for Outside Thickness	15
2 Bevel for Inside Thickness	16
3 Bevel for Combined Thickness	16
4 Straight Hub Welding Flanges	16
5 Method of Designating Outlets of Reducing Fittings in Specifications (flanged fittings)	17
6 End Flange Facings and Their Relationship to Flange Thickness and center-to-end and end-to-end dimensions	18
7 Bevel for Wall Thicknesses t from 5 mm to 22 mm inclusive	20
8 Bevel for Wall Thicknesses t greater than 22 mm	20
9 Inside Contour for Use With Rectangular Backing Ring	21

10	Inside Contour for Use With Taper Backing Ring	21
11	Thread Length for Connection Tapping	22
12	Socket Welding for Connections	22
13	Bosses for Connections	22
14	Butt Welding for Connections	22
15	Method of Designating Location of Auxiliary Connections When Specified (flanged fittings)	23
II-6	End Flange Facings and Their Relationship to Flange Thickness and Center-To-End and end-to-end dimensions	111
II-7	Bevel for Wall Thicknesses t from 0.19 in. to 0.88 in. inclusive	113
II-8	Bevel for Wall Thicknesses t greater than 0.88 in.	113
II-9	Inside Contour for Use With Rectangular Backing Ring	114
II-10	Inside Contour for Use With Taper Backing Ring	114
II-11	Thread Length for Connection Tapping	115
II-12	Socket Welding for Connections	115
II-13	Bosses for Connections	115
II-14	Butt Welding for Connections	115
C-1	Specified Machine Bolt Length	206
C-2	Specified Stud Bolt Length	206

Tables

1A	list of material specifications	5
1B	List of Bolting Specifications: Applicable Astm Specifications	9
1C	flange bolting dimensional recommendations	13
2-1.1	Pressure-temperature Ratings for Group 1.1 Materials	24
2-1.2	Pressure-temperature Ratings for Group 1.2 Materials	25
2-1.3	Pressure-temperature Ratings for Group 1.3 Materials	26
2-1.4	Pressure-temperature Ratings for Group 1.4 Materials	27
2-1.5	Pressure-temperature Ratings for Group 1.5 Materials	28
2-1.7	Pressure-temperature Ratings for Group 1.7 Materials	29
2-1.9	Pressure-temperature Ratings for Group 1.9 Materials	30
2-1.10	Pressure-temperature Ratings for Group 1.10 Materials	31
2-1.11	Pressure-temperature Ratings for Group 1.11 Materials	32
2-1.13	Pressure-temperature Ratings for Group 1.13 Materials	33
2-1.14	Pressure-temperature Ratings for Group 1.14 Materials	34
2-1.15	Pressure-temperature Ratings for Group 1.15 Materials	35
2-1.17	Pressure-temperature Ratings for Group 1.17 Materials	36
2-1.18	pressure-temperature ratings for group 1.18 materials	37
2-2.1	Pressure-temperature Ratings for Group 2.1 Materials	38
2-2.2	Pressure-temperature Ratings for Group 2.2 Materials	39
2-2.3	Pressure-temperature Ratings for Group 2.3 Materials	40
2-2.4	Pressure-temperature Ratings for Group 2.4 Materials	41
2-2.5	Pressure-temperature Ratings for Group 2.5 Materials	42
2-2.6	Pressure-temperature Ratings for Group 2.6 Materials	43
2-2.7	Pressure-temperature Ratings for Group 2.7 Materials	44
2-2.8	pressure-temperature ratings for group 2.8 materials	45

2-2.9	Pressure-temperature Ratings for Group 2.9 Materials	46
2-2.10	Pressure-temperature Ratings for Group 2.10 Materials	47
2-2.11	Pressure-temperature Ratings for Group 2.11 Materials	48
2-2.12	Pressure-temperature Ratings for Group 2.12 Materials	49
2-3.1	Pressure-temperature Ratings for Group 3.1 Materials	50
2-3.2	Pressure-temperature Ratings for Group 3.2 Materials	50
2-3.3	Pressure-temperature Ratings for Group 3.3 Materials	51
2-3.4	Pressure-temperature Ratings for Group 3.4 Materials	52
2-3.5	Pressure-temperature Ratings for Group 3.5 Materials	53
2-3.6	Pressure-temperature Ratings for Group 3.6 Materials	54
2-3.7	Pressure-temperature Ratings for Group 3.7 Materials	55
2-3.8	Pressure-temperature Ratings for Group 3.8 Materials	56
2-3.9	Pressure-temperature Ratings for Group 3.9 Materials	57
2-3.10	Pressure-temperature Ratings for Group 3.10 Materials	58
2-3.11	Pressure-temperature Ratings for Group 3.11 Materials	58
2-3.12	Pressure-temperature Ratings for Group 3.12 Materials	59
2-3.13	Pressure-temperature Ratings for Group 3.13 Materials	59
2-3.14	Pressure-temperature Ratings for Group 3.14 Materials	60
2-3.15	Pressure-temperature Ratings for Group 3.15 Materials	61
2-3.16	Pressure-temperature Ratings for Group 3.16 Materials	62
2-3.17	Pressure-temperature Ratings for Group 3.17 Materials	63
2-3.19	Pressure-temperature Ratings for Group 3.19 Materials	64
3	permissible imperfections in flange facing finish for raised face and large male and female flanges	65
4	dimensions of facings (other than ring joints, all pressure rating classes)	66
5	dimensions of ring joint facings (all pressure rating classes)	68
6	Reducing Threaded and Slip-On Pipe Flanges for Classes 150 Through 2500 Pipe Flanges	75
7	templates for drilling class 150 pipe flanges and flanged fittings	76
8	dimensions of class 150 flanges	77
9	Dimensions of Class 150 Flanged Fittings	80
10	templates for drilling class 300 pipe flanges and flanged fittings	85
11	dimensions of class 300 flanges	86
12	Dimensions of Class 300 Flanged Fittings	90
13	templates for drilling class 400 pipe flanges	93
14	dimensions of class 400 flanges	94
15	templates for drilling class 600 pipe flanges and flanged fittings	96
16	dimensions of class 600 flanges	97
17	Templates for Drilling Class 900 Pipe Flanges and Flanged Fittings	99
18	Dimensions of Class 900 Flanges	100
19	Templates for Drilling Class 1500 Pipe Flanges	102
20	Dimensions of Class 1500 Flanges	103
21	Templates for Drilling Class 2500 Pipe Flanges	105
22	Dimensions of Class 2500 Flanges	106
I-1	Projection of Threaded Pipe End Through a Ring Gage	109
II-2-1.1	Pressure-temperature Ratings for Group 1.1 Materials	116
II-2-1.2	Pressure-temperature Ratings for Group 1.2 Materials	117

II-2-1.3	Pressure–temperature Ratings for Group 1.3 Materials	118
II-2-1.4	Pressure–temperature Ratings for Group 1.4 Materials	119
II-2-1.5	Pressure–temperature Ratings for Group 1.5 Materials	120
II-2-1.7	Pressure–temperature Ratings for Group 1.7 Materials	121
II-2-1.9	Pressure–temperature Ratings for Group 1.9 Materials	122
II-2-1.10	Pressure–temperature Ratings for Group 1.10 Materials	123
II-2-1.11	Pressure–temperature Ratings for Group 1.11 Materials	124
II-2-1.13	Pressure–temperature Ratings for Group 1.13 Materials	125
II-2-1.14	Pressure–temperature Ratings for Group 1.14 Materials	126
II-2-1.15	Pressure–temperature Ratings for Group 1.15 Materials	127
II-2-1.17	Pressure–temperature Ratings for Group 1.17 Materials	128
II-2-1.18	pressure–temperature ratings for group 1.18 materials	129
II-2-2.1	Pressure–temperature Ratings for Group 2.1 Materials	130
II-2-2.2	Pressure–temperature Ratings for Group 2.2 Materials	131
II-2-2.3	Pressure–temperature Ratings for Group 2.3 Materials	132
II-2-2.4	Pressure–temperature Ratings for Group 2.4 Materials	133
II-2-2.5	Pressure–temperature Ratings for Group 2.5 Materials	134
II-2-2.6	Pressure–temperature Ratings for Group 2.6 Materials	135
II-2-2.7	Pressure–temperature Ratings for Group 2.7 Materials	136
II-2-2.8	pressure–temperature ratings for group 2.8 materials	137
II-2-2.9	Pressure–temperature Ratings for Group 2.9 Materials	138
II-2-2.10	Pressure–temperature Ratings for Group 2.10 Materials	139
II-2-2.11	Pressure–temperature Ratings for Group 2.11 Materials	140
II-2-2.12	Pressure–temperature Ratings for Group 2.12 Materials	141
II-2-3.1	Pressure–temperature Ratings for Group 3.1 Materials	142
II-2-3.2	Pressure–temperature Ratings for Group 3.2 Materials	142
II-2-3.3	Pressure–temperature Ratings for Group 3.3 Materials	143
II-2-3.4	Pressure–temperature Ratings for Group 3.4 Materials	143
II-2-3.5	Pressure–temperature Ratings for Group 3.5 Materials	144
II-2-3.6	Pressure–temperature Ratings for Group 3.6 Materials	145
II-2-3.7	Pressure–temperature Ratings for Group 3.7 Materials	146
II-2-3.8	Pressure–temperature Ratings for Group 3.8 Materials	147
II-2-3.9	Pressure–temperature Ratings for Group 3.9 Materials	148
II-2-3.10	Pressure–temperature Ratings for Group 3.10 Materials	149
II-2-3.11	Pressure–temperature Ratings for Group 3.11 Materials	149
II-2-3.12	Pressure–temperature Ratings for Group 3.12 Materials	150
II-2-3.13	Pressure–temperature Ratings for Group 3.13 Materials	150
II-2-3.14	Pressure–temperature Ratings for Group 3.14 Materials	151
II-2-3.15	Pressure–temperature Ratings for Group 3.15 Materials	152
II-2-3.16	Pressure–temperature Ratings for Group 3.16 Materials	153
II-2-3.17	Pressure–temperature Ratings for Group 3.17 Materials	153
II-2-3.19	Pressure–temperature Ratings for Group 3.19 Materials	154
II-3	permissible imperfections in flange facing finish for raised face and large male and female flanges	155
II-4	dimensions of facings (other than ring joints, all pressure rating classes)	156
II-5	dimensions of ring joint facings (all pressure rating classes)	158

II-6	Reducing Threaded and Slip-On Flanges for Classes 150 Through 2500 Pipe Flanges	165
II-7	templates for drilling class 150 pipe flanges and flanged fittings	166
II-8	dimensions of class 150 flanges	167
II-9	Dimensions of Class 150 Flanged Fittings	170
II-10	templates for drilling class 300 pipe flanges and flanged fittings	173
II-11	dimensions of class 300 flanges	174
II-12	Dimensions of Class 300 Flanged Fittings	178
II-13	templates for drilling class 400 pipe flanges	181
II-14	dimensions of class 400 flanges	182
II-15	templates for drilling class 600 pipe flanges and flanged fittings	184
II-16	dimensions of class 600 flanges	185
II-17	Templates for Drilling Class 900 Pipe Flanges and Flanged Fittings	187
II-18	Dimensions of Class 900 Flanges	188
II-19	Templates for Drilling Class 1500 Pipe Flanges	190
II-20	Dimensions of Class 1500 Flanges	191
II-21	Templates for Drilling Class 2500 Pipe Flanges	193
II-22	Dimensions of Class 2500 Flanges	194
A-1	Rating Ceiling Pressure — p_c , bar	201
A-2	Rating Ceiling Pressure — p_c , psi	202
B-1	Gasket Groups and Typical Materials	204
C-1	Thickness for Lapped Joints	206
C-2	f values	206
C-3	n values	206
E-1	Dimensions of Class 400 Flanged Fittings	210
E-2	Dimensions of Class 600 Flanged Fittings	216
E-3	Dimensions of Class 900 Flanged Fittings	222
E-4	Dimensions of Class 1500 Flanged Fittings	228
E-5	Dimensions of Class 2500 Flanged Fittings	234