



NRA Law Enforcement Competitions

Police Pistol Combat Program Bulletin

Number	14-1
Rule	3.10
Topic	Production Semi-Automatic Pistols
Sub-Topic	Approved Pistols
Date	2-14-2014
Revised	6-13-2022

On January 11, 2014 the NRA Board of Directors approved the Law Enforcement Assistance Committee's recommendation to add a new pistol category called Production Semi-Automatic Pistol to the Stock Duty Gun Division. Rule 3.10 contains the specifications for Production Semi-Automatic Pistols and requires NRA Law Enforcement Competitions to create a list of approved pistols by make and model and post them on the LE Competitions website. On January 9, 2016, the NRA Board of Directors amended PPC 3.10 to provide more sight options.

This PPC Program Bulletin contains those semi-automatic pistols approved for use in Production Semi-Automatic Pistol Matches. PPC Bulletin 16.1 lists the approved replacement sights.

Models listed mainly include current catalog law enforcement pistols. Competitors or Tournament Directors who feel there are other law enforcement model semi-automatic pistols they feel meet Rule 3.10 specifications may contact Law Enforcement Competitions at LEcompetitions@nrahq.org and request a review of for eligibility.

Competitors should remember that since the Production Semi-Automatic specifications are more restrictive than those for Stock Service Semi-Automatic Pistols, so in most cases their Production Semi-Automatic Pistol may also be used in Stock Service Semi-Automatic Matches.

Applicable Police Pistol Combat Rules

3.10 Production Pistol & Distinguished Production Pistol: Pistols for this Division are approved by NRA Law Enforcement Competitions and listed as Approved in Police Pistol Combat Bulletin 14.1 on the Law Enforcement Competitions website. To be considered for approval the pistol must be a mass produced center-fire semi-automatic pistol made for police or military use (at least 1,000 pistols), a stock catalog item that is unmodified from its original factory condition, and have a double, double/single, or striker type action. The pistol must be capable of chambering and firing .35 caliber or larger ammunition, or FN 5.7 x 28 caliber ammunition. All double action semi-automatic pistols must fire the first shot of every stage double action. Trigger pull not less than 3.5 pounds single or double action. The course of fire for **Production Semi-Automatic Pistols** is Match 14, the Stock Service Semi-Automatic Pistol course using the shooters Stock Duty Gun Classification. See Section 7 for the course description and Section 19 for Classification information. The course of fire for **Distinguished Production Pistol** Matches is the 60 round NRA National Police Course of Fire found in Section 7.7. See Appendix B for the Distinguished Production Semi-Automatic Pistol Program.

Allowed:

1. Maximum barrel length of 5 inches.
2. Maximum sight radius of 7.5 inches.
3. Installation of extended magazine releases and slide catches produced by the pistol's manufacturer.

4. Replacement of the factory fixed or adjustable service sights with another service type sight, luminescent service sight, or fiber optic service sight sold by the pistol's manufacturer as a factory catalog replacement part for the pistol, or with a sight on the Production Semi-Automatic Pistol Approved Sight List on the NRA Law Enforcement Competitions website. In no case may the firearm be altered for any sight installation.
5. Finger groove and slip on grips.
6. Magazine bumper pad.

Prohibited:

1. Single Action Pistols.
2. Custom or competition model pistols, even if a catalog item or another version of the manufacturer's base stock model.
3. Any external change to the pistol from its original manufactured condition, including grips, extended magazine wells/funnel, trigger stops, trigger shoes, etc.
4. Changing any internal part or component with a non-original factory manufactured part.
5. Tape on the grip/stock.
6. Any substance that results in a sticky surface to the grip/stock or hand.

3.10.1 Production Duty Optic Semi-Automatic Pistol: Pistols meeting the specifications for Production Semi-Automatic Pistol in Section 3.10 and are listed as Approved in Police Pistol Combat Bullet 14.1 may be equipped with an Approved non-magnified optic suitable for duty use. The Duty Optic must be listed as Approved by NRA Law Enforcement Competitions and listed on the Law Enforcement Competitions website. See Section 19.1 for Classifications.

To be considered for approval, Duty Optics must mount without any modification to the handgun as originally manufactured. Swapping the original slide to an aftermarket slide with optic mount cuts is not allowed since the handgun is no longer as originally manufactured. After being powered ON, the optic must remain ON for a minimum of 14 hours without any action being required by the shooter to draw and fire. This would cover a typical 12 hour shift plus some extra time. Duty Optics may go into an automatic power saving mode and come to full power automatically when drawn, when motion is detected, when it detects light changes or by other automatic means. The pistol should have co-witnessed front and rear sights, but the rear sight may be removed to mount the Duty Optic or to use a stock Optic Ready Plate.

Approved Duty Optics are listed in PPC Bulletin 19.1

Shooters are responsible for ensuring that the specific pistol they select from the listed model series meets the specifications in PPC Rule 3.10 or 3.10.1.

Competitors, NRA Supervisors, Tournament Directors and Referees need to remember that except for approved replacement sights listed in PPC Bulletin 16-1;

- **NO External change can be made, including grips, extended magazine wells/funnel, trigger stops, trigger shoes, etc. and,**
- **NO Internal part internal part or component can be replaced with non-original factory manufactured parts, including barrels, guide rods, triggers, trigger components, firing pins, etc. even if done by the original manufacturer.**
- **Competitors need to be ready to tell Tournament Officials what page number their pistol is listed on as being Approved in this Bulletin and the Approval Number for their Pistol. It is NOT the Tournament Official's responsibility to search the Bulletin to see if your pistol is Approved.**

***Approved Pistols for
Production Pistol Match 23,
Distinguished Production Pistol Match 24,
&
Production Duty Optic Pistol Match 25***

Shooters should remember that their approved Production Pistol can also be used in Stock Service Semi-Automatic Matches


Make	Model	Approval Number	Additional Information
Beretta	92 Series	1	Full and compact models meeting barrel length and action type requirements. All 92 & M9 Series except FS Fusion. Full and compact models meeting barrel length and action type requirements.
	M9 Series	2	
	90-Two Series	3	
	Px4 Storm Series	4	
Canik	TP9 Elite SC	99	HG5610T-N
	TP9 Elite Combat	125	HG461D-N & HG4950-N
	TP9 SF Elite	126	HG3898T-N
	TP9 SF	127	HG4070-N, HG4070D-N, HG4071-N & HG4071D-N
	TP9 SFx	NA	Not Approved – Barrel length exceeds limit.
Colt	Double Eagle	5	9mm, 10mm, & .45ACP
	Model 2000	6	All American, Polymer, Aluminum Frame
	Model 2000	7	
	Model Z40	8	
CZ-USA <i>Continued on Next Page</i>	CZ 75	NA	Not Approved = No Decocker – Requires manual hammer lowering to get to DA.
	CZ-75 B	NA	Not Approved = No Decocker – Requires manual hammer lowering to get to DA.
	CZ 75 BD	10	
	CZ 75 Compact	NA	Not Approved = No Decocker – Requires manual hammer lowering to get to DA.
	CZ 75 D PCR	131	
	CZ 75 SP-01	N/A	Not Approved = No Decocker – Requires manual hammer lowering to get to DA.

Make	Model	Approval Number	Additional Information
CZ-USA <i>Continued from Previous Page</i>	CZ 75 SP-01 Tactical	12	
	CZ-75 SP-01 Phantom	132	
	CZ 85 B	NA	Not Approved = No Decocker – Requires manual hammer lowering to get to DA.
	CZ-97 B	NA	Not Approved = No Decocker – Requires manual hammer lowering to get to DA.
	CZ 97 BD	11	
	CZ P-01	13	
	CZ P-01 Ω Omega Convertible	123	Must be set up for DA/SA carry, not SA carry.
	CZ P-06	14	
	CZ P-07	129	All Models. Must be set up for DA/SA carry, not SA carry.
	CZ P-09	130	Standard in 9mm & .40 S&W
	CZ P-10	122	C, C FDE, C Suppressor Ready, C Urban Grey, F, F FDE, F OD, F Suppressor Ready
FNH USA	FNS Series	15	FNS-9, FNS-40, FNS-9 Long Slide & FNS-40 Long Slide
	FNX Series	16	FNX-9, FNX-40, FNX-45
	FN Five-SeveN	17	
	FN 509	18	
Glock LE Models <i>Continued on Next Page</i>	G17	19	Full and compact models meeting barrel length and action type requirements. Pistol must be listed on their Law Enforcement Product Line page. No Models marketed/advertised for competition. Approved MOS Models must be used with approved metallic sights for Match 23.
	G17 MOS	105	
	G17M	133	
	G19	20	
	G19 X	93	
	G19 MOS	106	
	G20	22	
	G20 SF	108	
	G21	23	
	G21 SF	109	

Make	Model	Approval Number	Additional Information
Glock LE Models <i>Continued from Previous Page</i>	G22	24	
	G23	25	
	G25	26	
	G26	27	
	G27	28	
	G28	29	
	G29	30	
	G30	31	
	G30 S	110	
	G30 SF	111	
	G31	32	
	G32	33	
	G33	34	
	G36	35	
	G37	36	
	G38	36	
	G39	38	
	G42	39	
	G43	40	
	G43 X	103	
	G45	104	
	G47	121	CBP Contract Duty Handgun - Handgun MUST be ordered off of the contract.
	G48	107	
Heckler & Koch <i>Continued on Next Page</i>	P30	41	9mm & .40
	P30L	42	9mm & .40
	HK45	43	Does NOT include the Tactical models
	HK45 Compact	44	
	P2000	45	
	P2000 SK	46	

Make	Model	Approval Number	Additional Information
Heckler & Koch <i>Continued from Previous Page</i>	USP	47	9mm, .40, & .357 SIG
	USP Compact	48	9mm, .40, & .357 SIG
	VP9 & VP40	49	9mm, .40, & .45 ACP / Includes Optics ready models.
	VP9L OR	138	Long Slide Optics Ready VP9L. Cannot be used with extended 20 magazines.
	P97 Series	50	9mm, .40, & .45 ACP
Para Ordinance	LDA Series	149	All LDA models meeting Rule specifications.
Remington	RP9	124	All Models
Ruger	57	140	Model 16401 and 16402
	American	100	8605, 8607 & 8615. Standard and Pro, Full size and Compact 9mm & .45 models with Standard Sights, Night Sights, & LoMount Carry Sights.
	P85 Series	90	
	P89 Series	91	
	P90 Series	92	
	P91 Series	93	
	P93 Series	94	
	P94 Series	95	
	P95 Series	96	
	P97 Series	97	
	P345 Series	98	
	P944 Series	99	Standard and Compact in 9mm, .40 S&W, and .45 ACP
	Security-9	141	
Shadow Systems <i>Bronze TiCN Barrel not approved.</i>	MR920 Combat	142	Standard and threaded barrel models approved.
	MR920 Elite	143	
	MR920L Elite	144	Bronze TiCN barrels not approved.
	DR920 Combat	145	
	DR920 Elite	146	
SIG Sauer <i>Continued on</i>	P210	NA	NOT eligible - this is a SAO pistol.
	P220	56	Standard, Carry, DAK, Carry DAK & Combat
	P224	57	

Make	Model	Approval Number	Additional Information
SIG Sauer <i>Next Page</i> <i>Continued from Previous Page</i>	P226	58	Standard P226, P226 DAK , P226 Elite Dark, & Elite Stainless. No SA only models.
	P227	59	
	P228	60	
	M11-A1	61	Standard Version
	P229	62	Standard P229 and P229 DAK
	P239	63	Standard P239 and P239 DAK
	P250	64	Full Size, Compact, Subcompact
	P290	65	
	P320	66	All stock catalog frame sizes & models meeting Rule specifications. RX Full Size and RX Compact. Optic not allowed in Matches 23 and 24.
	P320 Grip Modules	N/A	Except for the P320 X-Five Full Size Grip Module, any factory SIG P-320 Grip Module may be swapped out for the original Grip Module on an approved P320. No other parts, including the trigger, may be changed, swapped, or modified.
	P320 Slides	N/A	Original slides can be swapped out with a duty factory slides offered directly from SIG to change one Approved Production model into another Approved Production model. Example: A metallic duty sight slide on an Approved P320 for Match 23 can be changed to a SIG Optic Ready Slide with an Approved Duty Optic mounted on it so the same P320 becomes eligible for the Production Duty Optic Match. No other parts, including the trigger, may be changed, swapped, or modified.
	P320 X Full	51	Use of optic not allowed in Matches 23 and 24. Allowed for Match 25 with Approved Optic.
	P320 X Compact	52	Use of optic not allowed in Matches 23 and 24. Allowed for Match 25 with Approved Optic.
	P320 LIMA Compact	53	Laser sight cannot be used during match.
<i>Continued on</i>			

Make	Model	Approval Number	Additional Information
SIG Sauer <i>Continued from Previous Page</i>			
	P320 Model W320F-9-DHS	102	The ICE contract model Duty Pistol is approved but must be issued and assigned to the shooter by ICE. The approved contract pistol is a SIG P320 X-Carry frame with a standard full size P320 slide, full size standard curved trigger group, 4" barrel, and fixed night sights. 
	P320 Nitron Carry	112	
	P320 FDE Carry	113	
	P320 Nitron	114	Nitron Full Size, Nitron Carry, and Nitron Compact
	P320 X VTAC	115	Use of optic not allowed in Matches 23 and 24. Allowed for Match 25 with Approved Optic.
	P320 M17	116	
	P320 M17 Bravo	117	
	P320 RX	118	
	P320 X Carry	119	Use of optic not allowed in Matches 23 and 24. Allowed for Match 25 with Approved Optic.
	P320 TACOPS Carry	120	Cannot be used with 21 round magazines.
	P320 AXG Pro	147	Cannot be used with 21 round magazines.
	SP2022	67	
Smith & Wesson	M&P Series	68	Standard, Compact and L models meeting specifications. / Includes thumb safety models. / Pro Series and Custom Shop series are NOT approved.
	M&P 2.0	69	Unaltered SKUs: 11521, 11522, 11523, 11524, 11525, 11526, 11537, 11595 / 11989 / Pro Series and Custom Shop series are not approved.
	SDVE Series	70	

Make	Model	Approval Number	Additional Information
	Model 39/59	71	Standard models only. The PPC9 was not a standard model and is not allowed.
	Model 5906	101	The 5906 based PPC9 model is not allowed.
	Model 1006	72	
	Model 1026	73	
	Model 4006	74	
	SIGMA	75	Ported models are not approved.
	Model SW99	76	
Springfield Armory <i>Does NOT include any with modifications from stock catalog, special order, or change of sights from catalog unless listed in PPC Bulletin 16-1.</i>	XD Models	77	Standard, Compact and 5" Tactical Models with Standard Stock 3-Dot Front and Rear Sight only.
	XDM Models	78	Sub-Compact, Service, 4.5 Threaded Barrel, and 4.5" OSP Models with Standard Stock 3-Dot Front and Rear sights and Suppressor Height Stock sights. Does not include models with barrels over 5 inches. OSP Models must have adapter plate in place and use factory iron sights.
	XDM Elite	134	Elite 3.8 Model and 4.5 Model only (4.5 Tactical exceeds barrel length specifications).
	XD-S Models	79	4.0 and 3.3 XD-S models with Standard Stock Fiber Optic Front and Dovetail Steel Rear sight / standard 7 round magazine.
	XD MOD. 2	80	Sub-Compact, Service, & Tactical Models with Standard Stock Fiber Optic Front and Low Profile Combat Rear sight or Suppressor Height Stock Sights.
	Model P9	81	Includes Model P9, Model P9 Standard, compacts and subcompact / Does not include Model P9 Comp.
	Hellcat	135	Micro-Compact and Micro-Compact OSP
STI	GP6	82	
Walther	PPS M2	89	Any Standard, Compact or Sub-Compact model meeting specifications with no modifications.
	PPQ Classic	83	
	PPC SC	90	
	PPQ M2	91	Because of multiple competitor inquires the following information has been added for clarification on PPQ M2 Models. As of the date of this Bulletin; approved models include the:
	PPQ 45	84	
	PPQ Q4 TAC	92	
	PPS	85	

2796066	2796082	2796091
2813734	2796074	2793104
2796066TNS	28330833	2819552

Make	Model	Approval Number	Additional Information
	PPX	86	2823462.
	P99	87	
	CCP	88	
	Q4 SF	136	
	Q4 SF OR	137	
	Q5 Match M2	NA	The Q5 Match Models are <u>not approved</u> .
	Q5 Match M1	NA	
	Q5 Match SF	NA	
	Q5 Match SF Pro	NA	
	PDP Series	139	
	PDP PRO SD Compact	148	Compact is approved but the Full-Size models are NOT approved as the barrel length exceeds the 5 inch limit.