NX Mach Series Machining solutions


Improving productivity in NC programming and machining, die and mold manufacturing

Benefits

- Improves manufacturing productivity
- Maximizes value of the latest machine tool technology
- Improves NC program quality
- Eliminates requirements for separate systems

Features

- Integrated design-throughmanufacturing (CAD/CAM) solutions with data management
- Packages tailored for specific machining requirements
- Comprehensive NC programming – tool path creation, verification, simulation, postprocessing, and productivity aids
- Design-to-manufacturing associativity
- Proven, in-depth capability



NX Mach 3 – Advanced 5 Axis Machining has the capability to take on any milling task within NX.


Summary

NX[™] software, the digital product development system from Siemens PLM Software, offers several prepackaged Mach Series solutions for NC machining. Available in a range of capability levels, these solutions accelerate programming and improve productivity for a variety of typical manufacturing challenges, from basic machining to complex, multiple-axis and multifunction machining, as well as mold and die manufacturing. The packages


include complete capabilities for geometry import, CAD modeling and drafting, full associativity to part designs, NC tool path creation, verification and postprocessing, along with productivity tools that streamline the overall machining process.

The NX Mach Series Machining solutions include:

- NX Mach 1 Machining Foundation software, which provides the necessary supporting functions for any toolpath creation.
- NX Mach 2 CAD/CAM Turning Foundation software, which provides the Foundation capabilities along with a full CAD solution and a full Turning solution.
- NX Mach 2 CAD/CAM Milling Foundation software, which provides the Foundation capabilities along with a full CAD solution and a full 3 Axis Milling solution well suited for the most demanding mold and die machining.
- NX Mach 2 CAM-only 5 Axis Machining software, which provides the Foundation capabilities along with a full 5 Axis Milling solution, well suited to support a wide range of 5 axis milling machines.
- NX Mach 3 Total Machining software, which provides a complete CAD/CAM solution for multiaxis milling and turning.
- NX Mach 3 Advanced 5 Axis Machining software, which provides a complete CAD/CAM solution for every type of 5 Axis milling, including specialized turbomachinery milling.



NX Mach 1 – Machining Foundation capabilities, included in every Mach Series Machining solution, provide supporting functions such as assembly modeling tools and visualization.



NX Mach 2 – CAD/CAM Milling Foundation is well suited for tooling manufacturers.

NX

www.siemens.com/nx

SIEMENS

NX Mach Series Machining solutions

NX 4 Mach Series

Product content overview	NX Mach 1 Machining Foundation	NX Mach 2 CAD/CAM Turning Foundation	NX Mach 2 CAD/CAM Milling Foundation	NX Mach 3 Total Machining	NX Mach 3 Advanced 5 Axis Machining	NX Mach 2 CAM-only 5 Axis Machining
Product number	NX11430	NX12440	NX12450	NX13430	NX13440	NX12460
Data translation	•	•	•	•	•	•
General NC programming tools	•	•	•	•	•	•
Assembly modeling and basic model editing tools	•	•	•	•	•	•
Machining wizard builder	•	•	•	•	•	•
Feature-based hole making/ machining		•	•	•	•	
Fixed-axis milling Planar milling			•	•	•	•
Core and cavity milling			•	•	•	•
Fixed-axis surface milling			•	•	•	•
Facet machining			•	•	•	•
Flow cut milling			•	•	•	•
NURBS path generator			•	•	•	•
Turning		•		•		
Wire EDM				•		
Five-axis machining						
Variable-axis milling and profiling				•	•	•
Sequential milling				•	•	•
Turbomachinery Milling					•	
Multi-function machine synchronization				•	•	•
Machining simulation				•	•	•
Postprocessing	•	•	•	•	•	•
Shop documentation	•	•	•	•	•	•
CAD tools		•	•	•	٠	
Advanced design tools			•	•	•	

NX Mach Series Machining solutions provide all the tools you need to create, refine and optimize NC tool paths as well as state-of-the-art solutions for progressive die and mold design. From geometry import through simulation and postprocessing, these solutions deliver comprehensive NC programming plus mold and die design capabilities in a fully integrated system.

Data translation

All of the NX Mach Series Machining solutions include data exchange tools for importing CAD part geometry from a broad range of sources. NX machining works directly with NX geometric models, and is associatively interoperable with models created with NX I-deas® software or Solid Edge® software. Since NX is built with Siemens PLM Software's Parasolid® software modeling kernel, the de facto industry standard, it also easily reads Parasolid data from many CAD systems. NX also translates data from several standard exchange and neutral formats, including IGES, STEP 203 and 214, DXF and DWG.


Programmers using any of the NX Mach Series Machining solutions can also select parts from NX assembly models for machining.

NC tool path creation and programming

General NC programming tools All NX Mach Series Machining solutions include tools for creating and editing NC programs. The base capability enables programmers to edit cutter location source files, to reorder tool paths within the cutter location files and to program point-topoint, drive curve machining and drilling. In addition, programmers can graphically display NX tool paths and upon selection of a graphical element, can edit the graphical component or its corresponding textual representation (GOTO statements). In addition, the NX machining solutions can readily interface with resource libraries of cutters, feeds and speeds and machine tool information. The interface enables programmers to search, review and retrieve resource information through NX guery dialogs.

Assembly modeling and basic model

editing tools All NX Mach Series Machining solutions also include the assembly modeling capabilities needed for building fixturing and robust setup environements. In addition, the tools are provided to edit models in order to improve the NC programming process. Surface extension and patching tools are provided, as well as other geometry extractions, including synchronous modeling capabilities.



Machining wizard builder All of the NX Mach Series Machining solutions include a machining wizard builder. This capability enables companies to capture standard machining procedures and company best practices in step-by-step wizards that help automate NC programming. The custom wizards can be re-used throughout the company to assist less experienced programmers and to promote standardization of NC machining practices.

Feature-based machining The NX Mach Series Machining solutions automate NC programming with feature-based machining, which can reduce programming time and effort by 90 percent. Featurebased machining automatically recognizes machining features in the part model and sorts them by feature type. NX CAM then selects machining methods appropriate to each feature type, applying templates, rules and machining parameters automatically. Automated tool path creation then creates the tool paths, selects tools and optimizes the paths for tool type and tool path length. Output includes the final NX program and associated shop documentation.

Fixed-axis milling

Planar milling – NX Mach Series Machining solutions support planar milling operations including multiple-pass profiling and follow pocketing, and include three linear motion area clearance routines. The software automatically creates tool paths for predrilling holes and machining around multiple islands.

Core and cavity milling – creates tool paths for fixed-axis core and cavity milling. The tool paths remove volumes of material in planar layers that are perpendicular to the fixed tool axis. This type of machining operation is most commonly used to rough out material from cores and cavities in preparation for finishing. Multiple cutter trajectory options are available, as well as control for high speed machining. Initial stock material and in-process material can be used to define machining regions, thereby avoiding unnecessary cutter moves.


Fixed-axis surface milling – enables 3-axis machining of surfaces and solids. NX includes a broad selection of drive methods including boundary, radial cut, spiral cut and user-defined. Boundary drive methods offer cut patterns that include concentric and radial patterns. The software features controls for upward and downward cutting and helical engages, and geometry creation to identify uncut or cleanup areas.

Facet machining – creates tool paths for machining faceted models such as STL (rapid prototyping format) or Parasolid faceted bodies. This capability can be used in reverse engineering from scanned models. Flow cut milling – generates fixed contour tool paths along concave corners and valleys formed by part surfaces. NX automatically determines the direction and order of the flow cuts using rules based on machining best practices. The resulting tool path is optimized to maintain tool contact with the part and minimize noncutting moves. Manual assembly is available for the cases where human intervention can improve the results.

NURBS path generation – provides a machine control dialog with an option for output of nonuniform rational B-spline (NURBS) tool path, the application code for the generation of the tool path and the necessary enhancements to postprocess the new format. The format is supported by machine controllers that have NURBS interpolation option.

Five-axis machining

Sequential milling – NX includes tool path creation for machining a series of edge-toedge surfaces (sheets or faces) in succession. This sequential milling capability is used to finish surfaces once the area has been roughed out with planar or cavity milling. The software creates tool paths that carefully follow surface contours using three-, four- or five-axis tool movements while exercising a high degree of control over each tool move.



Variable-axis milling and profiling – NX supports both fixed and multi-axis milling functions on any NX part surfaces.


Programmers can specify full 3- to 5-axis contouring motion, tool orientation and quality of surface finish. Tool paths may be controlled by surface parameters, by projecting tool paths onto the surface and by arbitrary cures or points.

Turbomachinery milling – NX provides specialized operations to address turbomachinery components where multiple blades are arrayed on a hub, such as impellers, turbines, fans, etc. 5 Axis roughing and finishing strategies quickly machine even the most challenging configurations. The specialized operations are even tolerant of geometry stitching errors in imported data, making the production of these components the most trouble-free available.

NX creates tool paths for profile contour milling operations that semi-finish and finish walls. The software defines the tool axis so that the cutter removes material with its side only. For example, upon selection of a cavity floor, the software will create tool paths for all the walls surrounding the floor in that region. If multiple floors are selected in a single operation, then all the surrounding walls will be machined.


Multi-function machine synchronization

Harness the power of multi-function machine tools with a graphical means of displaying an unlimited number of channels, with scrolling code in a choice of formats, time displays and functions to add wait and sync codes. The Synchronization Manager is directly linked to the internal postprocessor and runs from posted output for the greatest accuracy.




Turning

NX packages include a comprehensive turning solution that is easy enough to use on simple programs and capable enough to tackle your toughest geometry in multispindle, multi-turret applications.



Wire EDM


NX CAM solutions can create tool paths for wire electrical discharge machining of parts in 2- through 4-axis mode. The software works with parts defined in wireframe or solid geometry. It supports a range of wire EDM operations including multi-pass profiling, wire reversing and area removal.



NX automates tool path creation for machining holes, pockets and faces with feature-based machining. This advanced capability automatically recognizes features in NX design models, including user-defined features and geometry items with machining feature attributes. The software applies templates with predefined processes for each feature type and rules for adjusting the process for specific geometry and material conditions. According to the rules, multiple operations are provided for machining the features, including tool selection and parameter settings. An optimization procedure consolidates tool selections and optimizes tool motions across the feature sets.

Machining simulation and tool path verification

Toolpath verification – all NX Mach Series Machining solutions provide visualization capabilities that display, animate and verify NX tool paths for milling and turning. The visualization enables shaded display and storage of the in-process workpiece and standard display of the tool path and holder with gouge detection. The software animates the material removal process and provides analysis tools for remaining material and undercutting.



Machining simulation – avoid tying up a machine in unproductive prove-outs with the integrated machine tool simulation capability in Mach packages that include 5 Axis machining packages. Users will be able to detect collisions using a set of predefined generic machine tools. In addition, a machine tool builder enables companies to create and simulate customized machine tool/controller combinations. The software simulates tool paths and machine tool G and M code programs. Custom machines can be stored and retrieved in optional Siemens library tools. Plus, special tools are provided to build complete kinematic machine tool models.

Postprocessing


Post builder – all NX Mach Series Machining solutions include an interactive postprocessor generator that creates NC postprocessing programs used to produce machine-specific output from NX tool paths. Standard milling, drilling and turning machines are supported. The postprocessor development tools include Windows-like structures with drag-anddrop options for defining the postprocessor parameters. In addition, the output can be manually modified by users with programming experience to extend the postprocessing features. Postprocessors can be executed to convert NX tool paths to machine-ready programs.



An advanced kinematics library is included in all the NX Mach Series Machining solutions. The advanced kinematics are required for postprocessing advanced machine tools with non-orthogonal heads.

Design and drafting

Several of the NX Mach Series Machining packages include powerful design tools for a complete CAD/CAM solution. The geometry creation and editing capabilities include solid modeling and feature-based, parametric design, assembly modeling, basic freeform surface modeling for complex shapes and sheet metal component design. Full production drafting is also provided for creating and maintaining engineering drawings.



The CAD tools in NX Mach Series Machining solutions are complemented by many design productivity aids. Stress and vibration wizards help non-experts simulate performance of parts or manufacturing components. User-defined features assist in creating and re-using common design features. Rapid prototyping output automatically prepares component data for stereolithography and other rapid prototyping machines. The ability to run custom programs helps automate best practices and repetitive tasks. A web publishing utility streamlines creation of design and manufacturing information for the Internet or company intranets. Design reviews can be conducted more quickly with XpresReview tools that automatically package information for e-mail distribution.

Advanced design tools

NX Mach 2 CAD/CAM Milling Foundation, Mach 3 Total Machining and Mach 3 Advanced 5 Axis Machining deliver additional design tools for more complex CAD/CAM challenges. These include full 3D annotation for adding product and manufacturing information (PMI) to 3D models, with complete geometric dimensioning and tolerancing; advanced freeform surface modeling; flexible printed circuit board design; automated checking tools that continuously validate designs for adherence to company and engineering standards; and visualization tools for dynamic and photorealistic rendering.

Shop documentation

All NX Mach Series Machining solutions include tools for creating NC program documentation for use on the shop floor. The output can be configured to produce ASCII files, HTML (viewable from a web browser) and other formats.

Engineering process management and CAM data management

Engineering process management, powered by Teamcenter[®] technology, is available as an add-on component for any Mach NX CAM product. It is a product data management system integrated with NX solutions. It provides a variety of capabilities for vaulting, sharing and securing product data across distributed organizations that can be deployed to meet the challenges of today and scaled to meet those of tomorrow. Engineering process management organizes and protects all part data (including models, drawings, images, technical documents and manufacturing related information), as well as NC programming resource data and program files. With comprehensive search tools, engineering process management saves time locating product and manufacturing data and helps coordinate the work of all team members.

Contact

 Siemens Industry Software

 Americas
 +1 800 498 5351

 Europe
 +44 (0) 1276 702000

 Asia-Pacific
 +852 2230 3333

www.siemens.com/nx

© 2011 Siemens Product Lifecycle Management Software Inc. All rights reserved. Siemens and the Siemens logo are registered trademarks of Siemens AG. D-Cubed, Femap, Geolus, GO PLM, I-deas, Insight, JT, NX, Parasolid, Solid Edge, Teamcenter, Tecnomatix and Velocity Series are trademarks or registered trademarks of Siemens Product Lifecycle Management Software Inc. or its subsidiaries in the United States and in other countries. All other logos, trademarks, registered trademarks or service marks used herein are the property of their respective holders. X9 2876 11/11 B